Page 1 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifier**

GB

## megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

# **1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:**

#### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

Meguin GmbH & Co. KG Mineraloelwerke Rodener Strasse 25 66740 Saarlouis Tel.: 06831/89 09-0 Fax: 06831/89 09-62

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number Emergency information services / official advisory body:

#### Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR) +1 872 5888271 (LMR)

**SECTION 2: Hazards identification** 

## 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

#### 2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains Calcium carbonate monopolybutenylbenzenesulfonate succinate complexes. May produce an allergic reaction. EUH210-Safety data sheet available on request.

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## **SECTION 3: Composition/information on ingredients**

#### Page 2 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

#### 3.1 Substances

#### n.a.

3.2 Mixtures	
1-decene, trimers, hydrogenated	
Registration number (REACH)	01-2119493949-12-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	500-393-3
CAS	157707-86-3
content %	20-30
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Asp. Tox. 1, H304
factors	
Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-	
hydroxyphenyl)propionate	
Registration number (REACH)	01-0000015551-76-XXXX
Index	607-530-00-7
EINECS, ELINCS, NLP, REACH-IT List-No.	406-040-9
CAS	125643-61-0
content %	1-1,5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Aquatic Chronic 4, H413
factors	
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-	
Pr) esters, zinc salts	
Registration number (REACH)	01-2119493626-26-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	283-392-8
CAS	84605-29-8
content %	1-1,5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Irrit. 2, H315
factors	Eye Dam. 1, H318
	Aquatic Chronic 2, H411
Specific Concentration Limits and ATE	Skin Irrit. 2, H315: >=6,25 %
	Eye Dam. 1, H318: >=12,50001 %
	Eye Irrit. 2, H319: >=10,00001 %
Calcium carbonate monopolybutenylbenzenesulfonate succinate	

Calcium carbonate monopolybutenylbenzenesulfonate succinate	
complexes	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	685-142-7
CAS	252315-85-8
content %	0,1-<1
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Sens. 1, H317
factors	

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16. The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

œ–

B
Page 3 of 15
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 01.11.2021 / 0012
Replacing version dated / version: 11.06.2021 / 0011
Valid from: 01.11.2021
PDF print date: 01.11.2021
megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)
Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare),
consult a doctor.
In case of skin injury by high pressure, a risk of penetration of lubricant into the skin exists.
Immediate admittance to a hospital.
Eye contact
Remove contact lenses.
Wash thoroughly for several minutes using copious water. Seek medical help if necessary.
Ingestion
Rinse the mouth thoroughly with water.
Do not induce vomiting. Consult doctor immediately.
Danger of aspiration.
In case of vomiting, keep head low so that the stomach content does not reach the lungs.
4.2 Most important symptoms and effects, both acute and delayed
If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.
In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.
The following may occur:
Irritation of the eyes
Drying of the skin.
Irritation of the skin.
On vapour formation:
Irritation of the respiratory tract
Ingestion:
Nausea
Malaise
gastrointestinal disturbances
4.3 Indication of any immediate medical attention and special treatment needed
<b>4.3 Indication of any immediate medical attention and special treatment needed</b> Symptomatic treatment.
Symptomatic treatment.
•
Symptomatic treatment.
Symptomatic treatment. SECTION 5: Firefighting measures
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media
Symptomatic treatment. SECTION 5: Firefighting measures
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water.
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire:
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire:
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop:
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of carbon
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of carbon Oxides of nitrogen
Symptomatic treatment. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of carbon Oxides of sulphur
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of nitrogen Oxides of nitrogen Oxides of sulphur Hydrogen sulphude
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of nitrogen Oxides of nitrogen Oxides of nitrogen Oxides of sulphur Hydrogen sulphide Toxic gases
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of sulphur Hydrogen sulphide Toxic gases 5.3 Advice for firefighters
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of carbon Oxides of sulphur Hydrogen sulphide Toxic gases 5.3 AdVice for firefighters For personal protective equipment see Section 8.
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of sulphur Hydrogen sulphide Toxic gases 5.3 Advice for firefighters
Symptomatic treatment.  SECTION 5: Firefighting measures  5.1 Extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of carbon Oxides of sulphur Hydrogen sulphide Toxic gases 5.3 AdVice for firefighters For personal protective equipment see Section 8.
Symptomatic treatment.  SECTION 5: Firefighting measures  Statiable extinguishing media Suitable extinguishing media Cool container at risk with water. Small fire: CO2 Foam Dry extinguisher Sand Large fire: Water jet spray Foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of carbon Oxides of aritrogen Oxides of sulphur Hydrogen sulphide Toxic gases 5.3 Advice for firefighters For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe furmes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

#### Page 4 of 15

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

## 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

## If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

#### **6.2 Environmental precautions**

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13. Fill the absorbed material into lockable containers.

Unsuitable cleaning product:

Solvent

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

## 7.1.1 General recommendations

Ensure good ventilation.

Avoid formation of oil mist. Avoid contact with eyes or skin. Keep away from sources of ignition - Do not smoke. Take measures against electrostatic charging, if appropriate. Do not use on hot surfaces. Do not heat to temperatures close to flash point. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Do not perforate, cut up or weld uncleaned container.

Protect against moisture and store closed.

Under all circumstances prevent penetration into the soil.

Do not store over 55°C.

## Store at room temperature.

7.3 Specific end use(s)

No information available at present.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Chemical Name

Oil mist, mineral

Content %:

(GB)						
Page 5 of 15	ing to Regulation (EC) No 1907	2006 Appox II				
Revision date / version: 0		/2006, Annex II				
	/ version: 11.06.2021 / 0011					
Valid from: 01.11.2021	24					
PDF print date: 01.11.202						
megol Motorenoel WIV 5	0601 SAE 0W-30 (vollsynthetis	ch)				
WEL-TWA: 5 mg/m3 (N	Aineral oil excluding W	EL-STEL:				
metal working fluids, ACC						
Monitoring procedures:		ger - Oil Mist 1/a (67 33 0	131)			
BMGV:	- Diae		Other info	rmation:		
			Other into			
Depation many of icom		hutul A hudrowych opyl	\nrenienete			
Area of application	ers of: C7-9-alkyl 3-(3,5-di-tert Exposure route /	Effect on health	Descripto	Value	Unit	Note
Area of application	Environmental	Effect off fieldtfi	r	value	Onic	NOLE
	compartment		1			
			PNEC	10		
	Environment - sewage		PNEC	10	mg/l	
	treatment plant			0.27	maller	
	Environment - sediment,		PNEC	0,37	mg/kg	
	freshwater		PNEC	0.027	mallia	
	Environment - sediment,		PNEC	0,037	mg/kg	
	marine			400		
	Environment - soil		PNEC	189	mg/kg	
	Environment - freshwater		PNEC	0,0043	mg/kg	
0	Environment - marine		PNEC	0,00043	mg/kg	
Consumer	Human - inhalation		DNEL	0,74	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	4,3	mg/kg	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,43	mg/kg	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,22	mg/kg	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	3	mg/m3	
Workers / employees	Human - dermal	Short term, local effects	DNEL	1	mg/cm2	
Workers / employees	Human - dermal	Long term, local effects	DNEL	0,006	mg/cm2	
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	20	mg/kg	
Phosphorodithioic acid	, mixed O,O-bis(1,3-dimethyll	butyl and iso-Pr) estors	zinc salts			
Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
Area of application	Environmental	Effect off fiealth		value	Unit	Note
			r			
	compartment			0.004		
	Environment - freshwater		PNEC	0,004	mg/l	
	Environment - marine		PNEC	0,0046	mg/l	
Conquerce	Environment - soil		PNEC	0,0548	mg/kg	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,24	mg/kg bw/day	
Consumer	Human - dermal	Long term, systemic effects	DNEL	6,1	mg/kg bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	2,11	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	12,1	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic	DNEL	8,31	mg/m3	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

effects

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational

Page 6 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage. \*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

## 8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and nonmetrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

## 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). Recommended Protective nitrile gloves (EN ISO 374). Protective PVC gloves (EN ISO 374).

Minimum layer thickness in mm:

0,5

GB

Permeation time (penetration time) in minutes:

> 240

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary. With oil mist formation: Filter A P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

## 8.2.3 Environmental exposure controls

No information available at present.

**SECTION 9: Physical and chemical properties** 

#### Page 7 of 15

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

## 9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Clear, Amber, Yellow
Odour:	Characteristic
Melting point/freezing point:	-39 °C (ASTM D 97, Setting point )
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	Flammable
Lower explosion limit:	There is no information available on this parameter.
Upper explosion limit:	There is no information available on this parameter.
Flash point:	210 °C (ASTM D 92 (Cleveland, open cup))
Auto-ignition temperature:	There is no information available on this parameter.
Decomposition temperature:	There is no information available on this parameter.
pH:	Mixture is non-soluble (in water).
Kinematic viscosity:	53 mm2/s (40°C, ASTM D 445)
Solubility:	Insoluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	0,856 g/cm3 (15°C, ASTM D 4052)
Relative vapour density:	n.a.
Particle characteristics:	Does not apply to liquids.
9.2 Other information	
Explosives:	Product is not explosive.
Oxidising liquids:	No

Oxidising liquids: Bulk density:

## **SECTION 10: Stability and reactivity**

n.a.

#### **10.1 Reactivity** Not to be expected **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. 10.4 Conditions to avoid See also section 7. Heating, open flame, ignition sources Electrostatic charge **10.5** Incompatible materials See also section 7.

Avoid contact with strong oxidizing agents.

#### **10.6 Hazardous decomposition products**

See also section 5.2

No decomposition when used as directed.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification). 014/ 04

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						

Safety data sheet according to	Decidation (	-01 No 4007/20	CO Annov II			
		EC) No 1907/200	06, Annex II			
Revision date / version: 01.11. Replacing version dated / vers		21 / 0011				
Valid from: 01.11.2021	1011. 11.00.202	21 / 0011				
PDF print date: 01.11.2021						
megol Motorenoel WIV 50601	SAE 0W-30 (	vollsynthetisch)				
<b>X</b>	1			1	1	
Germ cell mutagenicity: Carcinogenicity:						n.d.a. n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT- RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
		·		•	·	·
1-decene, trimers, hydrogen		Mahaa		0	Test weath ad	Netes
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	>5,2	mg/l/4h	Rat	OECD 403 (Acute	Aerosol
Skin corrosion/irritation:				Rabbit	Inhalation Toxicity) OECD 404 (Acute	Not irritant
okin concolor/initiation.					Dermal	Not initialit
					Irritation/Corrosion)	
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye	Not irritant
damage/imtation.					Lye Irritation/Corrosion)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not sensitizising
sensitisation:					Sensitisation)	
					,	
Reaction mass of isomers of					onate	
Reaction mass of isomers of Toxicity / effect	Endpoint	Value	Unit	Organism	onate Test method	Notes
Reaction mass of isomers of					onate Test method OECD 401 (Acute	Notes
Reaction mass of isomers of Toxicity / effect	Endpoint	Value	Unit	Organism	Diversified Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute	Notes
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat	Diversify the second state of the second state	
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat	Dinate Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute	Notes Not irritant
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat	Diversify the second se	
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat Rabbit	Diversified Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal         Irritation/Corrosion)         OECD 405 (Acute	
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat Rabbit Rabbit	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal         Irritation/Corrosion)         OECD 405 (Acute         Eye         Irritation/Corrosion)	Not irritant Not irritant
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat Rabbit	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Inritation/Corrosion)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin	Not irritant Not irritant Not irritant
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat Rabbit Rabbit	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal         Irritation/Corrosion)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)	Not irritant Not irritant No (skin contact)
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat Rabbit Rabbit	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal         Irritation/Corrosion)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro	Not irritant Not irritant No (skin contact) NegativeChines
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat Rabbit Rabbit	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Inritation/Corrosion)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome	Not irritant Not irritant No (skin contact)
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat Rabbit Rabbit Guinea pig	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Inritation/Corrosion)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome         Aberration Test)	Not irritant Not irritant No (skin contact) NegativeChines e hamster
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat Rabbit Rabbit	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Toxicity)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome         Aberration Test)         OECD 471 (Bacterial         Reverse Mutation	Not irritant Not irritant No (skin contact) NegativeChines
Reaction mass of isomers of Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat Rabbit Rabbit Guinea pig Salmonella	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Toxicity)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome         Aberration Test)         OECD 471 (Bacterial	Not irritant Not irritant Not irritant No (skin contact) NegativeChines e hamster Negative Negative
Reaction mass of isomers of Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:         Germ cell mutagenicity:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat Rabbit Rabbit Guinea pig Salmonella typhimurium	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Toxicity)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome         Aberration Test)         OECD 471 (Bacterial         Reverse Mutation	Not irritant Not irritant Not irritant No (skin contact) NegativeChines e hamster Negative Negative Negative, Analogous
Reaction mass of isomers of Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:         Germ cell mutagenicity:	Endpoint LD50	Value > 2000	Unit mg/kg	Organism Rat Rat Rabbit Rabbit Guinea pig Salmonella typhimurium	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Toxicity)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome         Aberration Test)         OECD 471 (Bacterial         Reverse Mutation	Not irritant Not irritant Not irritant No (skin contact) NegativeChines e hamster Negative Negative
Reaction mass of isomers of Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:         Germ cell mutagenicity:         Carcinogenicity:         Aspiration hazard:	Endpoint LD50	Value > 2000 > 2000	Unit mg/kg mg/kg	Organism Rat Rat Rabbit Rabbit Guinea pig Salmonella typhimurium Rat	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Toxicity)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome         Aberration Test)         OECD 471 (Bacterial         Reverse Mutation         Test)	Not irritant Not irritant Not irritant No (skin contact) NegativeChines e hamster Negative Negative Negative, Analogous conclusion
Reaction mass of isomers of Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:         Germ cell mutagenicity:         Carcinogenicity:         Aspiration hazard:	Endpoint LD50 LD50	Value > 2000 > 2000	Unit mg/kg mg/kg	Organism         Rat         Rat         Rabbit         Rabbit         Guinea pig         Salmonella typhimurium         Rat	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Toxicity)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome         Aberration Test)         OECD 471 (Bacterial         Reverse Mutation         Test)	Not irritant         Not irritant         Not irritant         No (skin contact)         NegativeChines e hamster         Negative         Negative         Negative, Analogous conclusion         Negative
Reaction mass of isomers of Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:         Germ cell mutagenicity:         Carcinogenicity:         Aspiration hazard:         Phosphorodithioic acid, mix Toxicity / effect	Endpoint LD50 LD50 ed O,O-bis(1 Endpoint	Value > 2000 > 2000 ,3-dimethylbuty Value	Unit mg/kg mg/kg /l and iso-P Unit	Organism         Rat         Rat         Rabbit         Rabbit         Guinea pig         Salmonella typhimurium         Rat         r) esters, zinc s         Organism	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Toxicity)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome         Aberration Test)         OECD 471 (Bacterial         Reverse Mutation         Test	Not irritant Not irritant Not irritant No (skin contact) NegativeChines e hamster Negative Negative Negative, Analogous conclusion
Reaction mass of isomers of Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:         Germ cell mutagenicity:         Carcinogenicity:         Aspiration hazard:	Endpoint LD50 LD50	Value > 2000 > 2000	Unit mg/kg mg/kg	Organism         Rat         Rat         Rabbit         Rabbit         Guinea pig         Salmonella typhimurium         Rat	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Toxicity)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome         Aberration Test)         OECD 471 (Bacterial         Reverse Mutation         Test)	Not irritant         Not irritant         Not irritant         No (skin contact)         NegativeChines e hamster         Negative         Negative         Negative, Analogous conclusion         Negative
Reaction mass of isomers of Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:         Germ cell mutagenicity:         Carcinogenicity:         Aspiration hazard:         Phosphorodithioic acid, mix Toxicity / effect	Endpoint LD50 LD50 ed O,O-bis(1 Endpoint	Value > 2000 > 2000 ,3-dimethylbuty Value	Unit mg/kg mg/kg /l and iso-P Unit	Organism         Rat         Rat         Rabbit         Rabbit         Guinea pig         Salmonella typhimurium         Rat         r) esters, zinc s         Organism	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Toxicity)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome         Aberration Test)         OECD 471 (Bacterial         Reverse Mutation         Test	Not irritant         Not irritant         Not irritant         No (skin contact)         NegativeChines e hamster         Negative         Negative         Negative, Analogous conclusion         Negative
Reaction mass of isomers of Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:         Germ cell mutagenicity:         Carcinogenicity:         Aspiration hazard:         Phosphorodithioic acid, mix Toxicity / effect         Acute toxicity, by oral route:	Endpoint LD50 LD50 ed O,O-bis(1 Endpoint LD50	Value > 2000 > 2000 <b>Just 19</b> <b>Just 19</b> <b>Value</b> 3100-3150	Unit mg/kg mg/kg /l and iso-P Unit mg/kg	Organism         Rat         Rat         Rabbit         Rabbit         Guinea pig         Salmonella typhimurium         Rat         r) esters, zinc s         Organism         Rat	Test method         OECD 401 (Acute         Oral Toxicity)         OECD 402 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal Toxicity)         OECD 404 (Acute         Dermal         Irritation/Corrosion)         OECD 405 (Acute         Eye         Irritation/Corrosion)         OECD 406 (Skin         Sensitisation)         OECD 473 (In Vitro         Mammalian         Chromosome         Aberration Test)         OECD 471 (Bacterial         Reverse Mutation         Test)	Not irritant         Not irritant         Not irritant         No (skin contact)         NegativeChines e hamster         Negative         Negative         Negative, Analogous conclusion         Negative

#### Page 9 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

œ

Skin corrosion/irritation:		>= 6,25	%	Guinea pig	OECD 404 (Acute Dermal Irritation/Corrosion)	Skin Irrit. 2
Serious eye damage/irritation: 504 h				Rabbit		Eye Dam. 1 16 CFR 1500.42
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Reproductive toxicity:				Rat	OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Develop m. Tox. Screening Test)	Negative, Analogous conclusion oral
Specific target organ toxicity - repeated exposure (STOT- RE), oral:	NOAEL	160	mg/kg/d	Rat	OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Develop m. Tox. Screening Test)	Negative, Analogous conclusion

## 11.2. Information on other hazards

megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)								
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
Endocrine disrupting						Does not apply		
properties:						to mixtures.		
Other information:						No other		
						relevant		
						information		
						available on		
						adverse effects		
						on health.		

## **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification). megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

megor motorender wirk soddi dae dw-so (vonsynthetisch)							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							Does not apply
disrupting properties:							to mixtures.

#### Page 10 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021

megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

12.7. Other adverse			No information
effects:			available on
			other adverse
			effects on the
			environment.
Other information:			Product can
			compose a film
			on the water
			surface, which
			can prevent
			oxygen
			exchange.
			exchange.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>1000	mg/l	Oncorhynchus	OECD 203	
					mykiss	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	NOELR	21d	125	mg/l	Daphnia magna	OECD 211	
daphnia:						(Daphnia magna	
						Reproduction	
						Test)	
12.1. Toxicity to	EC50	48h	>1000	mg/l	Mysidopsis bahia	OECD 202	
daphnia:						(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	NOELR	72h	1000	mg/l	Selenastrum	OECD 201	
					capricornutum	(Alga, Growth	
						Inhibition Test)	
12.2. Persistence and							Not readily
degradability:	DOF		10				biodegradable
12.3. Bioaccumulative potential:	BCF		>10				
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substanc
Toxicity to bacteria:	EC50	3h	1000	mg/l	activated sludge		

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
12.1. Toxicity to fish:	LC50	96h	>74	mg/l	Brachydanio rerio	OECD 203	
						(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	EC50	48h	>100	mg/l	Daphnia magna	OECD 202	
daphnia:						(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to	NOEC/NOEL	21d	>=1	mg/l	Daphnia magna	OECD 202	
daphnia:						(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	EC50	72h	>3	mg/l	Scenedesmus	OECD 201	
					subspicatus	(Alga, Growth	
						Inhibition Test)	

œ—

#### Page 11 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

œ

12.2. Persistence and degradability:		28d	4	%	OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Not readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		9,2			Low
12.3. Bioaccumulative potential:	BCF	35d	260		OECD 305 (Bioconcentration - Flow-Through Fish Test)	Concentration in organisms possible.Oncorh ynchus mykiss
12.4. Mobility in soil:					,	Adsorption in ground.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.4. Mobility in soil:	•				U		Adsorption in
							ground.
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
12.1. Toxicity to fish:	LC50	96h	4,5	mg/l	Oncorhynchus	OECD 203	
			, -	5	mykiss	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	96h	1,8	mg/l	Oncorhynchus		
· · · <b>/</b> · · · ·			, -	5	mykiss		
12.1. Toxicity to	EC50	48h	23	mg/l	Daphnia magna	OECD 202	
daphnia:				U		(Daphnia sp.	
•						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to	NOEC/NOEL	21d	0,4	mg/l	Daphnia magna	OECD 211	
daphnia:			,	0		(Daphnia magna	
						Reproduction	
						Test)	
12.1. Toxicity to algae:	EL50	72h	21	mg/l	Desmodesmus	OECD 201	
, ,				0	subspicatus	(Alga, Growth	
						Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	10	mg/l	Chlorella vulgaris	,	
12.2. Persistence and		28d	1,5	%	activated sludge	OECD 301 B	Not readily
degradability:						(Ready	biodegradable
0						Biodegradability -	_
						Co2 Evolution	
						Test)	
12.3. Bioaccumulative	Log Pow		0,56			OECD 107	Bioaccumulatio
potential:						(Partition	n is unlikely
						Coefficient (n-	(LogPow < 1).
						octanol/water) -	
						Shake Flask	
						Method)	
Toxicity to bacteria:	IC50	3h	>10000	mg/l	activated sludge	OECD 209	
				-		(Activated	
						Sludge,	
						Respiration	
						Inhibition Test	
						(Carbon and	
						Àmmonium	
						Oxidation))	

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### Page 12 of 15

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

## For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

## For contaminated packing material

Pay attention to local and national official regulations. Empty container completely. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance.

Do not perforate, cut up or weld uncleaned container.

#### **SECTION 14: Transport information**

#### **General statements**

Ceneral Statements	
14.1. UN number or ID number:	n.a.
Transport by road/by rail (ADR/RID)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Classification code:	n.a.
LQ:	n.a.
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Marine Pollutant:	n.a
14.5. Environmental hazards:	Not applicable
Transport by air (IATA)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	
• •	

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

0 %

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## **SECTION 16: Other information**

Page 13 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, / Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021	Annex II
megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)	
Revised sections:	1-16
the ordinance (EG) 1272/2008 (CLP): Not applicable	e classification of the mixture in accordance with
<ul> <li>The following phrases represent the posted Hazard Class and R (specified in Section 2 and 3).</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>H413 May cause long lasting harmful effects to aquatic life.</li> </ul>	Risk Category Code (GHS/CLP) of the product and the constituents
Asp. Tox. — Aspiration hazard Aquatic Chronic — Hazardous to the aquatic environment - chro Skin Irrit. — Skin irritation Eye Dam. — Serious eye damage Skin Sens. — Skin sensitization	nic
<ul> <li>Key literature references and sources for data:</li> <li>Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) N</li> <li>Guidelines for the preparation of safety data sheets as amended</li> <li>Guidelines on labelling and packaging according to the Regulation</li> <li>Safety data sheets for the constituent substances.</li> <li>ECHA Homepage - Information about chemicals.</li> <li>GESTIS Substance Database (Germany).</li> <li>German Environment Agency "Rigoletto" information site on sub</li> <li>EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39</li> <li>each as amended.</li> <li>National Lists of Occupational Exposure Limits for each country</li> <li>Regulations on the transport of hazardous goods by road, rail, s</li> </ul>	d (ECHA). on (EG) Nr. 1272/2008 (CLP) as amended (ECHA). ostances that are hazardous to water (Germany). 9/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, as amended.
Any abbreviations and acr	onyms used in this document:
BAuA       Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= F         BCF       Bioconcentration factor         BSEF       The International Bromine Council         bw       body weight         CAS       Chemical Abstracts Service         CLP       Classification, Labelling and Packaging (REGULATION (substances and mixtures)         CMR       carcinogenic, mutagenic, reproductive toxic         DMEL       Derived Minimum Effect Level         DNEL       Derived No Effect Level         DOC       Dissolved organic carbon         dw       dry weight         e.g.       for example (abbreviation of Latin 'exempli gratia'), for instance	laterials) ral Institute for Materials Research and Testing, Germany) rederal Institute for Occupational Health and Safety, Germany) (EC) No 1272/2008 on classification, labelling and packaging of stance x % on reduction of the biomass (algae, plants)

(GB)

(GB) Page 14 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch) EEC European Economic Community European Inventory of Existing Commercial Chemical Substances EINECS ELINCS European List of Notified Chemical Substances ΕN European Norms United States Environmental Protection Agency (United States of America) EPA ErCx,  $E\mu Cx$ , ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) et cetera etc. EU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. **IUCLIDInternational Uniform Chemical Information Database** IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities 10 MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable not available n.av. not checked n.c. n.d.a. no data available NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. PBT persistent, bioaccumulative and toxic PE Polyethylene PNEC Predicted No Effect Concentration ppm parts per million PVC Polyvinylchloride Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning REACH the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the RID International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Telephone Tel. TOC Total organic carbon **UN RTDG** United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wet weight wwt The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility. These statements were made by:

## Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.

Page 15 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0012 Replacing version dated / version: 11.06.2021 / 0011 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel WIV 50601 SAE 0W-30 (vollsynthetisch)

œ