Page 1 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

GB

megol Motorenoel Surface Protection SAE 5W-30

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Lubricating oil Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Meguin GmbH & Co. KG Mineraloelwerke Rodener Strasse 25 66740 Saarlouis Tel.: 06831/89 09-0 Fax: 06831/89 09-62

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR) +1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

Product can compose a film on the water surface, which can prevent oxygen exchange.

SECTION 3: Composition/information on ingredients

Page 2 of 15

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

3.1 Substances

n.a. **3 2 Mixtures**

J.Z WIXLUIES	
Distillates (petroleum), hydrotreated heavy paraffinic	
Registration number (REACH)	01-2119484627-25-XXXX
Index	649-467-00-8
EINECS, ELINCS, NLP, REACH-IT List-No.	265-157-1
CAS	64742-54-7
content %	60-80
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Asp. Tox. 1, H304
factors	
Baseoil - unspecified *	
Registration number (REACH)	

Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	
content %	1-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Asp. Tox. 1, H304
factors	

Bis(nonylphenyl)amine	
Registration number (REACH)	01-2119488911-28-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	253-249-4
CAS	36878-20-3
content %	1-5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Aquatic Chronic 4, H413
factors	
Specific Concentration Limits and ATE	ATE (oral): >10000 mg/kg
	ATE (dermal): >5000 mg/kg
	ATE (as inhalation, Aerosol): >20

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

* The contained mineral oil can be described by one or more of the following numbers:

EINECS, ELINCS, NLP,	Registration number	Chemical name
REACH-IT List-No.	(REACH)	
265-157-1	01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic
265-169-7	01-2119471299-27-XXXX	Distillates (petroleum), solvent-dewaxed heavy paraffinic
265-158-7	01-2119487077-29-XXXX	Distillates (petroleum), hydrotreated light paraffinic
265-159-2	01-2119480132-48-XXXX	Distillates (petroleum), solvent-dewaxed light paraffinic

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Page 3 of 15

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

Ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Consult doctor immediately. Danger of aspiration.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. The following may occur: Irritation of the eyes Drying of the skin. Irritation of the skin. Dermatitis (skin inflammation) In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media CO2 Foam Dry extinguisher Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of phosphorus

Toxic pyrolysis products. Flammable vapour/air mixtures

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition. Avoid dust formation with solid or powder products. Leave the danger zone if possible, use existing emergency plans if necessary. Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Page 4 of 15 Safety data sheet accordin Revision date / version: 01						
Ravision data / vorcion. 11	g to Regulation (EC) No 1907/2	2006, Annex II				
	.11.2021 / 0016 version: 23.01.2019 / 0015					
Valid from: 01.11.2021						
PDF print date: 01.11.202						
megol Motorenoel Surface	Protection SAE 5W-30					
Soak up with absorbent m	aterial (e.g. universal binding ag	ent sand diatomaced	us earth sawdu	ib bac (ta	snose of acc	ordina to
Section 13.	aterial (e.g. universal binding ag	jent, sand, diatomaced	Jus earth, sawut	ist) and ui	spuse of acc	
Oil binder						
6.4 Reference to oth	er sections					
For personal protective eq	uipment see Section 8 and for c	lisposal instructions se	e Section 13.			
	SECTION 7	: Handling and	storage			
-	iven in this section, relevant info	ormation can also be f	ound in section	8 and 6.1.		
7.1 Precautions for						
7.1.1 General recom	mendations					
Ensure good ventilation. Avoid formation of oil mist.						
Keep away from sources c						
Do not heat to temperature	es close to flash point.					
	ectrostatic charging, if appropria	ite.				
Avoid contact with eyes. Avoid long lasting or intens	sive contact with skin					
	is soaked in product in trouser p	ockets.				
	as well as food-storage, is proh					
	ral hygiene measures a	t the workplace				
	s for the handling of chemicals a					
Wash hands before breaks						
	k and animal feedingstuffs. thing and protective equipment	hoforo ontoring props	in which food is	concurac	1	
	afe storage, including a			consumed	1.	
Not to be stored in gangwa			163			
Store product closed and o						
Impermeable floor.						
Protect against moisture a	nd store closed.					
Do not store over 50°C. 7.3 Specific end use	(c)					
No information available at						
we inventioned available a	•		-			
	SECTION 8: Exposu	are controls/pers	sonal prote	ction		
	•					
8.1 Control paramet	ers					
8.1 Control paramet	ers Oil mist, mineral	1.STEL				Content %:
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi	ers Oil mist, mineral neral oil, excluding WE	L-STEL:				Content %:
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures:	ers Oil mist, mineral neral oil, excluding WE H)	L-STEL: er - Oil Mist 1/a (67 33				Content %:
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures:	ers Oil mist, mineral neral oil, excluding WE H)	-	031) Other info	mation:		Content %:
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures:	ers Oil mist, mineral neral oil, excluding WE H)	-		mation:		Content %:
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV:	ers Oil mist, mineral neral oil, excluding WE H) - Draeg	-		mation:		Content %:
 8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV: Distillates (petroleum), h 	ers Oil mist, mineral neral oil, excluding WE H) - Draeg ydrotreated heavy paraffinic	-	Other info	mation:		Content %:
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV: Distillates (petroleum), h	ers Oil mist, mineral neral oil, excluding WE H) - Draeg	er - Oil Mist 1/a (67 33				
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV: Distillates (petroleum), h	ers Oil mist, mineral neral oil, excluding H) - Draeg ydrotreated heavy paraffinic Exposure route / Environmental compartment	er - Oil Mist 1/a (67 33	Other infor Descripto r	Value	Unit	
 8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV: Distillates (petroleum), h 	ers Oil mist, mineral neral oil, excluding WE H) - Draeg ydrotreated heavy paraffinic Exposure route / Environmental compartment Environment - oral (animal	er - Oil Mist 1/a (67 33	Other info		Unit mg/kg	
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV: Distillates (petroleum), h Area of application	ers Oil mist, mineral neral oil, excluding WE H) - Draeg ydrotreated heavy paraffinic Exposure route / Environmental compartment Environment - oral (animal feed)	er - Oil Mist 1/a (67 33 Effect on health	Other infor Descripto r PNEC	Value 9,33	Unit mg/kg feed	
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV: Distillates (petroleum), h Area of application	ers Oil mist, mineral neral oil, excluding WE H) - Draeg ydrotreated heavy paraffinic Exposure route / Environmental compartment Environment - oral (animal	er - Oil Mist 1/a (67 33	Other infor Descripto r PNEC DNEL	Value	Unit mg/kg	
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV: Distillates (petroleum), h Area of application Consumer	ers Oil mist, mineral neral oil, excluding WE H) - Draeg ydrotreated heavy paraffinic Exposure route / Environmental compartment Environment - oral (animal feed)	er - Oil Mist 1/a (67 33 Effect on health Long term, local effects Long term, local	Other infor Descripto r PNEC	Value 9,33	Unit mg/kg feed	
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV:	ers Oil mist, mineral neral oil, excluding WE H) - Draeg ydrotreated heavy paraffinic Exposure route / Environmental compartment Environment - oral (animal feed) Human - inhalation	er - Oil Mist 1/a (67 33 Effect on health Long term, local effects	Other infor Descripto r PNEC DNEL	Value 9,33 1,2	Unit mg/kg feed mg/m3	
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV: Distillates (petroleum), h Area of application	ers Oil mist, mineral neral oil, excluding WE H) - Draeg ydrotreated heavy paraffinic Exposure route / Environmental compartment Environment - oral (animal feed) Human - inhalation	er - Oil Mist 1/a (67 33 Effect on health Long term, local effects Long term, local	Other infor Descripto r PNEC DNEL	Value 9,33 1,2	Unit mg/kg feed mg/m3	
8.1 Control paramet	ers Oil mist, mineral neral oil, excluding WE H) - Draeg ydrotreated heavy paraffinic Exposure route / Environmental compartment Environment - oral (animal feed) Human - inhalation	er - Oil Mist 1/a (67 33 Effect on health Long term, local effects Long term, local	Other infor Descripto r PNEC DNEL	Value 9,33 1,2	Unit mg/kg feed mg/m3	
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV: Distillates (petroleum), h Area of application Consumer Workers / employees	ers Oil mist, mineral neral oil, excluding WE H) - Draeg ydrotreated heavy paraffinic Exposure route / Environmental compartment Environment - oral (animal feed) Human - inhalation	er - Oil Mist 1/a (67 33 Effect on health Long term, local effects Long term, local	Other infor Descripto r PNEC DNEL	Value 9,33 1,2	Unit mg/kg feed mg/m3	
8.1 Control paramet	ers Oil mist, mineral neral oil, excluding WE H) - Draeg ydrotreated heavy paraffinic Exposure route / Environmental compartment Environment - oral (animal feed) Human - inhalation	er - Oil Mist 1/a (67 33 Effect on health Long term, local effects Long term, local	Other infor Descripto r PNEC DNEL	Value 9,33 1,2	Unit mg/kg feed mg/m3	
8.1 Control paramet Chemical Name WEL-TWA: 5 mg/m3 (Mi metal working fluids, ACGI Monitoring procedures: BMGV: Distillates (petroleum), h Area of application	ers Oil mist, mineral neral oil, excluding WE H) - Draeg ydrotreated heavy paraffinic Exposure route / Environmental compartment Environment - oral (animal feed) Human - inhalation	er - Oil Mist 1/a (67 33 Effect on health Long term, local effects Long term, local	Other infor Descripto r PNEC DNEL	Value 9,33 1,2	Unit mg/kg feed mg/m3	

Page 5 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - oral (animal feed)		PNEC	9,33	mg/kg	
Consumer	Human - inhalation	Long term, local effects	DNEL	1,2	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,74	mg/kg	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	1	mg/kg	
Workers / employees Human - inhalation		Long term, local effects	DNEL	5,6	mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	2,7	mg/m3	

Area of application	Exposure route / Environmental	Effect on health	Descripto r	Value	Unit	Note
	compartment					
	Environment - freshwater		PNEC	0,1	mg/l	
	Environment - marine		PNEC	0,01	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	1	mg/l	
	Environment - sewage treatment plant		PNEC	1	mg/l	
	Environment - sediment, freshwater		PNEC	132000	mg/kg dw	
	Environment - sediment, marine		PNEC	13200	mg/kg dw	
	Environment - soil		DNEL	263000	mg/kg dw	
	Environment - periodic release		PNEC	1	mg/kg	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,25	mg/kg bw/day	
Consumer Human - inhalation		Long term, systemic effects	DNEL	1,09	mg/m3	
Consumer Human - dermal		Long term, systemic effects	DNEL	0,31	mg/kg	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,62	mg/kg	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	4,37	mg/m3	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Page 6 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here. Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and nonmetrological investigative techniques. These are specified by e.g. EN 14042. EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents". 8.2.2 Individual protection measures, such as personal protective equipment General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed. Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Protective gloves, oil resistant (EN ISO 374). If applicable Protective nitrile gloves (EN ISO 374). Protective gloves made of polyvinyl alcohol (EN ISO 374). Protective Viton® / fluoroelastomer gloves (EN ISO 374). Minimum layer thickness in mm: 0.5

Permeation time (penetration time) in minutes: 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary. With oil mist formation: Filter A2 P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

GB

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

nopernes
Liquid
Brown
Characteristic
There is no information available on this parameter.

Page 7 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

Boiling point or initial boiling point and boiling range: Flammability: Lower explosion limit: Upper explosion limit: Flash point: Auto-ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Kinematic viscosity: Solubility: Partition coefficient n-octanol/water (log value): Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics:

9.2 Other information

Explosives: Oxidising liquids: Bulk density:

GB

There is no information available on this parameter. Flammable There is no information available on this parameter. There is no information available on this parameter. 230 °C There is no information available on this parameter. There is no information available on this parameter. Mixture is non-soluble (in water). 56,5 mm2/s (40°C) 9,9 mm2/s (100°C) Insoluble Does not apply to mixtures. There is no information available on this parameter. 0,855 g/ml There is no information available on this parameter. Does not apply to liquids.

Product is not explosive. No

n.a.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** See also section 7. Open flame, ignition sources Protect from humidity. **10.5 Incompatible materials** See also section 7. Avoid contact with strong oxidizing agents. **10.6 Hazardous decomposition products** See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

oxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						

Page 8 of 15 Safety data sheet according to Revision date / version: 01.11.1 Replacing version dated / versi Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Pro	2021 / 0016 ion: 23.01.20	19 / 0015	2006, Annex II			
Specific target organ toxicity - repeated exposure (STOT- RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
		<i></i>	·	•	•	
Distillates (petroleum), hydro Toxicity / effect	Endpoint	vy paraffinic Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute	Analogous
		20000	iiig/iig	- Trac	Oral Toxicity)	conclusion
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute	Analogous
route:					Dermal Toxicity)	conclusion
Acute toxicity, by inhalation:	LC50	>5,53	mg/l/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Aerosol, Analogous conclusion
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal	Not irritant, Analogous
Corious ava				Rabbit	Irritation/Corrosion) OECD 405 (Acute	conclusion Not irritant,
Serious eye damage/irritation:				Rabbit	Eye	Analogous
damage/imation.					Irritation/Corrosion)	conclusion
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact), Analogous
Germ cell mutagenicity:					OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	conclusion NegativeChines e hamster
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation	Negative, Analogous
				Mouse	Test) OECD 474	conclusion
Germ cell mutagenicity:				Mouse	(Mammalian Erythrocyte Micronucleus Test)	Negative, Analogous conclusion
Germ cell mutagenicity:				Mammalian	OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative, Analogous conclusion
Carcinogenicity:				Mouse	OECD 451 (Carcinogenicity Studies)	Negative, Analogous conclusion78 weeks, dermal
Reproductive toxicity:				Rat	OECD 421 (Reproduction/Develop mental Toxicity Screening Test)	Negative, Analogous conclusionoral
Reproductive toxicity (Developmental toxicity):				Rat	OECD 414 (Prenatal Developmental Toxicity Study)	Negative, Analogous conclusionderm al
Symptoms:						coughing, respiratory distress, nausea and vomiting., diarrhoea
Specific target organ toxicity - repeated exposure (STOT- RE), oral:	LOAEL	125	mg/kg	Rat	OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Analogous conclusion

Page 9 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

œ

Specific target organ toxicity - repeated exposure (STOT- RE), dermal:	NOAEL	30	mg/kg	Rat	OECD 411 (Subchronic Dermal Toxicity - 90-day Study)	Analogous conclusion
Specific target organ toxicity - repeated exposure (STOT- RE), inhalat.:	NOAEL	1000	mg/kg	Rabbit	OECD 410 (Repeated Dose Dermal Toxicity - 90-Day)	Analogous conclusion

Baseoil - unspecified						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Respiratory or skin sensitisation:						Not sensitizising, Analogous conclusion
Aspiration hazard:						Yes
Symptoms:						mucous membrane irritation

Bis(nonylphenyl)amine						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute	Analogous
					Oral Toxicity)	conclusion
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rat	OECD 402 (Acute	Analogous
route:					Dermal Toxicity)	conclusion
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosion)	
Serious eye				Rabbit	OECD 405 (Acute	Not irritant
damage/irritation:					Eye	
-					Irritation/Corrosion)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	No (skin
sensitisation:					Sensitisation)	contact),
						Analogous
						conclusion
Germ cell mutagenicity:				Salmonella	OECD 471 (Bacterial	Negative,
				typhimurium	Reverse Mutation	Analogous
					Test)	conclusion
Germ cell mutagenicity:				Mouse	OECD 478 (Genetic	Negative,
					Toxicology - Rodent	Analogous
					dominant Lethal Test)	conclusion
Germ cell mutagenicity:				Mammalian	OECD 473 (In Vitro	Negative,
					Mammalian	Analogous
					Chromosome	conclusion
					Aberration Test)	
Reproductive toxicity	NOAEL	150	mg/kg	Rat	OECD 414 (Prenatal	Negative
(Developmental toxicity):			bw/d		Developmental	-
· · · · · ·					Toxicity Study)	
Specific target organ toxicity -	NOAEL	<100	mg/kg	Rat	OECD 408 (Repeated	
repeated exposure (STOT-			bw/d		Dose 90-Day Oral	
RE), oral:					Toxicity Study in	
					Rodents)	

11.2. Information on other hazards

megol Motorenoel Surface Protection SAE 5W-30								
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
Endocrine disrupting						Does not apply		
properties:						to mixtures.		
Other information:						No other		
						relevant		
						information		
						available on		
						adverse effects		
						on health.		

Page 10 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification). megol Motorenoel Surface Protection SAE 5W-30 Toxicity / effect Endpoint Value Unit Test method Time Organism Notes 12.1. Toxicity to fish: n.d.a. 12.1. Toxicity to n.d.a. daphnia: 12.1. Toxicity to algae: n.d.a. 12.2. Persistence and Isolate as degradability: much as possible with an oil separator. 12.3. Bioaccumulative n.d.a. potential: 12.4. Mobility in soil: n.d.a. 12.5. Results of PBT n.d.a. and vPvB assessment 12.6. Endocrine Does not apply disrupting properties: to mixtures. 12.7. Other adverse No information effects: available on other adverse effects on the environment. Other information: According to the recipe, contains no AOX.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	NOEC/NOEL	96h	>100	mg/l	Pimephales promelas	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	14d	1000	mg/l	Oncorhynchus mykiss	QSAR	
12.1. Toxicity to daphnia:	EL50	48h	10000	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	Analogous conclusion
12.1. Toxicity to daphnia:	LL50	96h	>10000	mg/l		OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	10	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	Analogous conclusion
12.1. Toxicity to algae:	NOEC/NOEL	72h	>=100	mg/l	Pseudokirchnerie Ila subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	31	%		OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Not readily biodegradable Analogous conclusion

œ–

Page 11 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

12.5. Results of PBT and vPvB assessment	No PBT substance, No vPvB substance
Water solubility:	Insoluble

Baseoil - unspecified							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Pimephales promelas		
12.1. Toxicity to daphnia:	EC50	48h	>10000	mg/l	Daphnia magna		
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	>10	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Scenedesmus quadricauda		
12.2. Persistence and degradability:		28d	31	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Not readily biodegradable

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and degradability:		28d	24	%		OECD 301 C (Ready Biodegradability - Modified MITI Test (I))	Not readily biodegradable
12.4. Mobility in soil:							Adsorption in ground.
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	Analogous conclusion
12.1. Toxicity to daphnia:	EC50	48h	>100	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	EC50	72h	> 100	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	Analogous conclusion
12.1. Toxicity to algae:	NOEC/NOEL	72h	>10	mg/l	Desmodesmus subspicatus		Analogous conclusion
12.2. Persistence and degradability:		28d	1	%	activated sludge	OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Not readily biodegradable, Analogous conclusion
12.3. Bioaccumulative potential:	Log Pow		>7,6				A notable biological accumulation potential has to be expected (LogPow > 3).
12.3. Bioaccumulative potential:	BCF		1730				High
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substanc

œ—

Page 12 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

Toxicity to bacteria:	EC50	3h	>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	Analogous conclusion
-----------------------	------	----	-------	------	------------------	---	-------------------------

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Recommendation:

(GB)

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements 14.1. UN number or ID number: Transport by road/by rail (ADR/RID)	n.a.
14.2. UN proper shipping name:	2.0
14.3. Transport hazard class(es):	n.a.
14.4. Packing group: Classification code:	n.a.
	n.a.
14.5. Environmental hazards:	n.a. Net applieghte
Tunnel restriction code:	Not applicable
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Marine Pollutant:	n.a
14.5. Environmental hazards:	Not applicable
Transport by air (IATA)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	
Unless specified otherwise, general measures for safe	transport must be followed.
14.7. Maritime transport in bulk accordin	-
Non-dangerous material according to Transport Regul	•
SECTION	15: Regulatory information

Page 13 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

0 %

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

1-16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Asp. Tox. — Aspiration hazard

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approximately approx. Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) **Bioconcentration factor** BCF BSEF The International Bromine Council body weight bw **Chemical Abstracts Service** CAS Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of CLP substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level

œ–

Page 14 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30 DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community FC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances EN European Norms EPA United States Environmental Protection Agency (United States of America) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) $ErCx, E\mu Cx, ErLx (x = 10, 50)$ et cetera etc. EU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive **IUCLIDInternational Uniform Chemical Information Database** IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. n.av. not available n.c. not checked n.d.a. no data available NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. PBT persistent, bioaccumulative and toxic ΡE Polyethylene PNEC Predicted No Effect Concentration parts per million mag PVC Polyvinylchloride REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon **UN RTDG** United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wet weight wwt

(GB)

The statements made here should describe the product with regard to the necessary safety precautions - they are

Page 15 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0016 Replacing version dated / version: 23.01.2019 / 0015 Valid from: 01.11.2021 PDF print date: 01.11.2021 megol Motorenoel Surface Protection SAE 5W-30

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

œ

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.