Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Meguin Hydraulikoel HEES 46 (biologisch abbaubar)

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Sector of use [SU]:

GB

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC17 - Hydraulic fluids

PC24 - Lubricants, greases, release products

Process category [PROC]:

PROC 1 - Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC 2 - Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 8b - Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC 9 - Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC20 - Use of functional fluids in small devices

Article Categories [AC]:

AC99 - Not required.

Environmental Release Category [ERC]:

ERC 4 - Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC 7 - Use of functional fluid at industrial site

ERC 9a - Widespread use of functional fluid (indoor)

ERC 9b - Widespread use of functional fluid (outdoor)

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Meguin GmbH & Co. KG Mineraloelwerke Rodener Strasse 25 66740 Saarlouis Tel.: 06831/89 09-0 Fax: 06831/89 09-62

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP) Page 2 of 9 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2015 / 0009 Replacing version dated / version: 03.12.2013 / 0008 Valid from: 04.09.2015 PDF print date: 12.02.2021 Meguin Hydraulikoel HEES 46 (biologisch abbaubar)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

GB

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %). The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the

regulation (EC) 1907/2006 (< 0,1 %). Product can provent except except a substance which can provent except a substance x in or x

Product can compose a film on the water surface, which can prevent oxygen exchange.

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3.2 Mixtures

| Registration number (REACH) | |
|---|--|
| Index | |
| EINECS, ELINCS, NLP | |
| CAS | |
| content % | |
| Classification according to Regulation (EC) 1272/2008 (CLP) | |
| | |

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. with long-term contact:

Drving of the skin.

Drying or the skin.

Irritation of the skin.

4.3 Indication of any immediate medical attention and special treatment needed n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

· @ —

Page 3 of 9 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2015 / 0009 Replacing version dated / version: 03.12.2013 / 0008 Valid from: 04.09.2015 PDF print date: 12.02.2021 Meguin Hydraulikoel HEES 46 (biologisch abbaubar)

Dry extinguisher Foam

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Under all circumstances prevent penetration into the soil.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Page 4 of 9

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2015 / 0009 Replacing version dated / version: 03.12.2013 / 0008 Valid from: 04.09.2015 PDF print date: 12.02.2021 Meguin Hydraulikoel HEES 46 (biologisch abbaubar)

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection: Chemical resistant protective gloves (EN 374). If applicable Protective nitrile gloves (EN 374). Protective gloves made of polyvinyl alcohol (EN 374). Protective Viton® / fluoroelastomer gloves (EN 374). Minimum layer thickness in mm: 0,5 Permeation time (penetration time) in minutes: 480 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid Colour: Yellow Odour: Characteristic Odour threshold: Not determined Not determined pH-value:

Page 5 of 9 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2015 / 0009 Replacing version dated / version: 03.12.2013 / 0008 Valid from: 04.09.2015 PDF print date: 12.02.2021 Meguin Hydraulikoel HEES 46 (biologisch abbaubar)

Melting point/freezing point: Initial boiling point and boiling range: Flash point: Evaporation rate: Flammability (solid, gas): Lower explosive limit: Upper explosive limit: Vapour pressure: Vapour density (air = 1): Density: Bulk density: Solubility(ies): Water solubility: Partition coefficient (n-octanol/water): Auto-ignition temperature: Decomposition temperature: Viscosity: Viscosity: Explosive properties: Oxidising properties: 9.2 Other information Miscibility: Fat solubility / solvent:

(GB)

Not determined 314 °C Not determined Not determined Not determined Not determined Not determined Not determined 0,92 g/ml n.a. Not determined Insoluble Not determined Not determined Not determined 44,8 mm2/s (40°C) 9,2 mm2/s (100°C) Product is not explosive. No

Not determined

Not determined Not determined Not determined Not determined Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

Conductivity:

Surface tension:

Solvents content:

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling.

10.3 Possibility of hazardous reactions No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7.

Open flame, ignition sources Protect from humidity.

10.5 Incompatible materials

See also section 7. Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

| Meguin Hydraulikoel HEES 4 | 6 (biologisch | າ abbaubar) | 1 |
|----------------------------|---------------|-------------|------|
| Toxicity / effect | Endpoint | Value | Unit |

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|--------------------------------|----------|-------|------|----------|-------------|--------|
| Acute toxicity, by oral route: | | | | | | n.d.a. |
| Acute toxicity, by dermal | | | | | | n.d.a. |
| route: | | | | | | |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye | | | | | | n.d.a. |
| damage/irritation: | | | | | | |
| Respiratory or skin | | | | | | n.d.a. |
| sensitisation: | | | | | | |

| Page 6 of 9 |
|---|
| Safety data sheet according to Regulation (EC) No 1907/2006, Annex II |
| Revision date / version: 04.09.2015 / 0009 |
| Replacing version dated / version: 03.12.2013 / 0008 |
| Valid from: 04.09.2015 |
| PDF print date: 12.02.2021 |
| Meguin Hydraulikoel HEES 46 (biologisch abbaubar) |

| Germ cell mutagenicity: | | n.d.a. |
|----------------------------------|--|----------------|
| Carcinogenicity: | | n.d.a. |
| Reproductive toxicity: | | n.d.a. |
| Specific target organ toxicity - | | n.d.a. |
| single exposure (STOT-SE): | | |
| Specific target organ toxicity - | | n.d.a. |
| repeated exposure (STOT- | | |
| RÉ): | | |
| Aspiration hazard: | | n.d.a. |
| Symptoms: | | n.d.a. |
| Other information: | | Classification |
| | | according to |
| | | calculation |
| | | procedure. |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--------------------------|----------|------|-------|------|----------|-------------|---------------|
| 12.1. Toxicity to fish: | | | | | | | n.d.a. |
| 12.1. Toxicity to | | | | | | | n.d.a. |
| daphnia: | | | | | | | |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. |
| 12.2. Persistence and | | | | | | | Readily |
| degradability: | | | | | | | biodegradable |
| 12.3. Bioaccumulative | | | | | | | n.d.a. |
| potential: | | | | | | | |
| 12.4. Mobility in soil: | | | | | | | n.d.a. |
| 12.5. Results of PBT | | | | | | | n.d.a. |
| and vPvB assessment | | | | | | | |
| 12.6. Other adverse | | | | | | | n.d.a. |
| effects: | | | | | | | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 01 12 readily biodegradable hydraulic oils

Recommendation:

œ

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

15 01 01 paper and cardboard packaging

15 01 02 plastic packaging

15 01 04 metallic packaging

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

| _ (®) | |
|---|------------------------|
| Page 7 of 9 | |
| Safety data sheet according to Regulation (EC) No 1907/200 Revision date / version: 04.09.2015 / 0009 Replacing version dated / version: 03.12.2013 / 0008 Valid from: 04.09.2015 PDF print date: 12.02.2021 Meguin Hydraulikoel HEES 46 (biologisch abbaubar) | 06, Annex II |
| General statements | |
| 14.1. UN number: | n.a. |
| Transport by road/by rail (ADR/RID) | n.a. |
| 14.2. UN proper shipping name: | |
| 14.3. Transport hazard class(es): | n.a. |
| 14.4. Packing group: | n.a. |
| Classification code: | n.a. |
| LQ: | n.a. |
| 14.5. Environmental hazards: | Not applicable |
| Tunnel restriction code: | |
| Transport by sea (IMDG-code) | |
| 14.2. UN proper shipping name: | |
| 14.3. Transport hazard class(es): | n.a. |
| 14.4. Packing group: | n.a. |
| Marine Pollutant: | n.a |
| 14.5. Environmental hazards: | Not applicable |
| Transport by air (IATA) | |
| 14.2. UN proper shipping name: | |
| 14.3. Transport hazard class(es): | n.a. |
| 14.4. Packing group: | n.a. |
| 14.5. Environmental hazards: | Not applicable |
| 14.6. Special precautions for user | |
| Unless specified otherwise, general measures for safe trans | port must be followed. |
| 14.7. Transport in bulk according to Annex I | |
| Non-dangerous material according to Transport Regulations | |
| | ~ |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

1 - 16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate

| • | data sheet according to Regulation (EC) No 1907/2006, Annex II |
|---------------|--|
| | on date / version: 04.09.2015 / 0009 |
| | ring version dated / version: 03.12.2013 / 0008 rom: 04.09.2015 |
| | rint date: 12.02.2021 |
| | n Hydraulikoel HEES 46 (biologisch abbaubar) |
| BAM | Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) |
| | Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) |
| BSEF | The International Bromine Council |
| bw | body weight |
| | Chemical Abstracts Service Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of |
| | nces and mixtures) |
| | carcinogenic, mutagenic, reproductive toxic |
| | Derived Minimum Effect Level |
| | Derived No Effect Level |
| dw | dry weight for example (abbreviation of Latin 'exempli gratia'), for instance |
| e.g. EC | European Community |
| | European Chemicals Agency |
| EEC | European Economic Community |
| EINEC | |
| | |
| EN EPA | European Norms United States Environmental Protection Agency (United States of America) |
| etc. | et cetera |
| EU | European Union |
| | Ethylene-vinyl alcohol copolymer |
| Fax. | Fax number |
| | general Clobally Harmonized System of Classification and Labelling of Chamicals |
| | Globally Harmonized System of Classification and Labelling of Chemicals Global warming potential |
| | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IBC (C | |
| IMDG- | |
| | including, inclusive International Uniform Chemical Information Database |
| | International Union for Pure Applied Chemistry |
| | Lethal Concentration to 50 % of a test population |
| | Lethal Dose to 50% of a test population (Median Lethal Dose) |
| | Limited Quantities |
| MARP n.a. | OL International Convention for the Prevention of Marine Pollution from Ships not applicable |
| | not available |
| n.c. | not checked |
| | no data available |
| | Organisation for Economic Co-operation and Development |
| org. PBT | organic persistent, bioaccumulative and toxic |
| PE | Polyethylene |
| | Predicted No Effect Concentration |
| ppm | parts per million |
| | Polyvinylchloride |
| | |
| | gistration, Evaluation, Authorisation and Restriction of Chemicals) H-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical |
| | er. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via |
| REACH | H-IT. |
| RID | Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the |
| | tional Carriage of Dangerous Goods by Rail) |
| | Substances of Very High Concern |
| Tel. UN RT | Telephone DG United Nations Recommendations on the Transport of Dangerous Goods |
| | Volatile organic compounds |
| | very persistent and very bioaccumulative wet weight |
| | |

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

Page 9 of 9 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2015 / 0009 Replacing version dated / version: 03.12.2013 / 0008 Valid from: 04.09.2015 PDF print date: 12.02.2021 Meguin Hydraulikoel HEES 46 (biologisch abbaubar)

œ

No responsibility. These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

 $^{\odot}$ by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.