

Page 1 of 10  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 13.07.2015 / 0005  
Replacing version dated / version: 20.05.2015 / 0004  
Valid from: 13.07.2015  
PDF print date: 08.03.2017  
Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads  
8887200009 / 8887200017 / 8887200047

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads  
8887200009 / 8887200017 / 8887200047**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses of the substance or mixture:

Lubricant

Sector of use [SU]:

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC24 - Lubricants, greases, release products

Process category [PROC]:

PROC20 - Use of functional fluids in small devices

Article Categories [AC]:

AC 1 - Vehicles

Environmental Release Category [ERC]:

ERC 7 - Use of functional fluid at industrial site

##### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

Dometic WAECO International GmbH, Hollefeldstr. 63, 48282 Emsdetten, Germany

Phone:+49 (0) 2572 879 0, Fax:+49 (0) 2572 879 300

GB

Dometic UK Ltd Dometic House, The Brewery, DT11 9LS Blandford St Mary, Dorset, United Kingdom

Phone:+44 (0) 0844 626 0133, Fax:+44 (0) 0844 626 0143

www.waeco.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

##### Emergency information services / official advisory body:

---

##### Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (CCWA)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

#### 2.2 Label elements

##### Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

GB

Page 2 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 13.07.2015 / 0005  
 Replacing version dated / version: 20.05.2015 / 0004  
 Valid from: 13.07.2015  
 PDF print date: 08.03.2017  
 Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads  
 8887200009 / 8887200017 / 8887200047

### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).  
 The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

## SECTION 3: Composition/information on ingredients

### 3.1 Substance

n.a.

### 3.2 Mixture

|  |     |
|--|-----|
| ---  | --- |
| <b>Registration number (REACH)</b>                                 | --- |
| <b>Index</b>   | --- |
| <b>EINECS, ELINCS, NLP</b>   | --- |
| <b>CAS</b>   | --- |
| <b>content %</b>   | --- |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP)</b> | --- |

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### Inhalation

Remove person from danger area.  
 Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eye contact

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.  
 Call doctor immediately - have Data Sheet available.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.  
 In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

### 4.3 Indication of any immediate medical attention and special treatment needed

n.c.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

CO2  
 Dry extinguisher  
 Alcohol resistant foam  
 Water jet spray

#### Unsuitable extinguishing media

High volume water jet

### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:  
 Oxides of carbon

GB

Page 3 of 10  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 13.07.2015 / 0005  
Replacing version dated / version: 20.05.2015 / 0004  
Valid from: 13.07.2015  
PDF print date: 08.03.2017  
Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads  
8887200009 / 8887200017 / 8887200047

Toxic pyrolysis products.

### **5.3 Advice for firefighters**

Protective respirator with independent air supply.  
According to size of fire  
Full protection, if necessary.  
Cool container at risk with water.  
Dispose of contaminated extinction water according to official regulations.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure sufficient supply of air.  
Avoid contact with eyes or skin.  
Do not carry cleaning cloths soaked in product in trouser pockets.  
If applicable, caution - risk of slipping.

### **6.2 Environmental precautions**

If leakage occurs, dam up.  
Resolve leaks if this possible without risk.  
Prevent surface and ground-water infiltration, as well as ground penetration.  
If accidental entry into drainage system occurs, inform responsible authorities.

### **6.3 Methods and material for containment and cleaning up**

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

### **6.4 Reference to other sections**

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### **7.1 Precautions for safe handling**

#### **7.1.1 General recommendations**

Ensure good ventilation.  
Avoid aerosol formation.  
Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.  
Observe directions on label and instructions for use.  
Do not heat to temperatures close to flash point.  
Electrical equipment must be suitable for temperature class T 2 (Germany).

#### **7.1.2 Notes on general hygiene measures at the workplace**

General hygiene measures for the handling of chemicals are applicable.  
Wash hands before breaks and at end of work.  
Keep away from food, drink and animal feedingstuffs.  
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### **7.2 Conditions for safe storage, including any incompatibilities**

Not to be stored in gangways or stair wells.  
Store product closed and only in original packing.  
Protect against moisture and store closed.

### **7.3 Specific end use(s)**

No information available at present.

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

---

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 13.07.2015 / 0005  
Replacing version dated / version: 20.05.2015 / 0004  
Valid from: 13.07.2015  
PDF print date: 08.03.2017  
Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads  
8887200009 / 8887200017 / 8887200047

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.  
If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.  
Applies only if maximum permissible exposure values are listed here.

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.  
Wash hands before breaks and at end of work.  
Keep away from food, drink and animal feedingstuffs.  
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:  
Tight fitting protective goggles (EN 166) with side protection, with danger of projections.

Skin protection - Hand protection:  
Protective nitrile gloves (EN 374)  
Minimum layer thickness in mm:  
>= 0,4  
Permeation time (penetration time) in minutes:  
>= 480  
The breakthrough times determined in accordance with EN 374 Part 3 were not obtained under practical conditions.  
The recommended maximum wearing time is 50% of breakthrough time.  
Protective Neoprene® / polychloroprene gloves (EN 374).  
Protective hand cream recommended.

Skin protection - Other:  
Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:  
Normally not necessary.  
If fumes build up, use suitable breathing mask.  
Gas mask filter A (EN 14387), code colour brown

Thermal hazards:  
If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.  
In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.  
Selection of materials derived from glove manufacturer's indications.  
Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.  
Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.  
In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.  
The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                               |                |
|-------------------------------|----------------|
| Physical state:               | Liquid         |
| Colour:                       | Light yellow   |
| Odour:                        | Characteristic |
| Odour threshold:              | Not determined |
| pH-value:                     | Not determined |
| Melting point/freezing point: | n.a.           |

Page 5 of 10  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 13.07.2015 / 0005  
 Replacing version dated / version: 20.05.2015 / 0004  
 Valid from: 13.07.2015  
 PDF print date: 08.03.2017  
 Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads  
 8887200009 / 8887200017 / 8887200047

|  |                                |
|--|--------------------------------|
| Initial boiling point and boiling range: | Not determined                 |
| Flash point:                             | 260 °C                         |
| Evaporation rate:                        | Not determined                 |
| Flammability (solid, gas):               | Not determined                 |
| Lower explosive limit:                   | Not determined                 |
| Upper explosive limit:                   | Not determined                 |
| Vapour pressure:                         | Not determined                 |
| Vapour density (air = 1):                | Not determined                 |
| Density:                                 | 0,835 g/cm <sup>3</sup> (15°C) |
| Bulk density:                            | Not determined                 |
| Solubility(ies):                         | Not determined                 |
| Water solubility:                        | Insoluble                      |
| Partition coefficient (n-octanol/water): | Not determined                 |
| Auto-ignition temperature:               | No                             |
| Decomposition temperature:               | Not determined                 |
| Viscosity:                               | 68 mm <sup>2</sup> /s (40°C)   |
| Explosive properties:                    | Not determined                 |
| Oxidising properties:                    | No                             |

## 9.2 Other information

|                           |                |
|---------------------------|----------------|
| Miscibility:              | Not determined |
| Fat solubility / solvent: | Not determined |
| Conductivity:             | Not determined |
| Surface tension:          | Not determined |
| Solvents content:         | Not determined |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

See also Subsection 10.2 to 10.6.  
 The product has not been tested.

### 10.2 Chemical stability

See also Subsection 10.1 to 10.6.  
 Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

See also section 7.  
 Strong heat  
 Protect from humidity.

### 10.5 Incompatible materials

See also section 7.  
 Avoid contact with other chemicals.

### 10.6 Hazardous decomposition products

See also Subsection 10.1 to 10.5.  
 See also section 5.2

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

**Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads**  
**8887200009 / 8887200017 / 8887200047**

| Toxicity / effect                | Endpoint | Value | Unit | Organism | Test method | Notes  |
|----------------------------------|----------|-------|------|----------|-------------|--------|
| Acute toxicity, by oral route:   |          |       |      |          |             | n.d.a. |
| Acute toxicity, by dermal route: |          |       |      |          |             | n.d.a. |
| Acute toxicity, by inhalation:   |          |       |      |          |             | n.d.a. |

GB

Page 6 of 10  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 13.07.2015 / 0005  
 Replacing version dated / version: 20.05.2015 / 0004  
 Valid from: 13.07.2015  
 PDF print date: 08.03.2017  
 Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads  
 8887200009 / 8887200017 / 8887200047

|   |  |  |  |  |  |  |        |
|---|--|--|--|--|--|--|--------|
| Skin corrosion/irritation:                                    |  |  |  |  |  |  | n.d.a. |
| Serious eye damage/irritation:                                |  |  |  |  |  |  | n.d.a. |
| Respiratory or skin sensitisation:                            |  |  |  |  |  |  | n.d.a. |
| Germ cell mutagenicity:                                       |  |  |  |  |  |  | n.d.a. |
| Carcinogenicity:  |  |  |  |  |  |  | n.d.a. |
| Reproductive toxicity:  |  |  |  |  |  |  | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE):   |  |  |  |  |  |  | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): |  |  |  |  |  |  | n.d.a. |
| Aspiration hazard:  |  |  |  |  |  |  | n.d.a. |
| Symptoms:   |  |  |  |  |  |  | n.d.a. |

### SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

**Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads**  
**8887200009 / 8887200017 / 8887200047**

| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method       | Notes   |
|--|----------|------|-------|------|----------|-------------------|---|
| 12.1. Toxicity to fish:                  |          |      |       |      |          |                   | n.d.a.  |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |                   | n.d.a.  |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |                   | n.d.a.  |
| 12.2. Persistence and degradability:     |          |      | <20   | %    |          | Zahn-Wellens-Test | Not readily biodegradable<br>Mechanical precipitation possible. |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |                   | Concentration in organisms possible.                            |
| 12.4. Mobility in soil:                  |          |      |       |      |          |                   | n.d.a.  |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |                   | n.d.a.  |
| 12.6. Other adverse effects:             |          |      |       |      |          |                   | n.d.a.  |
| Other information:                       |          |      |       |      |          |                   | According to the recipe, contains no AOX.                       |

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of.  
 EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.  
 Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

13 02 08 other engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Page 7 of 10  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 13.07.2015 / 0005  
 Replacing version dated / version: 20.05.2015 / 0004  
 Valid from: 13.07.2015  
 PDF print date: 08.03.2017  
 Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads  
 8887200009 / 8887200017 / 8887200047

E.g. suitable incineration plant.

**For contaminated packing material**

Pay attention to local and national official regulations.

15 01 02 plastic packaging

15 01 04 metallic packaging

Empty container completely.

Untampered packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

**SECTION 14: Transport information**

**General statements**

14.1. UN number: n.a.

**Transport by road/by rail (ADR/RID)**

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Classification code: n.a.

LQ: n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

**Transport by sea (IMDG-code)**

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Marine Pollutant: n.a.

14.5. Environmental hazards: Not applicable

**Transport by air (IATA)**

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

**14.6. Special precautions for user**

Unless specified otherwise, general measures for safe transport must be followed.

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

Non-dangerous material according to Transport Regulations.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Observe restrictions: n.a.

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): 0 %

**15.2 Chemical safety assessment**

A chemical safety assessment is not provided for mixtures.

**SECTION 16: Other information**

Revised sections: 1 - 16

**Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):**

Not applicable

Page 8 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 13.07.2015 / 0005

Replacing version dated / version: 20.05.2015 / 0004

Valid from: 13.07.2015

PDF print date: 08.03.2017

Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads

8887200009 / 8887200017 / 8887200047

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

## Any abbreviations and acronyms used in this document:

AC Article Categories

acc., acc. to according, according to

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)

BMGV Biological monitoring guidance value (EH40, UK)

BOD Biochemical oxygen demand

BSEF Bromine Science and Environmental Forum

bw body weight

CAS Chemical Abstracts Service

CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids

CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques

CIPAC Collaborative International Pesticides Analytical Council

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

COD Chemical oxygen demand

CTFA Cosmetic, Toiletry, and Fragrance Association

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

DT50 Dwell Time - 50% reduction of start concentration

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community

ECHA European Chemicals Agency

EEA European Economic Area

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

ES Exposure scenario

etc. et cetera

EU European Union

EWC European Waste Catalogue

Fax. Fax number

gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

HET-CAM Hen's Egg Test - Chorionallantoic Membrane



Page 9 of 10  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 13.07.2015 / 0005  
Replacing version dated / version: 20.05.2015 / 0004  
Valid from: 13.07.2015  
PDF print date: 08.03.2017  
Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads  
8887200009 / 8887200017 / 8887200047

HGWP Halocarbon Global Warming Potential  
IARC International Agency for Research on Cancer  
IATA International Air Transport Association  
IBC Intermediate Bulk Container  
IBC (Code) International Bulk Chemical (Code)  
IC Inhibitory concentration  
IMDG-code International Maritime Code for Dangerous Goods  
incl. including, inclusive  
IUCILID International Uniform Chemical Information Database  
LC lethal concentration  
LC50 lethal concentration 50 percent kill  
LCLo lowest published lethal concentration  
LD Lethal Dose of a chemical  
LD50 Lethal Dose, 50% kill  
LDLo Lethal Dose Low  
LOAEL Lowest Observed Adverse Effect Level  
LOEC Lowest Observed Effect Concentration  
LOEL Lowest Observed Effect Level  
LQ Limited Quantities  
MARPOL International Convention for the Prevention of Marine Pollution from Ships  
n.a. not applicable  
n.av. not available  
n.c. not checked  
n.d.a. no data available  
NIOSH National Institute of Occupational Safety and Health (United States of America)  
NOAEC No Observed Adverse Effective Concentration  
NOAEL No Observed Adverse Effect Level  
NOEC No Observed Effect Concentration  
NOEL No Observed Effect Level  
ODP Ozone Depletion Potential  
OECD Organisation for Economic Co-operation and Development  
org. organic  
PAH polycyclic aromatic hydrocarbon  
PBT persistent, bioaccumulative and toxic  
PC Chemical product category  
PE Polyethylene  
PNEC Predicted No Effect Concentration  
POCP Photochemical ozone creation potential  
ppm parts per million  
PROC Process category  
PTFE Polytetrafluorethylene  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
SADT Self-Accelerating Decomposition Temperature  
SAR Structure Activity Relationship  
SU Sector of use  
SVHC Substances of Very High Concern  
Tel. Telephone  
ThOD Theoretical oxygen demand  
TOC Total organic carbon  
TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)  
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))  
VOC Volatile organic compounds  
vPvB very persistent and very bioaccumulative

GB

Page 10 of 10  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 13.07.2015 / 0005  
Replacing version dated / version: 20.05.2015 / 0004  
Valid from: 13.07.2015  
PDF print date: 08.03.2017  
Universal PAO Oil, ISO 68, Universal oil for coating O-rings and threads  
8887200009 / 8887200017 / 8887200047

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).

WHO World Health Organization

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.