

Page 1 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Annex II**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Denso ND8**  
**500 ml 8887200021 / 81342147762**

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses of the substance or mixture:**

Lubricant

Sector of use [SU]:

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC24 - Lubricants, greases, release products

Process category [PROC]:

PROC20 - Use of functional fluids in small devices

Article Categories [AC]:

AC 1 - Vehicles

Environmental Release Category [ERC]:

ERC 7 - Use of functional fluid at industrial site

**Uses advised against:**

No information available at present.

**1.3 Details of the supplier of the safety data sheet**

Dometic WAECO International GmbH, Hollefeldstr. 63, 48282 Emsdetten, Germany

Phone:+49 (0) 2572 879 0, Fax:+49 (0) 2572 879 300

info@dometic-waeco.de, www.airconservice.de

GB

Dometic UK Ltd Dometic House, The Brewery, DT11 9LS Blandford St Mary, Dorset, United Kingdom

Phone:+44 (0) 0844 626 0133, Fax:+44 (0) 0844 626 0143

automotive@dometic.co.uk, www.airconstations.co.uk

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

**1.4 Emergency telephone number**

**Emergency information services / official advisory body:**

---

**Telephone number of the company in case of emergencies:**

+49 (0) 700 / 24 112 112 (CCWA)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) 1272/2008 (CLP)**

| Hazard class    | Hazard category | Hazard statement                                      |
|-----------------|-----------------|---|
| Skin Sens.      | 1               | H317-May cause an allergic skin reaction.             |
| Aquatic Acute   | 1               | H400-Very toxic to aquatic life.                      |
| Aquatic Chronic | 2               | H411-Toxic to aquatic life with long lasting effects. |

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 23.01.2019 / 0010  
 Replacing version dated / version: 07.05.2018 / 0009  
 Valid from: 23.01.2019  
 PDF print date: 23.01.2019  
 Denso ND8  
 500 ml 8887200021 / 81342147762

## 2.2 Label elements

### Labeling according to Regulation (EC) 1272/2008 (CLP)



Warning

H317-May cause an allergic skin reaction. H410-Very toxic to aquatic life with long lasting effects.

P261-Avoid breathing vapours or spray. P273-Avoid release to the environment. P280-Wear protective gloves.  
 P333+P313-If skin irritation or rash occurs: Get medical advice / attention. P391-Collect spillage.

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-methyl-.omega.-methoxy-tris(nonylphenyl) phosphite

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).  
 The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

## SECTION 3: Composition/information on ingredients

Polyalkylene glycols and additives

### 3.1 Substance

n.a.

### 3.2 Mixture

|  |   |
|--|---|
| <b>Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-methyl-.omega.-methoxy-</b> |   |
| Registration number (REACH)  | ---   |
| Index  | ---   |
| EINECS, ELINCS, NLP  | ---   |
| CAS  | 24991-61-5  |
| content %  | 50-<100   |
| Classification according to Regulation (EC) 1272/2008 (CLP)              | Skin Sens. 1, H317  |
| <b>Tetradecyloxirane</b>   |   |
| Registration number (REACH)  | ---   |
| Index  | ---   |
| EINECS, ELINCS, NLP  | 230-786-2   |
| CAS  | 7320-37-8   |
| content %  | 1-<10   |
| Classification according to Regulation (EC) 1272/2008 (CLP)              | Skin Irrit. 2, H315<br>Aquatic Acute 1, H400 (M=100)<br>Aquatic Chronic 1, H410 (M=1) |
| <b>2,6-di-tert-butyl-p-cresol</b>  |   |
| Registration number (REACH)  | ---   |

GB

Page 3 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

|  |  |
|--|--|
| <b>Index</b>   | ---  |
| <b>EINECS, ELINCS, NLP</b>   | 204-881-4  |
| <b>CAS</b>   | 128-37-0   |
| <b>content %</b>   | 0,1-<3   |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP)</b> | Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 1, H410 (M=1) |

|  |  |
|--|--|
| <b>tris(nonylphenyl) phosphite</b>                                 |  |
| <b>Registration number (REACH)</b>                                 | ---  |
| <b>Index</b>   | 015-202-00-4   |
| <b>EINECS, ELINCS, NLP</b>   | 247-759-6  |
| <b>CAS</b>   | 26523-78-4   |
| <b>content %</b>   | 0,1-<1   |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP)</b> | Skin Sens. 1, H317<br>Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 1, H410 (M=1) |

|  |   |
|--|---|
| <b>Tris(methylphenyl) phosphate</b>                                |   |
| <b>Registration number (REACH)</b>                                 | ---   |
| <b>Index</b>   | ---   |
| <b>EINECS, ELINCS, NLP</b>   | 215-548-8   |
| <b>CAS</b>   | 1330-78-5   |
| <b>content %</b>   | 0,1-<1  |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP)</b> | Aquatic Acute 1, H400 (M=1)<br>Repr. 2, H361<br>Aquatic Chronic 1, H410 (M=1) |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.  
The substances named in this section are given with their actual, appropriate classification!  
For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!  
Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.  
Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eye contact

Remove contact lenses.  
Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.  
Do not induce vomiting. Consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.  
In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.  
Allergic reaction possible.

### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

Page 4 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

## 5.1 Extinguishing media

### Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

### Unsuitable extinguishing media

High volume water jet

## 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of phosphorus

Toxic gases

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Keep unprotected persons away.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

Fill the absorbed material into lockable containers.

### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store in a well-ventilated place.

GB

Page 5 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

Store cool.  
Store in a dry place.

### 7.3 Specific end use(s)

No information available at present.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| Chemical Name          | 2,6-di-tert-butyl-p-cresol |     | Content %:0,1-<br><3 |
|------------------------|----------------------------|-----|----------------------|
| WEL-TWA: 10 mg/m3      | WEL-STEL: ---              | --- |                      |
| Monitoring procedures: | ---                        |     |                      |
| BMGV: ---              | Other information: ---     |     |                      |

| 2,6-di-tert-butyl-p-cresol |  |                             |            |       |              |      |
|----------------------------|--|-----------------------------|------------|-------|--------------|------|
| Area of application        | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit         | Note |
|                            | Environment - soil                         |                             | PNEC       | 1,04  | mg/kg wwt    |      |
|                            | Environment - sewage treatment plant       |                             | PNEC       | 100   | mg/l         |      |
|                            | Environment - sediment                     |                             | PNEC       | 1,29  | mg/kg wwt    |      |
|                            | Environment - marine                       |                             | PNEC       | 0,4   | µg/l         |      |
|                            | Environment - periodic release             |                             | PNEC       | 4     | µg/l         |      |
|                            | Environment - freshwater                   |                             | PNEC       | 4     | µg/l         |      |
|                            | Environment - oral (animal feed)           |                             | PNEC       | 16,7  | mg/kg        |      |
|                            | Environment - soil                         |                             | PNEC       | 1,23  | mg/kg        |      |
| Consumer                   | Human - inhalation                         | Long term, systemic effects | DNEL       | 1,74  | mg/m3        |      |
| Consumer                   | Human - dermal                             | Long term, systemic effects | DNEL       | 5     | mg/kg bw/d   |      |
| Workers / employees        | Human - inhalation                         | Long term, systemic effects | DNEL       | 5,8   | mg/m3        |      |
| Workers / employees        | Human - dermal                             | Long term, systemic effects | DNEL       | 8,3   | mg/kg bw/day |      |

GB WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).  
(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).  
(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.  
\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.  
If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.  
Applies only if maximum permissible exposure values are listed here.  
Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

GB

Page 6 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

These are specified by e.g. BS EN 14042.  
BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN 374).

Recommended

Protective nitrile gloves (EN 374)

Minimum layer thickness in mm:

> 0,3

Permeation time (penetration time) in minutes:

480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Ensure sufficient ventilation.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |  |
|--|--|
| Physical state:                          | Liquid                                   |
| Colour:                                  | Clear                                    |
| Odour:                                   | Characteristic                           |
| Odour threshold:                         | Not determined                           |
| pH-value:                                | n.a.                                     |
| Melting point/freezing point:            | Not determined                           |
| Initial boiling point and boiling range: | Not determined                           |
| Flash point:                             | 204 °C (DIN 51376 (Cleveland, open cup)) |
| Evaporation rate:                        | Not determined                           |
| Flammability (solid, gas):               | Not determined                           |

GB

Page 7 of 15  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 23.01.2019 / 0010  
 Replacing version dated / version: 07.05.2018 / 0009  
 Valid from: 23.01.2019  
 PDF print date: 23.01.2019  
 Denso ND8  
 500 ml 8887200021 / 81342147762

|  |                                 |
|--|---------------------------------|
| Lower explosive limit:                   | Not determined                  |
| Upper explosive limit:                   | Not determined                  |
| Vapour pressure:                         | Not determined                  |
| Vapour density (air = 1):                | Not determined                  |
| Density:                                 | 0,9944 g/cm <sup>3</sup>        |
| Bulk density:                            | Not determined                  |
| Solubility(ies):                         | Not determined                  |
| Water solubility:                        | Insoluble                       |
| Partition coefficient (n-octanol/water): | Not determined                  |
| Auto-ignition temperature:               | No                              |
| Decomposition temperature:               | Not determined                  |
| Viscosity:                               | 43,32 mm <sup>2</sup> /s (40°C) |
| Explosive properties:                    | Product is not explosive.       |
| Oxidising properties:                    | No                              |

## 9.2 Other information

|                           |                |
|---------------------------|----------------|
| Miscibility:              | Not determined |
| Fat solubility / solvent: | Not determined |
| Conductivity:             | Not determined |
| Surface tension:          | Not determined |
| Solvents content:         | Not determined |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product has not been tested.

### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

None known

### 10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

### 10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

#### Denso ND8

500 ml 8887200021 / 81342147762

| Toxicity / effect                  | Endpoint | Value | Unit | Organism | Test method | Notes  |
|------------------------------------|----------|-------|------|----------|-------------|--------|
| Acute toxicity, by oral route:     |          |       |      |          |             | n.d.a. |
| Acute toxicity, by dermal route:   |          |       |      |          |             | n.d.a. |
| Acute toxicity, by inhalation:     |          |       |      |          |             | n.d.a. |
| Skin corrosion/irritation:         |          |       |      |          |             | n.d.a. |
| Serious eye damage/irritation:     |          |       |      |          |             | n.d.a. |
| Respiratory or skin sensitisation: |          |       |      |          |             | n.d.a. |
| Germ cell mutagenicity:            |          |       |      |          |             | n.d.a. |
| Carcinogenicity:                   |          |       |      |          |             | n.d.a. |
| Reproductive toxicity:             |          |       |      |          |             | n.d.a. |

GB

Page 8 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

|   |  |  |  |  |  |        |
|---|--|--|--|--|--|--------|
| Specific target organ toxicity - single exposure (STOT-SE):   |  |  |  |  |  | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): |  |  |  |  |  | n.d.a. |
| Aspiration hazard:  |  |  |  |  |  | n.d.a. |
| Symptoms:   |  |  |  |  |  | n.d.a. |

| <b>Poly[oxy(methyl-1,2-ethanediyl)], -alpha.-methyl.-omega.-methoxy-</b> |          |       |      |          |             |              |
|--|----------|-------|------|----------|-------------|--------------|
| Toxicity / effect  | Endpoint | Value | Unit | Organism | Test method | Notes        |
| Skin corrosion/irritation:   |          |       |      |          |             | Not irritant |
| Serious eye damage/irritation:   |          |       |      |          |             | Not irritant |
| Respiratory or skin sensitisation:                                       |          |       |      |          |             | Sensitising  |
| Aspiration hazard:   |          |       |      |          |             | No           |

| <b>2,6-di-tert-butyl-p-cresol</b>                             |          |       |       |             |                                  |                            |
|---|----------|-------|-------|-------------|----------------------------------|----------------------------|
| Toxicity / effect   | Endpoint | Value | Unit  | Organism    | Test method                      | Notes                      |
| Acute toxicity, by oral route:                                | LD50     | >2930 | mg/kg | Rat         | OECD 401 (Acute Oral Toxicity)   |                            |
| Acute toxicity, by dermal route:                              | LD50     | >5000 | mg/kg | Rabbit      | OECD 402 (Acute Dermal Toxicity) |                            |
| Skin corrosion/irritation:                                    |          |       |       |             |                                  | Slightly irritant          |
| Serious eye damage/irritation:                                |          |       |       | Rabbit      | (Draize-Test)                    | Slightly irritant          |
| Respiratory or skin sensitisation:                            |          |       |       | Human being |                                  | Not sensitizing            |
| Germ cell mutagenicity:                                       |          |       |       |             | (Ames-Test)                      | Negative                   |
| Reproductive toxicity:  | NOAEL    | 100   | mg/kg | Rat         |                                  |                            |
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOEL     | 25    | mg/kg | Rat         |                                  | (28 d)                     |
| Symptoms:   |          |       |       |             |                                  | mucous membrane irritation |

| <b>tris(nonylphenyl) phosphite</b> |          |       |       |            |                               |                            |
|------------------------------------|----------|-------|-------|------------|-------------------------------|----------------------------|
| Toxicity / effect                  | Endpoint | Value | Unit  | Organism   | Test method                   | Notes                      |
| Acute toxicity, by oral route:     | LD50     | 19500 | mg/kg | Rat        |                               |                            |
| Respiratory or skin sensitisation: |          |       |       | Guinea pig | OECD 406 (Skin Sensitisation) | Sensitising (skin contact) |

| <b>Tris(methylphenyl) phosphate</b> |          |       |         |            |             |                      |
|-------------------------------------|----------|-------|---------|------------|-------------|----------------------|
| Toxicity / effect                   | Endpoint | Value | Unit    | Organism   | Test method | Notes                |
| Acute toxicity, by oral route:      | LD50     | >3700 | mg/kg   | Rat        |             | Analogous conclusion |
| Acute toxicity, by dermal route:    | LD0      | 10000 | mg/kg   | Rabbit     |             | Analogous conclusion |
| Acute toxicity, by inhalation:      | LC50     | 11,1  | mg/l/1h |            |             | Aerosol              |
| Skin corrosion/irritation:          |          |       |         |            |             | Slightly irritant    |
| Serious eye damage/irritation:      |          |       |         |            |             | Slightly irritant    |
| Respiratory or skin sensitisation:  |          |       |         | Guinea pig |             | Negative             |
| Germ cell mutagenicity:             |          |       |         |            | (Ames-Test) | Negative             |
| Carcinogenicity:                    |          |       |         |            |             | Negative             |
| Reproductive toxicity:              |          |       |         |            |             | Positive             |



GB

Page 9 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

|   |      |     |       |     |  |  |
|---|------|-----|-------|-----|--|--|
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOEL | 250 | mg/kg | Rat |  |  |
|---|------|-----|-------|-----|--|--|

## SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

### Denso ND8

500 ml 8887200021 / 81342147762

| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes  |
|--|----------|------|-------|------|----------|-------------|--------|
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a. |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a. |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a. |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | n.d.a. |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a. |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a. |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a. |
| 12.6. Other adverse effects:             |          |      |       |      |          |             | n.d.a. |

### Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-methyl-.omega.-methoxy-

| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes                               |
|--|----------|------|-------|------|----------|-------------|-------------------------------------|
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | No PBT substance, No vPvB substance |

### 2,6-di-tert-butyl-p-cresol

| Toxicity / effect                    | Endpoint  | Time | Value | Unit | Organism                | Test method  | Notes                     |
|--------------------------------------|-----------|------|-------|------|-------------------------|--|---------------------------|
| 12.1. Toxicity to fish:              | LC50      | 96h  | >0,57 | mg/l |                         | QSAR   |                           |
| 12.1. Toxicity to fish:              | NOEC/NOEL | 42d  | 0,053 | mg/l | Oryzias latipes         | OECD 210 (Fish, Early-Life Stage Toxicity Test)              |                           |
| 12.1. Toxicity to daphnia:           | LC50      | 48h  | 0,61  | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)             |                           |
| 12.1. Toxicity to daphnia:           | NOEC/NOEL | 21d  | 0,07  | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)             |                           |
| 12.1. Toxicity to algae:             | EC50      | 72h  | 0,5   | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test)                      |                           |
| 12.1. Toxicity to algae:             | NOEC/NOEL | 72h  | 1     | mg/l |                         | OECD 201 (Alga, Growth Inhibition Test)                      |                           |
| 12.2. Persistence and degradability: |           | 28d  | 4,5   | %    |                         | OECD 301 C (Ready Biodegradability - Modified MITI Test (I)) | Not readily biodegradable |

GB

Page 10 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

|                                  |      |    |          |      |                  |  |   |
|----------------------------------|------|----|----------|------|------------------|--|---|
| 12.3. Bioaccumulative potential: |      |    | 230-2500 |      | Cyprinus caprio  | OECD 305 (Bioconcentration - Flow-Through Fish Test) | 56d   |
| Toxicity to bacteria:            | EC50 | 3h | >10000   | mg/l | activated sludge |  |   |
| Other information:               |      |    |          |      |                  |  | Does not contain any organically bound halogens which can contribute to the AOX value in waste water. |
| Water solubility:                |      |    | 0,00076  | g/l  |                  |  |   |

**tris(nonylphenyl) phosphite**

| Toxicity / effect          | Endpoint | Time | Value | Unit | Organism | Test method | Notes            |
|----------------------------|----------|------|-------|------|----------|-------------|------------------|
| 12.1. Toxicity to daphnia: | EC50     | 48h  | 0,46  | mg/l |          |             | calculated value |

**Tris(methylphenyl) phosphate**

| Toxicity / effect                        | Endpoint  | Time | Value   | Unit | Organism                | Test method  | Notes   |
|--|-----------|------|---------|------|-------------------------|--|---|
| 12.1. Toxicity to fish:                  | LC50      | 96h  | 0,6     | mg/l |                         |  |   |
| 12.1. Toxicity to fish:                  | NOEC/NOEL | 28d  | 0,01    | mg/l | Oncorhynchus mykiss     |  |   |
| 12.1. Toxicity to daphnia:               | EC50      | 48h  | 0,14    | mg/l | Daphnia magna           |  |   |
| 12.1. Toxicity to algae:                 | EC50      | 72h  | 0,4     | mg/l | Desmodesmus subspicatus |  |   |
| 12.2. Persistence and degradability:     |           |      | 80      | %    |                         |  |   |
| 12.3. Bioaccumulative potential:         | BCF       |      | 144     |      |                         |  |   |
| 12.5. Results of PBT and vPvB assessment |           |      |         |      |                         |  | No PBT substance, No vPvB substance   |
| Toxicity to bacteria:                    | EC50      |      | >100000 | mg/l | activated sludge        | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) |   |
| Other information:                       |           |      |         |      |                         |  | Does not contain any organically bound halogens which can contribute to the AOX value in waste water. |

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**  
**For the substance / mixture / residual amounts**

GB

Page 11 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

EC disposal code no.:  
The waste codes are recommendations based on the scheduled use of this product.  
Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)  
13 02 08 other engine, gear and lubricating oils  
Recommendation:  
Sewage disposal shall be discouraged.  
Pay attention to local and national official regulations.  
E.g. suitable incineration plant.  
E.g. dispose at suitable refuse site.  
**For contaminated packing material**  
Pay attention to local and national official regulations.  
Empty container completely.  
Uncontaminated packaging can be recycled.  
Dispose of packaging that cannot be cleaned in the same manner as the substance.

## SECTION 14: Transport information

### General statements

14.1. UN number: 3082

### Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:  
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TETRADECYLOXIRANE,2,6-DI-T-BUTYL-4-METHYL-PHENOL)  
14.3. Transport hazard class(es): 9  
14.4. Packing group: III  
Classification code: M6  
LQ: 5 L  
14.5. Environmental hazards: environmentally hazardous  
Tunnel restriction code: -



### Transport by sea (IMDG-code)

14.2. UN proper shipping name:  
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TETRADECYLOXIRANE,2,6-DI-T-BUTYL-4-METHYL-PHENOL)  
14.3. Transport hazard class(es): 9  
14.4. Packing group: III  
EmS: F-A, S-F  
Marine Pollutant: Yes  
14.5. Environmental hazards: environmentally hazardous



### Transport by air (IATA)

14.2. UN proper shipping name:  
Environmentally hazardous substance, liquid, n.o.s. (TETRADECYLOXIRANE,2,6-DI-T-BUTYL-4-METHYL-PHENOL)  
14.3. Transport hazard class(es): 9  
14.4. Packing group: III  
14.5. Environmental hazards: environmentally hazardous



### 14.6. Special precautions for user

Persons employed in transporting dangerous goods must be trained.  
All persons involved in transporting must observe safety regulations.  
Precautions must be taken to prevent damage.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Freighted as packaged goods rather than in bulk, therefore not applicable.  
Minimum amount regulations have not been taken into account.  
Danger code and packing code on request.  
Comply with special provisions.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

GB

Page 12 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

Observe restrictions:  
Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 1 - The following categories apply to this product (others may also need to be considered according to storage, handling etc.):

| Hazard categories | Notes to Annex I | Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of - Lower-tier requirements | Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of - Upper-tier requirements |
|-------------------|------------------|---|---|
| E1                |                  | 100   | 200   |
| E2                |                  | 200   | 500   |

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Directive 2010/75/EU (VOC): n.a.

Observe incident regulations.

## 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## SECTION 16: Other information

Revised sections: 1  
Employee training in handling dangerous goods is required.  
These details refer to the product as it is delivered.  
Employee instruction/training in handling hazardous materials is required.

### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used                             |
|---|--|
| Skin Sens. 1, H317  | Classification according to calculation procedure. |
| Aquatic Acute 1, H400   | Classification according to calculation procedure. |
| Aquatic Chronic 2, H411   | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H361 Suspected of damaging fertility or the unborn child.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

Skin Sens. — Skin sensitization  
Aquatic Acute — Hazardous to the aquatic environment - acute  
Aquatic Chronic — Hazardous to the aquatic environment - chronic  
Skin Irrit. — Skin irritation  
Repr. — Reproductive toxicity

### Any abbreviations and acronyms used in this document:

Page 13 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

AC Article Categories

acc., acc. to according, according to  
ACGIH American Conference of Governmental Industrial Hygienists  
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)  
AOEL Acceptable Operator Exposure Level  
AOX Adsorbable organic halogen compounds  
approx. approximately  
Art., Art. no. Article number  
ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)  
BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)  
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)  
BCF Bioconcentration factor  
BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)  
BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)  
BMGV Biological monitoring guidance value (EH40, UK)  
BOD Biochemical oxygen demand  
BSEF Bromine Science and Environmental Forum  
bw body weight  
CAS Chemical Abstracts Service  
CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids  
CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques  
CIPAC Collaborative International Pesticides Analytical Council  
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)  
CMR carcinogenic, mutagenic, reproductive toxic  
COD Chemical oxygen demand  
CTFA Cosmetic, Toiletry, and Fragrance Association  
DMEL Derived Minimum Effect Level  
DNEL Derived No Effect Level  
DOC Dissolved organic carbon  
DT50 Dwell Time - 50% reduction of start concentration  
DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)  
dw dry weight  
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance  
EC European Community  
ECHA European Chemicals Agency  
EEA European Economic Area  
EEC European Economic Community  
EINECS European Inventory of Existing Commercial Chemical Substances  
ELINCS European List of Notified Chemical Substances  
EN European Norms  
EPA United States Environmental Protection Agency (United States of America)  
ERC Environmental Release Categories  
ES Exposure scenario  
etc. et cetera  
EU European Union  
EWC European Waste Catalogue  
Fax. Fax number  
gen. general  
GHS Globally Harmonized System of Classification and Labelling of Chemicals  
GWP Global warming potential  
HET-CAM Hen's Egg Test - Chorionallantoic Membrane  
HGWP Halocarbon Global Warming Potential  
IARC International Agency for Research on Cancer  
IATA International Air Transport Association  
IBC Intermediate Bulk Container  
IBC (Code) International Bulk Chemical (Code)  
IC Inhibitory concentration  
IMDG-code International Maritime Code for Dangerous Goods  
incl. including, inclusive

Page 14 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

IUCLID International Uniform Chemical Information Database  
LC lethal concentration  
LC50 lethal concentration 50 percent kill  
LCLo lowest published lethal concentration  
LD Lethal Dose of a chemical  
LD50 Lethal Dose, 50% kill  
LDLo Lethal Dose Low  
LOAEL Lowest Observed Adverse Effect Level  
LOEC Lowest Observed Effect Concentration  
LOEL Lowest Observed Effect Level  
LQ Limited Quantities  
MARPOL International Convention for the Prevention of Marine Pollution from Ships  
n.a. not applicable  
n.av. not available  
n.c. not checked  
n.d.a. no data available  
NIOSH National Institute of Occupational Safety and Health (United States of America)  
NOAEC No Observed Adverse Effective Concentration  
NOAEL No Observed Adverse Effect Level  
NOEC No Observed Effect Concentration  
NOEL No Observed Effect Level  
ODP Ozone Depletion Potential  
OECD Organisation for Economic Co-operation and Development  
org. organic  
PAH polycyclic aromatic hydrocarbon  
PBT persistent, bioaccumulative and toxic  
PC Chemical product category  
PE Polyethylene  
PNEC Predicted No Effect Concentration  
POCP Photochemical ozone creation potential  
ppm parts per million  
PROC Process category  
PTFE Polytetrafluorethylene  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
SADT Self-Accelerating Decomposition Temperature  
SAR Structure Activity Relationship  
SU Sector of use  
SVHC Substances of Very High Concern  
Tel. Telephone  
ThOD Theoretical oxygen demand  
TOC Total organic carbon  
TRGS Technische Regeln für Gefahrstoffe (= Technical Regulations for Hazardous Substances)  
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))  
VOC Volatile organic compounds  
vPvB very persistent and very bioaccumulative  
WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).  
WHO World Health Organization  
wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

Ⓢ

Page 15 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.01.2019 / 0010  
Replacing version dated / version: 07.05.2018 / 0009  
Valid from: 23.01.2019  
PDF print date: 23.01.2019  
Denso ND8  
500 ml 8887200021 / 81342147762

---

No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax:  
+49 5233 94 17 90**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.