

Page 1 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

GB

Denso ND8 8887200021 / 81342147762

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Lubricant Sector of use [SU]: SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Chemical product category [PC]: PC24 - Lubricants, greases, release products Process category [PROC]: PROC20 - Use of functional fluids in small devices Article Categories [AC]: AC 1 - Vehicles Environmental Release Category [ERC]: ERC 7 - Use of functional fluid at industrial site **Uses advised against:** No information available at present.

1.3 Details of the supplier of the safety data sheet

Dometic Germany GmbH, Hollefeldstr. 63, 48282 Emsdetten, Germany Phone:+49 (0) 2572 879 0, Fax:+49 (0) 2572 879 300 info@dometic-waeco.de, www.waeco.com

Dometic UK Ltd Dometic House, The Brewery, DT11 9LS Blandford St Mary, Dorset, United Kingdom Phone:+44 (0) 0844 626 0133, Fax:+44 (0) 0844 626 0143 automotive@dometic.co.uk, www.airconstations.co.uk

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (CCWA)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

onaconnoation aco	or any to regulation (E	
Hazard class	Hazard category	Hazard statement
Skin Sens.	1	H317-May cause an allergic skin reaction.
Aquatic Acute	1	H400-Very toxic to aquatic life.
Aquatic Chronic	2	H411-Toxic to aquatic life with long lasting effects.



Page 2 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Warning

œ

H317-May cause an allergic skin reaction. H410-Very toxic to aquatic life with long lasting effects.

P261-Avoid breathing vapours or spray. P273-Avoid release to the environment. P280-Wear protective gloves. P333+P313-If skin irritation or rash occurs: Get medical advice / attention. P391-Collect spillage.

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-methyl-.omega.-methoxy-Tris(nonylphenyl) phosphite

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

Polyalkylene glycols and additives

3.1 Substance

n.a.

3.2 Mixture	
Poly[oxy(methyl-1,2-ethanediyl)], .alphamethylomegamethoxy-	•
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	
CAS	24991-61-5
content %	50-<100
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Sens. 1, H317
Tetradecyloxirane	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	230-786-2
CAS	7320-37-8
content %	1-<10
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Irrit. 2, H315
	Aquatic Acute 1, H400 (M=100)
	Aquatic Chronic 1, H410 (M=1)
2,6-di-tert-butyl-p-cresol	
Registration number (REACH)	01-2119555270-46-XXXX



Page 3 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

Index	
EINECS, ELINCS, NLP	204-881-4
CAS	128-37-0
content %	0,1-<3
Classification according to Regulation (EC) 1272/2008 (CLP)	Aquatic Acute 1, H400 (M=1)
	Aquatic Chronic 1, H410 (M=1)

Tris(nonylphenyl) phosphite	
Registration number (REACH)	
Index	015-202-00-4
EINECS, ELINCS, NLP	247-759-6
CAS	26523-78-4
content %	0,1-<1
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Sens. 1, H317
	Aquatic Acute 1, H400 (M=1)
	Aquatic Chronic 1, H410 (M=1)

Tris(methylphenyl) phosphate	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	215-548-8
CAS	1330-78-5
content %	0,1-<1
Classification according to Regulation (EC) 1272/2008 (CLP)	Aquatic Acute 1, H400 (M=1)
	Repr. 2, H361
	Aquatic Chronic 1, H410 (M=1)

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

GB

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures



Page 4 of 15

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

5.1 Extinguishing media Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of phosphorus Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep unprotected persons away. Ensure sufficient supply of air. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. Fill the absorbed material into lockable containers.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use. Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store in a well-ventilated place.



Page 5 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

Store cool. Store in a dry place. **7.3 Specific end use(s)** No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

^(B) Chemical Name	2,6-di-tert-butyl-p-cresol	Content %:0,1- <3
WEL-TWA: 10 mg/m3	WEL-STEL:	
Monitoring procedures:		
BMGV:	Other infor	rmation:

2,6-di-tert-butyl-p-creso Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
Area of application	Environmental		r	value	Onic	Note
	compartment		1			
	Environment - soil		PNEC	1,04	mg/kg wwt	
	Environment - sewage		PNEC	1,04	mg/l	
	treatment plant			100	ing/i	
	Environment - sediment		PNEC	1,29	mg/kg wwt	
	Environment - marine		PNEC	0,4	µg/l	
	Environment - periodic		PNEC	4	μg/l	
	release		11120		P9/1	
	Environment - freshwater		PNEC	4	µg/l	
	Environment - oral (animal		PNEC	16,7	mg/kg	
	feed)			,.		
	Environment - soil		PNEC	1,23	mg/kg	
Consumer	Human - inhalation	Long term, systemic	DNEL	1,74	mg/m3	
		effects			5	
Consumer	Human - dermal	Long term, systemic	DNEL	5	mg/kg	
		effects			bw/d	
Workers / employees	Human - inhalation	Long term, systemic	DNEL	5,8	mg/m3	
1, 2		effects			Ŭ	
Workers / employees	Human - dermal	Long term, systemic	DNEL	8,3	mg/kg	
		effects			bw/day	

Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
	Environment - freshwater		PNEC	0,001	mg/l	
	Environment - sediment,		PNEC	2,05	mg/kg dry	
	freshwater				weight	
	Environment - sediment,		PNEC	0,205	mg/kg dry	
	marine				weight	
	Environment - soil		PNEC	1,01	mg/kg dry	
					weight	
	Environment - oral (animal		PNEC	0,65	mg/kg	
	feed)				feed	
	Environment - sewage		PNEC	100	mg/l	
	treatment plant					
Consumer	Human - oral	Long term, systemic	DNEL	0,05	mg/kg	
		effects			bw/day	

œ-



Page 6 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

Consumer	Human - inhalation	Long term, systemic effects	DNEL	0,08	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	1,25	mg/kg bw/d	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	2,5	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	0,46	mg/m3	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

8.2 Exposure controls

GB

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and nonmetrological investigative techniques.

These are specified by e.g. BS EN 14042.

BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN 374). Recommended Protective nitrile gloves (EN 374). Minimum layer thickness in mm: > 0,3 Permeation time (penetration time) in minutes: 480 The breakthrough times determined in accordance

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary. Ensure sufficient ventilation.

Thermal hazards:



Page 7 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

Not applicable

GB

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Clear
Odour:	Characteristic
Odour threshold:	Not determined
pH-value:	n.a.
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
Flash point:	204 °C (DIN 51376 (Cleveland, open cup))
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Lower explosive limit:	Not determined
Upper explosive limit:	Not determined
Vapour pressure:	Not determined
Vapour density (air = 1):	Not determined
Density:	0,9944 g/cm3
Bulk density:	Not determined
Solubility(ies):	Not determined
Water solubility:	Insoluble
Partition coefficient (n-octanol/water):	Not determined
Auto-ignition temperature:	No
Decomposition temperature:	Not determined
Viscosity:	43,32 mm2/s (40°C)
Explosive properties:	Product is not explosive.
Oxidising properties:	No
9.2 Other information	
Miscibility:	Not determined
Fat solubility / solvent:	Not determined
Conductivity:	Not determined
Surface tension:	Not determined
Solvents content:	Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity
The product has not been tested.
10.2 Chemical stability
Stable with proper storage and handling.
10.3 Possibility of hazardous reactions
No dangerous reactions are known.
10.4 Conditions to avoid
None known



Page 8 of 15

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Denso ND8 8887200021 / 81342147762 Toxicity / effect Endpoint Value Unit Organism Test method Notes Acute toxicity, by oral route: n.d.a. Acute toxicity, by dermal n.d.a. route: Acute toxicity, by inhalation: n.d.a. Skin corrosion/irritation: n.d.a. Serious eye n.d.a. damage/irritation: n.d.a. Respiratory or skin sensitisation: Germ cell mutagenicity: n.d.a. Carcinogenicity: n.d.a. Reproductive toxicity: n.d.a. Specific target organ toxicity n.d.a. single exposure (STOT-SE): Specific target organ toxicity n.d.a. repeated exposure (STOT-RE): Aspiration hazard: n.d.a. Symptoms: n.d.a.

Poly[oxy(methyl-1,2-ethanediyl)], .alphamethylomegamethoxy-							
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes	
Skin corrosion/irritation:						Not irritant	
Serious eye						Not irritant	
damage/irritation:							
Respiratory or skin						Sensitising	
sensitisation:							
Aspiration hazard:						No	

2,6-di-tert-butyl-p-cresol Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2930	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Skin corrosion/irritation:						Slightly irritant
Serious eye damage/irritation:				Rabbit	(Draize-Test)	Slightly irritant
Respiratory or skin sensitisation:				Human being		Not sensitizising
Germ cell mutagenicity:					(Ames-Test)	Negative
Reproductive toxicity:	NOAEL	100	mg/kg	Rat		
Specific target organ toxicity - repeated exposure (STOT- RE):	NOEL	25	mg/kg	Rat		(28 d)



Page 9 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

Symptoms:			mucous
			membrane
			irritation

Tris(nonylphenyl) phosphite						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	19500	mg/kg	Rat		
Respiratory or skin				Guinea pig	OECD 406 (Skin	Sensitising
sensitisation:					Sensitisation)	(skin contact)

Tris(methylphenyl) phosphate							
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes	
Acute toxicity, by oral route:	LD50	>3700	mg/kg	Rat		Analogous	
						conclusion	
Acute toxicity, by dermal	LD0	10000	mg/kg	Rabbit		Analogous	
route:						conclusion	
Acute toxicity, by inhalation:	LC50	11,1	mg/l/1h			Aerosol	
Skin corrosion/irritation:						Slightly irritant	
Serious eye						Slightly irritant	
damage/irritation:							
Respiratory or skin				Guinea pig		Negative	
sensitisation:							
Germ cell mutagenicity:					(Ames-Test)	Negative	
Carcinogenicity:						Negative	
Reproductive toxicity:						Positive	
Specific target organ toxicity -	NOEL	250	mg/kg	Rat			
repeated exposure (STOT-							
RE):							

SECTION 12: Ecological information

Possibly more information	on on environm	nental effect	ts, see Sec	tion 2.1 (cla	ssification).		
Denso ND8							
8887200021 / 81342147	7762						
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Other adverse							n.d.a.
effects:							
Poly[oxy(methyl-1,2-et	hanediyl)], .al	phameth	ylomega.	-methoxy-			
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
2,6-di-tert-butyl-p-cres	ol						
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1 Toxicity to fish:	LC50	96h	>0.57	ma/l		OSAR	

œ-



Page 10 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

12.1. Toxicity to fish:	NOEC/NOEL	42d	0,053	mg/l	Oryzias latipes	OECD 210 (Fish, Early-Life	
						Stage Toxicity Test)	
12.1. Toxicity to daphnia:	LC50	48h	0,61	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,07	mg/l	Daphnia magna	Test) OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	EC50	72h	0,5	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	1	mg/l		OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	4,5	%		OECD 301 C (Ready Biodegradability - Modified MITI Test (I))	Not readily biodegradable
12.3. Bioaccumulative potential:			230- 2500		Cyprinus caprio	OECD 305 (Bioconcentration - Flow-Through Fish Test)	56d
Toxicity to bacteria:	EC50	3h	>10000	mg/l	activated sludge		
Other information:							Does not contain any organically bound halogens which can contribute to the AOX value in waste water.
Water solubility:			0,00076	g/l			

Tris(nonylphenyl) phosphite								
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes	
12.1. Toxicity to	EC50	48h	0,46	mg/l			calculated value	
daphnia:								

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	0,6	mg/l			
12.1. Toxicity to fish:	NOEC/NOEL	28d	0,01	mg/l	Oncorhynchus mykiss		
12.1. Toxicity to daphnia:	EC50	48h	0,14	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	0,4	mg/l	Desmodesmus subspicatus		
12.2. Persistence and degradability:			80	%			Readily biodegradable
12.3. Bioaccumulative potential:	BCF		144				

@-



Page 11 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

12.5. Results of PBT and vPvB assessment						No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50	>10000 0	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Other information:						Does not contain any organically bound halogens which can contribute to the AOX value in waste water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

(GB)

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 02 08 other engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements 14.1. UN number:	3082	
Transport by road/by rail (ADR/RID)		
14.2. UN proper shipping name:		
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIC	QUID, N.O.S. (TETRADECYLOXIRANE,2,6-DI-T-	
BUTYL-4-METHYL-PHENOL)		allb
14.3. Transport hazard class(es):	9	\checkmark
14.4. Packing group:	III	JU N
Classification code:	M6	L
LQ:	5 L	~
14.5. Environmental hazards:	environmentally hazardous	
Tunnel restriction code:	-	
Transport by sea (IMDG-code)		
14.2. UN proper shipping name:		



(B)				
Page 12 of 15 Safety data sheet according to Revision date / version: 22.02.20 Replacing version dated / version Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762		nex II		
	OUS SUBSTANCE, LIQUID, N.O.	S. (TETRADECYLOXIRANE,2,6-	DI-T-BUTYL-4-	
METHYL-PHENOL)		_		,allb,
14.3. Transport hazard class(es):	•	9		
14.4. Packing group:				¥
EmS:		F-A, S-F		
Marine Pollutant:		Yes		Ŷ
14.5. Environmental hazards:		environmentally hazardous		
Transport by air (IATA)				
14.2. UN proper shipping name:				
	tance, liquid, n.o.s. (TETRADECY	LOXIRANE.2.6-DI-T-BUTYL-4-M	ETHYL-PHENOL)	,afh,
14.3. Transport hazard class(es):		9	- /	
14.4. Packing group:		III		× AN
14.5. Environmental hazards:		environmentally hazardous		< <u>*</u>
14.6. Special precautions	s for user	·····, ·····, ·····,		\sim
	g dangerous goods must be traine	A A		
	ng must observe safety regulation			
		5.		
Precautions must be taken to pre	-			
	ccording to Annex II of M		9	
	ther than in bulk, therefore not app	olicable.		
Minimum amount regulations have				
Danger code and packing code o	on request.			
Comply with special provisions.				
	SECTION 15: Regu	latory information		
4E 4 Cofety boolth and a	www.www.wtel.com.uetion.c	levieletien eneritie fer t	ha aukatawaa au	
15.1 Safety, nealth and e	nvironmental regulations	slegislation specific for the	ne substance or	mixture
Observe restrictions:				
Comply with trade association/oc	cupational health regulations.			
Comply with trade association/oc				
Comply with trade association/oc	cupational health regulations. I"), Annex I, Part 1 - The following	categories apply to this product (others may also need	to be
Comply with trade association/oc	I"), Annex I, Part 1 - The following	categories apply to this product (-	
Comply with trade association/oc Directive 2012/18/EU ("Seveso II	I"), Annex I, Part 1 - The following	Qualifying quantity (tonnes) of	Qualifying quantity (tonnes) of
Comply with trade association/oc Directive 2012/18/EU ("Seveso II considered according to storage,	I"), Annex I, Part 1 - The following handling etc.):	Qualifying quantity (tonnes) of dangerous substances as	-	tonnes) of
Comply with trade association/oc Directive 2012/18/EU ("Seveso II considered according to storage,	I"), Annex I, Part 1 - The following handling etc.):	Qualifying quantity (tonnes) of dangerous substances as	Qualifying quantity (tonnes) of es as
Comply with trade association/oc Directive 2012/18/EU ("Seveso II considered according to storage,	I"), Annex I, Part 1 - The following handling etc.):	Qualifying quantity (tonnes) of	Qualifying quantity (dangerous substand referred to in Article	tonnes) of es as 3(10) for
Comply with trade association/oc Directive 2012/18/EU ("Seveso II considered according to storage,	I"), Annex I, Part 1 - The following handling etc.):	Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of - Lower-tier	Qualifying quantity (dangerous substand referred to in Article the application of - L	tonnes) of es as 3(10) for
Comply with trade association/oc Directive 2012/18/EU ("Seveso II considered according to storage, Hazard categories	I"), Annex I, Part 1 - The following handling etc.):	Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of - Lower-tier requirements	Qualifying quantity (dangerous substand referred to in Article the application of - U requirements	tonnes) of es as 3(10) for
Comply with trade association/oc Directive 2012/18/EU ("Seveso II considered according to storage,	I"), Annex I, Part 1 - The following handling etc.):	Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of - Lower-tier	Qualifying quantity (dangerous substand referred to in Article the application of - L	tonnes) of es as 3(10) for

account when assigning categories and qualifying quantities.

Directive 2010/75/EU (VOC):

n.a.

Observe incident regulations.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

2, 3, 8, 11, 12, 15, 16

Employee training in handling dangerous goods is required. These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.



Page 13 of 15

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Skin Sens. 1, H317	Classification according to calculation procedure.
Aquatic Acute 1, H400	Classification according to calculation procedure.
Aquatic Chronic 2, H411	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H315 Causes skin irritation. H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Skin Sens. — Skin sensitization Aquatic Acute — Hazardous to the aquatic environment - acute Aquatic Chronic — Hazardous to the aquatic environment - chronic Skin Irrit. — Skin irritation Repr. — Reproductive toxicity

Any abbreviations and acronyms used in this document:

AC **Article Categories** according, according to acc., acc. to ACGIHAmerican Conference of Governmental Industrial Hygienists ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BGV BHT Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum body weight bw CAS **Chemical Abstracts Service** Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids CEC CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques CIPAC Collaborative International Pesticides Analytical Council CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon



	VICC
Page 14 of 15	
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II	
Revision date / version: 22.02.2019 / 0011	
Replacing version dated / version: 23.01.2019 / 0010	
Valid from: 22.02.2019	
PDF print date: 26.04.2019 Denso ND8	
8887200021 / 81342147762	
DT50 Dwell Time - 50% reduction of start concentration	
DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Proces	ses)
dw dry weight	
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance EC European Community	
ECHA European Chemicals Agency	
EEA European Economic Area	
EEC European Economic Community	
EINECS European Inventory of Existing Commercial Chemical Substances	
ELINCS European List of Notified Chemical Substances	
EN European Norms EPA United States Environmental Protection Agency (United States of America)	
ERC Environmental Release Categories	
ES Exposure scenario	
etc. et cetera	
EU European Union	
EWC European Waste Catalogue	
Fax. Fax number gen. general	
GHS Globally Harmonized System of Classification and Labelling of Chemicals	
GWP Global warming potential	
HET-CAM Hen's Egg Test - Chorionallantoic Membrane	
HGWP Halocarbon Global Warming Potential	
IARC International Agency for Research on Cancer IATA International Air Transport Association	
IATA International Air Transport Association IBC Intermediate Bulk Container	
IBC (Code) International Bulk Chemical (Code)	
IC Inhibitory concentration	
IMDG-code International Maritime Code for Dangerous Goods	
incl. including, inclusive	
IUCLIDInternational Uniform ChemicaL Information Database LC lethal concentration	
LC50 lethal concentration 50 percent kill	
LCLo lowest published lethal concentration	
LD Lethal Dose of a chemical	
LD50 Lethal Dose, 50% kill	
LDLo Lethal Dose Low	
LOAELLowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration	
LOEL Lowest Observed Effect Level	
LQ Limited Quantities	
MARPOL International Convention for the Prevention of Marine Pollution from Ships	
n.a. not applicable	
n.av. not available n.c. not checked	
n.d.a. no data available	
NIOSHNational Institute of Occupational Safety and Health (United States of America)	
NOAEC No Observed Adverse Effective Concentration	
NOAEL No Observed Adverse Effect Level	
NOEC No Observed Effect Concentration NOEL No Observed Effect Level	
ODP Ozone Depletion Potential	
OECD Organisation for Economic Co-operation and Development	
org. organic	
PAH polycyclic aromatic hydrocarbon	
PBT persistent, bioaccumulative and toxic	
PC Chemical product category PE Polyethylene	
PE Polyethylene PNEC Predicted No Effect Concentration	
POCP Photochemical ozone creation potential	
ppm parts per million	



Page 15 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.02.2019 / 0011 Replacing version dated / version: 23.01.2019 / 0010 Valid from: 22.02.2019 PDF print date: 26.04.2019 Denso ND8 8887200021 / 81342147762 PROC Process category PTFE Polytetrafluorethylene REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SADT Self-Accelerating Decomposition Temperature Structure Activity Relationship SAR Sector of use SU SVHC Substances of Very High Concern Telephone Tel. ThOD Theoretical oxygen demand TOC Total organic carbon TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) UN RTDG United Nations Recommendations on the Transport of Dangerous Goods Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) VbF VOC Volatile organic compounds vPvB very persistent and very bioaccumulative WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK). WHO World Health Organization wwt wet weight The statements made here should describe the product with regard to the necessary safety precautions - they are

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

GB

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.