

Page 1 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Denso ND12 500 ml 8887200031

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Lubricant

GB

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Dometic WAECO International GmbH, Hollefeldstr. 63, 48282 Emsdetten, Germany Phone:+49 (0) 2572 879 0, Fax:+49 (0) 2572 879 300 info@dometic-waeco.de, www.airconservice.de

Dometic UK Ltd Dometic House, The Brewery, DT11 9LS Blandford St Mary, Dorset, United Kingdom Phone:+44 (0) 0844 626 0133, Fax:+44 (0) 0844 626 0143 automotive@dometic.co.uk, www.airconstations.co.uk

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (CCWA)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc	ording to Regulation (E	Classification according to Regulation (EC) 1272/2008 (CLP)					
Hazard class	Hazard category	Hazard statement					
Skin Sens.	1	H317-May cause an allergic skin reaction.					
Aquatic Acute	1	H400-Very toxic to aquatic life.					
Aquatic Chronic	2	H411-Toxic to aquatic life with long lasting effects.					

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 17

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031



H317-May cause an allergic skin reaction. H410-Very toxic to aquatic life with long lasting effects.

P261-Avoid breathing vapours or spray. P273-Avoid release to the environment. P280-Wear protective gloves. P333+P313-If skin irritation or rash occurs: Get medical advice / attention. P391-Collect spillage.

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-methyl-.omega.-methoxy-tris(nonylphenyl) phosphite

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a. 3.2 Mixture

CAS

content %

3.2 Mixture	
Poly[oxy(methyl-1,2-ethanediyl)], .alphamethylomegamethoxy-	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	
CAS	24991-61-5
content %	80-<95
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Sens. 1, H317
Decyloxirane	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	220-667-3
CAS	2855-19-8
content %	1-<2
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Irrit. 2, H315
	Aquatic Acute 1, H400 (M=10)
	Aquatic Chronic 1, H410 (M=1)
Dodecyloxirane	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	221-781-6

3234-28-4

1-<2



Page 3 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Irrit. 2, H315	
	Aquatic Acute 1, H400 (M=100)	
	Aquatic Chronic 1, H410 (M=10)	
2,6-di-tert-butyl-p-cresol		
Registration number (REACH)	01-2119555270-46-XXXX	
Index		
EINECS, ELINCS, NLP	204-881-4	
CAS	128-37-0	
content %	0,1-<1	
Classification according to Regulation (EC) 1272/2008 (CLP)	Aquatic Acute 1, H400 (M=1)	
	Aquatic Chronic 1, H410 (M=1)	

Tris(methylphenyl) phosphate	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	215-548-8
CAS	1330-78-5
content %	0,1-<1
Classification according to Regulation (EC) 1272/2008 (CLP)	Aquatic Acute 1, H400 (M=1)
	Repr. 2, H361
	Aquatic Chronic 1, H410 (M=1)

tris(nonylphenyl) phosphite	
Registration number (REACH)	
Index	015-202-00-4
EINECS, ELINCS, NLP	247-759-6
CAS	26523-78-4
content %	0,1-<0,8
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Sens. 1, H317
	Aquatic Acute 1, H400 (M=1)
	Aquatic Chronic 1, H410 (M=1)

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

(GB)

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.



Page 4 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

Allergic reaction possible. **4.3 Indication of any immediate medical attention and special treatment needed** Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

CO2 Foam Dry extinguisher Water mist

GB

Unsuitable extinguishing media High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep non-essential personnel away. Ensure sufficient supply of air. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. Do not wash away with water or watery cleaning agents.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace



Page 5 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed. **7.2 Conditions for safe storage, including any incompatibilities** Keep out of access to unauthorised individuals.

Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store in a well-ventilated place. Store cool. Store in a dry place.

7.3 Specific end use(s)

GB

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	2,6-di-tert-butyl-p-cresol		Content %:0,1- <1
WEL-TWA: 10 mg/m3	WEL-STEL:		
Monitoring procedures:			
BMGV:		Other information:	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

8.2 Exposure controls

Area of application	Exposure route / Environmental	Effect on health	Descripto r	Value	Unit	Note
	compartment					
	Environment - freshwater		PNEC	0,171	µg/l	
	Environment - marine		PNEC	0,017	µg/l	
	Environment - water, sporadic (intermittent) release		PNEC	1,71	µg/l	
	Environment - sewage treatment plant		PNEC	3,6	mg/l	
Consumer	Human - oral	Long term, systemic effects	DNEL	6,25	mg/kg bw/d	
Consumer	Human - dermal	Long term, systemic effects	DNEL	6,25	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	10,9	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	10,4	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	36,7	mg/m3	



Page 6 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

œ

Dodecyloxirane					1	
Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - freshwater		PNEC	0,002	µg/l	
	Environment - marine		PNEC	0,0002	µg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,024	µg/l	
	Environment - sewage treatment plant		PNEC	2,61	mg/l	
Consumer	Human - oral	Long term, systemic effects	DNEL	6,25	mg/kg bw/d	
Consumer	Human - dermal	Long term, systemic effects	DNEL	6,25	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	10,9	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	10,4	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	36,7	mg/m3	

Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
	Environment - soil		PNEC	1,04	mg/kg wwt	
	Environment - sewage		PNEC	100	mg/l	
	treatment plant				-	
	Environment - sediment		PNEC	1,29	mg/kg wwt	
	Environment - marine		PNEC	0,4	µg/l	
	Environment - periodic		PNEC	4	µg/l	
	release					
	Environment - freshwater		PNEC	4	µg/l	
	Environment - oral (animal		PNEC	16,7	mg/kg	
	feed)					
	Environment - soil		PNEC	1,23	mg/kg	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	1,74	mg/m3	
Consumer	Human - dermal	Long term, systemic	DNEL	5	mg/kg	
		effects			bw/d	
Workers / employees	Human - inhalation	Long term, systemic	DNEL	5,8	mg/m3	
		effects				
Workers / employees	Human - dermal	Long term, systemic	DNEL	8,3	mg/kg	
		effects			bw/day	

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and nonmetrological investigative techniques.

These are specified by e.g. BS EN 14042.

BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment



Page 7 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN 374). Recommended Protective nitrile gloves (EN 374) Minimum layer thickness in mm: > 0,3 Permeation time (penetration time) in minutes: 480 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

GB

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid Colour: Light yellow Odour: Characteristic Odour threshold: Not determined pH-value: Not determined Melting point/freezing point: -40 °C (Pour Point) Initial boiling point and boiling range: Not determined Flash point: 182 °C (Cleveland, open cup) Evaporation rate: Not determined Flammability (solid, gas): n.a. Lower explosive limit: Not determined Upper explosive limit: Not determined Vapour pressure: Not determined Vapour density (air = 1): Not determined Density: 0,985 g/cm3 (15°C) Bulk density: n.a.



-œ

Page 8 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

Solubility(ies):

Water solubility: Partition coefficient (n-octanol/water): Auto-ignition temperature: Decomposition temperature: Viscosity: Viscosity: Explosive properties: Oxidising properties:

9.2 Other information

Miscibility: Fat solubility / solvent: Conductivity: Surface tension: Solvents content: Not determined Insoluble Not determined Not determined 39,45 mm2/s (40°C) 9,079 mm2/s (100°C) Product is not explosive. No

Not determined Not determined Not determined Not determined Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.
10.3 Possibility of hazardous reactions No dangerous reactions are known.
10.4 Conditions to avoid See also section 7.
None known
10.5 Incompatible materials See also section 7.
Avoid contact with strong oxidizing agents.
10.6 Hazardous decomposition products See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						



- @8						
Page 9 of 17						
Safety data sheet according to	Regulation (E	EC) No 1907/	2006. Annex II			
Revision date / version: 03.12.						
Replacing version dated / vers		9 / 0005				
Valid from: 03.12.2018	1011. 07.05.20	0 / 0005				
PDF print date: 03.12.2018						
Denso ND12 500 ml						
8887200031						
· · · ·	1	ſ		1		· · · · · · · · · · · · · · · · · · ·
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
Poly[oxy(methyl-1,2-ethaned	liyl)], .alpha	methylome	gamethoxy-			
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Skin corrosion/irritation:	_					Not irritant
Serious eye						Not irritant
damage/irritation:						
Respiratory or skin						Sensitising
sensitisation:						Contoning
Aspiration hazard:						No
/ opilation nazara.						
Decyloxirane						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat		
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rat	OECD 402 (Acute	
route:	LDOU	2000	ing/itg		Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Irritant
Skin conosion/initiation.				Rabbit	Dermal	innan
Occience and				Dahhit	Irritation/Corrosion)	Not insite at
Serious eye				Rabbit	OECD 405 (Acute	Not irritant
damage/irritation:					Eye	
					Irritation/Corrosion)	
Respiratory or skin				Mouse	OECD 429 (Skin	No (skin
sensitisation:					Sensitisation - Local	contact)
					Lymph Node Assay)	
Dodecyloxirane						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Toxicity / effect Acute toxicity, by oral route:	Endpoint LD50	Value >5000	Unit mg/kg	Organism Rat		Notes
Toxicity / effect Acute toxicity, by oral route:			mg/kg		Test method OECD 402 (Acute	Notes
Toxicity / effect	LD50	>5000		Rat		Notes
Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal	LD50	>5000	mg/kg	Rat Rat	OECD 402 (Acute	Notes
Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rat Rat	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal	
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:	LD50	>5000	mg/kg	Rat Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion)	Irritant
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eye	LD50	>5000	mg/kg	Rat Rat	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute	
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:	LD50	>5000	mg/kg	Rat Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye	Irritant
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:	LD50	>5000	mg/kg	Rat Rat Rabbit Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Irritant Not irritant
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin	LD50	>5000	mg/kg	Rat Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin	Irritant Not irritant No (skin
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:	LD50	>5000	mg/kg	Rat Rat Rabbit Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local	Irritant Not irritant
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin	LD50	>5000	mg/kg	Rat Rat Rabbit Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin	Irritant Not irritant No (skin
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin sensitisation:	LD50	>5000	mg/kg	Rat Rat Rabbit Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local	Irritant Not irritant No (skin
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin sensitisation:2,6-di-tert-butyl-p-cresol	LD50 LD50	>5000 >2000	mg/kg mg/kg	Rat Rat Rabbit Rabbit Mouse	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay)	Irritant Not irritant No (skin contact)
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin sensitisation:2,6-di-tert-butyl-p-cresol Toxicity / effect	LD50 LD50	>5000 >2000	mg/kg mg/kg	Rat Rat Rabbit Rabbit Mouse Organism	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay)	Irritant Not irritant No (skin
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin sensitisation:2,6-di-tert-butyl-p-cresol	LD50 LD50	>5000 >2000	mg/kg mg/kg	Rat Rat Rabbit Rabbit Mouse	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute	Irritant Not irritant No (skin contact)
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin sensitisation:2,6-di-tert-butyl-p-cresol Toxicity / effectAcute toxicity, by oral route:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2930	mg/kg mg/kg	Rat Rabbit Rabbit Mouse Organism Rat	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute Oral Toxicity)	Irritant Not irritant No (skin contact)
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin sensitisation:2,6-di-tert-butyl-p-cresolToxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal	LD50 LD50	>5000 >2000	mg/kg mg/kg	Rat Rat Rabbit Rabbit Mouse Organism	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute	Irritant Not irritant No (skin contact)
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin sensitisation:2,6-di-tert-butyl-p-cresolToxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2930	mg/kg mg/kg	Rat Rabbit Rabbit Mouse Organism Rat	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute Oral Toxicity)	Irritant Not irritant No (skin contact) Notes
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation: 2,6-di-tert-butyl-p-cresol Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2930	mg/kg mg/kg	Rat Rat Rabbit Rabbit Mouse Organism Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute Dermal Toxicity)	Irritant Not irritant No (skin contact) Notes Slightly irritant
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation: 2,6-di-tert-butyl-p-cresol Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eye	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2930	mg/kg mg/kg	Rat Rabbit Rabbit Mouse Organism Rat	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute	Irritant Not irritant No (skin contact) Notes
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation: 2,6-di-tert-butyl-p-cresol Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2930	mg/kg mg/kg	Rat Rat Rabbit Rabbit Mouse Organism Rat Rabbit Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute Dermal Toxicity)	Irritant Irritant Not irritant No (skin contact) Notes Slightly irritant Slightly irritant
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation: 2,6-di-tert-butyl-p-cresol Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skin	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2930	mg/kg mg/kg	Rat Rat Rabbit Rabbit Mouse Organism Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute Dermal Toxicity)	Irritant Not irritant No (skin contact) Notes Slightly irritant
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation: 2,6-di-tert-butyl-p-cresol Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinserious eyedamage/irritation:Respiratory or skinsensitisation:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2930	mg/kg mg/kg	Rat Rat Rabbit Rabbit Mouse Organism Rat Rabbit Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute Dermal Toxicity) (Draize-Test)	Irritant Irritant Not irritant No (skin contact) Notes Slightly irritant Slightly irritant Not sensitizising
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation: 2,6-di-tert-butyl-p-cresol Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation:Germ cell mutagenicity:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2930	mg/kg mg/kg	Rat Rat Rabbit Rabbit Mouse Organism Rat Rabbit Rabbit Human being	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute Dermal Toxicity) (Draize-Test) (Ames-Test)	Irritant Irritant Not irritant No (skin contact) Notes Slightly irritant Slightly irritant Not sensitizising Negative
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation:2,6-di-tert-butyl-p-cresolToxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation:Germ cell mutagenicity:Germ cell mutagenicity:	LD50 LD50 Endpoint LD50 LD50	>5000 >2000 Value >2930 >5000	Unit mg/kg	Rat Rat Rabbit Rabbit Mouse Organism Rat Rabbit Rabbit Human being Mammalian	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute Dermal Toxicity) (Draize-Test)	Irritant Irritant Not irritant No (skin contact) Notes Slightly irritant Slightly irritant Not sensitizising
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin sensitisation:2,6-di-tert-butyl-p-cresolToxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin sensitisation:Content toxicity, by dermal route:Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin sensitisation:Germ cell mutagenicity:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2930	mg/kg mg/kg	Rat Rat Rabbit Rabbit Mouse Organism Rat Rabbit Rabbit Human being	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 429 (Skin Sensitisation - Local Lymph Node Assay) Test method OECD 401 (Acute Oral Toxicity) OECD 402 (Acute Dermal Toxicity) (Draize-Test) (Ames-Test)	Irritant Irritant Not irritant No (skin contact) Notes Slightly irritant Slightly irritant Not sensitizising Negative



B							on servi
Page 10 of 17							
Safety data sheet accordir			1907/200	6, Annex II			
Revision date / version: 03							
Replacing version dated /	version: 07.05	5.2018 / 00	005				
Valid from: 03.12.2018	-						
PDF print date: 03.12.2018	3						
Denso ND12 500 ml							
8887200031							
Specific target organ toxici	ity - NOEL	25		ma/ka	Rat		(28 d)
repeated exposure (STOT		25		mg/kg	Rai		(20 U)
RE):	-						
Symptoms:							mucous
Cymptoms.							membrane
							irritation
							intation
Tris(methylphenyl) phos	phate						
Toxicity / effect	Endpoi	nt Valu	e	Unit	Organism	Test method	Notes
Acute toxicity, by oral route		>370		mg/kg	Rat		Analogous
57 5				0.0			conclusion
Acute toxicity, by dermal	LD0	1000	00	mg/kg	Rabbit		Analogous
route:							conclusion
Acute toxicity, by inhalation	n: LC50	11,1		mg/l/1h			Aerosol
Skin corrosion/irritation:							Slightly irritant
Serious eye							Slightly irritant
damage/irritation:							
Respiratory or skin					Guinea pig		Negative
sensitisation:							
Germ cell mutagenicity:						(Ames-Test)	Negative
Carcinogenicity:							Negative
Reproductive toxicity:	ity - NOEL	250			Det		Positive
Specific target organ toxic repeated exposure (STOT		250		mg/kg	Rat		
RE):	-						
R∟J.							
tris(nonylphenyl) phospl	nite						
Toxicity / effect	Endpoi	nt Valu	e	Unit	Organism	Test method	Notes
Acute toxicity, by oral route		1950	-	mg/kg	Rat		
Acute toxicity, by dermal	LD50	> 20	-	mg/kg	Rabbit	OECD 402 (Acute	
route:				0.0		Dermal Toxicity)	
Respiratory or skin					Guinea pig	OECD 406 (Skin	Sensitising
sensitisation:						Sensitisation)	(skin contact)
Germ cell mutagenicity:						OECD 471 (Bacterial	Negative
						Reverse Mutation	
						Test)	
Symptoms:							mucous
							membrane
							irritation
		SECTIO	NI 10. I	Toologia	alinformet	ion	
		SECH	JN 12:1		al informat		
Possibly more information	on environme	ntal effect	s, see Sec	tion 2.1 (cla	ssification).		
8887200031			Value	Unit	Organism	Test method	Notes
8887200031 Toxicity / effect I	Endpoint	Time				1	
B887200031 Toxicity / effect I 12.1. Toxicity to fish: I	Endpoint	Time					n.d.a.
B887200031 Toxicity / effect I 12.1. Toxicity to fish: 12.1. Toxicity to	Endpoint	Time					n.d.a. n.d.a.
8887200031 Toxicity / effect I 12.1. Toxicity to fish: 12.1. Toxicity to 12.1. Toxicity to 12.1. Toxicity to	Endpoint	Time					n.d.a.
8887200031 Toxicity / effect I 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae:	Endpoint	Time					n.d.a. n.d.a.
8887200031 Toxicity / effect I 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.2. Persistence and 12.2. Persistence and	Endpoint	Time					n.d.a.
8887200031 Toxicity / effect I 12.1. Toxicity to fish: I 12.1. Toxicity to algae: I 12.1. Toxicity to algae: I 12.2. Persistence and degradability: I	Endpoint	Time					n.d.a. n.d.a. n.d.a.
8887200031 Toxicity / effect I 12.1. Toxicity to fish: 1 12.1. Toxicity to algae: 1 12.1. Toxicity to algae: 1 12.2. Persistence and degradability: 1 12.3. Bioaccumulative 1	Endpoint	Time					n.d.a. n.d.a.
8887200031 Toxicity / effect I 12.1. Toxicity to fish: 1 12.1. Toxicity to algae: 1 12.1. Toxicity to algae: 1 12.2. Persistence and degradability: 1 12.3. Bioaccumulative potential: 1	Endpoint	Time					n.d.a. n.d.a. n.d.a. n.d.a.
8887200031 Toxicity / effect I 12.1. Toxicity to fish: 1 12.1. Toxicity to algae: 1 12.1. Toxicity to algae: 1 12.2. Persistence and degradability: 1 12.3. Bioaccumulative potential: 1	Endpoint	Time					n.d.a. n.d.a. n.d.a. n.d.a. n.d.a.
12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.2. Persistence and degradability: 12.3. Bioaccumulative potential: 12.4. Mobility in soil: 12.5. Results of PBT	Endpoint	Time					n.d.a. n.d.a. n.d.a. n.d.a.
8887200031 Toxicity / effect I 12.1. Toxicity to fish: 1 12.1. Toxicity to algae: 1 12.2. Persistence and degradability: 1 12.3. Bioaccumulative potential: 1 12.4. Mobility in soil: 1 12.5. Results of PBT and vPvB assessment 1	Endpoint	Time					n.d.a. n.d.a. n.d.a. n.d.a. n.d.a. n.d.a.
8887200031 Toxicity / effect I 12.1. Toxicity to fish: 1 12.1. Toxicity to algae: 1 12.1. Toxicity to algae: 1 12.1. Toxicity to algae: 1 12.2. Persistence and degradability: 1 12.3. Bioaccumulative potential: 1 12.4. Mobility in soil: 1 12.5. Results of PBT 1	Endpoint	Time					n.d.a. n.d.a. n.d.a. n.d.a. n.d.a.



Page 11 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

Poly[oxy(methyl-1,2-ethanediyl)], .alphamethylomegamethoxy-							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT	_						No PBT
and vPvB assessment							substance, No
							vPvB substance

Decyloxirane	Decyloxirane						
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
12.1. Toxicity to	EC50	48h	0,171	mg/l	Daphnia magna	OECD 202	
daphnia:						(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	EC50	72h	0,056	mg/l	Pseudokirchnerie	OECD 201	
					lla subcapitata	(Alga, Growth	
						Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,00416	mg/l	Pseudokirchnerie	OECD 201	
				_	lla subcapitata	(Alga, Growth	
						Inhibition Test)	

Dodecyloxirane							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to algae:	EC50	72h	0,00236	mg/l	Pseudokirchnerie	OECD 201	
				-	lla subcapitata	(Alga, Growth	
						Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,00165	mg/l	Pseudokirchnerie	OECD 201	
				-	lla subcapitata	(Alga, Growth	
						Inhibition Test)	

2,6-di-tert-butyl-p-cresol							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>0,57	mg/l		QSAR	
12.1. Toxicity to fish:	NOEC/NOEL	42d	0,053	mg/l	Oryzias latipes	OECD 210 (Fish, Early-Life Stage Toxicity Test)	
12.1. Toxicity to daphnia:	LC50	48h	0,61	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,07	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	EC50	72h	0,5	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	1	mg/l		OECD 201 (Alga, Growth Inhibition Test)	

œ.



Page 12 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

12.2. Persistence and		28d	4,5	%		OECD 301 C	Not readily
degradability:						(Ready	biodegradable
						Biodegradability - Modified MITI	
						Test (I))	
12.3. Bioaccumulative	BCF		330-				
potential:			1800				
12.3. Bioaccumulative potential:			230- 2500		Cyprinus caprio	OECD 305 (Bioconcentration - Flow-Through Fish Test)	56d
12.3. Bioaccumulative potential:	Log Pow		5,1				High
12.5. Results of PBT							No PBT
and vPvB assessment							substance
Toxicity to bacteria:	EC50	3h	>10000	mg/l	activated sludge		
Other information:							Does not contain any organically bound halogens which can contribute to the AOX
							value in waste water.
Water solubility:			0,00076	g/l			

Tris(methylphenyl) phosphate							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	0,6	mg/l			
12.1. Toxicity to fish:	NOEC/NOEL	28d	0,01	mg/l	Oncorhynchus mykiss		
12.1. Toxicity to daphnia:	EC50	48h	0,14	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	0,4	mg/l	Desmodesmus subspicatus		
12.2. Persistence and degradability:			80	%			
12.3. Bioaccumulative potential:	BCF		144				
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50		>10000 0	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Other information:							Does not contain any organically bound halogens which can contribute to the AOX value in waste water.

œ.



Page 13 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

GB

tris(nonylphenyl) phosphite							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	EC50	48h	0,46	mg/l			calculated value
daphnia:				_			

SECTION 13: Disposal considerations

13.1 Waste treatment methods For the substance / mixture / residual amounts EC disposal code no.: The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 13 02 08 other engine, gear and lubricating oils Recommendation: Sewage disposal shall be discouraged. Pav attention to local and national official regulations. E.g. suitable incineration plant. E.g. dispose at suitable refuse site. For contaminated packing material Pay attention to local and national official regulations. Empty container completely. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance. **SECTION 14: Transport information General statements** 14.1. UN number: 3082 Transport by road/by rail (ADR/RID) 14.2. UN proper shipping name: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DECYLOXIRANE, DODECYLOXIRANE) 14.3. Transport hazard class(es): 9 14.4. Packing group: Ш Classification code: M6 10: 5 L 14.5. Environmental hazards: environmentally hazardous Tunnel restriction code: Transport by sea (IMDG-code) 14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DECYLOXIRANE, DODECYLOXIRANE) 14.3. Transport hazard class(es): 9 14.4. Packing group: Ш F-A, S-F EmS: Marine Pollutant: Yes 14.5. Environmental hazards: environmentally hazardous Transport by air (IATA) 14.2. UN proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (DECYLOXIRANE, DODECYLOXIRANE) 14.3. Transport hazard class(es): 9 14.4. Packing group: Ш 14.5. Environmental hazards: environmentally hazardous 14.6. Special precautions for user Persons employed in transporting dangerous goods must be trained. All persons involved in transporting must observe safety regulations.



Page 14 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

Precautions must be taken to prevent damage. **14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code** Freighted as packaged goods rather than in bulk, therefore not applicable. Minimum amount regulations have not been taken into account. Danger code and packing code on request. Comply with special provisions.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

GB

Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 1 - The following categories apply to this product (others may also need to be considered according to storage, handling etc.):

Hazard categories	Notes to Annex I	Qualifying quantity (tonnes) of	Qualifying quantity (tonnes) of
		dangerous substances as	dangerous substances as
		referred to in Article 3(10) for	referred to in Article 3(10) for
		the application of - Lower-tier	the application of - Upper-tier
		requirements	requirements
E1		100	200
E2		200	500

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Directive 2010/75/EU (VOC):

< 1 %

Observe incident regulations.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

1

Employee training in handling dangerous goods is required. These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Skin Sens. 1, H317	Classification according to calculation procedure.
Aquatic Acute 1, H400	Classification according to calculation procedure.
Aquatic Chronic 2, H411	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.



Page 15 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

(GB)

Skin Sens. — Skin sensitization Aquatic Acute — Hazardous to the aquatic environment - acute Aquatic Chronic — Hazardous to the aquatic environment - chronic Skin Irrit. — Skin irritation Repr. — Reproductive toxicity

Any abbreviations and acronyms used in this document:

AC Article Categories acc., acc. to according, according to ACGIHAmerican Conference of Governmental Industrial Hygienists ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) ATE BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) BGV Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BHT BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum body weight bw CAS Chemical Abstracts Service CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques **CIPAC Collaborative International Pesticides Analytical Council** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon DT50 Dwell Time - 50% reduction of start concentration DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) dw dry weight e.g. for example (abbreviation of Latin 'exempli gratia'), for instance European Community EC ECHA European Chemicals Agency EEA European Economic Area EEC European Economic Community European Inventory of Existing Commercial Chemical Substances **EINECS** European List of Notified Chemical Substances **ELINCS** ΕN **European Norms** United States Environmental Protection Agency (United States of America) EPA ERC **Environmental Release Categories** ES Exposure scenario etc. et cetera EU European Union EWC European Waste Catalogue Fax. Fax number gen. general



GB Page 16 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031 Globally Harmonized System of Classification and Labelling of Chemicals GHS GWP Global warming potential Hen's Egg Test - Chorionallantoic Membrane HET-CAM HGWP Halocarbon Global Warming Potential IARC International Agency for Research on Cancer IATA International Air Transport Association IBC Intermediate Bulk Container IBC (Code) International Bulk Chemical (Code) IC Inhibitory concentration IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive IUCLIDInternational Uniform ChemicaL Information Database lethal concentration LC LC50 lethal concentration 50 percent kill LCLo lowest published lethal concentration Lethal Dose of a chemical LD LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low LOAELLowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration LOEL Lowest Observed Effect Level LO Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. n.d.a. no data available NIOSHNational Institute of Occupational Safety and Health (United States of America) No Observed Adverse Effective Concentration NOAEC NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration NOEL No Observed Effect Level ODP Ozone Depletion Potential OECD Organisation for Economic Co-operation and Development org. organic PAH polycyclic aromatic hydrocarbon PBT persistent, bioaccumulative and toxic PC Chemical product category PE Polyethylene PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential ppm parts per million **PROC Process category** PTFE Polytetrafluorethylene REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the RID International Carriage of Dangerous Goods by Rail) SADT Self-Accelerating Decomposition Temperature SAR Structure Activity Relationship Sector of use SU SVHC Substances of Very High Concern Telephone Tel. ThOD Theoretical oxygen demand TOC Total organic carbon TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) **UN RTDG** United Nations Recommendations on the Transport of Dangerous Goods Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) VbF



Page 17 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.12.2018 / 0006 Replacing version dated / version: 07.05.2018 / 0005 Valid from: 03.12.2018 PDF print date: 03.12.2018 Denso ND12 500 ml 8887200031

VOC Volatile organic compounds vPvB very persistent and very bioaccumulative WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK). WHO World Health Organization wet weight wwt

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.

œ