

Page 1 of 17  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 01.11.2021 / 0021  
Replacing version dated / version: 12.10.2021 / 0020  
Valid from: 01.11.2021  
PDF print date: 01.11.2021  
Hypoid-Getriebeoel (GL5) SAE 85W-140

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### Hypoid-Getriebeoel (GL5) SAE 85W-140

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses of the substance or mixture:

Gear lubricant

##### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH  
Jerg-Wieland-Str. 4  
89081 Ulm-Lehr  
Tel.: (+49) 0731-1420-0  
Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

##### Emergency information services / official advisory body:

---

##### Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)  
+1 872 5888271 (LMR)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) 1272/2008 (CLP)

| Hazard class    | Hazard category | Hazard statement  |
|-----------------|-----------------|---|
| Aquatic Chronic | 3               | H412-Harmful to aquatic life with long lasting effects. |

#### 2.2 Label elements

##### Labeling according to Regulation (EC) 1272/2008 (CLP)

H412-Harmful to aquatic life with long lasting effects.

P273-Avoid release to the environment.

P501-Dispose of contents / container to an approved waste disposal facility.

EUH208-Contains Amines, C10-14-tert-alkyl. May produce an allergic reaction.

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

Page 2 of 17  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0021  
 Replacing version dated / version: 12.10.2021 / 0020  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 Hypoid-Getriebeoel (GL5) SAE 85W-140

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

Product can compose a film on the water surface, which can prevent oxygen exchange.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

n.a.

### 3.2 Mixtures

|  |                       |
|--|-----------------------|
| <b>Distillates (petroleum), hydrotreated light paraffinic</b>          |                       |
| Registration number (REACH)  | 01-2119487077-29-XXXX |
| Index  | 649-468-00-3          |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 265-158-7             |
| CAS  | 64742-55-8            |
| content %  | 1-<10                 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Asp. Tox. 1, H304     |

|  |   |
|--|---|
| <b>Distillates (petroleum), hydrotreated middle</b>                    |   |
| Registration number (REACH)  | 01-2119489867-12-XXXX   |
| Index  | 649-221-00-X  |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 265-148-2   |
| CAS  | 64742-46-7  |
| content %  | 1-<2,5  |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Acute Tox. 4, H332<br>Skin Irrit. 2, H315<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411 |

|  |  |
|--|--|
| <b>Amines, C10-14-tert-alkyl</b>                                       |  |
| Registration number (REACH)  | 01-2119456798-18-XXXX  |
| Index  | ---  |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 701-175-2  |
| CAS  | ---  |
| content %  | 0,1-<1   |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Acute Tox. 2, H330<br>Acute Tox. 3, H311<br>Acute Tox. 4, H302<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 1, H410 (M=1) |
| Specific Concentration Limits and ATE                                  | Skin Sens. 1A, H317: >=9 %   |

|  |  |
|--|--|
| <b>C16-18-(even numbered, saturated and unsaturated)-alkylamines</b>   |  |
| Registration number (REACH)  | 01-2119473797-19-XXXX  |
| Index  | ---  |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 627-034-4  |
| CAS  | 1213789-63-9   |
| content %  | 0,01-<0,1  |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Acute Tox. 4, H302<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>STOT SE 3, H335<br>STOT RE 2, H373 (gastrointestinal tract, liver, immune system) (oral)<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410 (M=10) |

Page 3 of 17  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 01.11.2021 / 0021  
Replacing version dated / version: 12.10.2021 / 0020  
Valid from: 01.11.2021  
PDF print date: 01.11.2021  
Hypoid-Getriebeoel (GL5) SAE 85W-140

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.  
For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.  
The substances named in this section are given with their actual, appropriate classification!  
For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!  
Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.  
Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eye contact

Remove contact lenses.  
Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.  
Do not induce vomiting. Consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Where relevant delayed occurring symptoms and effects will be found in section 11. or at the exposure routes under section 4.1.  
In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.  
Drying of the skin.  
Irritation of the skin.  
Allergic reaction

### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

CO<sub>2</sub>  
Foam  
Dry extinguisher

#### Unsuitable extinguishing media

High volume water jet

### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:  
Oxides of carbon  
Oxides of nitrogen  
Oxides of sulphur  
Toxic gases

### 5.3 Advice for firefighters

For personal protective equipment see Section 8.  
In case of fire and/or explosion do not breathe fumes.  
Protective respirator with independent air supply.  
According to size of fire  
Full protection, if necessary.  
Dispose of contaminated extinction water according to official regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0021

Replacing version dated / version: 12.10.2021 / 0020

Valid from: 01.11.2021

PDF print date: 01.11.2021

Hypoid-Getriebeoel (GL5) SAE 85W-140

### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid formation of oil mist.

Remove possible causes of ignition - do not smoke.

Avoid inhalation, and contact with eyes or skin.

If applicable, caution - risk of slipping.

### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

## 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

## 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13.

## 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

## 7.1 Precautions for safe handling

### 7.1.1 General recommendations

Ensure good ventilation.

Keep away from sources of ignition - Do not smoke.

Do not heat to temperatures close to flash point.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Avoid long lasting or intensive contact with skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Do not store with flammable or self-igniting materials.

Protect against moisture and store closed.

Under all circumstances prevent penetration into the soil.

## 7.3 Specific end use(s)

No information available at present.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| GB | Chemical Name   | Oil mist, mineral                    | Content %: |
|----|---|--------------------------------------|------------|
|    | WEL-TWA: 5 mg/m <sup>3</sup> (Mineral oil, excluding metal working fluids, ACGIH) | WEL-STEL: ---                        | ---        |
|    | Monitoring procedures:  | - Draeger - Oil Mist 1/a (67 33 031) |            |

Page 5 of 17  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0021  
 Replacing version dated / version: 12.10.2021 / 0020  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 Hypoid-Getriebeoel (GL5) SAE 85W-140

BMGV: --- Other information: ---

| <b>Distillates (petroleum), hydrotreated light paraffinic</b> |  |                             |            |       |                   |      |
|---|--|-----------------------------|------------|-------|-------------------|------|
| Area of application   | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit              | Note |
|   | Environment - oral (animal feed)           |                             | PNEC       | 9,33  | mg/kg feed        |      |
| Consumer  | Human - inhalation                         | Long term, local effects    | DNEL       | 1,19  | mg/m <sup>3</sup> |      |
| Consumer  | Human - oral                               | Long term, systemic effects | DNEL       | 0,74  | mg/kg bw/day      |      |
| Workers / employees   | Human - dermal                             | Long term, systemic effects | DNEL       | 0,97  | mg/kg bw/day      |      |
| Workers / employees   | Human - inhalation                         | Long term, systemic effects | DNEL       | 2,7   | mg/m <sup>3</sup> |      |

| <b>Distillates (petroleum), hydrotreated middle</b> |  |                              |            |       |                   |      |
|---|--|------------------------------|------------|-------|-------------------|------|
| Area of application                                 | Exposure route / Environmental compartment | Effect on health             | Descriptor | Value | Unit              | Note |
| Workers / employees                                 | Human - inhalation                         | Short term, systemic effects | DNEL       | 5003  | mg/m <sup>3</sup> |      |
| Workers / employees                                 | Human - dermal                             | Long term, systemic effects  | DNEL       | 2,9   | mg/kg bw/day      |      |
| Workers / employees                                 | Human - inhalation                         | Long term, systemic effects  | DNEL       | 16,4  | mg/m <sup>3</sup> |      |

| <b>Amines, C10-14-tert-alkyl</b> |  |                             |            |       |              |      |
|----------------------------------|--|-----------------------------|------------|-------|--------------|------|
| Area of application              | Exposure route / Environmental compartment           | Effect on health            | Descriptor | Value | Unit         | Note |
|                                  | Environment - freshwater                             |                             | PNEC       | 0,001 | mg/l         |      |
|                                  | Environment - marine                                 |                             | PNEC       | 0     | mg/l         |      |
|                                  | Environment - sediment, freshwater                   |                             | PNEC       | 2,14  | mg/kg dw     |      |
|                                  | Environment - sediment, marine                       |                             | PNEC       | 0,214 | mg/kg dw     |      |
|                                  | Environment - soil                                   |                             | PNEC       | 0,428 | mg/kg dw     |      |
|                                  | Environment - sewage treatment plant                 |                             | PNEC       | 0,635 | mg/l         |      |
|                                  | Environment - water, sporadic (intermittent) release |                             | PNEC       | 0,004 | mg/l         |      |
| Consumer                         | Human - oral   | Long term, systemic effects | DNEL       | 0,35  | mg/kg bw/day |      |

| <b>C16-18-(even numbered, saturated and unsaturated)-alkylamines</b> |  |                  |            |       |          |      |
|--|--|------------------|------------|-------|----------|------|
| Area of application  | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit     | Note |
|  | Environment - freshwater                   |                  | PNEC       | 0,26  | µg/l     |      |
|  | Environment - marine                       |                  | PNEC       | 0,026 | µg/l     |      |
|  | Environment - sediment, freshwater         |                  | PNEC       | 3,76  | mg/kg dw |      |
|  | Environment - sediment, marine             |                  | PNEC       | 0,376 | mg/kg dw |      |
|  | Environment - soil                         |                  | PNEC       | 10    | mg/kg dw |      |
|  | Environment - sewage treatment plant       |                  | PNEC       | 550   | µg/l     |      |

GB

Page 6 of 17  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0021  
 Replacing version dated / version: 12.10.2021 / 0020  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 Hypoid-Getriebeoel (GL5) SAE 85W-140

|                     |  |                             |      |      |              |  |
|---------------------|--|-----------------------------|------|------|--------------|--|
|                     | Environment - water, sporadic (intermittent) release |                             | PNEC | 1,6  | µg/l         |  |
| Consumer            | Human - oral   | Long term, systemic effects | DNEL | 0,04 | mg/kg bw/day |  |
| Workers / employees | Human - dermal                                       | Long term, systemic effects | DNEL | 0,09 | mg/kg        |  |

| Distillates (petroleum), hydrotreated heavy paraffinic |  |                  |            |       |            |      |
|--|--|------------------|------------|-------|------------|------|
| Area of application                                    | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit       | Note |
|  | Environment - oral (animal feed)           |                  | PNEC       | 9,33  | mg/kg feed |      |

GB WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).  
 (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).  
 (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.  
 \*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.  
 (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.  
 If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.  
 Applies only if maximum permissible exposure values are listed here.  
 Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.  
 These are specified by e.g. EN 14042.  
 EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.  
 Wash hands before breaks and at end of work.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:  
 Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection:  
 Protective nitrile gloves (EN ISO 374).  
 Permeation time (penetration time) in minutes:  
 480  
 Minimum layer thickness in mm:  
 0,4  
 Protective hand cream recommended.  
 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.  
 The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:  
 Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Page 7 of 17  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0021  
 Replacing version dated / version: 12.10.2021 / 0020  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 Hypoid-Getriebeoel (GL5) SAE 85W-140

**Respiratory protection:**  
 Normally not necessary.  
 With oil mist formation:  
 Filter A2 P2 (EN 14387), code colour brown, white  
 Observe wearing time limitations for respiratory protection equipment.

**Thermal hazards:**  
 Not applicable

Additional information on hand protection - No tests have been performed.  
 In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.  
 Selection of materials derived from glove manufacturer's indications.  
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.  
 Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.  
 In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.  
 The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|   |  |
|---|--|
| Physical state:   | Liquid   |
| Colour:   | Brown  |
| Odour:  | Characteristic                                       |
| Melting point/freezing point:                             | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability:   | Flammable  |
| Lower explosion limit:                                    | There is no information available on this parameter. |
| Upper explosion limit:                                    | There is no information available on this parameter. |
| Flash point:  | 230 °C   |
| Auto-ignition temperature:                                | There is no information available on this parameter. |
| Decomposition temperature:                                | There is no information available on this parameter. |
| pH:   | Mixture is non-soluble (in water).                   |
| Kinematic viscosity:                                      | 27 mm <sup>2</sup> /s (100°C)                        |
| Kinematic viscosity:                                      | 380 mm <sup>2</sup> /s (40°C)                        |
| Solubility:   | Insoluble  |
| Partition coefficient n-octanol/water (log value):        | Does not apply to mixtures.                          |
| Vapour pressure:  | There is no information available on this parameter. |
| Density and/or relative density:                          | 0,900 g/ml   |
| Relative vapour density:                                  | There is no information available on this parameter. |
| Particle characteristics:                                 | Does not apply to liquids.                           |

### 9.2 Other information

|                    |  |
|--------------------|--|
| Explosives:        | There is no information available on this parameter. |
| Oxidising liquids: | There is no information available on this parameter. |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product has not been tested.

### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

See also section 7.

Protect from humidity.

Open flame, ignition sources

### 10.5 Incompatible materials

Page 8 of 17  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0021  
 Replacing version dated / version: 12.10.2021 / 0020  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 Hypoid-Getriebeoel (GL5) SAE 85W-140

See also section 7.  
 Avoid contact with strong oxidizing agents.

## 10.6 Hazardous decomposition products

See also section 5.2  
 No decomposition when used as directed.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

#### Hypoid-Getriebeoel (GL5) SAE 85W-140

| Toxicity / effect   | Endpoint | Value | Unit  | Organism | Test method | Notes            |
|---|----------|-------|-------|----------|-------------|------------------|
| Acute toxicity, by oral route:                                | ATE      | >2000 | mg/kg |          |             | calculated value |
| Acute toxicity, by dermal route:                              |          |       |       |          |             | n.d.a.           |
| Acute toxicity, by inhalation:                                |          |       |       |          |             | n.d.a.           |
| Skin corrosion/irritation:                                    |          |       |       |          |             | n.d.a.           |
| Serious eye damage/irritation:                                |          |       |       |          |             | n.d.a.           |
| Respiratory or skin sensitisation:                            |          |       |       |          |             | n.d.a.           |
| Germ cell mutagenicity:                                       |          |       |       |          |             | n.d.a.           |
| Carcinogenicity:  |          |       |       |          |             | n.d.a.           |
| Reproductive toxicity:  |          |       |       |          |             | n.d.a.           |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |       |       |          |             | n.d.a.           |
| Specific target organ toxicity - repeated exposure (STOT-RE): |          |       |       |          |             | n.d.a.           |
| Aspiration hazard:  |          |       |       |          |             | n.d.a.           |
| Symptoms:   |          |       |       |          |             | n.d.a.           |

#### Distillates (petroleum), hydrotreated light paraffinic

| Toxicity / effect                  | Endpoint | Value | Unit       | Organism               | Test method   | Notes  |
|------------------------------------|----------|-------|------------|------------------------|---|--|
| Acute toxicity, by oral route:     | LD50     | >5000 | mg/kg      | Rat                    | OECD 401 (Acute Oral Toxicity)                                | Analogous conclusion                           |
| Acute toxicity, by dermal route:   | LD50     | >5000 | mg/kg      | Rabbit                 | OECD 402 (Acute Dermal Toxicity)                              | Analogous conclusion                           |
| Acute toxicity, by inhalation:     | LC50     | >5,53 | mg/l/4h    | Rat                    | OECD 403 (Acute Inhalation Toxicity)                          | Aerosol, Analogous conclusion                  |
| Skin corrosion/irritation:         |          |       |            | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)                  | Not irritant, Analogous conclusion             |
| Serious eye damage/irritation:     |          |       |            | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                     | Not irritant, Analogous conclusion             |
| Respiratory or skin sensitisation: |          |       |            | Guinea pig             | OECD 406 (Skin Sensitisation)                                 | No (skin contact), Analogous conclusion        |
| Germ cell mutagenicity:            |          |       |            | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                    | Negative, Analogous conclusion                 |
| Germ cell mutagenicity:            |          |       |            | Mammalian              | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)      | Negative, Analogous conclusion Chinese hamster |
| Carcinogenicity:                   |          |       |            | Mouse                  | OECD 451 (Carcinogenicity Studies)                            | Negative, Analogous conclusion dermal          |
| Reproductive toxicity:             | NOAEL    | 1000  | mg/kg bw/d | Rat                    | OECD 421 (Reproduction/Developmental Toxicity Screening Test) | Analogous conclusion dermal                    |



|   |       |      |            |        |  |   |
|---|-------|------|------------|--------|--|---|
| Reproductive toxicity (Developmental toxicity):                         |       |      |            | Rat    | OECD 414 (Prenatal Developmental Toxicity Study)               | Negative, Analogous conclusion            |
| Aspiration hazard:  |       |      |            |        |  | Yes                                       |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral:     | NOAEL | 125  | mg/kg bw/d | Rat    | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | Analogous conclusion                      |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal:   | NOAEL | <30  | mg/kg bw/d | Rat    | OECD 411 (Subchronic Dermal Toxicity - 90-day Study)           | Analogous conclusion                      |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal:   | NOAEL | 1000 | mg/kg      | Rabbit | OECD 410 (Repeated Dose Dermal Toxicity - 90-Day)              | Analogous conclusion                      |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEL | 0,05 | mg/l       | Rat    | OECD 412 (Subacute Inhalation Toxicity - 28-Day Study)         | Aerosol, Analogous conclusion             |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEL | 0,15 | mg/l       | Rat    |  | Aerosol, Analogous conclusion<br>13 weeks |

| Distillates (petroleum), hydrotreated middle                            |          |       |         |                        |  |  |
|---|----------|-------|---------|------------------------|--|--|
| Toxicity / effect   | Endpoint | Value | Unit    | Organism               | Test method  | Notes  |
| Acute toxicity, by oral route:  | LD50     | >5000 | mg/kg   | Rat                    | OECD 401 (Acute Oral Toxicity)                           |  |
| Acute toxicity, by dermal route:  | LD50     | >2000 | mg/kg   | Rabbit                 | OECD 402 (Acute Dermal Toxicity)                         |  |
| Acute toxicity, by inhalation:  | LC50     | 4,6   | mg/l/4h | Rat                    | OECD 403 (Acute Inhalation Toxicity)                     | Aerosol  |
| Acute toxicity, by inhalation:  | LC50     | 1,72  | mg/l/4h | Rat                    |  | Mist, Aerosol                                  |
| Skin corrosion/irritation:  |          |       |         | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)             | Skin Irrit. 2                                  |
| Serious eye damage/irritation:  |          |       |         | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                | Not irritant                                   |
| Respiratory or skin sensitisation:                                      |          |       |         | Guinea pig             | OECD 406 (Skin Sensitisation)                            | No (skin contact)                              |
| Germ cell mutagenicity:   |          |       |         | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)               | Negative                                       |
| Germ cell mutagenicity:   |          |       |         | Mouse                  | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)    | Negative, Analogous conclusion                 |
| Carcinogenicity:  |          |       |         |                        |  | Negative DMSO-extract <3% (IP 346)             |
| Reproductive toxicity:  |          |       |         | Rat                    | OECD 416 (Two-generation Reproduction Toxicity Study)    | Negative, Analogous conclusion<br>oral         |
| Reproductive toxicity (Developmental toxicity):                         |          |       |         | Rat                    | OECD 414 (Prenatal Developmental Toxicity Study)         | Negative, Analogous conclusion<br>oral, dermal |
| Aspiration hazard:  |          |       |         |                        |  | Yes, Asp. Tox. 1                               |
| Symptoms:   |          |       |         |                        |  | headaches, nausea and vomiting.                |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal:   | NOAEL    | 1000  | mg/kg   | Rabbit                 | OECD 410 (Repeated Dose Dermal Toxicity - 90-Day)        | Analogous conclusion                           |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEL    | 0,88  | mg/l    | Rat                    | OECD 413 (Subchronic Inhalation Toxicity - 90-Day Study) | Aerosol, Analogous conclusion                  |

Page 10 of 17  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0021  
 Replacing version dated / version: 12.10.2021 / 0020  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 Hypoid-Getriebeoel (GL5) SAE 85W-140

| Amines, C10-14-tert-alkyl   |          |       |                   |                        |  |                                     |
|---|----------|-------|-------------------|------------------------|--|-------------------------------------|
| Toxicity / effect   | Endpoint | Value | Unit              | Organism               | Test method  | Notes                               |
| Acute toxicity, by oral route:  | LD50     | 612   | mg/kg             | Rat                    | OECD 401 (Acute Oral Toxicity)                         |                                     |
| Acute toxicity, by dermal route:  | LD50     | 251   | mg/kg             | Rat                    | OECD 402 (Acute Dermal Toxicity)                       |                                     |
| Acute toxicity, by inhalation:  | LC50     | 1,19  | mg/l/4h           | Rat                    | OECD 403 (Acute Inhalation Toxicity)                   | Vapours, Female                     |
| Acute toxicity, by inhalation:  | LC50     | 1,7   | mg/l/4h           | Rat                    | OECD 403 (Acute Inhalation Toxicity)                   | Vapours, Male                       |
| Skin corrosion/irritation:  |          |       |                   | Rabbit                 |  | Skin Corr. 1B                       |
| Serious eye damage/irritation:  |          |       |                   | Rabbit                 |  | Eye Dam. 1                          |
| Respiratory or skin sensitisation:                                      |          |       |                   | Guinea pig             | OECD 406 (Skin Sensitisation)                          | Skin Sens. 1A                       |
| Germ cell mutagenicity:   |          |       |                   | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)             | Negative                            |
| Germ cell mutagenicity:   |          |       |                   | Mammalian              | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)  | Negative Chinese hamster            |
| Reproductive toxicity (Developmental toxicity):                         | NOAEL    | 5     | mg/kg bw/d        | Rat                    | OECD 414 (Prenatal Developmental Toxicity Study)       | Negative dermal                     |
| Reproductive toxicity (Effects on fertility):                           |          |       |                   | Rat                    | OECD 415 (One-Generation Reproduction Toxicity Study)  | Negative oral                       |
| Specific target organ toxicity - single exposure (STOT-SE):             |          |       |                   |                        |  | Irritation of the respiratory tract |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal:   | NOAEL    | 20    | mg/kg             | Rat                    | OECD 410 (Repeated Dose Dermal Toxicity - 90-Day)      |                                     |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEL    | 19    | mg/m <sup>3</sup> | Rat                    | OECD 412 (Subacute Inhalation Toxicity - 28-Day Study) | Vapours 4 weeks                     |

| C16-18-(even numbered, saturated and unsaturated)-alkylamines |          |        |         |                        |   |   |
|---|----------|--------|---------|------------------------|---|---|
| Toxicity / effect   | Endpoint | Value  | Unit    | Organism               | Test method   | Notes                                   |
| Acute toxicity, by oral route:                                | LD50     | 1689   | mg/kg   | Rat                    | OECD 401 (Acute Oral Toxicity)                                |   |
| Acute toxicity, by dermal route:                              | LD50     | >2000  | mg/kg   | Rat                    | OECD 402 (Acute Dermal Toxicity)                              | Analogous conclusion                    |
| Acute toxicity, by inhalation:                                | LD50     | >0,099 | ppmV/4h | Rat                    | OECD 403 (Acute Inhalation Toxicity)                          | Analogous conclusion, Aerosol           |
| Skin corrosion/irritation:                                    |          |        |         | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)                  | Skin Corr. 1B                           |
| Serious eye damage/irritation:                                |          |        |         | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                     | Eye Dam. 1, Analogous conclusion        |
| Respiratory or skin sensitisation:                            |          |        |         | Guinea pig             | OECD 406 (Skin Sensitisation)                                 | No (skin contact), Analogous conclusion |
| Germ cell mutagenicity:                                       |          |        |         | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                    | Negative, Analogous conclusion          |
| Germ cell mutagenicity:                                       |          |        |         |                        | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)         | Negative                                |
| Reproductive toxicity (Effects on fertility):                 | NOAEL    | 12,5   | mg/kg   | Rat                    | OECD 421 (Reproduction/Developmental Toxicity Screening Test) | Negative, Analogous conclusion          |

Page 11 of 17  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0021  
 Replacing version dated / version: 12.10.2021 / 0020  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 Hypoid-Getriebeoel (GL5) SAE 85W-140

|   |       |      |         |     |  |   |
|---|-------|------|---------|-----|--|---|
| Specific target organ toxicity - single exposure (STOT-SE):         |       |      |         |     |  | Irritation of the respiratory tract, STOT SE 3, H335          |
| Aspiration hazard:  |       |      |         |     |  | Yes   |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 3,25 | mg/kg/d | Rat | OECD 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) | Target organ(s): gastrointestinal tract, liver, immune system |

## 11.2. Information on other hazards

| Hypoid-Getriebeoel (GL5) SAE 85W-140 |          |       |      |          |             |   |
|--------------------------------------|----------|-------|------|----------|-------------|---|
| Toxicity / effect                    | Endpoint | Value | Unit | Organism | Test method | Notes   |
| Endocrine disrupting properties:     |          |       |      |          |             | Does not apply to mixtures.   |
| Other information:                   |          |       |      |          |             | No other relevant information available on adverse effects on health. |

## SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Hypoid-Getriebeoel (GL5) SAE 85W-140     |          |      |       |      |          |             |  |
|--|----------|------|-------|------|----------|-------------|--|
| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes  |
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a.   |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a.   |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a.   |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | n.d.a.   |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a.   |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a.   |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a.   |
| 12.6. Endocrine disrupting properties:   |          |      |       |      |          |             | Does not apply to mixtures.  |
| 12.7. Other adverse effects:             |          |      |       |      |          |             | No information available on other adverse effects on the environment.    |
| Other information:                       |          |      |       |      |          |             | DOC-elimination degree (complexing organic substance) $\geq$ 80%/28d: No |

| Distillates (petroleum), hydrotreated light paraffinic |           |      |       |      |                     |  |                      |
|--|-----------|------|-------|------|---------------------|--|----------------------|
| Toxicity / effect                                      | Endpoint  | Time | Value | Unit | Organism            | Test method                                | Notes                |
| 12.1. Toxicity to fish:                                | NOEC/NOEL | 28d  | >1000 | mg/l | Oncorhynchus mykiss | QSAR                                       |                      |
| 12.1. Toxicity to fish:                                | LL50      | 96h  | >100  | mg/l | Pimephales promelas | OECD 203 (Fish, Acute Toxicity Test)       | Analogous conclusion |
| 12.1. Toxicity to fish:                                | NOEC/NOEL | 14d  | 1000  | mg/l | Oncorhynchus mykiss | QSAR                                       |                      |
| 12.1. Toxicity to daphnia:                             | NOEC/NOEL | 21d  | 10    | mg/l | Daphnia magna       | OECD 211 (Daphnia magna Reproduction Test) | Analogous conclusion |

Page 12 of 17  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0021  
 Replacing version dated / version: 12.10.2021 / 0020  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 Hypoid-Getriebeoel (GL5) SAE 85W-140

|  |           |     |         |      |                                 |  |   |
|--|-----------|-----|---------|------|---------------------------------|--|---|
| 12.3. Bioaccumulative potential:         |           |     |         |      |                                 |  | Not to be expected                              |
| 12.1. Toxicity to daphnia:               | EL50      | 48h | > 10000 | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)                   | Analogous conclusion                            |
| 12.1. Toxicity to algae:                 | NOEC/NOEL | 72h | >=100   | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            | Analogous conclusion                            |
| 12.1. Toxicity to algae:                 | EC50      | 72h | >100    | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            | Analogous conclusion                            |
| 12.2. Persistence and degradability:     |           | 28d | 31      | %    | activated sludge                | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Not readily biodegradable, Analogous conclusion |
| 12.3. Bioaccumulative potential:         | Log Pow   |     | >6      |      |                                 |  | @20°C   |
| 12.5. Results of PBT and vPvB assessment |           |     |         |      |                                 |  | No PBT substance, No vPvB substance             |

**Distillates (petroleum), hydrotreated middle**

| Toxicity / effect                    | Endpoint | Time | Value | Unit | Organism            | Test method  | Notes                     |
|--------------------------------------|----------|------|-------|------|---------------------|--|---------------------------|
| 12.2. Persistence and degradability: |          | 28d  | 57,5  | %    | activated sludge    | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Readily biodegradable     |
| 12.1. Toxicity to fish:              | LC50     | 96h  | 1,13  | mg/l | Oncorhynchus mykiss | QSAR   |                           |
| 12.2. Persistence and degradability: |          | 28d  | 25    | %    |                     | 84/449/EEC C.7   | Not readily biodegradable |

**Amines, C10-14-tert-alkyl**

| Toxicity / effect                    | Endpoint  | Time | Value | Unit | Organism                        | Test method  | Notes                     |
|--------------------------------------|-----------|------|-------|------|---------------------------------|--|---------------------------|
| 12.1. Toxicity to fish:              | LC50      | 96h  | 1,3   | mg/l | Oncorhynchus mykiss             | OECD 203 (Fish, Acute Toxicity Test)                     |                           |
| 12.1. Toxicity to fish:              | NOEC/NOEL | >60d | 0,078 | mg/l | Oncorhynchus mykiss             | OECD 210 (Fish, Early-Life Stage Toxicity Test)          | 96d                       |
| 12.1. Toxicity to daphnia:           | EC50      | 48h  | 2,5   | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)         |                           |
| 12.1. Toxicity to algae:             | EC50      | 72h  | 0,44  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                  |                           |
| 12.1. Toxicity to algae:             | NOEC/NOEL | 72h  | 0,05  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                  |                           |
| 12.2. Persistence and degradability: |           | 28d  | 21,8  | %    | activated sludge                | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Not readily biodegradable |
| 12.3. Bioaccumulative potential:     | Log Pow   |      | 2,9   |      |                                 |  | Low 23 °C                 |

Page 13 of 17  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0021  
 Replacing version dated / version: 12.10.2021 / 0020  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 Hypoid-Getriebeoel (GL5) SAE 85W-140

|                       |      |       |      |      |                  |  |  |
|-----------------------|------|-------|------|------|------------------|--|--|
| Toxicity to bacteria: | EC50 | 30min | 63,5 | mg/l | activated sludge | OECD 209<br>(Activated Sludge,<br>Respiration<br>Inhibition Test<br>(Carbon and<br>Ammonium<br>Oxidation)) |  |
|-----------------------|------|-------|------|------|------------------|--|--|

**C16-18-(even numbered, saturated and unsaturated)-alkylamines**

| Toxicity / effect                       | Endpoint | Time | Value | Unit | Organism                     | Test method  | Notes                    |
|---|----------|------|-------|------|------------------------------|--|--------------------------|
| 12.1. Toxicity to fish:                 | LL50     | 96h  | 0,06  | mg/l | Pimephales<br>promelas       |  | EPA OPPTS<br>850.1085    |
| 12.1. Toxicity to daphnia:              | EL50     | 48h  | 0,011 | mg/l | Daphnia magna                | OECD 202<br>(Daphnia sp.<br>Acute<br>Immobilisation<br>Test)   |                          |
| 12.1. Toxicity to algae:                | EC50     | 72h  | 0,46  | mg/l | Desmodesmus<br>subspicatus   | OECD 201 (Alga,<br>Growth Inhibition<br>Test)  |                          |
| 12.1. Toxicity to algae:                | EL50     | 96h  | 0,04  | mg/l | Selenastrum<br>capricornutum |  |                          |
| 12.2. Persistence and<br>degradability: |          | 28d  | 66    | %    | activated sludge             | OECD 301 B<br>(Ready<br>Biodegradability -<br>Co2 Evolution<br>Test)                                       | Readily<br>biodegradable |
| Toxicity to bacteria:                   | EL50     | 3h   | 32    | mg/l | activated sludge             | OECD 209<br>(Activated Sludge,<br>Respiration<br>Inhibition Test<br>(Carbon and<br>Ammonium<br>Oxidation)) | Analogous<br>conclusion  |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of.  
EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Implement substance recycling.

E.g. suitable incineration plant.

#### For contaminated packing material

Pay attention to local and national official regulations.

15 01 01 paper and cardboard packaging

15 01 02 plastic packaging

15 01 04 metallic packaging

Empty container completely.

Untampered packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

## SECTION 14: Transport information

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0021  
 Replacing version dated / version: 12.10.2021 / 0020  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 Hypoid-Getriebeoel (GL5) SAE 85W-140

**General statements**

14.1. UN number or ID number: n.a.

**Transport by road/by rail (ADR/RID)**

14.2. UN proper shipping name:  
 14.3. Transport hazard class(es): n.a.  
 14.4. Packing group: n.a.  
 Classification code: n.a.  
 LQ: n.a.  
 14.5. Environmental hazards: Not applicable  
 Tunnel restriction code:

**Transport by sea (IMDG-code)**

14.2. UN proper shipping name:  
 14.3. Transport hazard class(es): n.a.  
 14.4. Packing group: n.a.  
 Marine Pollutant: n.a.  
 14.5. Environmental hazards: Not applicable

**Transport by air (IATA)**

14.2. UN proper shipping name:  
 14.3. Transport hazard class(es): n.a.  
 14.4. Packing group: n.a.  
 14.5. Environmental hazards: Not applicable

**14.6. Special precautions for user**

Unless specified otherwise, general measures for safe transport must be followed.

**14.7. Maritime transport in bulk according to IMO instruments**

Non-dangerous material according to Transport Regulations.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Observe restrictions:  
 Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 1,001 %

**15.2 Chemical safety assessment**

A chemical safety assessment is not provided for mixtures.

**SECTION 16: Other information**

Revised sections: 1-16  
 These details refer to the product as it is delivered.  
 Employee instruction/training in handling hazardous materials is required.

**Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):**

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used                             |
|---|--|
| Aquatic Chronic 3, H412   | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

- H330 Fatal if inhaled.
- H373 May cause damage to organs through prolonged or repeated exposure if swallowed.
- H317 May cause an allergic skin reaction.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.

Page 15 of 17  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0021  
 Replacing version dated / version: 12.10.2021 / 0020  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 Hypoid-Getriebeoel (GL5) SAE 85W-140

H311 Toxic in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H332 Harmful if inhaled.  
 H335 May cause respiratory irritation.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.

Aquatic Chronic — Hazardous to the aquatic environment - chronic  
 Asp. Tox. — Aspiration hazard  
 Acute Tox. — Acute toxicity - inhalation  
 Skin Irrit. — Skin irritation  
 Acute Tox. — Acute toxicity - dermal  
 Acute Tox. — Acute toxicity - oral  
 Skin Corr. — Skin corrosion  
 Eye Dam. — Serious eye damage  
 Skin Sens. — Skin sensitization  
 Aquatic Acute — Hazardous to the aquatic environment - acute  
 STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation  
 STOT RE — Specific target organ toxicity - repeated exposure

### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.  
 Guidelines for the preparation of safety data sheets as amended (ECHA).  
 Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).  
 Safety data sheets for the constituent substances.  
 ECHA Homepage - Information about chemicals.  
 GESTIS Substance Database (Germany).  
 German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).  
 EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.  
 National Lists of Occupational Exposure Limits for each country as amended.  
 Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to  
 ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 AOX Adsorbable organic halogen compounds  
 approx. approximately  
 Art., Art. no. Article number  
 ASTM ASTM International (American Society for Testing and Materials)  
 ATE Acute Toxicity Estimate  
 BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)  
 BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)  
 BCF Bioconcentration factor  
 BSEF The International Bromine Council  
 bw body weight  
 CAS Chemical Abstracts Service  
 CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)  
 CMR carcinogenic, mutagenic, reproductive toxic  
 DMEL Derived Minimum Effect Level  
 DNEL Derived No Effect Level  
 DOC Dissolved organic carbon  
 dw dry weight  
 e.g. for example (abbreviation of Latin 'exempli gratia'), for instance  
 EbCx, EyCx, EBLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)  
 EC European Community

Page 16 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0021

Replacing version dated / version: 12.10.2021 / 0020

Valid from: 01.11.2021

PDF print date: 01.11.2021

Hypoid-Getriebeoel (GL5) SAE 85W-140

ECHA European Chemicals Agency  
ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect  
EEC European Economic Community  
EINECS European Inventory of Existing Commercial Chemical Substances  
ELINCS European List of Notified Chemical Substances  
EN European Norms  
EPA United States Environmental Protection Agency (United States of America)  
ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)  
etc. et cetera  
EU European Union  
EVAL Ethylene-vinyl alcohol copolymer  
Fax. Fax number  
gen. general  
GHS Globally Harmonized System of Classification and Labelling of Chemicals  
GWP Global warming potential  
Koc Adsorption coefficient of organic carbon in the soil  
Kow octanol-water partition coefficient  
IARC International Agency for Research on Cancer  
IATA International Air Transport Association  
IBC (Code) International Bulk Chemical (Code)  
IMDG-code International Maritime Code for Dangerous Goods  
incl. including, inclusive  
IUCLID International Uniform Chemical Information Database  
IUPAC International Union for Pure Applied Chemistry  
LC50 Lethal Concentration to 50 % of a test population  
LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)  
Log Koc Logarithm of adsorption coefficient of organic carbon in the soil  
Log Kow, Log Pow Logarithm of octanol-water partition coefficient  
LQ Limited Quantities  
MARPOL International Convention for the Prevention of Marine Pollution from Ships  
n.a. not applicable  
n.av. not available  
n.c. not checked  
n.d.a. no data available  
NLP No-longer-Polymer  
NOEC, NOEL No Observed Effect Concentration/Level  
OECD Organisation for Economic Co-operation and Development  
org. organic  
PBT persistent, bioaccumulative and toxic  
PE Polyethylene  
PNEC Predicted No Effect Concentration  
ppm parts per million  
PVC Polyvinylchloride  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
SVHC Substances of Very High Concern  
Tel. Telephone  
TOC Total organic carbon  
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
VOC Volatile organic compounds  
vPvB very persistent and very bioaccumulative  
wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90**



Page 17 of 17  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 01.11.2021 / 0021  
Replacing version dated / version: 12.10.2021 / 0020  
Valid from: 01.11.2021  
PDF print date: 01.11.2021  
Hypoid-Getriebeoel (GL5) SAE 85W-140

---

is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.