

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Auto-Wasch & Wachs

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Vehicle cleansing

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH
Jerg-Wieland-Str. 4
89081 Ulm-Lehr
Tel.: (+49) 0731-1420-0
Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)
+1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

| Hazard class | Hazard category | Hazard statement |
|--------------|-----------------|---------------------------------|
| Eye Dam. | 1 | H318-Causes serious eye damage. |

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Danger

Page 2 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

H318-Causes serious eye damage.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P280-Wear eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

EUH208-Contains Dipentene, Citral, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

D-Glucopyranose, oligomer, decyl octyl glycoside

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts

D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts | |
|--|---|
| Registration number (REACH) | 01-2119489410-39-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 931-333-8 |
| CAS | 147170-44-3 |
| content % | 5-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Eye Dam. 1, H318 Aquatic Chronic 3, H412 |
| Specific Concentration Limits and ATE | Eye Dam. 1, H318: >10 % Eye Irrit. 2, H319: >4 % |

| D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides | |
|--|---|
| Registration number (REACH) | 01-2119489418-23-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 600-975-8 |
| CAS | 110615-47-9 |
| content % | 1-<5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Skin Irrit. 2, H315 Eye Dam. 1, H318 |
| Specific Concentration Limits and ATE | Skin Irrit. 2, H315: >=30 % Eye Dam. 1, H318: >12 % Eye Irrit. 2, H319: >12 % |

| D-Glucopyranose, oligomer, decyl octyl glycoside | |
|--|-----------------------|
| Registration number (REACH) | 01-2119488530-36-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 500-220-1 |
| CAS | 68515-73-1 |
| content % | 1-<5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Eye Dam. 1, H318 |

Page 3 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

| 2-(2-butoxyethoxy)ethanol | Substance for which an EU exposure limit value applies. |
|--|---|
| Registration number (REACH) | 01-2119475104-44-XXXX |
| Index | 603-096-00-8 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 203-961-6 |
| CAS | 112-34-5 |
| content % | 1-<5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Eye Irrit. 2, H319 |

| Citral | |
|--|---|
| Registration number (REACH) | 01-2119462829-23-XXXX |
| Index | 605-019-00-3 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 226-394-6 |
| CAS | 5392-40-5 |
| content % | 0,1-<1 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |

| Dipentene | |
|--|--|
| Registration number (REACH) | 01-2119529223-47-XXXX |
| Index | 601-029-00-7 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 205-341-0 |
| CAS | 138-86-3 |
| content % | 0,1-<0,25 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) |

| 1,2-benzisothiazol-3(2H)-one | |
|--|---|
| Registration number (REACH) | --- |
| Index | 613-088-00-6 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 220-120-9 |
| CAS | 2634-33-5 |
| content % | 0,01-<0,05 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411 |
| Specific Concentration Limits and ATE | Skin Sens. 1, H317: >=0,05 % |

| Pyridine-2-thiol 1-oxide, sodium salt | |
|--|---|
| Registration number (REACH) | --- |
| Index | 613-344-00-7 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 223-296-5 |
| CAS | 3811-73-2 |
| content % | 0,001-<0,01 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | EUH070 Acute Tox. 3, H311 Acute Tox. 3, H331 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 1, H372 (nervous system) Aquatic Acute 1, H400 (M=100) Aquatic Chronic 2, H411 |
| Specific Concentration Limits and ATE | ATE (oral): 500 mg/kg ATE (dermal): 790 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l |

Page 4 of 23
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 14.12.2022 / 0026
Replacing version dated / version: 01.07.2022 / 0025
Valid from: 14.12.2022
PDF print date: 14.12.2022
Auto-Wasch & Wachs

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.
For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.
The substances named in this section are given with their actual, appropriate classification!
For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!
Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Eye contact

Remove contact lenses.
Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.
Protect uninjured eye.
Follow-up examination by an ophthalmologist.

Ingestion

Rinse the mouth thoroughly with water.
Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.
In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

eyes, reddened
watering eyes
irritation of the eyes

Sensitive individuals:
Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.
Water jet spray / alcohol resistant foam / CO₂ / dry extinguisher.

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:
Oxides of carbon
Oxides of nitrogen
Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8.
In case of fire and/or explosion do not breathe fumes.
Protective respirator with independent air supply.
According to size of fire
Full protection, if necessary.
Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.12.2022 / 0026

Replacing version dated / version: 01.07.2022 / 0025

Valid from: 14.12.2022

PDF print date: 14.12.2022

Auto-Wasch & Wachs

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid aerosol formation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Use working methods according to operating instructions.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store at room temperature.

Protect from frost.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Chemical Name | 2-(2-butoxyethoxy)ethanol | | |
|---|---|-----|--|
| WEL-TWA: 10 ppm (67,5 mg/m ³) (WEL, EU) | WEL-STEL: 15 ppm (101,2 mg/m ³) (WEL, EU) | --- | |
| Monitoring procedures: | --- | | |
| BMGV: --- | Other information: --- | | |

Page 6 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|-----------------------------|------------|--------|-------------------|------|
| | Environment - freshwater | | PNEC | 0,0135 | mg/l | |
| | Environment - marine | | PNEC | 0,0014 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 1 | mg/kg | |
| | Environment - sediment, marine | | PNEC | 0,1 | mg/kg | |
| | Environment - sewage treatment plant | | PNEC | 3000 | mg/l | |
| | Environment - soil | | PNEC | 0,8 | mg/kg | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 13,04 | mg/m ³ | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 7,5 | mg/kg bw/d | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 7,5 | mg/kg bw/d | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 44 | mg/m ³ | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 12,5 | mg/kg bw/d | |

D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|-----------------------------|------------|--------|-------------------|------|
| | Environment - freshwater | | PNEC | 0,176 | mg/l | |
| | Environment - marine | | PNEC | 0,018 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 0,0295 | mg/l | |
| | Environment - sewage treatment plant | | PNEC | 5000 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 1,516 | mg/kg dw | |
| | Environment - sediment, marine | | PNEC | 0,065 | mg/kg dw | |
| | Environment - soil | | PNEC | 0,654 | mg/kg dw | |
| | Environment - oral (animal feed) | | PNEC | 111,11 | mg/kg feed | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 35,7 | mg/kg bw/day | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 357000 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 124 | mg/m ³ | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 595000 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 420 | mg/kg | |

D-Glucopyranose, oligomer, decyl octyl glycoside

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|------------------|------------|-------|----------|------|
| | Environment - sediment, freshwater | | PNEC | 1,516 | mg/kg dw | |

Page 7 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

| | | | | | | |
|---------------------|--|-----------|------|--------|--------------|--|
| | Environment - sediment, marine | | PNEC | 0,152 | mg/kg dw | |
| | Environment - soil | | PNEC | 0,654 | mg/kg dw | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 0,27 | mg/l | |
| | Environment - sewage treatment plant | | PNEC | 560 | mg/l | |
| | Environment - freshwater | | PNEC | 0,176 | mg/l | |
| | Environment - marine | | PNEC | 0,0176 | mg/l | |
| | Environment - oral (animal feed) | | DNEL | 111,11 | mg/kg feed | |
| Consumer | Human - dermal | Long term | DNEL | 357000 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term | DNEL | 124 | mg/m3 | |
| Consumer | Human - oral | Long term | DNEL | 35,7 | mg/kg bw/day | |
| Workers / employees | Human - dermal | Long term | DNEL | 595000 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term | DNEL | 420 | mg/m3 | |

| 2-(2-butoxyethoxy)ethanol | | | | | | |
|---------------------------|--|------------------------------|------------|-------|------------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| | Environment - marine | | PNEC | 0,11 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 11 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 4,4 | mg/kg | |
| | Environment - sediment, marine | | PNEC | 0,44 | mg/kg | |
| | Environment - soil | | PNEC | 0,32 | mg/kg | |
| | Environment - sewage treatment plant | | PNEC | 100 | mg/l | |
| | Environment - oral (animal feed) | | PNEC | 56 | mg/kg | |
| Consumer | Human - inhalation | Short term, local effects | DNEL | 60,7 | mg/m3 | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 50 | mg/kg bw/d | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 40,5 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 5 | mg/kg bw/d | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 6,25 | mg/kg bw/d | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 40,5 | mg/m3 | |
| Workers / employees | Human - oral | Long term, local effects | DNEL | 67,5 | mg/m3 | |
| Workers / employees | Human - dermal | Short term, systemic effects | DNEL | 89 | mg/kg bw/d | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 67,5 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 20 | mg/kg | |
| Workers / employees | Human - inhalation | Short term, local effects | DNEL | 101,2 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 67,5 | mg/m3 | |

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|-----------------------------|------------|----------|--------|------|
| | Environment - freshwater | | PNEC | 0,00678 | mg/l | |
| | Environment - marine | | PNEC | 0,000678 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 0,0678 | mg/l | |
| | Environment - sewage treatment plant | | PNEC | 1,6 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 0,125 | mg/kg | |
| | Environment - sediment, marine | | PNEC | 0,0125 | mg/kg | |
| | Environment - soil | | PNEC | 0,0209 | mg/kg | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 1 | mg/kg | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 2,7 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,6 | mg/kg | |
| Consumer | Human - dermal | Long term, local effects | DNEL | 0,14 | mg/cm2 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 1,7 | mg/kg | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 9 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, local effects | DNEL | 0,14 | mg/cm2 | |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
 (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).
 (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.
 ** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.
 (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

Recommended

Protective gloves made of butyl (EN ISO 374).

Page 9 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

> 120

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

If OES or MEL is exceeded.

Gas mask filter A (EN 14387), code colour brown

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|--|
| Physical state: | Liquid |
| Colour: | Yellow |
| Odour: | Fruity |
| Melting point/freezing point: | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability: | Flammable |
| Lower explosion limit: | There is no information available on this parameter. |
| Upper explosion limit: | There is no information available on this parameter. |
| Flash point: | >101 °C |
| Auto-ignition temperature: | There is no information available on this parameter. |
| Decomposition temperature: | There is no information available on this parameter. |
| pH: | 5,8 (100 %, 20°C, DIN 19268) |
| Kinematic viscosity: | There is no information available on this parameter. |
| Solubility: | Mixable |
| Partition coefficient n-octanol/water (log value): | Does not apply to mixtures. |
| Vapour pressure: | 23 hPa (20°C) |
| Density and/or relative density: | 1,02 g/cm ³ (20°C, DIN 51757) |
| Relative vapour density: | There is no information available on this parameter. |
| Particle characteristics: | Does not apply to liquids. |

9.2 Other information

| | |
|--------------------|--|
| Explosives: | Product is not explosive. |
| Oxidising liquids: | There is no information available on this parameter. |

SECTION 10: Stability and reactivity

10.1 Reactivity

Not to be expected

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7.

None known

10.5 Incompatible materials

See also section 7.

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

| Auto-Wasch & Wachs | | | | | | |
|---|----------|-------|------|----------|-------------|--------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | | | | | | n.d.a. |
| Acute toxicity, by dermal route: | | | | | | n.d.a. |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin sensitisation: | | | | | | n.d.a. |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE): | | | | | | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): | | | | | | n.d.a. |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts | | | | | | |
|--|----------|--------|-------|------------------------|--|-------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 2430 | mg/kg | Rat | | |
| Acute toxicity, by dermal route: | LD50 | >5000 | mg/kg | Rat | | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Slightly irritant |
| Serious eye damage/irritation: | | > 10 | % | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Dam. 1 |
| Serious eye damage/irritation: | | > 4-10 | % | | | Eye Irrit. 2 |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact) |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | Mouse | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative |

| D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides | | | | | | |
|---|----------|-------|-------|----------|--------------------------------|-------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |

Page 11 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

| | | | | | | |
|---|-------|-------|------------|------------------------|---|---|
| Acute toxicity, by dermal route: | LD50 | >2000 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Skin Irrit. 2 |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Dam. 1 |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact), Analogous conclusion |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | Mouse | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | Mammalian | OECD 473 (In Vitro Mammalian Chromosome Aberration Test) | Negative Chinese hamster |
| Reproductive toxicity: | | | | Rat | OECD 414 (Prenatal Developmental Toxicity Study) | Negative |
| Reproductive toxicity (Developmental toxicity): | NOAEL | 1000 | mg/kg bw/d | Rat | OECD 414 (Prenatal Developmental Toxicity Study) | Negative |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 1000 | mg/kg bw/d | Rat | Regulation (EC) 440/2008 B.26 (SUB-CHRONIC ORAL TOXICITY TEST REPEATED DOSE 90 - DAY (RODENTS)) | |
| Symptoms: | | | | | | eyes, reddened, watering eyes, blisters by skin-contact, stomach pain |

D-Glucopyranose, oligomer, decyl octyl glycoside

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|------------------------------------|----------|-------|-------|------------------------|---|-----------------|
| Acute toxicity, by oral route: | LD50 | >2000 | mg/kg | Rat | OECD 423 (Acute Oral Toxicity - Acute Toxic Class Method) | |
| Acute toxicity, by dermal route: | LD50 | >2000 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Dam. 1 |
| Respiratory or skin sensitisation: | | | | Guinea pig | Regulation (EC) 440/2008 B.6 (SKIN SENSITISATION) | Not sensitizing |
| Germ cell mutagenicity: | | | | Mouse | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative |

Page 12 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

| | | | | | | |
|---|-------|------|------------|-----------|---|----------|
| Germ cell mutagenicity: | | | | Mammalian | OECD 473 (In Vitro Mammalian Chromosome Aberration Test) | Negative |
| Reproductive toxicity (Developmental toxicity): | NOAEL | 1000 | mg/kg bw/d | Rat | OECD 421 (Reproduction/Developmental Toxicity Screening Test) | Negative |
| Reproductive toxicity (Effects on fertility): | NOAEL | 1000 | mg/kg bw/d | Rat | OECD 414 (Prenatal Developmental Toxicity Study) | Negative |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 100 | mg/kg bw/d | Rat | Regulation (EC) 440/2008 B.26 (SUB-CHRONIC ORAL TOXICITY TEST REPEATED DOSE 90 - DAY (RODENTS)) | |

| 2-(2-butoxyethoxy)ethanol | | | | | | |
|------------------------------------|-----------------|--------------|-------------|------------------------|---|---|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by oral route: | LD50 | 2410 | mg/kg | Mouse | OECD 401 (Acute Oral Toxicity) | fasted animals |
| Acute toxicity, by dermal route: | LD50 | 2764 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LC50 | >29 | ppm | Rat | OECD 403 (Acute Inhalation Toxicity) | Dusts or mist |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Irrit. 2 |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact) |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | | OECD 473 (In Vitro Mammalian Chromosome Aberration Test) | Negative Chinese hamster |
| Germ cell mutagenicity: | | | | Mouse | OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) | Negative |
| Germ cell mutagenicity: | | | | | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative Chinese hamster |
| Reproductive toxicity: | | 1000 | mg/kg | Rat | OECD 414 (Prenatal Developmental Toxicity Study) | Negative, Analogous conclusion |
| Aspiration hazard: | | | | | | No |
| Symptoms: | | | | | | breathing difficulties, respiratory distress, diarrhoea, coughing, mucous membrane irritation, dizziness, watering eyes, nausea |

Page 13 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

| | | | | | | |
|---|-------|-------|------------|-----|--|---------|
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 250 | mg/kg | Rat | | |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal: | NOAEL | < 200 | mg/kg bw/d | Rat | OECD 411 (Subchronic Dermal Toxicity - 90-day Study) | Male |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEL | 14 | ppm | Rat | | Vapours |

| Citral | | | | | | |
|------------------------------------|----------|-------|-------|------------------------|--|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 3450 | mg/kg | Rat | | |
| Acute toxicity, by dermal route: | LD50 | 2250 | mg/kg | Rabbit | | |
| Skin corrosion/irritation: | | | | Rabbit | | Irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Irrit. 2 |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | Yes (skin contact) |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | Mammalian | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative Chinese hamster |
| Germ cell mutagenicity: | | | | Mammalian | OECD 473 (In Vitro Mammalian Chromosome Aberration Test) | Negative Chinese hamster |
| Germ cell mutagenicity: | | | | Mouse | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative |
| Symptoms: | | | | | | respiratory distress, drowsiness, coughing, headaches, gastrointestinal disturbances, mucous membrane irritation, nausea |

| Dipentene | | | | | | |
|----------------------------------|----------|-------|-------|----------|-------------|---|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 5300 | mg/kg | Rat | | |
| Acute toxicity, by dermal route: | LD50 | 5000 | mg/kg | Rabbit | | |
| Aspiration hazard: | | | | | | Yes |
| Symptoms: | | | | | | diarrhoea, rash, itching, gastrointestinal disturbances, mucous membrane irritation, nausea and vomiting. |

| 1,2-benzisothiazol-3(2H)-one | | | | | | |
|----------------------------------|----------|-------|---------|----------|-------------|---|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 1193 | mg/kg | Rat | | |
| Acute toxicity, by oral route: | LD50 | 490 | mg/kg | Rat | | |
| Acute toxicity, by dermal route: | LD50 | 4115 | mg/kg | Rat | | |
| Acute toxicity, by inhalation: | LC50 | 0,25 | mg/l/4h | Rat | | Aerosol, Does not conform with EU classification. |

Page 15 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

| | | | | | | | |
|--|-----|--|--|---|--|--|---|
| 12.6. Endocrine disrupting properties: | | | | | | | Does not apply to mixtures. |
| 12.7. Other adverse effects: | | | | | | | No information available on other adverse effects on the environment. |
| Other information: | | | | | | | DOC-elimination degree(complexing organic substance)>= 80%/28d: Yes |
| Other information: | AOX | | | % | | | According to the recipe, contains no AOX. |

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--------------------------------------|-----------|------|--------|------|-------------------------|---|-----------------------|
| 12.1. Toxicity to fish: | LC50 | 96h | 1,1 | mg/l | Pimephales promelas | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to fish: | NOEC/NOEL | >60d | 0,135 | mg/l | Oncorhynchus mykiss | OECD 210 (Fish, Early-Life Stage Toxicity Test) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 0,32 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 1,9 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | 1,5 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | | 2,99 | mg/l | | | |
| 12.2. Persistence and degradability: | | >60d | 80 | % | | OECD 311 (Anaerobic Biodeg. of Organic Comp. in Digested Sludge - by Measurement of Gas Production) | Readily biodegradable |
| 12.2. Persistence and degradability: | DOC | 28d | 98-101 | % | activated sludge | OECD 302 B (Inherent Biodegradability - Zahn-Wellens/EMPA Test) | Readily biodegradable |

D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|----------------------------------|-----------|------|----------|------|-------------------|---|-------------|
| 12.1. Toxicity to fish: | NOEC/NOEL | 28d | 1,8 | mg/l | Brachydanio rerio | OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study) | |
| 12.3. Bioaccumulative potential: | Log Kow | | <=-0,07 | | | | Lowat 20 °C |
| 12.1. Toxicity to fish: | LC50 | 96h | 2,95-5,9 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |

Page 16 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

| | | | | | | | |
|--|-----------|-----|------|------|-------------------------|--|-------------------------------------|
| 12.1. Toxicity to daphnia: | LC50 | 48h | 7-14 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.2. Persistence and degradability: | | 28d | 88 | % | | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Readily biodegradable |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 1-4 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | 5-38 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |

D-Glucopyranose, oligomer, decyl octyl glycoside

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--|-----------|------|----------|-------|-------------------------|--|-------------------------------------|
| 12.3. Bioaccumulative potential: | Log Pow | | <1,77 | | | | Low |
| Toxicity to annelids: | | 14d | >=654 | mg/kg | Eisenia foetida | | |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| 12.1. Toxicity to fish: | LC50 | 96h | 126 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to fish: | NOEC/NOEL | 28d | 1,8 | mg/l | Brachydanio rerio | OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >100 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 2 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | EC20 | 72h | 27,22-37 | mg/l | Desmodesmus subspicatus | DIN 38412 T.9 | |
| 12.2. Persistence and degradability: | | 14d | 73 | % | activated sludge | OECD 302 (Inherent Biodegradability) | Readily biodegradable |
| 12.2. Persistence and degradability: | | 28d | 100 | % | activated sludge | OECD 301 E (Ready Biodegradability - Modified OECD Screening Test) | Readily biodegradable |
| Toxicity to bacteria: | EC50 | 6h | >560 | mg/l | Pseudomonas putida | | |

2-(2-butoxyethoxy)ethanol

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|-------------------|----------|------|-------|------|----------|-------------|-------|
|-------------------|----------|------|-------|------|----------|-------------|-------|

Page 17 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

| | | | | | | | |
|--|-----------|-------|-------|------|-------------------------|--|---|
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 48h | >=100 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to fish: | LC50 | 96h | 1300 | mg/l | Lepomis macrochirus | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >100 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 96h | >100 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 28d | 76 | % | | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | |
| 12.2. Persistence and degradability: | | 28d | 100 | % | activated sludge | OECD 302 B (Inherent Biodegradability - Zahn-Wellens/EMPA Test) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | Log Pow | | 0,9-1 | | | OECD 117 (Partition Coefficient (n-octanol/water) - HPLC method) | Slight |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Toxicity to bacteria: | EC10 | 30min | >1995 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |
| Other information: | | | | | | | Does not contain any organically bound halogens which can contribute to the AOX value in waste water. |

| Citral | | | | | | | |
|----------------------------------|----------|------|-------|------|-------------------------|--|-------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | LC50 | 96h | 6,78 | mg/l | Leuciscus idus | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.3. Bioaccumulative potential: | BCF | | 89,72 | | | | Low |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 6,8 | mg/l | Daphnia magna | Regulation (EC) 440/2008 C.2 (DAPHNIA SP. ACUTE IMMOBILISATION TEST) | |
| 12.1. Toxicity to algae: | EC50 | 72h | 103,8 | mg/l | Desmodesmus subspicatus | DIN 38412 T.9 | |

Page 18 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

| | | | | | | | |
|--|---------|-------|------|------|-------------------------|--|--|
| 12.1. Toxicity to algae: | EC10 | 72h | 3 | mg/l | Desmodesmus subspicatus | DIN 38412 T.9 | |
| 12.2. Persistence and degradability: | | 28d | > 90 | % | | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Readily biodegradable |
| 12.2. Persistence and degradability: | | 28d | 92 | % | activated sludge | OECD 301 C (Ready Biodegradability - Modified MITI Test (I)) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | Log Pow | | 2,76 | | | OECD 107 (Partition Coefficient (n-octanol/water) - Shake Flask Method) | A notable biological accumulation potential is not to be expected (LogPow 1-3).25 °C |
| Toxicity to bacteria: | EC50 | 30min | ~160 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |

Dipentene

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--|----------|------|--------|------|---------------------------------|--|-------------------------------------|
| 12.1. Toxicity to fish: | EC50 | 96h | 20,2 | mg/l | Pimephales promelas | | |
| 12.1. Toxicity to fish: | LC50 | 96h | 38,5 | mg/l | Pimephales promelas | | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 70 | mg/l | Daphnia pulex | | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 28,2 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to algae: | IC50 | 78h | 13,798 | mg/l | Pseudokirchneriella subcapitata | | |
| 12.2. Persistence and degradability: | | 28d | 83 | % | | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | Log Pow | | 4,57 | | | | High |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |

1,2-benzisothiazol-3(2H)-one

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--------------------------------------|----------|------|-------|------|---------------------|---|-------|
| Toxicity to bacteria: | EC50 | 3h | 0,4 | mg/l | Pseudomonas putida | | |
| 12.1. Toxicity to fish: | LC50 | 96h | 2,18 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.2. Persistence and degradability: | | | 90 | % | | OECD 302 B (Inherent Biodegradability - Zahn-Wellens/EMPA Test) | |

Page 19 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

| | | | | | | | |
|--|-----------|-----|--------------|------|---------------------------------|--|-------------------------------------|
| 12.3. Bioaccumulative potential: | BCF | | 6,95 | | | OECD 305 (Bioconcentration - Flow-Through Fish Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 2,94 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | 0,11 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | 0,027-0,0403 | mg/l | Skeletonema costatum | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | DOC | | >70 | % | | OECD 303 A (Simulation Test - Aerobic Sewage Treatment - Activated Sludge Units) | |
| 12.2. Persistence and degradability: | | | | | | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | Log Pow | | 1,3 | | | | |
| 12.3. Bioaccumulative potential: | Log Pow | | 0,7 | | | OECD 117 (Partition Coefficient (n-octanol/water) - HPLC method) | |
| Toxicity to bacteria: | EC20 | 3h | 3,3 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |

Pyridine-2-thiol 1-oxide, sodium salt

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|----------------------------|-----------|------|---------|------|-------------------------|--|------------|
| 12.1. Toxicity to fish: | LC50 | 96h | 0,00767 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to daphnia: | LC50 | 48h | 0,150 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | References |
| 12.1. Toxicity to algae: | LC50 | 72h | 0,22 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | References |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | 0,033 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | References |

Page 20 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

| | | | | | | | |
|--------------------------------------|--|-----|----|---|------------------|---|-----------------------|
| 12.2. Persistence and degradability: | | 28d | 79 | % | activated sludge | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Readily biodegradable |
|--------------------------------------|--|-----|----|---|------------------|---|-----------------------|

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.
 Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)
 07 06 01 aqueous washing liquids and mother liquors
 20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.
 Pay attention to local and national official regulations.
 E.g. suitable incineration plant.
 E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.
 Empty container completely.
 Uncontaminated packaging can be recycled.
 Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

| | |
|-----------------------------------|----------------|
| 14.1. UN number or ID number: | Not applicable |
| 14.2. UN proper shipping name: | Not applicable |
| 14.3. Transport hazard class(es): | Not applicable |
| 14.4. Packing group: | Not applicable |
| 14.5. Environmental hazards: | Not applicable |
| Tunnel restriction code: | Not applicable |
| Classification code: | Not applicable |
| LQ: | Not applicable |
| Transport category: | Not applicable |

Transport by sea (IMDG-code)

| | |
|-----------------------------------|----------------|
| 14.1. UN number or ID number: | Not applicable |
| 14.2. UN proper shipping name: | Not applicable |
| 14.3. Transport hazard class(es): | Not applicable |
| 14.4. Packing group: | Not applicable |
| 14.5. Environmental hazards: | Not applicable |
| Marine Pollutant: | Not applicable |
| EmS: | Not applicable |

Transport by air (IATA)

| | |
|-----------------------------------|----------------|
| 14.1. UN number or ID number: | Not applicable |
| 14.2. UN proper shipping name: | Not applicable |
| 14.3. Transport hazard class(es): | Not applicable |
| 14.4. Packing group: | Not applicable |
| 14.5. Environmental hazards: | Not applicable |

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

Regulation (EC) No 1907/2006, Annex XVII

2-(2-butoxyethoxy)ethanol

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

1,81 %

REGULATION (EC) No 648/2004

5 % or over but less than 15 %

amphoteric surfactants

non-ionic surfactants

perfumes

CITRAL

LIMONENE

CITRONELLOL

HEXYL CINNAMAL

GERANIOL

LINALOOL

BENZISOTHIAZOLINONE

LAURYLAMINE DIPROPYLENEDIAMINE

SODIUM PYRITHIONE

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

3, 11, 12

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used |
|---|--|
| Eye Dam. 1, H318 | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

Page 22 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 EUH070 Toxic by eye contact.

Eye Dam. — Serious eye damage
 Aquatic Chronic — Hazardous to the aquatic environment - chronic
 Skin Irrit. — Skin irritation
 Eye Irrit. — Eye irritation
 Skin Sens. — Skin sensitization
 Flam. Liq. — Flammable liquid
 Asp. Tox. — Aspiration hazard
 Aquatic Acute — Hazardous to the aquatic environment - acute
 Acute Tox. — Acute toxicity - oral
 Acute Tox. — Acute toxicity - dermal
 Acute Tox. — Acute toxicity - inhalation
 STOT RE — Specific target organ toxicity - repeated exposure

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.
 Guidelines for the preparation of safety data sheets as amended (ECHA).
 Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).
 Safety data sheets for the constituent substances.
 ECHA Homepage - Information about chemicals.
 GESTIS Substance Database (Germany).
 German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).
 EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.
 National Lists of Occupational Exposure Limits for each country as amended.
 Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to
 ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)
 AOX Adsorbable organic halogen compounds
 approx. approximately
 Art., Art. no. Article number
 ASTM ASTM International (American Society for Testing and Materials)
 ATE Acute Toxicity Estimate
 BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
 BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)
 BCF Bioconcentration factor
 BSEF The International Bromine Council
 bw body weight
 CAS Chemical Abstracts Service
 CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)
 CMR carcinogenic, mutagenic, reproductive toxic
 DMEL Derived Minimum Effect Level
 DNEL Derived No Effect Level
 DOC Dissolved organic carbon
 dw dry weight
 e.g. for example (abbreviation of Latin 'exempli gratia'), for instance
 EbCx, EyCx, EBLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)
 EC European Community
 ECHA European Chemicals Agency
 ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect
 EEC European Economic Community
 EINECS European Inventory of Existing Commercial Chemical Substances
 ELINCS European List of Notified Chemical Substances

Page 23 of 23
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 14.12.2022 / 0026
 Replacing version dated / version: 01.07.2022 / 0025
 Valid from: 14.12.2022
 PDF print date: 14.12.2022
 Auto-Wasch & Wachs

EN European Norms
 EPA United States Environmental Protection Agency (United States of America)
 ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)
 etc. et cetera
 EU European Union
 EVAL Ethylene-vinyl alcohol copolymer
 Fax. Fax number
 gen. general
 GHS Globally Harmonized System of Classification and Labelling of Chemicals
 GWP Global warming potential
 Koc Adsorption coefficient of organic carbon in the soil
 Kow octanol-water partition coefficient
 IARC International Agency for Research on Cancer
 IATA International Air Transport Association
 IBC (Code) International Bulk Chemical (Code)
 IMDG-code International Maritime Code for Dangerous Goods
 incl. including, inclusive
 IUCLID International Uniform Chemical Information Database
 IUPAC International Union for Pure Applied Chemistry
 LC50 Lethal Concentration to 50 % of a test population
 LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)
 Log Koc Logarithm of adsorption coefficient of organic carbon in the soil
 Log Kow, Log Pow Logarithm of octanol-water partition coefficient
 LQ Limited Quantities
 MARPOL International Convention for the Prevention of Marine Pollution from Ships
 n.a. not applicable
 n.av. not available
 n.c. not checked
 n.d.a. no data available
 NIOSH National Institute for Occupational Safety and Health (USA)
 NLP No-longer-Polymer
 NOEC, NOEL No Observed Effect Concentration/Level
 OECD Organisation for Economic Co-operation and Development
 org. organic
 OSHA Occupational Safety and Health Administration (USA)
 PBT persistent, bioaccumulative and toxic
 PE Polyethylene
 PNEC Predicted No Effect Concentration
 ppm parts per million
 PVC Polyvinylchloride
 REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)
 REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.
 RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)
 SVHC Substances of Very High Concern
 Tel. Telephone
 TOC Total organic carbon
 UN RTDG United Nations Recommendations on the Transport of Dangerous Goods
 VOC Volatile organic compounds
 vPvB very persistent and very bioaccumulative
 wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.
 No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.