

Page 1 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Cockpitglanz

ആ

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Car care Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR) +1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

•••••••••		
Hazard class	Hazard category	Hazard statement
Asp. Tox.	1	H304-May be fatal if swallowed and enters airways.
Aerosol	1	H222-Extremely flammable aerosol.
Aerosol	1	H229-Pressurised container: May burst if heated.

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 18

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz



Danger

H222-Extremely flammable aerosol. H229-Pressurised container: May burst if heated.

P102-Keep out of reach of children.

P210-Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211-Do not spray on an open flame or other ignition source. P251-Do not pierce or burn, even after use. P410+P412-Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

EUH066-Repeated exposure may cause skin dryness or cracking.

Without adequate ventilation, formation of explosive mixtures may be possible. Hydrocarbons, C11-C12, isoalkanes, <2% aromatics

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

Aerosol 3.1 Substances

n.a. **3.2 Mixtures**

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	
Registration number (REACH)	01-2119472146-39-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	918-167-1
CAS	
content %	10-<25
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	EUH066
	Flam. Liq. 3, H226
	Asp. Tox. 1, H304
Ethanol	
Registration number (REACH)	01-2119457610-43-XXXX
Index	603-002-00-5
FINECS FLINCS NLP REACH-IT List-No	200-578-6

Index	603-002-00-5
EINECS, ELINCS, NLP, REACH-IT List-No.	200-578-6
CAS	64-17-5
content %	1-5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Flam. Liq. 2, H225
	Eye Irrit. 2, H319
Specific Concentration Limits and ATE	Eye Irrit. 2, H319: >=50 %

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16. The substances named in this section are given with their actual, appropriate classification!



Page 3 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account. The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it

apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

ആ

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Keep Data Sheet available.

Ingestion

Call doctor immediately - have Data Sheet available.

Do not induce vomiting. Danger of aspiration.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray CO2 Extinction powder Foam

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Toxic pyrolysis products.

Danger of explosion by prolonged heating. Explosive vapour/air or gas/air mixtures.

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.



Page 4 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

Ensure sufficient ventilation, remove sources of ignition. Avoid dust formation with solid or powder products. Leave the danger zone if possible, use existing emergency plans if necessary. Remove possible causes of ignition - do not smoke. Ensure sufficient supply of air. Avoid inhalation, and contact with eyes or skin.

Take explosion-prevention measures if applicable.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

Prevent penetration into drains, cellars, working pits or other places in which accumulation could be hazardous. Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

If spray or gas escapes, ensure ample fresh air is available. Active substance:

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

അ

Keep away from sources of ignition - Do not smoke.

Do not use on hot surfaces.

Take precautions against electrostatic charges.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Observe special regulations for aerosols!

Observe special storage conditions. Keep protected from direct sunlight and temperatures over 50°C.

Store in a well ventilated place.

Observe special storage conditions.

7.3 Specific end use(s)

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries, depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40): 1200 mg/m3



Beneficial Page 5 of 18						
Revision date / version: 07.0 Replacing version dated / versio		06, Annex II				
PDF print date: 07.09.2023 Cockpitglanz						
WEL-TWA: 1200 mg/m3 (: chain alkanes)	>=C7 normal and branched	WEL-STEL:				
Monitoring procedures:	- Dra	eger - Hydrocarbons 0,1%/ eger - Hydrocarbons 2/a (8	1 03 581)			
BMGV:	- Cor	npur - KITA-187 S (551 174	Other inforr	nation:	-	
B Chemical Name	Ethanol		L			
WEL-TWA: 1000 ppm (19)		NEL-STEL:				
Monitoring procedures:	- Dra	eger - Alcohol 25/a Ethanol	(81 01 631)			
	- Cor	npur - KITA-104 SA (549 21	10)) <u> </u>
	DFC - 200	G (D) (Loesungsmittelgemis 2 - EU project BC/CEN/EN	che), Methode N TR/000/2002-16	r. 6 DFG (E card 63-2 ('	 Solvent mixt 	ures) - 2013,
		G Meth. Nr. 2 (D) (Loesungs				
		CEN/ENTR/000/2002-16 ca				
	DFC	G Meth. Nr. 3 (D) (Loesungs	smittelgemische)	- 2013 - EL	J project	
	- BC/	CEN/ENTR/000/2002-16 ca	ard 63-2 (2004) Other inforr			
BMGV:			Other Infor	mation:	-	
Chemical Name	Butane		0 / 0			
WEL-TWA: 600 ppm (1450 Monitoring procedures:	<u>0 mg/m3)</u>	NEL-STEL: 750 ppm (181 npur - KITA-221 SA (549 45	0 mg/m3)			
Monitoring procedures.		HA PV2010 (n-Butane) - 19				
BMGV:			Other infor	mation:	-	
Chemical Name	Propane		· · · · · · · · · · · · · · · · · · ·			
WEL-TWA: 1000 ppm (AC		NEL-STEL:				
Monitoring procedures:	- Cor	npur - KITA-125 SA (549 95	54)		-	
	- OSI	HA PV2077 (Propane) - 199				
BMGV:			Other inform	mation:	-	
Chemical Name	Isobutane					
WEL-TWA: 1000 ppm (EX) (ACGIH)	NEL-STEL:				
Monitoring procedures: BMGV:	- Cor	npur - KITA-113 SB(C) (549	Other inforr	mation:	_	
Divigv			Other Infor	nauon	-	
Ethanol						
Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note
	Environmental					
	compartment		DUES			
	Environment - freshwater		PNEC	0,96	mg/l	
	Environment - marine Environment - water,		PNEC PNEC	0,79 2,75	mg/l mg/l	
	sporadic (intermittent)			2,15	l ing/i	
	release					
	Environment - sewage		PNEC	580	mg/l	
	treatment plant			2.0		

Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note
	Environmental					
	compartment					
	Environment - freshwater		PNEC	0,96	mg/l	
	Environment - marine		PNEC	0,79	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	2,75	mg/l	
	Environment - sewage treatment plant		PNEC	580	mg/l	
	Environment - sediment, freshwater		PNEC	3,6	mg/kg dry weight	
	Environment - soil		PNEC	0,63	mg/kg dry weight	
	Environment - oral (animal feed)		PNEC	0,38	g/kg feed	
	Environment - sediment, marine		PNEC	2,9	mg/kg dry weight	
Consumer	Human - dermal	Short term, local effects	DNEL	950	mg/m3	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	114	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	87	mg/kg	
Consumer	Human - dermal	Long term, systemic effects	DNEL	206	mg/kg bw/d	
Consumer	Human - inhalation	Short term, local effects	DNEL	950	mg/m3	



Page 6 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

Workers / employees	Human - dermal	Long term, systemic effects	DNEL	343	mg/kg bw/d
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	950	mg/m3
Workers / employees	Human - inhalation	Short term, local effects	DNEL	1900	mg/m3

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU), 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection: Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: 0.4

Permeation time (penetration time) in minutes:

>480

ആ

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary. If OES or MEL is exceeded. Gas mask filter A (EN 14387), code colour brown Gas mask filter AX (EN 14387), code colour brown. Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable



Page 7 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

ആ

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lower explosion limit: Upper explosion limit: Flash point: Auto-ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Solubility: Partition coefficient n-octanol/water (log value): Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics:

9.2 Other information

Explosives: Oxidising liquids: Aerosol. Active substance: liquid. Colourless Characteristic There is no information available on this parameter. There is no information available on this parameter. Does not apply to aerosols. 1,5 Vol-% 8.5 Vol-% Does not apply to aerosols. 365 °C There is no information available on this parameter. Mixture is non-soluble (in water). Does not apply to aerosols. Insoluble Does not apply to mixtures. There is no information available on this parameter. 0.632 g/ml Does not apply to aerosols. Does not apply to aerosols.

There is no information available on this parameter. There is no information available on this parameter.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.
10.2 Chemical stability
Stable with proper storage and handling.
10.3 Possibility of hazardous reactions
Hazardous reactions will not occur during storage and handling under normal conditions.
10.4 Conditions to avoid
Pressure increase will result in danger of bursting.
Heating, open flame, ignition sources
Electrostatic charge
10.5 Incompatible materials
Avoid contact with oxidizing agents.
10.6 Hazardous decomposition products
No decomposition when used as directed.
SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



Page 8 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

œ

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral	Analogous
route texicity, by erai route.	LDOO	20000	ing/kg		Toxicity)	conclusion
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute	Analogous
Notice toxicity, by definiti route.	LDOO	20000	ing/kg	Rubbit	Dermal Toxicity)	conclusion
Acute toxicity, by inhalation:	LC50	>5000	mg/m3/8h	Rat	OECD 403 (Acute	Analogous
Acute toxicity, by initialation.	2000	20000	ing/ino/on	Rat	Inhalation Toxicity)	conclusion
Skin corrosion/irritation:					OECD 404 (Acute	Mild irritant
Skin conosion/initiation.					Dermal	(Analogous
					Irritation/Corrosion)	conclusion),
					initation/Conosion)	Repeated
						exposure may
						cause skin
						dryness or
						cracking.,
						Analogous
						conclusion
Skin corrosion/irritation:					OECD 404 (Acute	Mild irritant
					Dermal	(Analogous
					Irritation/Corrosion)	conclusion),
						Repeated
						exposure may
						cause skin
						dryness or
						cracking.
Serious eye damage/irritation:					OECD 405 (Acute Eye	Mild irritant
					Irritation/Corrosion)	(Analogous
						conclusion),
						Analogous
						conclusion
Respiratory or skin					OECD 406 (Skin	No (skin
sensitisation:					Sensitisation)	contact),
						Analogous
						conclusion
Germ cell mutagenicity:					OECD 471 (Bacterial	Negative,
0					Reverse Mutation Test)	Analogous
					 ,	conclusion
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative,
					Mammalian	Analogous
					Chromosome	conclusion
					Aberration Test)	



Page 9 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

œ.

Germ cell mutagenicity:		OECD 474 (Mammalian	Negative,
		Erythrocyte	Analogous
		Micronucleus Test)	conclusion
Germ cell mutagenicity:		OECD 476 (In Vitro	Negative,
j-		Mammalian Cell Gene	Analogous
		Mutation Test)	conclusion
Germ cell mutagenicity:		OECD 478 (Genetic	Negative,
Gerni cell mutagenicity.		Toxicology - Rodent	Analogous
		dominant Lethal Test)	conclusion
Germ cell mutagenicity:		OECD 479 (Genetic	Negative,
		Toxicology - In Vitro	Analogous
		Sister Chromatid	conclusion
		Exchange assay in	
		Mammalian Cells)	
Carcinogenicity:		OECD 453 (Combined	Analogous
3 ,		Chronic	conclusion,
		Toxicity/Carcinogenicity	Negative
		Studies)	linguine
Reproductive toxicity:		OECD 421	Negative,
reproductive toxicity.		(Reproduction/Developm	Analogous
			conclusion
		ental Toxicity Screening	conclusion
		Test)	
Reproductive toxicity:		OECD 422 (Combined	Negative,
		Repeated Dose Tox.	Analogous
		Study with the	conclusion
		Reproduction/Developm.	
		Tox. Screening Test)	
Reproductive toxicity:		OECD 414 (Prenatal	Negative,
		Developmental Toxicity	Analogous
		Study)	conclusion
Specific target organ toxicity -		OECD 413 (Subchronic	Negative,
repeated exposure (STOT-RE):		Inhalation Toxicity - 90-	Analogous
		Day Study)	conclusion
Specific target organ toxicity -		OECD 422 (Combined	Negative,
repeated exposure (STOT-RE):		Repeated Dose Tox.	Analogous
repeated exposure (STOT-RE).			
		Study with the	conclusion
		Reproduction/Developm.	
-		Tox. Screening Test)	
Specific target organ toxicity -		OECD 408 (Repeated	Negative,
repeated exposure (STOT-RE):		Dose 90-Day Oral	Analogous
. ,		Toxicity Study in	conclusion
		Rodents)	
Specific target organ toxicity -		,	Analogous
repeated exposure (STOT-RE):			conclusion, No
Aspiration hazard:			Yes
Symptoms:			drowsiness,
cymptonio.			unconsciousnes
			, headaches,
			dizziness

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	10470	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	51-124,7	mg/l/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Vapours
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Irrit. 2



Page 10 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

œ.

Respiratory or skin				Mouse	OECD 429 (Skin	No (skin contac
sensitisation:					Sensitisation - Local	
					Lymph Node Assay)	
Germ cell mutagenicity:				Salmonella	OECD 471 (Bacterial	Negative
				typhimurium	Reverse Mutation Test)	
Germ cell mutagenicity:				Mouse	OECD 476 (In Vitro	Negative
					Mammalian Cell Gene	
					Mutation Test)	
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative
					Mammalian	-
					Chromosome	
					Aberration Test)	
Germ cell mutagenicity:					OECD 475 (Mammalian	Negative
5 ,					Bone Marrow	0
					Chromosome	
					Aberration Test)	
Carcinogenicity:	NOAEL	>3000	mg/kg	Rat	OECD 451	24 mon
			5.5		(Carcinogenicity Studies)	
Reproductive toxicity:	NOAEL	5200	mg/kg	Rat	OECD 416 (Two-	
,,			bw/d		generation	
					Reproduction Toxicity	
					Study)	
Specific target organ toxicity -	NOAL	>20	mg/l	Rat	OECD 403 (Acute	Male
epeated exposure (STOT-RE):		-	5		Inhalation Toxicity)	
Specific target organ toxicity -	NOAEL	1730	mg/kg/d	Rat	OECD 408 (Repeated	Female
epeated exposure (STOT-RE):			0.0		Dose 90-Day Oral	
					Toxicity Study in	
					Rodents)	
Symptoms:						respiratory
						distress,
						drowsiness.
						unconsciousne
						, drop in blood
						pressure,
						vomiting,
						coughing,
						headaches,
						intoxication,
						drowsiness,
						mucous
						membrane
						irritation,
						dizziness,
						nausea

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by inhalation:	LC50	658	mg/l/4h	Rat		
Germ cell mutagenicity:				Salmonella	OECD 471 (Bacterial	Negative
				typhimurium	Reverse Mutation Test)	_
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative
					Mammalian	_
					Chromosome	
					Aberration Test)	
Germ cell mutagenicity:				Human being	OECD 473 (In Vitro	Negative
					Mammalian	
					Chromosome	
					Aberration Test)	
Germ cell mutagenicity:				Rat	OECD 474 (Mammalian	Negative
					Erythrocyte	
					Micronucleus Test)	
Aspiration hazard:						No



Page 11 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

œ.

Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	NOAEC	21,394	mg/l	Rat	OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Developm. Tox. Screening Test)	
Symptoms:						ataxia, breathing difficulties, drowsiness, unconsciousness, , frostbite, disturbed heart rhythm, headaches, cramps, intoxication, dizziness, nausea and vomiting.

Propane	1			1		
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by inhalation:	LC50	658	mg/l/4h	Rat		
Acute toxicity, by inhalation:	LC50	260000	ppmV/4h	Rat		Gasses, Male, Analogous conclusion
Skin corrosion/irritation:						Not irritant
Serious eye damage/irritation:						Not irritant
Germ cell mutagenicity:					OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Reproductive toxicity (Developmental toxicity):	NOAEC	21,641	mg/l		OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Developm. Tox. Screening Test)	
Aspiration hazard:						No
Symptoms:						breathing difficulties, unconsciousness, frostbite, headaches, cramps, mucous membrane irritation, dizziness, nausea and vomiting.
Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	NOAEL	7,214	mg/l	Rat	OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Developm. Tox. Screening Test)	
Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	LOAEL	21,641	mg/l	Rat	OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Developm. Tox. Screening Test)	
Isobutane	En du sin t	Malara	11	0		Netes
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes



Page 12 of 18

œ)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

Acute toxicity, by inhalation:	LC50	260000	ppmV/4h	Rat		Gasses, Male
Serious eye damage/irritation:				Rabbit		Not irritant
Germ cell mutagenicity:				Salmonella	OECD 471 (Bacterial	Negative
				typhimurium	Reverse Mutation Test)	
Aspiration hazard:						No
Symptoms:						unconsciousness , frostbite, headaches, cramps, dizziness, nausea and vomiting.
Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	NOAEL	21,394	mg/l	Rat	OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Developm. Tox. Screening Test)	<u> </u>

11.2. Information on other hazards

Cockpitglanz						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting properties:						Does not apply
						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

Ethanol				1		
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Other information:						Excessive
						alcohol
						consumption
						during
						pregnancy
						induces the
						foetus alcohol
						syndrome
						(reduced weigh
						at birth, physic
						and mental
						disorders).,
						There is no sig
						that this
						syndrome is al
						caused by
						dermal or
						inhalative
						absorption.,
						Experiences or
						persons.

SECTION 12: Ecological information

Possibly more information	on environmen	tal effects, s	ee Section 2	2.1 (classific	ation).				
Cockpitglanz									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
12.1. Toxicity to fish:							n.d.a.		
12.1. Toxicity to daphnia:							n.d.a.		



Page 13 of 18 Safety data sheet according to Regulation (
Revision date / version: 07.09.2023 / 0018		
Replacing version dated / version: 01.11.20	21 / 0017	
/alid from: 07.09.2023		
2DF print date: 07.09.2023		
Cockpitglanz		
2.1. Toxicity to algae:		n.d.a.
2.2. Persistence and		n.d.a.
egradability:		
2.3. Bioaccumulative		n.d.a.
otential:		
2.4. Mobility in soil:		n.d.a.
2.5. Results of PBT		n.d.a.
nd vPvB assessment		
2.6. Endocrine		Does not apply
lisrupting properties:		 to mixtures.
2.7. Other adverse		No information
ffects:		available on
		other adverse effects on the
		environment.
Other information:		According to th
		recipe, contains
		no AOX.

Foxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LL0	96h	1000	mg/l	Oncorhynchus		Analogous
				-	mykiss		conclusion
12.1. Toxicity to daphnia:	EL0	48h	1000	mg/l	Daphnia magna		Analogous
				-			conclusion
12.1. Toxicity to daphnia:	NOELR	21d	>1	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EL0	72h	1000	mg/l	Pseudokirchneriell		Analogous
					a subcapitata		conclusion
12.2. Persistence and		28d	31,3	%			Analogous
degradability:							conclusion
12.2. Persistence and		28d	31,3	%			Readily
degradability:							biodegradable
							(Analogous
							conclusion)
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substanc

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	13000	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	120h	250	mg/l	Brachydanio rerio	OECD 212 (Fish, Short- term Toxicity Test on Embryo and Sac- fry Stages)	
12.1. Toxicity to daphnia:	EC50	48h	5414	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	10d	9,6	mg/l	Ceriodaphnia spec.		References
12.1. Toxicity to algae:	EC50	72h	275	mg/l	Chlorella vulgaris	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	97	%	activated sludge	OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Readily biodegradable



B Page 14 of 18			07/0000				
Safety data sheet accordir	ng to Regulation (EC) No 19	07/2006, Anr	nex II			
Revision date / version: 07							
Replacing version dated /	version: 01.11.20	21 / 0017					
Valid from: 07.09.2023							
PDF print date: 07.09.202	3						
Cockpitglanz							
12.3. Bioaccumulative	Log Pow		(-0,35) -				Bioaccumulation
potential:	Logiow		(-0,32)				is unlikely
potential.			(-0,32)				
	DOF						(LogPow < 1).
12.3. Bioaccumulative	BCF		0,66 -				
potential:			3,2				
12.4. Mobility in soil:	H (Henry)		0,00013				
			8				
12.4. Mobility in soil:	Koc		1,0				Highestimated
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
Toxicity to bacteria:	IC50	3h	>1000	mg/l	activated sludge	OECD 209	Analogous
		0				(Activated Sludge,	conclusion
						Respiration	
						Inhibition Test	
						(Carbon and	
						Ammonium	
						Oxidation))	
Other organisms:	NOEC/NOEL		280	mg/l	Lemna gibba	OECD 201 (Alga,	
						Growth Inhibition	
						Test)	
Other information:	COD		1,9	g/g		,	
Other information:	BOD5		1	g/g			
			-	3.3			
Butane							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	24,11	mg/l	erganieni	QSAR	
12.1. Toxicity to daphnia:	LC50	48h	14,22	mg/l		QSAR	
12.3. Bioaccumulative		40[]		mg/i		QSAR	Anatabla
	Log Pow		2,98				A notable
potential:							biological
							accumulation
							potential is not t
							be expected
							(LogPow 1-3).
12.4. Mobility in soil:							Not to be
,							expected
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
Propane		1					1
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.3. Bioaccumulative	Log Pow		2,28				A notable
potential:	-						biological
							accumulation
							potential is not t
							be expected
							(LogPow 1-3).
		1		1			No PBT
12.5. Results of PBT							
12.5. Results of PB1 and vPvB assessment							substance, No vPvB substance

Isobutane							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	27,98	mg/l			
12.1. Toxicity to algae:	EC50	96h	7,71	mg/l			
12.2. Persistence and							Readily
degradability:							biodegradable
12.3. Bioaccumulative							A notable
potential:							biological
							accumulation
							potential is not to
							be expected
							(LogPow 1-3).



Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz						
12.5. Results of PBT and vPvB assessment				No PBT substance, No vPvB substanc		
SECTION 13: Disposal considerations						
13.1 Waste treatment methods						
For the substance / EC disposal code no.: The waste codes are recommodified to the user's specific of allocated under certain circur 16 05 04 gases in pressure of Recommendation: Sewage disposal shall be dis Pay attention to local and national terms and the terms of with house the provide the terms of the terms of the terms of the terms of the terms of the terms of terms of the terms of terms of the terms of terms of terms of the terms of t	mixture / resident mendations based or conditions for use and nstances. (2014/955, ontainers (including for couraged. cional official regulation e site.	n the scheduled use of thi d disposal, other waste co /EU) halons) containing hazaro	odes may be			
For contaminated packing material Pay attention to local and national official regulations. Recommendation:						
Do not perforate, cut up or w	eld uncleaned contai	ner.				
	SEC	CTION 14: Trans	port information			
Transport by road/b 14.1. UN number or ID numb 14.2. UN proper shipping nar JN 1950 AEROSOLS	er: ne:	1	950	<u> </u>		
 14.3. Transport hazard class 14.4. Packing group: 14.5. Environmental hazards Funnel restriction code: 		-	.1 lot applicable			
Classification code: _Q: Fransport category:		5	F L			
Fransport by sea (IN 14.1. UN number or ID numb 14.2. UN proper shipping nar JN 1950 AEROSOLS	er:	1	950			
 14.3. Transport hazard class 14.4. Packing group: 14.5. Environmental hazards Marine Pollutant: EmS: 	. ,	- N N	.1 lot applicable lot applicable ·-D, S-U			
Transport by air (IA 14.1. UN number or ID numb 14.2. UN proper shipping nar JN 1950 Aerosols, flammabl	er: ne: e	1	950			
 14.3. Transport hazard class 14.4. Packing group: 14.5. Environmental hazards 14.6. Special precau 	•	-	.1 lot applicable			
Persons employed in transpo All persons involved in transp Precautions must be taken to	orting dangerous goo porting must observe p prevent damage.	ds must be trained. safety regulations. cording to IMO ir				



Page 16 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

Minimum amount regulations have not been taken into account. Danger code and packing code on request. Comply with special provisions.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

അ

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)! Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 1 - The following categories apply to this product (others may also need to be considered according to storage, handling etc.):

Haza	ard categories	Notes to Annex I	Qualifying quantity (tonnes) of	Qualifying quantity (tonnes) of
			dangerous substances as	dangerous substances as
			referred to in Article 3(10) for the	referred to in Article 3(10) for the
			application of - Lower-tier	application of - Upper-tier
			requirements	requirements
P3a		11.1	150 (netto)	500 (netto)

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 2 - This product contains the substances listed below:

Entry Nr	Dangerous substances	Notes to Annex I	Qualifying quantity	Qualifying quantity
			(tonnes) for the	(tonnes) for the
			application of - Lower-tier	application of - Upper-tier
			requirements	requirements
18	Liquefied flammable	19	50	200
	gases, Category 1 or 2			
	(including LPG) and			
	natural gas			
The Notes to Apply 1 of Directive 2012/19/ELL is particular these named in the tables here and notes 1.6, must be taken into account when				

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Directive 2010/75/EU (VOC):

~ 90 %

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

3, 11, 12

Employee training in handling dangerous goods is required. These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Asp. Tox. 1, H304	Classification according to calculation procedure.
Aerosol 1, H222	Classification according to calculation procedure.
Aerosol 1, H229	Classification based on the form or physical state.



Page 17 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

EUH066 Repeated exposure may cause skin dryness or cracking.

Asp. Tox. — Aspiration hazard Aerosol — Aerosols Flam. Liq. — Flammable liquid Eye Irrit. — Eye irritation

ആ

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) Acute Toxicity Estimate ATE BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** BSEF The International Bromine Council body weight bw CAS Chemical Abstracts Service CI P Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dry weight dw for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community European Inventory of Existing Commercial Chemical Substances EINECS ELINCS European List of Notified Chemical Substances EN European Norms EPA United States Environmental Protection Agency (United States of America) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) $ErCx, E\mu Cx, ErLx (x = 10, 50)$ etc. et cetera **European Union** EU



ആ Page 18 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.09.2023 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 07.09.2023 PDF print date: 07.09.2023 Cockpitglanz EVAL Ethylene-vinyl alcohol copolymer Fax number Fax. gen. general Globally Harmonized System of Classification and Labelling of Chemicals GHS GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow International Agency for Research on Cancer IARC International Air Transport Association IATA IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive IUCLID International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable not available n.av. not checked n.c. n.d.a. no data available NIOSH National Institute for Occupational Safety and Health (USA) NI P No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development org. organic OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic ΡE Polyethylene PNEC Predicted No Effect Concentration parts per million ppm PVC Polyvinylchloride REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List REACH-IT List-No. Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods Volatile organic compounds VOC vPvB very persistent and very bioaccumulative wet weight wwt The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility. These statements were made by:

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.