

Page 1 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.10.2023 / 0014 Replacing version dated / version: 20.06.2022 / 0013 Valid from: 04.10.2023 PDF print date: 04.10.2023 Top Tec ATF 1800

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

## Top Tec ATF 1800

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Grease Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

## 1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR) +1 872 5888271 (LMR)

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

#### 2.2 Label elements

#### Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

**SECTION 2: Hazards identification** 



#### Page 2 of 13

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.10.2023 / 0014 Replacing version dated / version: 20.06.2022 / 0013 Valid from: 04.10.2023 PDF print date: 04.10.2023 Top Tec ATF 1800

#### n.a. 3.2 Mixtures

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based   |                       |
|--|-----------------------|
| Registration number (REACH)  | 01-2119474889-13-XXXX |
| Index  | 649-483-00-5          |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 276-738-4             |
| CAS  | 72623-87-1            |
| content %  | 30-<50                |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Asp. Tox. 1, H304     |
|  |                       |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based   |                       |
|  |                       |

| Registration number (REACH)  | 01-2119474878-16-XXXX |
|--|-----------------------|
| Index  | 649-482-00-X          |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 276-737-9             |
| CAS  | 72623-86-0            |
| content %  | 1-<5                  |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Asp. Tox. 1, H304     |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Unsuitable cleaning product: Solvent

Thinners

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

## 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

**SECTION 5: Firefighting measures** 

#### 5.1 Extinguishing media Suitable extinguishing media CO2 Foam Dry extinguisher



Page 3 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.10.2023 / 0014 Replacing version dated / version: 20.06.2022 / 0013 Valid from: 04.10.2023 PDF print date: 04.10.2023 Top Tec ATF 1800

Water mist Unsuitable extinguishing media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of nitrogen Oxides of sulphur

Toxic gases

ആ

### **5.3 Advice for firefighters**

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

#### **SECTION 6:** Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid formation of oil mist.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

## 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

#### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13. Oil binder

Do not wash away with water or watery cleaning agents.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

#### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Keep away from sources of ignition - Do not smoke. Do not heat to temperatures close to flash point.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace



Page 4 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.10.2023 / 0014 Replacing version dated / version: 20.06.2022 / 0013 Valid from: 04.10.2023 PDF print date: 04.10.2023 Top Tec ATF 1800

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells. Store product closed and only in original packing. Impermeable floor. Protect from direct sunlight and warming. Store cool.

#### 7.3 Specific end use(s)

ആ

No information available at present.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

| Chemical Name                    | Oil mist, mineral |                                    |                    |   |
|----------------------------------|-------------------|------------------------------------|--------------------|---|
| WEL-TWA: 5 mg/m3 (Mineral oil, e | excluding metal   | WEL-STEL:                          |                    |   |
| working fluids, ACGIH)           |                   |                                    |                    |   |
| Monitoring procedures:           | -                 | Draeger - Oil Mist 1/a (67 33 031) |                    |   |
| BMGV:                            |                   |                                    | Other information: | - |

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based |                    |  |      |      |            |     |  |  |  |  |  |
|--|--------------------|--|------|------|------------|-----|--|--|--|--|--|
| Area of application  | Exposure route /   | Exposure route /         Effect on health         Descriptor         Value         Unit         Note |      |      |            |     |  |  |  |  |  |
|  | Environmental      |  |      |      |            |     |  |  |  |  |  |
|  | compartment        |  |      |      |            |     |  |  |  |  |  |
|  | Human - oral       |  | PNEC | 9,33 | mg/kg feed |     |  |  |  |  |  |
| Consumer   | Human - inhalation | Long term, local effects   | DNEL | 1,2  | mg/m3      | 24h |  |  |  |  |  |
| Workers / employees  | Human - inhalation | Long term, local effects   | DNEL | 5,4  | mg/m3      | 8h  |  |  |  |  |  |

| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based |  |                                |            |       |                 |      |  |  |  |  |  |
|--|--|--------------------------------|------------|-------|-----------------|------|--|--|--|--|--|
| Area of application  | Exposure route /<br>Environmental<br>compartment | Effect on health               | Descriptor | Value | Unit            | Note |  |  |  |  |  |
| Consumer   | Human - inhalation                               | Long term, local effects       | DNEL       | 1,2   | mg/m3           | 24h  |  |  |  |  |  |
| Consumer   | Human - dermal                                   | Long term, systemic effects    | DNEL       | 0,74  | mg/kg<br>bw/day |      |  |  |  |  |  |
| Workers / employees  | Human - inhalation                               | Long term, local effects       | DNEL       | 5,58  | mg/m3           | 8h   |  |  |  |  |  |
| Workers / employees  | Human - dermal                                   | Long term, systemic effects    | DNEL       | 0,97  | mg/kg<br>bw/day |      |  |  |  |  |  |
| Workers / employees  | Human - inhalation                               | Long term, systemic<br>effects | DNEL       | 2,73  | mg/m3           |      |  |  |  |  |  |

| Dist | Distillates (petroleum), hydrotreated heavy paraffinic |                            |  |      |      |            |  |  |  |  |  |  |
|------|--|----------------------------|--|------|------|------------|--|--|--|--|--|--|
| Are  | a of application                                       | Exposure route /           | Exposure route / Effect on health Descriptor Value Unit Note |      |      |            |  |  |  |  |  |  |
|      |  | Environmental              |  |      |      |            |  |  |  |  |  |  |
|      |  | compartment                |  |      |      |            |  |  |  |  |  |  |
|      |  | Environment - oral (animal |  | PNEC | 9,33 | mg/kg feed |  |  |  |  |  |  |
|      |  | feed)                      |  |      |      |            |  |  |  |  |  |  |

B WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE).
(11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).
(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer



Page 5 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.10.2023 / 0014 Replacing version dated / version: 20.06.2022 / 0013 Valid from: 04.10.2023 PDF print date: 04.10.2023 Top Tec ATF 1800

Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (12) = The substance can exure constitution of the skin and of the respiratory treat (Directive 2004/27/CE) (14) = The substance can

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

# 8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

ആ

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection: Protective gloves, oil resistant (EN ISO 374). If applicable Protective nitrile gloves (EN ISO 374). Protective PVC gloves (EN ISO 374). Protective gloves made of polyvinyl alcohol (EN ISO 374). Minimum layer thickness in mm: 0,4 Permeation time (penetration time) in minutes:

> 480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary. With oil mist formation: Filter A2 P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications. Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

#### 8.2.3 Environmental exposure controls

No information available at present.



Page 6 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.10.2023 / 0014 Replacing version dated / version: 20.06.2022 / 0013 Valid from: 04.10.2023 PDF print date: 04.10.2023 Top Tec ATF 1800

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state: Liquid Yellow Colour: Odour: Characteristic Melting point/freezing point: There is no information available on this parameter. Boiling point or initial boiling point and boiling range: There is no information available on this parameter. Flammability: Flammable Lower explosion limit: There is no information available on this parameter. Upper explosion limit: There is no information available on this parameter. 210 °C Flash point: Auto-ignition temperature: There is no information available on this parameter. Decomposition temperature: There is no information available on this parameter. pH: Mixture is non-soluble (in water). Kinematic viscosity: 27,5 mm2/s (40°C) Kinematic viscosity: 5,8 mm2/s (100°C) Solubility: Insoluble Partition coefficient n-octanol/water (log value): Does not apply to mixtures. Vapour pressure: There is no information available on this parameter. Density and/or relative density: 0.845 g/ml There is no information available on this parameter. Relative vapour density: Particle characteristics: Does not apply to liquids. 9.2 Other information Explosives: Product is not explosive. No

Oxidising liquids: Bulk density:

ആ

## n.a. SECTION 10: Stability and reactivity

**10.1 Reactivity** Not to be expected **10.2 Chemical stability** Stable with proper storage and handling. 10.3 Possibility of hazardous reactions No dangerous reactions are known. 10.4 Conditions to avoid See also section 7. Heating, open flame, ignition sources **10.5 Incompatible materials** See also section 7. Avoid contact with strong oxidizing agents. 10.6 Hazardous decomposition products See also section 5.2 No decomposition when used as directed.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

| Toxicity / effect                | Endpoint | Value | Unit | Organism | Test method | Notes  |
|----------------------------------|----------|-------|------|----------|-------------|--------|
| Acute toxicity, by oral route:   |          |       |      |          |             | n.d.a. |
| Acute toxicity, by dermal route: |          |       |      |          |             | n.d.a. |
| Acute toxicity, by inhalation:   |          |       |      |          |             | n.d.a. |
| Skin corrosion/irritation:       |          |       |      |          |             | n.d.a. |
| Serious eye damage/irritation:   |          |       |      |          |             | n.d.a. |



| Page 7 of 13<br>Safety data sheet according to Re<br>Revision date / version: 04.10.20<br>Replacing version dated / versior<br>Valid from: 04.10.2023<br>PDF print date: 04.10.2023<br>Top Tec ATF 1800 | 23 / 0014 |       | 6, Annex II |                           |   |  |
|---|-----------|-------|-------------|---------------------------|---|--|
| ·   |           |       |             |                           |   |  |
| Respiratory or skin<br>sensitisation:   |           |       |             |                           |   | n.d.a.                                   |
| Germ cell mutagenicity:   |           |       |             |                           |   | n.d.a.                                   |
| Carcinogenicity:  |           | _     |             |                           |   | n.d.a.                                   |
| Reproductive toxicity:<br>Specific target organ toxicity -  |           |       |             |                           |   | n.d.a.                                   |
| single exposure (STOT-SE):  |           |       |             |                           |   | n.d.a.                                   |
| Specific target organ toxicity -<br>repeated exposure (STOT-RE):  |           |       |             |                           |   | n.d.a.                                   |
| Aspiration hazard:  |           |       |             |                           |   | n.d.a.                                   |
| Symptoms:   |           |       |             |                           |   | n.d.a.                                   |
|   |           |       |             |                           |   |  |
| Lubricating oils (petroleum), Ca<br>Toxicity / effect   | Endpoint  | Value | Unit        | Organism                  | Test method   | Notes                                    |
| Acute toxicity, by oral route:  | LD50      | >5000 | mg/kg       | Rat                       | OECD 401 (Acute Oral  | Notes                                    |
|   |           |       |             |                           | Toxicity)   |  |
| Acute toxicity, by dermal route:  | LD50      | >5000 | mg/kg       | Rabbit                    | OECD 402 (Acute<br>Dermal Toxicity)                                     |  |
| Acute toxicity, by inhalation:  | LC50      | >5,53 | mg/l/4h     | Rat                       | OECD 403 (Acute<br>Inhalation Toxicity)                                 | Aerosol,<br>Analogous<br>conclusion      |
| Skin corrosion/irritation:  |           |       |             | Rabbit                    | OECD 404 (Acute<br>Dermal<br>Irritation/Corrosion)                      | Not irritant,<br>Analogous<br>conclusion |
| Serious eye damage/irritation:  |           |       |             | Rabbit                    | OECD 405 (Acute Eye<br>Irritation/Corrosion)                            | Not irritant                             |
| Respiratory or skin sensitisation:  |           |       |             | Guinea pig                | OECD 406 (Skin<br>Sensitisation)  | No (skin contact                         |
| Germ cell mutagenicity:   |           |       |             | Salmonella<br>typhimurium | OECD 471 (Bacterial<br>Reverse Mutation Test)                           | Negative,<br>Analogous<br>conclusion     |
| Germ cell mutagenicity:   |           |       |             |                           | OECD 473 (In Vitro<br>Mammalian<br>Chromosome                           | Negative,<br>Analogous<br>conclusion     |
|   |           |       |             |                           | Aberration Test)  | Chinese hamste                           |
| Germ cell mutagenicity:   |           |       |             | Mouse                     | OECD 476 (In Vitro<br>Mammalian Cell Gene                               | Negative,<br>Analogous                   |
|   |           |       |             |                           | Mutation Test)  | conclusion                               |
| Germ cell mutagenicity:   |           |       |             | Mouse                     | OECD 474 (Mammalian<br>Erythrocyte                                      | Negative,<br>Analogous                   |
| Carcinogenicity:  |           |       |             |                           | Micronucleus Test)<br>OECD 453 (Combined                                | conclusion<br>Negative                   |
|   |           |       |             |                           | Chronic<br>Toxicity/Carcinogenicity<br>Studies)                         |  |
| Carcinogenicity:  |           |       |             | Mouse                     | OECD 451<br>(Carcinogenicity Studies)                                   | Negative,<br>Analogous<br>conclusion     |
| Reproductive toxicity:  |           |       |             |                           | OECD 414 (Prenatal<br>Developmental Toxicity<br>Study)                  | Negative                                 |
| Reproductive toxicity:  |           |       |             | Rat                       | OECD 421<br>(Reproduction/Developm<br>ental Toxicity Screening<br>Test) | Negative,<br>Analogous<br>conclusion     |
| Specific target organ toxicity -<br>repeated exposure (STOT-RE):  |           |       |             |                           | OECD 453 (Combined<br>Chronic<br>Toxicity/Carcinogenicity<br>Studies)   | Negative                                 |
| Specific target organ toxicity -<br>repeated exposure (STOT-RE):  |           |       |             |                           | OECD 408 (Repeated<br>Dose 90-Day Oral<br>Toxicity Study in<br>Rodents) | Negative                                 |



| Safety data sheet according to Re<br>Revision date / version: 04.10.202<br>Replacing version dated / version<br>Valid from: 04.10.2023<br>PDF print date: 04.10.2023<br>Top Tec ATF 1800 | 23 / 0014   |                |               |                           |   |   |
|--|-------------|----------------|---------------|---------------------------|---|---|
| Specific target organ toxicity -<br>repeated exposure (STOT-RE):   |             |                |               |                           | OECD 411 (Subchronic<br>Dermal Toxicity - 90-day                        | Negative  |
|  |             |                |               |                           | Study)  |   |
| Specific target organ toxicity -<br>repeated exposure (STOT-RE):   |             |                |               |                           | OECD 412 (Subacute<br>Inhalation Toxicity - 28-<br>Day Study)           | Negative  |
| Aspiration hazard:   |             |                |               |                           |   | Asp. Tox. 1   |
| Specific target organ toxicity -<br>repeated exposure (STOT-RE),<br>dermal:  | NOAEL       | 1000           | mg/kg<br>bw/d | Rabbit                    | OECD 410 (Repeated<br>Dose Dermal Toxicity -<br>90-Day)                 | Analogous conclusion                                    |
| Lubricating oils (petroleum), C  | 15-20 bydro | roated neutral | oil-basod     |                           |   |   |
| Toxicity / effect  | Endpoint    | Value          | Unit          | Organism                  | Test method   | Notes   |
| Acute toxicity, by oral route:   | LD50        | >5000          | mg/kg         | Rat                       | OECD 401 (Acute Oral<br>Toxicity)                                       |   |
| Acute toxicity, by dermal route:   | LD50        | >2000          | mg/kg         | Rabbit                    | OECD 402 (Acute<br>Dermal Toxicity)                                     |   |
| Acute toxicity, by inhalation:   | LC50        | >5,53          | mg/m3/4h      | Rat                       | OECD 403 (Acute<br>Inhalation Toxicity)                                 | Aerosol   |
| Skin corrosion/irritation:   |             |                |               | Rabbit                    | OECD 404 (Acute<br>Dermal   | Not irritant,<br>Analogous                              |
| Serious eye damage/irritation:   |             |                |               | Rabbit                    | Irritation/Corrosion)<br>OECD 405 (Acute Eye<br>Irritation/Corrosion)   | conclusion<br>Not irritant,<br>Analogous<br>conclusion  |
| Respiratory or skin<br>sensitisation:  |             |                |               | Guinea pig                | OECD 406 (Skin<br>Sensitisation)  | No (skin<br>contact),<br>Analogous<br>conclusion        |
| Germ cell mutagenicity:  |             |                |               | Salmonella<br>typhimurium | OECD 471 (Bacterial<br>Reverse Mutation Test)                           | Negative,<br>Analogous<br>conclusion                    |
| Germ cell mutagenicity:  |             |                |               | Mammalian                 | OECD 473 (In Vitro<br>Mammalian<br>Chromosome<br>Aberration Test)       | Negative,<br>Analogous<br>conclusion,<br>Chinese hamste |
| Carcinogenicity:   |             |                |               | Mouse                     | OECD 451<br>(Carcinogenicity Studies)                                   | Negative,<br>Analogous<br>conclusion                    |
| Reproductive toxicity:   | NOAEL       | >=1000         | mg/kg/d       | Rat                       | OECD 421<br>(Reproduction/Developm<br>ental Toxicity Screening<br>Test) | Negative  |
| Specific target organ toxicity -<br>repeated exposure (STOT-RE),<br>oral:  | NOAEL       | 125            | mg/kg         | Rat                       | OECD 408 (Repeated<br>Dose 90-Day Oral<br>Toxicity Study in<br>Rodents) | Analogous<br>conclusion                                 |
| Aspiration hazard:   |             |                |               |                           | ,   | Yes   |
| Symptoms:  |             |                |               |                           |   | nausea and vomiting.                                    |
| Specific target organ toxicity -<br>repeated exposure (STOT-RE),<br>dermal:  | NOAEL       | 30             | mg/kg         | Rat                       | OECD 411 (Subchronic<br>Dermal Toxicity - 90-day<br>Study)              | Analogous<br>conclusion                                 |
| Specific target organ toxicity -<br>repeated exposure (STOT-RE),<br>dermal:  | NOAEL       | ~1000          | mg/kg<br>bw/d | Rabbit                    | OECD 410 (Repeated<br>Dose Dermal Toxicity -<br>90-Day)                 | Analogous conclusion                                    |

## 11.2. Information on other hazards

| Top Tec ATF 1800                 |          |       |      |          |             |                |  |  |  |  |  |
|----------------------------------|----------|-------|------|----------|-------------|----------------|--|--|--|--|--|
| Toxicity / effect                | Endpoint | Value | Unit | Organism | Test method | Notes          |  |  |  |  |  |
| Endocrine disrupting properties: |          |       |      |          |             | Does not apply |  |  |  |  |  |
|                                  |          |       |      |          |             | to mixtures.   |  |  |  |  |  |



Page 9 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.10.2023 / 0014 Replacing version dated / version: 20.06.2022 / 0013 Valid from: 04.10.2023 PDF print date: 04.10.2023 Top Tec ATF 1800

Other information:

œ)

| ion: |  |  | No other        |
|------|--|--|-----------------|
|      |  |  | relevant        |
|      |  |  | information     |
|      |  |  | available on    |
|      |  |  | adverse effects |
|      |  |  | on health.      |

## **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

| Top Tec ATF 1800           |               |      |       |      |                    |                       |                         |  |  |  |
|----------------------------|---------------|------|-------|------|--------------------|-----------------------|-------------------------|--|--|--|
| Toxicity / effect          | Endpoint      | Time | Value | Unit | Organism           | Test method           | Notes                   |  |  |  |
| 12.1. Toxicity to fish:    | EL50          | 96h  | >100  |      | Oncorhynchus       | OECD 203 (Fish,       | Analogous               |  |  |  |
|                            |               |      |       |      | mykiss             | Acute Toxicity        | conclusion              |  |  |  |
| 40.4 Taxisity to dephysics | <b>F</b> I 50 | 401- | 100   | _    | Denhaismen         | Test)                 | A                       |  |  |  |
| 12.1. Toxicity to daphnia: | EL50          | 48h  | >100  |      | Daphnia magna      | OECD 202              | Analogous<br>conclusion |  |  |  |
|                            |               |      |       |      |                    | (Daphnia sp.<br>Acute | conclusion              |  |  |  |
|                            |               |      |       |      |                    | Immobilisation        |                         |  |  |  |
|                            |               |      |       |      |                    | Test)                 |                         |  |  |  |
| 12.1. Toxicity to algae:   | EL50          | 72h  | >12,5 |      | Pseudokirchneriell | OECD 201 (Alga,       | Analogous               |  |  |  |
|                            |               |      |       |      | a subcapitata      | Growth Inhibition     | conclusion              |  |  |  |
|                            |               |      |       |      |                    | Test)                 |                         |  |  |  |
| 12.2. Persistence and      |               |      |       |      |                    |                       | n.d.a.                  |  |  |  |
| degradability:             |               |      |       |      |                    |                       |                         |  |  |  |
| 12.3. Bioaccumulative      |               |      |       |      |                    |                       | n.d.a.                  |  |  |  |
| potential:                 |               |      |       |      |                    |                       |                         |  |  |  |
| 12.4. Mobility in soil:    |               |      |       |      |                    |                       | n.d.a.                  |  |  |  |
| 12.5. Results of PBT       |               |      |       |      |                    |                       | n.d.a.                  |  |  |  |
| and vPvB assessment        |               |      |       |      |                    |                       |                         |  |  |  |
| 12.6. Endocrine            |               |      |       |      |                    |                       | Does not apply          |  |  |  |
| disrupting properties:     |               |      |       |      |                    |                       | to mixtures.            |  |  |  |
| 12.7. Other adverse        |               |      |       |      |                    |                       | No information          |  |  |  |
| effects:                   |               |      |       |      |                    |                       | available on            |  |  |  |
|                            |               |      |       |      |                    |                       | other adverse           |  |  |  |
|                            |               |      |       |      |                    |                       | effects on the          |  |  |  |
|                            |               |      |       |      |                    |                       | environment.            |  |  |  |

| oxicity / effect           | Endpoint  | Time | Value  | Unit | Organism           | Test method        | Notes |
|----------------------------|-----------|------|--------|------|--------------------|--------------------|-------|
| 2.1. Toxicity to fish:     | NOEC/NOEL | 96h  | >=100  | mg/l | Pimephales         | OECD 203 (Fish,    |       |
|                            |           |      |        | _    | promelas           | Acute Toxicity     |       |
|                            |           |      |        |      | -                  | Test)              |       |
| 12.1. Toxicity to fish:    | LL50      | 96h  | > 100  | mg/l | Pimephales         | OECD 203 (Fish,    |       |
|                            |           |      |        |      | promelas           | Acute Toxicity     |       |
|                            |           |      |        |      | -                  | Test)              |       |
| 12.1. Toxicity to daphnia: | EL50      | 48h  | >10000 | mg/l | Daphnia magna      | OECD 202           |       |
|                            |           |      |        |      |                    | (Daphnia sp.       |       |
|                            |           |      |        |      |                    | Acute              |       |
|                            |           |      |        |      |                    | Immobilisation     |       |
|                            |           |      |        |      |                    | Test)              |       |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d  | 10     | mg/l | Daphnia magna      | OECD 211           |       |
|                            |           |      |        |      |                    | (Daphnia magna     |       |
|                            |           |      |        |      |                    | Reproduction Test) |       |
| 12.1. Toxicity to algae:   | NOEC/NOEL | 72h  | >=100  | mg/l | Pseudokirchneriell | OECD 201 (Alga,    |       |
|                            |           |      |        |      | a subcapitata      | Growth Inhibition  |       |
|                            |           |      |        |      |                    | Test)              |       |
| 12.1. Toxicity to algae:   | EL50      | 48h  | >100   | mg/l | Pseudokirchneriell | OECD 201 (Alga,    |       |
|                            |           |      |        |      | a subcapitata      | Growth Inhibition  |       |
|                            |           |      |        |      |                    | Test)              |       |



Not readily biodegradable

Analogous conclusion

A notable biological accumulation

| Page 10 of 13<br>Safety data sheet accordin<br>Revision date / version: 04<br>Replacing version dated /<br>Valid from: 04.10.2023 | 4.10.2023 / 0014 | Ļ   | )7/2006, Anr | nex II |                  |  |
|---|------------------|-----|--------------|--------|------------------|--|
| PDF print date: 04.10.202   | 3                |     |              |        |                  |  |
| Top Tec ATF 1800  |                  |     |              |        |                  |  |
| 12.2. Persistence and degradability:  |                  |     |              |        |                  | OECD 301 B<br>(Ready<br>Biodegradability -<br>Co2 Evolution<br>Test)           |
| 12.2. Persistence and degradability:  |                  | 28d | 31           | %      | activated sludge | OECD 301 F<br>(Ready<br>Biodegradability -<br>Manometric<br>Respirometry Test) |
| 12.3. Bioaccumulative potential:  | Log Kow          |     | >6           |        |                  |  |

potential has to be expected (LogPow > 3). No PBT 12.5. Results of PBT and vPvB assessment substance, No vPvB substance 10min Toxicity to bacteria: NOEC/NOEL > 1,93 mg/l activated sludge DIN 38412

| Toxicity / effect                           | Endpoint  | Time | Value  | Unit | Organism                            | Test method  | Notes                                     |
|---|-----------|------|--------|------|-------------------------------------|--|---|
| 12.1. Toxicity to fish:                     | NOEC/NOEL | 14d  | >=1000 | mg/l | Oncorhynchus<br>mykiss              | QSAR   |   |
| 12.1. Toxicity to fish:                     | LL50      | 96h  | >100   | mg/l | Pimephales<br>promelas              | OECD 203 (Fish,<br>Acute Toxicity<br>Test)                   |   |
| 12.1. Toxicity to daphnia:                  | NOEC/NOEL | 21d  | >=100  | mg/l | Daphnia magna                       | OECD 211<br>(Daphnia magna<br>Reproduction Test)             | Analogous conclusion                      |
| 12.1. Toxicity to daphnia:                  | EL50      | 48h  | >10000 | mg/l | Daphnia magna                       | OECD 202<br>(Daphnia sp.<br>Acute<br>Immobilisation<br>Test) |   |
| 12.1. Toxicity to algae:                    | NOEC/NOEL | 72h  | >=100  | mg/l | Pseudokirchneriell<br>a subcapitata | OECD 201 (Alga,<br>Growth Inhibition<br>Test)                | Analogous conclusion                      |
| 12.2. Persistence and degradability:        |           | 28d  | >60    | %    |                                     |  | Readily biodegradable                     |
| 12.5. Results of PBT<br>and vPvB assessment |           |      |        |      |                                     |  | No PBT<br>substance, No<br>vPvB substance |
| Other information:                          | Log Pow   |      | 6,1    |      |                                     |  |   |

## **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

## For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

œ

Recommendation: Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material



Page 11 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.10.2023 / 0014 Replacing version dated / version: 20.06.2022 / 0013 Valid from: 04.10.2023 PDF print date: 04.10.2023 Top Tec ATF 1800

œ

Pay attention to local and national official regulations. 15 01 01 paper and cardboard packaging 15 01 02 plastic packaging 15 01 04 metallic packaging Empty container completely. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance.

#### **SECTION 14: Transport information**

#### General statements Transport by road/by rail (ADR/RID)

| Not applicable |
|----------------|
|                |
|                |
| Not applicable |
|                |
| Not applicable |
|                |
|                |
| Not applicable |
|                |
| Not applicable |
|                |
|                |
| Not applicable |
| Not applicable |
| Not applicable |
|                |
|                |

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

**SECTION 15: Regulatory information** 

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

~1%

National requirements/regulations on safety and health protection must be applied when using work equipment.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

#### **SECTION 16: Other information**

3, 7, 11, 12, 15



Page 12 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.10.2023 / 0014 Replacing version dated / version: 20.06.2022 / 0013 Valid from: 04.10.2023 PDF print date: 04.10.2023 Top Tec ATF 1800

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP): Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents. H304 May be fatal if swallowed and enters airways.

Asp. Tox. - Aspiration hazard

#### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as

amended.

ആ

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

#### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the ADR International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) Acute Toxicity Estimate ATF BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** BSEF The International Bromine Council bw body weight CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.a. Effect Concentration/Level of x % on reduction of the biomass (algae, plants) EbCx, EyCx, EbLx (x = 10, 50) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances European List of Notified Chemical Substances ELINCS FN European Norms EPA United States Environmental Protection Agency (United States of America)  $ErCx, E\mu Cx, ErLx (x = 10, 50)$ Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera EU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax number Fax.



| -@   |
|--|
| Page 13 of 13  |
| Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  |
|  |
| Revision date / version: 04.10.2023 / 0014   |
| Replacing version dated / version: 20.06.2022 / 0013   |
| Valid from: 04.10.2023   |
| PDF print date: 04.10.2023   |
| Top Tec ATF 1800   |
|  |
| gen. general   |
| GHS Globally Harmonized System of Classification and Labelling of Chemicals  |
| GWP Global warming potential   |
| Koc Adsorption coefficient of organic carbon in the soil   |
| Kow octanol-water partition coefficient  |
| IARC International Agency for Research on Cancer   |
| IATA International Air Transport Association   |
| IBC (Code) International Bulk Chemical (Code)  |
| IMDG-code International Maritime Code for Dangerous Goods  |
| incl. including, inclusive   |
| IUCLID International Uniform Chemical Information Database   |
| IUPAC International Union for Pure Applied Chemistry   |
| LC50 Lethal Concentration to 50 % of a test population   |
| LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)  |
| Log Koc Logarithm of adsorption coefficient of organic carbon in the soil  |
| Log Kow, Log Pow Logarithm of octanol-water partition coefficient  |
|  |
|  |
|  |
| n.a. not applicable  |
| n.av. not available  |
| n.c. not checked   |
| n.d.a. no data available   |
| NIOSH National Institute for Occupational Safety and Health (USA)  |
| NLP No-longer-Polymer  |
| NOEC, NOEL No Observed Effect Concentration/Level  |
| OECD Organisation for Economic Co-operation and Development  |
| org. organic   |
| OSHA Occupational Safety and Health Administration (USA)   |
| PBT persistent, bioaccumulative and toxic  |
| PE Polyethylene  |
| PNEC Predicted No Effect Concentration   |
| ppm parts per million  |
| PVC Polyvinylchloride  |
| REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration,       |
| Evaluation, Authorisation and Restriction of Chemicals)  |
| REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List |
| Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.         |
| RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International     |
| Carriage of Dangerous Goods by Rail)   |
| SVHC Substances of Very High Concern   |
| Tel. Telephone   |
| TOC Total organic carbon   |
| UN RTDG United Nations Recommendations on the Transport of Dangerous Goods   |
| VOC Volatile organic compounds   |
| vPvB very persistent and very bioaccumulative  |
| wwt wet weight   |
| www.worworyn   |
| The statements made here should describe the product with regard to the personal safety presentions, they are                              |
| The statements made here should describe the product with regard to the necessary safety precautions - they are                            |
| not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.                                  |
| No responsibility.   |

## These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.