

Page 1 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifier**

ആ

## LM 373 N Contact-Grease

**1.2** Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Lubricant Uses advised against: No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

## 1.4 Emergency telephone number

Emergency information services / official advisory body:

## Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR) +1 872 5888271 (LMR)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP) The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

## 2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH210-Safety data sheet available on request.

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0, 1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## **SECTION 3: Composition/information on ingredients**



Page 2 of 13

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease

## 3.1 Substances

## n.a. 3 2 Mixtures

5.2 MIA(0)65	
Propylene carbonate	
Registration number (REACH)	01-2119537232-48-XXXX
Index	607-194-00-1
EINECS, ELINCS, NLP, REACH-IT List-No.	203-572-1
CAS	108-32-7
content %	1-5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Eye Irrit. 2, H319
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	
Registration number (REACH)	01-2119491299-23-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	270-128-1

EINECS,	EI
CAS	

68411-46-1 content % 0.1-<1 Classification according to Regulation (EC) 1272/2008 (CLP), M-factors Repr. 2, H361f Aquatic Chronic 3, H412

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Not required.

## Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eye contact

Wash thoroughly for several minutes using copious water. Seek medical help if necessary. Keep Data Sheet available.

#### Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

With long-term contact:

Drying of the skin. Irritation of the skin.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

## 4.3 Indication of any immediate medical attention and special treatment needed

Indications for the physician: Symptomatic treatment.

**SECTION 5: Firefighting measures** 

## 5.1 Extinguishing media



Page 3 of 13

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease

## Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

#### Unsuitable extinguishing media High volume water jet

## 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of nitrogen Hydrocarbons Toxic pyrolysis products. Hot product gives off combustible vapours.

#### 5.3 Advice for firefighters

For personal protective equipment see Section 8. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

Do not carry cleaning cloths soaked in product in trouser pockets.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

## **6.2 Environmental precautions**

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

 $\label{eq:prevent-surface-pr$ 

#### 6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

## 7.1.1 General recommendations

#### Ensure good ventilation.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.



Page 4 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease

Do not store with oxidizing agents. Protect against moisture and store closed. Protect from direct sunlight and warming.

## 7.3 Specific end use(s)

œ)

No information available at present.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Chemical Name     Oil mist, mineral		
WEL-TWA: 5 mg/m3 (Mineral oil, excluding metal	WEL-STEL:	
working fluids, ACGIH)		
Monitoring procedures: - [	Draeger - Oil Mist 1/a (67 33 031)	
BMGV:	Other information:	

Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note
	Environmental					
	compartment					
	Environment - sporadic		PNEC	9	mg/l	
	(intermittent) release					
	Environment - marine		PNEC	0,09	mg/l	
	Environment - sediment,		PNEC	0,083	mg/l	
	marine					
	Environment - soil		PNEC	0,81	mg/l	
	Environment - freshwater		PNEC	0,9	mg/l	
	Environment - sediment,		PNEC	0,83	mg/l	
	freshwater					
	Environment - sewage		PNEC	7400	mg/l	
	treatment plant				_	
Consumer	Human - oral	Long term, systemic	DNEL	10	mg/kg	
		effects				
Consumer	Human - dermal	Long term, systemic	DNEL	10	mg/kg	
		effects				
Consumer	Human - inhalation	Long term, local effects	DNEL	10	mg/m3	
Consumer	Human - inhalation	Long term, systemic	DNEL	17,4	mg/m3	
		effects			_	
Workers / employees	Human - inhalation	Long term, systemic	DNEL	70,53	mg/kg	
		effects				
Workers / employees	Human - inhalation	Long term, systemic	DNEL	176	mg/m3	
		effects			-	
Workers / employees	Human - dermal	Long term, systemic	DNEL	20	mg/kg	
		effects				
Workers / employees	Human - inhalation	Long term, local effects	DNEL	20	mg/m3	

Benzenamine, N-phenyl-	, reaction products with 2,4,4-trin	nethylpentene			-	
Area of application	Exposure route / Environmental	Effect on health	Descriptor	Value	Unit	Note
	compartment					
	Environment - freshwater		PNEC	0,0012	mg/l	
	Environment - marine		PNEC	0,00012	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,51	mg/l	
	Environment - sediment, freshwater		PNEC	0,0246	mg/kg	
	Environment - sediment, marine		PNEC	0,00246	mg/kg	
	Environment - soil		PNEC	0,0193	mg/kg	



Page 5 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease

ആ

	Environment - sewage treatment plant		PNEC	0,187	mg/l	
Consumer	Human - dermal	Long term, systemic effects	DNEL	0,22	mg/kg	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	0,1	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,05	mg/kg	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,07	mg/kg	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	0,31	mg/m3	

B WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

## 8.2 Exposure controls

## 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Protective gloves, oil resistant (EN ISO 374). If applicable Protective nitrile gloves (EN ISO 374). Protective Neoprene® / polychloroprene gloves (EN ISO 374). Protective hand cream recommended. The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards:



Page 6 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

#### 8.2.3 Environmental exposure controls

No information available at present.

ആ

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state:	Solid
Colour:	Beige
Odour:	Characteristic
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	Combustible.
Lower explosion limit:	Does not apply to solids.
Upper explosion limit:	Does not apply to solids.
Flash point:	Does not apply to solids.
Auto-ignition temperature:	Does not apply to solids.
Decomposition temperature:	There is no information available on this parameter.
pH:	Mixture is non-soluble (in water).
Kinematic viscosity:	Does not apply to solids.
Solubility:	Insoluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	There is no information available on this parameter.
Relative vapour density:	Does not apply to solids.
9.2 Other information	
Explosives:	There is no information available on this parameter.
Oxidizing solids:	No

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

See also Subsection 10.2 to 10.6. The product has not been tested.

#### **10.2 Chemical stability**

See also Subsection 10.1 to 10.6. Stable with proper storage and handling.

#### 10.3 Possibility of hazardous reactions See also Subsection 10.1 to 10.6.

#### 10.4 Conditions to avoid

See also section 7. Protect from humidity.

#### **10.5 Incompatible materials**

See also section 7. Avoid contact with strong oxidizing agents.

## **10.6 Hazardous decomposition products**

See also Subsection 10.1 to 10.5. See also section 5.2

**SECTION 11: Toxicological information** 



Page 7 of 13

œ)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease

# **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008** Possibly more information on health effects, see Section 2.1 (classification).

LM 373 N Contact-Grease						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Propylene carbonate						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Irritant
Respiratory or skin sensitisation:				Human being		No (skin contact)
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:					OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Germ cell mutagenicity:					OECD 482 (Gen. Tox DNA Damage and Repair, Unscheduled DNA Synthesis in Mammalian Cells In Vitro)	Negative
Carcinogenicity:				Mouse	OECD 451 (Carcinogenicity Studies)	Negative
Reproductive toxicity:	NOAEL	1000	mg/kg	Rat	OECD 414 (Prenatal Developmental Toxicity Study)	Negative
Aspiration hazard:						No
Symptoms:						breathing difficulties, headaches, gastrointestinal disturbances, dizziness, nausea
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOEL	>5000	mg/kg		OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	



Page 8 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date/ version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 LM 373 N Contact-Grease	- (B)						
Revision date / version: 10.08.2023       / 0007         Replacing version dated / version: 01.11.2021 / 0006         Valid from: 10.08.2023         PDF print date: 10.08.2023         Specific target organ toxicity - repeated exposure (STOT-RE), inhalat:       NOEC       100       mg/m3       DECD 413 (Subchronic Inhalation Toxicity - 90- Day Study)       Dust, Mist         Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene Toxicity / effect       Endpoint       Value       Unit       Organism       Test method       Notes         Acute toxicity, by oral route:       LD50       >5000       mg/kg       Rat       OECD 401 (Acute Oral Toxicity)       Notes         Skin corrosion/irritation:       LD50       >2000       mg/kg       Rat       OECD 402 (Acute Dermal Toxicity)       Mild irritant         Serious eye damage/irritation:       Rabit       OECD 406 (Acute Eye Irritation/Corrosion)       Mild irritant         Respiratory or skin sensitisation:       Guinea pig       OECD 406 (Skin       No (skin contact) Sensitisation)         Germ cell mutagenicity:       Rat       OECD 404 (Acute Test)       Not (Skin contact) Sensitisation)       No (Skin contact) Sensitisation)         Reproductive toxicity:       Rat       OECD 405 (Acute Eye Irritation/Corrosion)       No (Skin contact) Sensitisation)       Sensitisation)       No (Skin contac	Page 8 of 13	e suleties (FC)	No 4007/2000				
Replacing version dated / version: 01.11.2021 / 0006         Valid from: 10.08.2023       OES       OES       OES       Despirit date: 10.08.2023         Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.       NOEC       100       mg/m3       OECD 413 (Subchronic Inhalation Toxicity - 90- Day Study)       Dust, Mist         Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene         Toxicity / effect       Endpoint       Value       Unit       Organism       Test method       Notes         Acute toxicity, by oral route:       LD50       >5000       mg/kg       Rat       OECD 401 (Acute Oral Toxicity)       Dermal Toxicity)         Skin corrosion/irritation:       LD50       >2000       mg/kg       Rat       OECD 404 (Acute Drai Toxicity)         Skin corrosion/irritation:       LD50       >2000       mg/kg       Rat       OECD 404 (Acute Drai Toxicity)         Skin corrosion/irritation:       Rabbit       OECD 404 (Acute Drai Toxicity)       Mild irritant Dermal Toxicity)         Serious eye damage/irritation:       Rabbit       OECD 405 (Acute Eye Irritation/Corrosion)       Not (skin contact)         Germ cell mutagenicity:       Germ cell mutagenicity:       Guinea pig       OECD 406 (Skin       No (skin contact)         Germ cell mutagenicity:       Rat			NO 1907/2006	, Annex II			
Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-GreaseSpecific target organ toxicity - repeated exposure (STOT-RE), inhalat:NOEC100mg/m3OECD 413 (Subchronic Inhalation Toxicity - 90- Day Study)Dust, MistBenzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpenteneToxicity / effectEndpointValueUnitOrganismTest methodNotesAcute toxicity, by oral route:LD50>5000mg/kgRatOECD 401 (Acute Oral Toxicity)NotesAcute toxicity, by dermal route:LD50>2000mg/kgRatOECD 402 (Acute Dermal Toxicity)Mild irritantSkin corrosion/irritation:LD50>2000mg/kgRatOECD 402 (Acute Dermal Toxicity)Mild irritantSerious eye damage/irritation:RabbitOECD 406 (Skin Sensitisation;Not irritantGerm cell mutagenicity:Guinea pigOECD 406 (Skin Sensitisation;No (skin contact) Sensitisation;Germ cell mutagenicity:RatOECD 404 (Invitro Marmalian Cell Micronucleus Test)No gastiveReproductive toxicity:RatOECD 404 (Invitro Reproductive ToxicityPossible risk of impaired fertility.			10000				
PDF print date: 10.08.2023 LM 373 N Contact-Grease         Specific target organ toxicity - repeated exposure (STOT-RE), inhalat:       NOEC       100       mg/m3       OEC D 413 (Subchronic Inhalation Toxicity - 90- Day Study)       Dust, Mist         Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene       Toxicity / effect       Endpoint       Value       Unit       Organism       Test method       Notes         Acute toxicity, by oral route:       LD50       >5000       mg/kg       Rat       OECD 401 (Acute Oral Toxicity)       Notes         Acute toxicity, by dermal route:       LD50       >2000       mg/kg       Rat       OECD 402 (Acute Dermal Toxicity)       Mild irritant         Skin corrosion/irritation:       Image: State organism       Rabbit       OECD 404 (Acute Dermal Intriation/Corrosion)       Mild irritant         Serious eye damage/irritation:       Image: State organism       Rabbit       OECD 406 (Skin Sensitiation)       No (skin contact)         Germ cell mutagenicity:       Image: State organism       Sensitiation       No (skin contact)       No (skin contact)         Reproductive toxicity:       Image: State organism       Rat       OECD 403 (Kaute Eye Inritation/Corrosion)       No (skin contact)         Serious eye damage/irritation:       Image: State organism       Sensitisation:       No (skin contact)		1:01.11.2021	/ 0006				
LM 373 N Contact-Grease         Specific target organ toxicity - repeated exposure (STOT-RE), inhalat:       NOEC       100       mg/m3       OECD 413 (Subchronic Inhalation Toxicity - 90- Day Study)       Dust, Mist         Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene       Test method       Notes         Acute toxicity, by oral route:       LD50       >5000       mg/kg       Rat       OECD 401 (Acute Oral Toxicity)         Acute toxicity, by oral route:       LD50       >2000       mg/kg       Rat       OECD 402 (Acute Dermal Toxicity)         Skin corrosion/irritation:       LD50       >2000       mg/kg       Rat       OECD 402 (Acute Dermal Toxicity)         Serious eye damage/irritation:       Image: Corrosion in the instance of the inston of the instance of the instance of the i							
Specific target organ toxicity - repeated exposure (STOT-RE), inhalati:       NOEC       100       mg/m3       OECD 413 (Subchronic Inhalation Toxicity - 90- Day Study)       Dust, Mist         Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene       Toxicity / effect       Endpoint       Value       Unit       Organism       Test method       Notes         Acute toxicity, by oral route:       LD50       >5000       mg/kg       Rat       OECD 401 (Acute Oral Toxicity)       Notes         Acute toxicity, by dermal route:       LD50       >2000       mg/kg       Rat       OECD 402 (Acute Dermal Toxicity)       Mild irritant         Skin corrosion/irritation:       LD50       >2000       mg/kg       Rat       OECD 404 (Acute Dermal Toxicity)       Mild irritant         Serious eye damage/irritation:       Rabbit       OECD 405 (Acute Eye Irritation/Corrosion)       Not irritant         Respiratory or skin sensitisation:       Guinea pig       OECD 406 (Skin Sensitisation)       No (skin contact)         Germ cell mutagenicity:       Rat       OECD 403 (In Vitro Marmalian Cell Microucleus Test)       Negative         Reproductive toxicity:       Rat       OECD 443 (Extended One-Generation Reproductive Toxicity Study)       Possible risk of impaired fertility.							
repeated exposure (STOT-RE), inhalat:Imalation Toxicity - 90- Day Study)Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpenteneOrganismTest methodNotesToxicity / effectEndpointValueUnitOrganismTest methodNotesAcute toxicity, by oral route:LD50>5000mg/kgRatOECD 401 (Acute Oral Toxicity)NotesAcute toxicity, by dermal route:LD50>2000mg/kgRatOECD 402 (Acute Dermal Toxicity)Mild irritantSkin corrosion/irritation:LD50>2000mg/kgRatOECD 402 (Acute Dermal Toxicity)Mild irritantSerious eye damage/irritation:Image: Serious eye damage/irritation:RabbitOECD 405 (Acute Eye Irritation/Corrosion)Not irritantRespiratory or skin sensitisation:Image: Serious eye damage/irritation:Serious eye damage/irritation:No (skin contact) Sensitisation:No (skin contact) Sensitisation:No (skin contact) Sensitisation:No (skin contact) Sensitisation:Germ cell mutagenicity:Image: Serious eye data Image: Serious eye data Sensitisation:RatOECD 406 (Skin Sensitisation)No (skin contact) Sensitisation)Reproductive toxicity:Image: Serious eye data Image: Serious eye data Sensitisation:RatOECD 406 (Skin Sensitisation)No (skin contact) Sensitisation)Reproductive toxicity:Image: Serious eye Image: Serious eyeSerious eye Image: Serious eyeNo (skin contact) Sensitisation)Serious eye Serious eye Image: Serious eye </td <td>LM 373 N Contact-Grease</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	LM 373 N Contact-Grease						
repeated exposure (STOT-RE), inhalat:Imalation Toxicity - 90- Day Study)Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpenteneOrganismTest methodNotesToxicity / effectEndpointValueUnitOrganismTest methodNotesAcute toxicity, by oral route:LD50>5000mg/kgRatOECD 401 (Acute Oral Toxicity)NotesAcute toxicity, by dermal route:LD50>2000mg/kgRatOECD 402 (Acute Dermal Toxicity)Mild irritantSkin corrosion/irritation:LD50>2000mg/kgRatOECD 402 (Acute Dermal Toxicity)Mild irritantSerious eye damage/irritation:Image: Serious eye damage/irritation:RabbitOECD 405 (Acute Eye Irritation/Corrosion)Not irritantRespiratory or skin sensitisation:Image: Serious eye damage/irritation:Serious eye damage/irritation:No (skin contact) Sensitisation:No (skin contact) Sensitisation:No (skin contact) Sensitisation:No (skin contact) Sensitisation:Germ cell mutagenicity:Image: Serious eye data (serious eye)RatOECD 443 (Extended One-Generation Reproductive toxicity:Possible risk of impaired fertility.Reproductive toxicity:Image: Serious eyeRatOECD 443 (Extended One-Generation Reproductive ToxicityPossible risk of impaired fertility.	Specific target organ toxicity -	NOFC	100	mg/m3		OFCD 413 (Subchronic	Dust. Mist
inhalat.:       Day Study)         Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene       Day Study)         Toxicity / effect       Endpoint       Value       Unit       Organism       Test method       Notes         Acute toxicity, by oral route:       LD50       >5000       mg/kg       Rat       OECD 401 (Acute Oral Toxicity)         Acute toxicity, by dermal route:       LD50       >2000       mg/kg       Rat       OECD 402 (Acute Dermal Toxicity)         Skin corrosion/irritation:       LD50       >2000       mg/kg       Rat       OECD 404 (Acute Dermal Toxicity)         Serious eye damage/irritation:       Rabbit       OECD 404 (Acute Dermal Inritation/Corrosion)       Mild irritant         Respiratory or skin sensitisation:       Guinea pig       OECD 406 (Skin Sensitisation)       No (skin contact)         Germ cell mutagenicity:       Guinea pig       OECD 433 (Extended One-Generation Reproductive Toxicity Study)       Negative         Reproductive toxicity:       Rat       OECD 433 (Extended One-Generation Reproductive Toxicity Study)       Possible risk of impaired fertility.							2 000, 1000
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene       Value       Unit       Organism       Test method       Notes         Acute toxicity, by oral route:       LD50       >5000       mg/kg       Rat       OECD 401 (Acute Oral Toxicity)         Acute toxicity, by dermal route:       LD50       >2000       mg/kg       Rat       OECD 402 (Acute Dermal Toxicity)         Skin corrosion/irritation:       LD50       >2000       mg/kg       Rat       OECD 404 (Acute Dermal Toxicity)         Serious eye damage/irritation:       Rabbit       OECD 404 (Acute Dermal Toxicity)       Mild irritant Dermal Irritation/Corrosion)         Respiratory or skin sensitisation:       Guinea pig       OECD 405 (Acute Eye Irritation/Corrosion)       Not skin contact)         Germ cell mutagenicity:       Rat       OECD 403 (In Vitro Mamalian Cell Micronucleus Test)       Negative         Reproductive toxicity:       Rat       OECD 443 (Extended One-Generation Reproductive Toxicity Study)       Possible risk of impaired fertility.							
Toxicity / effectEndpointValueUnitOrganismTest methodNotesAcute toxicity, by oral route:LD50>5000mg/kgRatOECD 401 (Acute Oral Toxicity)Acute toxicity, by dermal route:LD50>2000mg/kgRatOECD 402 (Acute Dermal Toxicity)Skin corrosion/irritation:LD50>2000mg/kgRatOECD 404 (Acute Dermal Toxicity)Mild irritantSerious eye damage/irritation:Image: Serious eye damage/irritation:Image: Serious eye damage/irritation:RabbitOECD 405 (Acute Eye Irritation/Corrosion)Not irritantRespiratory or skin sensitisation:Image: Serious eye damage/irritation:Image: Serious eye damage/irritation:No (skin contact)No (skin contact)Germ cell mutagenicity:Image: Serious eye damage/irritation:Image: Serious eye damage/irritation:Image: Serious eye damage/irritation:No (skin contact)Respiratory or skin sensitisation:Image: Serious eye damage/irritation:Image: Serious eye damage/irritation:No (skin contact)Germ cell mutagenicity:Image: Serious eye damage/irritation:Image: Serious eye damage/irritation:No (skin contact)Reproductive toxicity:Image: Serious eye damage/irritation:Image: Serious eye damage/irritation:No (skin contact)Reproductive toxicity:Image: Serious eye damage/irritation:Serious eye damage/irritation:No (skin contact)Germ cell mutagenicity:Image: Serious eye damage/irritation:Serious eye damage/irritation:No (skin contact)Reproductive toxicity							
Acute toxicity, by oral route:       LD50       >5000       mg/kg       Rat       OECD 401 (Acute Oral Toxicity)         Acute toxicity, by dermal route:       LD50       >2000       mg/kg       Rat       OECD 402 (Acute Dermal Toxicity)         Skin corrosion/irritation:       LD50       >2000       mg/kg       Rat       OECD 404 (Acute Dermal Toxicity)         Serious eye damage/irritation:       Image: Control of the series of t							
Acute toxicity, by dermal route:LD50>2000mg/kgRatOECD 402 (Acute Dermal Toxicity)Skin corrosion/irritation:Skin corrosion/irritation:RabbitOECD 404 (Acute Dermal Irritation/Corrosion)Mild irritantSerious eye damage/irritation:RabbitOECD 405 (Acute Eye Irritation/Corrosion)Not irritantSerious eye damage/irritation:Serious eye damage/irritation:Serious eye damage/irritation:Not irritantGerm cell mutagenicity:Serious eye damage/irritation:Serious eye damage/irritation:No (skin contact) Sensitisation:No (skin contact) Sensitisation)Germ cell mutagenicity:Serious eye damage/irritation:Serious eye damage/irritationSerious eye damage/irritationNo (skin contact) Sensitisation)Reproductive toxicity:Serious eye damage/irritation:Serious eye damage/irritationSerious eye damage/irritation/Corrosion)No (skin contact) Sensitisation)Reproductive toxicity:Serious eye damage/irritation:Serious eye damage/irritationNo (skin contact) Sensitisation)Germ cell mutagenicity:Serious eye damage/irritationSerious eye damage/irritationNo (skin contact) Sensitisation)Reproductive toxicity:Serious eye damage/irritationSerious eye damage/irritationNo (skin contact) Sensitisation)Reproductive toxicity:Serious eye damage/irritationSerious eye damage/irritationNo (skin contact) Sensitisation)Reproductive toxicity:Serious eye damage/irritationSerious eye damage/irritationSerious eye damage/irritation <td< td=""><td></td><td></td><td></td><td>0</td><td></td><td></td><td>Notes</td></td<>				0			Notes
Acute toxicity, by dermal route:       LD50       >2000       mg/kg       Rat       OECD 402 (Acute Dermal Toxicity)         Skin corrosion/irritation:       Rabbit       OECD 404 (Acute Dermal Toxicity)       Mild irritant         Serious eye damage/irritation:       Rabbit       OECD 405 (Acute Eye Irritation/Corrosion)       Not irritant         Serious eye damage/irritation:       Rabbit       OECD 405 (Acute Eye Irritation/Corrosion)       Not irritant         Respiratory or skin sensitisation:       Germ cell mutagenicity:       Guinea pig       OECD 406 (Skin Sensitisation)       No (skin contact)         Germ cell mutagenicity:       Rabbit       OECD 487 (In Vitro Marmalian Cell Micronucleus Test)       Negative         Reproductive toxicity:       Rat       OECD 443 (Extended One-Generation Reproductive Toxicity Study)       Possible risk of impaired fertility.	Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat		
Skin corrosion/irritation:Dermal Toxicity)Skin corrosion/irritation:RabbitOECD 404 (Acute Dermal Irritation/Corrosion)Serious eye damage/irritation:RabbitOECD 405 (Acute Eye Irritation/Corrosion)Serious eye damage/irritation:RabbitOECD 405 (Acute Eye Irritation/Corrosion)Respiratory or skin sensitisation:Guinea pigOECD 406 (Skin Sensitisation)Germ cell mutagenicity:OECD 487 (In Vitro Mammalian Cell Micronucleus Test)NegativeReproductive toxicity:RatOECD 443 (Extended One-Generation Reproductive Toxicity Study)Possible risk of impaired fertility.						l oxicity)	
Skin corrosion/irritation:RabbitOECD 404 (Acute Dermal Irritation/Corrosion)Mild irritantSerious eye damage/irritation:RabbitOECD 405 (Acute Eye Irritation/Corrosion)Not irritantRespiratory or skin sensitisation:Guinea pigOECD 406 (Skin Sensitisation)Not isritantGerm cell mutagenicity:OECD 406 (Skin Sensitisation)No (skin contact) Sensitisation)No (skin contact)Reproductive toxicity:RatOECD 443 (Extended One-Generation Reproductive Toxicity Study)Possible risk of impaired fertility.	Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat		
LengthImage: ConstructionDermal Irritation/Corrosion)Dermal Irritation/Corrosion)Serious eye damage/irritation:Image: ConstructionRabbitOECD 405 (Acute Eye Irritation/Corrosion)Not irritantRespiratory or skin sensitisation:Image: ConstructionGuinea pig Sensitisation)OECD 406 (Skin Sensitisation)No (skin contact) Sensitisation)Germ cell mutagenicity:Image: Construction Image: ConstructionImage: Construction SensitisationNo (skin contact) NegativeReproductive toxicity:Image: Construction Image: ConstructionRatOECD 443 (Extended One-Generation Reproductive Toxicity Study)Possible risk of impaired fertility.							
Serious eye damage/irritation:Irritation/Corrosion)Not irritantSerious eye damage/irritation:RabbitOECD 405 (Acute Eye Irritation/Corrosion)Not irritantRespiratory or skin sensitisation:Guinea pigOECD 406 (Skin Sensitisation)No (skin contact) Sensitisation)Germ cell mutagenicity:OECD 487 (In Vitro Mammalian Cell Micronucleus Test)NegativeReproductive toxicity:RatOECD 443 (Extended One-Generation Reproductive Toxicity Study)Possible risk of impaired fertility.	Skin corrosion/irritation:				Rabbit		Mild irritant
Serious eye damage/irritation:       Rabbit       OECD 405 (Acute Eye Irritation/Corrosion)       Not irritant         Respiratory or skin sensitisation:       Guinea pig       OECD 406 (Skin Sensitisation)       No (skin contact)         Germ cell mutagenicity:       OECD 487 (In Vitro Marmalian Cell Micronucleus Test)       Negative         Reproductive toxicity:       Rat       OECD 443 (Extended One-Generation Reproductive Toxicity Study)       Possible risk of impaired fertility.							
Respiratory or skin sensitisation:       Guinea pig       OECD 406 (Skin Sensitisation)       No (skin contact)         Germ cell mutagenicity:       OECD 487 (In Vitro Mammalian Cell Micronucleus Test)       Negative         Reproductive toxicity:       Rat       OECD 443 (Extended One-Generation Reproductive Toxicity Study)       Possible risk of impaired fertility.							
Respiratory or skin sensitisation:       Guinea pig       OECD 406 (Skin Sensitisation)       No (skin contact)         Germ cell mutagenicity:       OECD 487 (In Vitro Mammalian Cell Micronucleus Test)       Negative         Reproductive toxicity:       Rat       OECD 443 (Extended One-Generation Reproductive Toxicity Study)       Possible risk of impaired fertility.	Serious eye damage/irritation:				Rabbit		Not irritant
sensitisation:       Sensitisation)         Germ cell mutagenicity:       OECD 487 (In Vitro Mammalian Cell Micronucleus Test)       Negative         Reproductive toxicity:       Rat       OECD 443 (Extended One-Generation Reproductive Toxicity Study)       Possible risk of impaired fertility.							
Germ cell mutagenicity:       OECD 487 (In Vitro Mammalian Cell Micronucleus Test)       Negative         Reproductive toxicity:       Rat       OECD 443 (Extended One-Generation Reproductive Toxicity Study)       Possible risk of impaired fertility.	Respiratory or skin				Guinea pig	OECD 406 (Skin	No (skin contact)
Reproductive toxicity:     Rat     Mammalian Cell Micronucleus Test)       Reproductive toxicity:     Rat     OECD 443 (Extended One-Generation Reproductive Toxicity Study)     Possible risk of impaired fertility.	sensitisation:					Sensitisation)	
Reproductive toxicity:     Rat     OECD 443 (Extended One-Generation Reproductive Toxicity Study)     Possible risk of impaired fertility.	Germ cell mutagenicity:						Negative
Reproductive toxicity:       Rat       OECD 443 (Extended One-Generation Reproductive Toxicity Study)       Possible risk of impaired fertility.						Mammalian Cell	
One-Generation impaired fertility. Reproductive Toxicity Study)						Micronucleus Test)	
Reproductive Toxicity Study)	Reproductive toxicity:				Rat		Possible risk of
Study)						One-Generation	impaired fertility.
						Reproductive Toxicity	
Specific target organ toxicity - Negative						Study)	
(togatto	Specific target organ toxicity -						Negative
single exposure (STOT-SE):							
Specific target organ toxicity -         Rat         OECD 422 (Combined         Target organ(s):					Rat		
repeated exposure (STOT-RE): Repeated Dose Tox. Thyroid, Target	repeated exposure (STOT-RE):					Repeated Dose Tox.	Thyroid, Target
Study with the organ(s): liver						Study with the	organ(s): liver
Reproduction/Developm.						Reproduction/Developm.	
Tox. Screening Test)						Tox. Screening Test)	

## 11.2. Information on other hazards

LM 373 N Contact-Grease							
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes	
Endocrine disrupting properties:						Does not apply	
						to mixtures.	
Other information:						No other	
						relevant	
						information	
						available on	
						adverse effects	
						on health.	

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene								
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
Endocrine disrupting properties:						No		

## **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

LM 373 N Contact-Grease								
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes	
12.1. Toxicity to fish:							n.d.a.	
12.1. Toxicity to daphnia:							n.d.a.	
12.1. Toxicity to algae:							n.d.a.	
12.2. Persistence and							n.d.a.	
degradability:								
12.3. Bioaccumulative							n.d.a.	
potential:								
12.4. Mobility in soil:							n.d.a.	



## B Page 9 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease

12.5. Results of PBT	n.d.a.
and vPvB assessment	
12.6. Endocrine	Does not apply
disrupting properties:	to mixtures.
12.7. Other adverse	No information
effects:	available on
	other adverse
	effects on the
	environment.
Other information:	According to the
	recipe, contains
	no ÁOX.

Propylene carbonate								
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes	
12.1. Toxicity to fish:	LC50	96h	>1000	mg/l	Cyprinus caprio	92/69/EC		
12.1. Toxicity to daphnia:	EC50	48h	>1000	mg/l	Daphnia magna	OECD 202		
						(Daphnia sp.		
						Acute		
						Immobilisation		
						Test)		
12.1. Toxicity to algae:	EC50	72h	>900	mg/l	Desmodesmus	OECD 201 (Alga,		
					subspicatus	Growth Inhibition		
						Test)		
12.2. Persistence and			83,5-87-	%		OECD 301 B	Readily	
degradability:			7			(Ready	biodegradable29	
						Biodegradability -	d	
						Co2 Evolution		
12.2. Persistence and	DOC	14d	90-100	%		Test) OECD 301 A		
	DOC	140	90-100	%				
degradability:						(Ready Biodegradability -		
						DOC Die-Away		
						Test)		
12.3. Bioaccumulative	Log Pow		-0,41			1031)	Bioaccumulation	
potential:	Logion		0,41				is unlikely	
potorniai.							(LogPow < 1).,	
							calculated value	
12.5. Results of PBT							No PBT	
and vPvB assessment							substance, No	
							vPvB substance	
Toxicity to bacteria:	EC10	16h	7400	mg/l	Pseudomonas	DIN 38412 T.8		
					putida			
Other information:	AOX		0	%			Does not contain	
							any organically	
							bound halogens	
							which can	
							contribute to the	
							AOX value in	
							waste water.	

Foxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	51	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	



Page 10 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease

12.1. Toxicity to daphnia:	EC10	21d	1,69	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:	Log Koc		3,8				calculated value
12.3. Bioaccumulative potential:	BCF	42d	1730		Cyprinus caprio		Analogous conclusion
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
12.6. Endocrine disrupting properties:							No
Toxicity to bacteria:	EC20	3h	~100	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Toxicity to annelids:	EC10	56d	259	mg/kg	Eisenia foetida	OECD 222 (Earthworm Reproduction Test (Eisenia fetida/Eisenia andrei))	

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

## For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

12 01 12 spent waxes and fats

Recommendation:

ആ

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Implement substance recycling.

E.g. suitable incineration plant.

#### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

#### **SECTION 14: Transport information**

## General statements

## Transport by road/by rail (ADR/RID)

14.1. UN number or ID number:
14.2. UN proper shipping name: Not applicable
14.3. Transport hazard class(es):
14.4. Packing group:
14.5. Environmental hazards: Not applicable

Not applicable Not applicable Not applicable



\_\_\_\_\_ Page 11 of 13

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease

Tunnel restriction code: Classification code: LQ: Transport category:

## Transport by sea (IMDG-code)

14.1. UN number or ID number:
14.2. UN proper shipping name:
Not applicable
14.3. Transport hazard class(es):
14.4. Packing group:
14.5. Environmental hazards:
Marine Pollutant:
EmS:

## Transport by air (IATA)

 14.1. UN number or ID number:
 Not applicable

 14.2. UN proper shipping name:
 Not applicable

 14.3. Transport hazard class(es):
 Not applicable

 14.4. Packing group:
 Not applicable

 14.5. Environmental hazards:
 Not applicable

#### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

## **SECTION 15: Regulatory information**

Not applicable

Not applicable Not applicable

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Regulation (EU) No 649/2012 'concerning the export and import of hazardous chemicals' must be adhered to, as the product contains a substance that falls within the scope of this Regulation.

National requirements/regulations on safety and health protection must be applied when using work equipment.

## 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## **SECTION 16: Other information**

Revised sections:

3, 11, 12

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H361f Suspected of damaging fertility.

H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.

Eye Irrit. — Eye irritation Repr. — Reproductive toxicity Aquatic Chronic — Hazardous to the aquatic environment - chronic

## Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA).



Page 12 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances. ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

ആ

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

#### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) Acute Toxicity Estimate ATF BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dry weight dw for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) EC European Community ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect European Economic Community EEC European Inventory of Existing Commercial Chemical Substances EINECS European List of Notified Chemical Substances ELINCS EN European Norms United States Environmental Protection Agency (United States of America) EPA Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) ErCx,  $E\mu Cx$ , ErLx (x = 10, 50) et cetera etc. European Union FU EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number general aen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow International Agency for Research on Cancer IARC IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) International Maritime Code for Dangerous Goods IMDG-code incl. including, inclusive IUCLID International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil



ദ്ര Page 13 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.08.2023 / 0007 Replacing version dated / version: 01.11.2021 / 0006 Valid from: 10.08.2023 PDF print date: 10.08.2023 LM 373 N Contact-Grease Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities LQ MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. n.d.a. no data available NIOSH National Institute for Occupational Safety and Health (USA) NI P No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic ΡE Polyethylene PNEC Predicted No Effect Concentration ppm parts per million PVC Polyvinylchloride REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List REACH-IT List-No. Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International RID Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods Volatile organic compounds VOC vPvB very persistent and very bioaccumulative wet weight wwt

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

## These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.