

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

### Marine Benzinsystemreiniger

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses of the substance or mixture:

Additives

##### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH  
Jerg-Wieland-Str. 4  
89081 Ulm-Lehr  
Tel.: (+49) 0731-1420-0  
Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

##### Emergency information services / official advisory body:

---

##### Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)  
+1 872 5888271 (LMR)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) 1272/2008 (CLP)

| Hazard class    | Hazard category | Hazard statement  |
|-----------------|-----------------|---|
| Asp. Tox.       | 1               | H304-May be fatal if swallowed and enters airways.      |
| Aquatic Chronic | 3               | H412-Harmful to aquatic life with long lasting effects. |

#### 2.2 Label elements

##### Labeling according to Regulation (EC) 1272/2008 (CLP)



Danger

Page 2 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

H304-May be fatal if swallowed and enters airways. H412-Harmful to aquatic life with long lasting effects.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.  
 P301+P310-IF SWALLOWED: Immediately call a POISON CENTER / doctor. P331-Do NOT induce vomiting.  
 P405-Store locked up.  
 P501-Dispose of contents / container to an approved waste disposal facility.

EUH066-Repeated exposure may cause skin dryness or cracking.  
 EUH208-Contains Maleic anhydride. May produce an allergic reaction.

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics  
 Hydrocarbons, C10, aromatics, >1% naphthalene  
 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

n.a.

### 3.2 Mixtures

| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics   |                             |
|--|-----------------------------|
| Registration number (REACH)  | 01-2119457273-39-XXXX       |
| Index  | ---                         |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 918-481-9                   |
| CAS  | ---                         |
| content %  | 60-90                       |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | EUH066<br>Asp. Tox. 1, H304 |

| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics   |                             |
|--|-----------------------------|
| Registration number (REACH)  | 01-2119456620-43-XXXX       |
| Index  | ---                         |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 926-141-6                   |
| CAS  | ---                         |
| content %  | 1-5                         |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | EUH066<br>Asp. Tox. 1, H304 |

| Hydrocarbons, C10, aromatics, >1% naphthalene                          |   |
|--|---|
| Registration number (REACH)  | 01-2119463588-24-XXXX   |
| Index  | ---   |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 919-284-0   |
| CAS  | (64742-94-5)  |
| content %  | 1-5   |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | EUH066<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411 |

| Naphthalene                 |   |
|-----------------------------|---|
| Registration number (REACH) | Substance for which an EU exposure limit value applies. |
| Index                       | ---   |
|                             | 601-052-00-2  |

Page 3 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

|   |   |
|---|---|
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 202-049-5   |
| <b>CAS</b>  | 91-20-3   |
| <b>content %</b>  | 0,1-<1  |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Acute Tox. 4, H302<br>Carc. 2, H351<br>Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 1, H410 (M=1) |

|   |   |
|---|---|
| <b>Maleic anhydride</b>   |   |
| <b>Registration number (REACH)</b>  | ---   |
| <b>Index</b>  | 607-096-00-9  |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 203-571-6   |
| <b>CAS</b>  | 108-31-6  |
| <b>content %</b>  | <0,001  |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | EUH071<br>Acute Tox. 4, H302<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>Resp. Sens. 1, H334<br>Skin Sens. 1A, H317<br>STOT RE 1, H372 (respiratory system) (as inhalation) |
| <b>Specific Concentration Limits and ATE</b>                                  | Skin Sens. 1A, H317: >=0,001 %  |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

If, for example, the note P is applied for a hydrocarbon then this has already been taken into account for the classification named here.

Quote: "Note P - The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7)."

Article 4 of the regulation (EC) no. 1272/2008 (CLP regulation) was also observed and taken into account for the classification named here.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

#### Skin contact

Wash thoroughly with soap and water - consult doctor if necessary.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

Danger of aspiration.

In case of vomiting, keep head low so that the stomach content does not reach the lungs.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

### 4.3 Indication of any immediate medical attention and special treatment needed

Gastric lavage (stomach washing) only under endotracheal intubation.

Subsequent observation for pneumonia and pulmonary oedema.

## SECTION 5: Firefighting measures

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.12.2021 / 0025

Replacing version dated / version: 01.11.2021 / 0024

Valid from: 02.12.2021

PDF print date: 02.12.2021

Marine Benzinsystemreiniger

## 5.1 Extinguishing media

### Suitable extinguishing media

Alcohol resistant foam

Extinction powder

Water jet spray

### Unsuitable extinguishing media

High volume water jet

## 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of nitrogen

Toxic gases

Flammable vapour/air mixtures

## 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Keep unprotected persons away.

Avoid inhalation, and contact with eyes or skin.

If applicable, caution - risk of slipping.

### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

## 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

## 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

## 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

## 7.1 Precautions for safe handling

### 7.1.1 General recommendations

Ensure good ventilation.

Keep away from sources of ignition - Do not smoke.

Take precautions against electrostatic charges.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.  
 Wash hands before breaks and at end of work.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.  
 Store product closed and only in original packing.  
 Not to be stored in gangways or stair wells.  
 Observe special storage conditions.  
 Solvent resistant floor  
 Do not store with oxidizing agents.  
 Store in a well ventilated place.  
 Protect from direct sunlight and warming.

### 7.3 Specific end use(s)

No information available at present.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40):  
 800 mg/m<sup>3</sup>

| Chemical Name                  | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics   | Content %:60-90 |
|--------------------------------|--|-----------------|
| WEL-TWA: 800 mg/m <sup>3</sup> | WEL-STEL: ---  | ---             |
| Monitoring procedures:         | <ul style="list-style-type: none"> <li>- Draeger - Hydrocarbons 0,1%/c (81 03 571)</li> <li>- Draeger - Hydrocarbons 2/a (81 03 581)</li> <li>- Compur - KITA-187 S (551 174)</li> </ul> |                 |
| BMGV: ---                      | Other information: (OEL acc. to RCP-method, paragraphs 84-87, EH40)  |                 |

| Chemical Name  | Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics   | Content %:1-5 |
|--|--|---------------|
| WEL-TWA: 1200 mg/m <sup>3</sup> (>=C7 normal and branched chain alkanes) | WEL-STEL: ---  | ---           |
| Monitoring procedures:   | <ul style="list-style-type: none"> <li>- Draeger - Hydrocarbons 0,1%/c (81 03 571)</li> <li>- Draeger - Hydrocarbons 2/a (81 03 581)</li> <li>- Compur - KITA-187 S (551 174)</li> </ul> |               |
| BMGV: ---  | Other information: ---   |               |

| Chemical Name                              | Hydrocarbons, C10, aromatics, >1% naphthalene   | Content %:1-5 |
|--|---|---------------|
| WEL-TWA: 500 mg/m <sup>3</sup> (Aromatics) | WEL-STEL: ---   | ---           |
| Monitoring procedures:                     | <ul style="list-style-type: none"> <li>- Draeger - Hydrocarbons 0,1%/c (81 03 571)</li> <li>- Draeger - Hydrocarbons 2/a (81 03 581)</li> </ul> |               |
| BMGV: ---                                  | Other information: ---  |               |

| Chemical Name   | Naphthalene  | Content %:0,1-<1 |
|---|--|------------------|
| WEL-TWA: 500 mg/m <sup>3</sup> (Aromatics) (WEL), 10 ppm (50 mg/m <sup>3</sup> ) (EU) | WEL-STEL: ---  | ---              |
| Monitoring procedures:  | <ul style="list-style-type: none"> <li>- Compur - KITA-153 U(C) (551 182)</li> <li>- NIOSH 5506 (POLYNUCLEAR AROMATIC HYDROCARBONS by HPLC) - 1998</li> <li>- NIOSH 5515 (POLYNUCLEAR AROMATIC HYDROCARBONS by GC) - 1994</li> <li>- OSHA 35 (Naphthalene) - 1982</li> </ul> |                  |
| BMGV: ---   | Other information: ---   |                  |

| Chemical Name                | Maleic anhydride              | Content %:<0,001 |
|------------------------------|-------------------------------|------------------|
| WEL-TWA: 1 mg/m <sup>3</sup> | WEL-STEL: 3 mg/m <sup>3</sup> | ---              |
| Monitoring procedures:       | ---                           |                  |
| BMGV: ---                    | Other information: Sen        |                  |

### Hydrocarbons, C10, aromatics, >1% naphthalene

Page 6 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

| Area of application | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit              | Note |
|---------------------|--|-----------------------------|------------|-------|-------------------|------|
| Consumer            | Human - dermal                             | Long term, systemic effects | DNEL       | 7,5   | mg/kg bw/d        |      |
| Consumer            | Human - inhalation                         | Long term, systemic effects | DNEL       | 32    | mg/m <sup>3</sup> |      |
| Consumer            | Human - oral                               | Long term, systemic effects | DNEL       | 7,5   | mg/kg bw/d        |      |
| Workers / employees | Human - inhalation                         | Long term, systemic effects | DNEL       | 151   | mg/m <sup>3</sup> |      |
| Workers / employees | Human - dermal                             | Long term, systemic effects | DNEL       | 12,5  | mg/kg bw/d        |      |
| Workers / employees | Human - inhalation                         | Long term, systemic effects | DNEL       | 151   | mg/m <sup>3</sup> |      |

| Naphthalene         |   |                             |            |        |                   |      |
|---------------------|---|-----------------------------|------------|--------|-------------------|------|
| Area of application | Exposure route / Environmental compartment    | Effect on health            | Descriptor | Value  | Unit              | Note |
|                     | Environment - freshwater                      |                             | PNEC       | 2,4    | µg/l              |      |
|                     | Environment - marine                          |                             | PNEC       | 0,24   | µg/l              |      |
|                     | Environment - sewage treatment plant          |                             | PNEC       | 2,9    | mg/l              |      |
|                     | Environment - sediment, freshwater            |                             | PNEC       | 0,0672 | mg/kg dry weight  |      |
|                     | Environment - sediment, marine                |                             | PNEC       | 0,0672 | mg/kg dry weight  |      |
|                     | Environment - soil                            |                             | PNEC       | 0,0533 | mg/kg dry weight  |      |
|                     | Environment - sporadic (intermittent) release |                             | PNEC       | 0,02   | mg/l              |      |
| Workers / employees | Human - dermal                                | Long term, systemic effects | DNEL       | 3,57   | mg/kg bw/day      |      |
| Workers / employees | Human - inhalation                            | Long term, systemic effects | DNEL       | 25     | mg/m <sup>3</sup> |      |
| Workers / employees | Human - inhalation                            | Long term, local effects    | DNEL       | 25     | mg/m <sup>3</sup> |      |

| Maleic anhydride    |  |                              |            |          |                   |      |
|---------------------|--|------------------------------|------------|----------|-------------------|------|
| Area of application | Exposure route / Environmental compartment           | Effect on health             | Descriptor | Value    | Unit              | Note |
|                     | Environment - freshwater                             |                              | PNEC       | 0,04281  | mg/l              |      |
|                     | Environment - marine                                 |                              | PNEC       | 0,004281 | mg/l              |      |
|                     | Environment - water, sporadic (intermittent) release |                              | PNEC       | 0,4281   | mg/l              |      |
|                     | Environment - sediment, freshwater                   |                              | PNEC       | 0,334    | mg/kg             |      |
|                     | Environment - sediment, marine                       |                              | PNEC       | 0,0334   | mg/kg             |      |
|                     | Environment - soil                                   |                              | PNEC       | 0,0415   | mg/kg             |      |
|                     | Environment - sewage treatment plant                 |                              | PNEC       | 44,6     | mg/l              |      |
| Workers / employees | Human - inhalation                                   | Long term, systemic effects  | DNEL       | 0,4      | mg/m <sup>3</sup> |      |
| Workers / employees | Human - inhalation                                   | Short term, systemic effects | DNEL       | 0,8      | mg/m <sup>3</sup> |      |
| Workers / employees | Human - inhalation                                   | Long term, local effects     | DNEL       | 0,4      | mg/m <sup>3</sup> |      |
| Workers / employees | Human - inhalation                                   | Short term, local effects    | DNEL       | 0,8      | mg/m <sup>3</sup> |      |

GB

Page 7 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

|                     |                |                              |      |      |            |  |
|---------------------|----------------|------------------------------|------|------|------------|--|
| Workers / employees | Human - dermal | Long term, systemic effects  | DNEL | 0,04 | mg/kg bw/d |  |
| Workers / employees | Human - dermal | Long term, local effects     | DNEL | 0,04 | mg/kg bw/d |  |
| Workers / employees | Human - dermal | Short term, systemic effects | DNEL | 0,04 | mg/kg bw/d |  |
| Workers / employees | Human - dermal | Short term, local effects    | DNEL | 0,04 | mg/kg bw/d |  |

GB WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).  
 (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).  
 (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.  
 \*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.  
 (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.  
 If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.  
 Applies only if maximum permissible exposure values are listed here.  
 Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.  
 These are specified by e.g. EN 14042.  
 EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.  
 Wash hands before breaks and at end of work.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:  
 Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:  
 Solvent resistant protective gloves (EN ISO 374).  
 If applicable  
 Protective Viton® / fluoroelastomer gloves (EN ISO 374).  
 Permeation time (penetration time) in minutes:  
 > 480  
 Minimum layer thickness in mm:  
 > 0,4  
 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.  
 The recommended maximum wearing time is 50% of breakthrough time.  
 Protective hand cream recommended.

Skin protection - Other:  
 Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:  
 If OES or MEL is exceeded.  
 Gas mask filter A (EN 14387), code colour brown  
 At high concentrations:  
 Respiratory protection appliance (insulation device) (e.g. EN 137 or EN 138)  
 Observe wearing time limitations for respiratory protection equipment.



Page 8 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

Thermal hazards:  
 Not applicable

Additional information on hand protection - No tests have been performed.  
 In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.  
 Selection of materials derived from glove manufacturer's indications.  
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.  
 Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.  
 In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.  
 The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|   |  |
|---|--|
| Physical state:   | Liquid   |
| Colour:   | Light yellow   |
| Colour:   | Clear  |
| Odour:  | Characteristic                                       |
| Melting point/freezing point:                             | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability:   | Flammable  |
| Lower explosion limit:                                    | There is no information available on this parameter. |
| Upper explosion limit:                                    | There is no information available on this parameter. |
| Flash point:  | >63 °C   |
| Auto-ignition temperature:                                | There is no information available on this parameter. |
| Decomposition temperature:                                | There is no information available on this parameter. |
| pH:   | Mixture is non-soluble (in water).                   |
| Kinematic viscosity:                                      | <7 mm <sup>2</sup> /s (40°C)                         |
| Solubility:   | Insoluble  |
| Partition coefficient n-octanol/water (log value):        | Does not apply to mixtures.                          |
| Vapour pressure:  | There is no information available on this parameter. |
| Density and/or relative density:                          | 0,820 g/ml (15°C)                                    |
| Relative vapour density:                                  | There is no information available on this parameter. |
| Particle characteristics:                                 | Does not apply to liquids.                           |

### 9.2 Other information

|                    |  |
|--------------------|--|
| Explosives:        | There is no information available on this parameter. |
| Oxidising liquids: | No   |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product has not been tested.

### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

Heating, open flame, ignition sources  
 Electrostatic charge

### 10.5 Incompatible materials

Avoid contact with strong oxidizing agents.  
 Avoid contact with strong acids.

### 10.6 Hazardous decomposition products

No decomposition when used as directed.



Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

| Marine Benzinsystemreiniger                                   |          |       |      |          |             |   |
|---|----------|-------|------|----------|-------------|---|
| Toxicity / effect   | Endpoint | Value | Unit | Organism | Test method | Notes   |
| Acute toxicity, by oral route:                                |          |       |      |          |             | n.d.a.  |
| Acute toxicity, by dermal route:                              |          |       |      |          |             | n.d.a.  |
| Acute toxicity, by inhalation:                                |          |       |      |          |             | n.d.a.  |
| Skin corrosion/irritation:                                    |          |       |      |          |             | Repeated exposure may cause skin dryness or cracking. |
| Serious eye damage/irritation:                                |          |       |      |          |             | n.d.a.  |
| Respiratory or skin sensitisation:                            |          |       |      |          |             | n.d.a.  |
| Germ cell mutagenicity:                                       |          |       |      |          |             | n.d.a.  |
| Carcinogenicity:  |          |       |      |          |             | negative, the real Naphthalene content is <1%         |
| Reproductive toxicity:  |          |       |      |          |             | n.d.a.  |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |       |      |          |             | n.d.a.  |
| Specific target organ toxicity - repeated exposure (STOT-RE): |          |       |      |          |             | n.d.a.  |
| Aspiration hazard:  |          |       |      |          |             | n.d.a.  |
| Symptoms:   |          |       |      |          |             | n.d.a.  |

| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics |          |       |                       |                        |  |                                       |
|--|----------|-------|-----------------------|------------------------|--|---------------------------------------|
| Toxicity / effect  | Endpoint | Value | Unit                  | Organism               | Test method  | Notes                                 |
| Acute toxicity, by oral route:                                       | LD50     | >5000 | mg/kg                 | Rat                    | OECD 401 (Acute Oral Toxicity)                               | Analogous conclusion                  |
| Acute toxicity, by dermal route:                                     | LD50     | >5000 | mg/kg                 | Rabbit                 | OECD 402 (Acute Dermal Toxicity)                             | Analogous conclusion                  |
| Acute toxicity, by inhalation:                                       | LC50     | >4951 | mg/m <sup>3</sup> /4h | Rat                    | OECD 403 (Acute Inhalation Toxicity)                         | Analogous conclusion, Vapours         |
| Skin corrosion/irritation:   |          |       |                       |                        | OECD 404 (Acute Dermal Irritation/Corrosion)                 | Not irritant, Analogous conclusion    |
| Serious eye damage/irritation:                                       |          |       |                       |                        | OECD 405 (Acute Eye Irritation/Corrosion)                    | Not irritant, Analogous conclusion    |
| Respiratory or skin sensitisation:                                   |          |       |                       |                        | OECD 406 (Skin Sensitisation)                                | Not sensitising, Analogous conclusion |
| Germ cell mutagenicity:  |          |       |                       |                        | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)     | Negative, Analogous conclusion        |
| Germ cell mutagenicity:  |          |       |                       |                        | OECD 474 (Mammalian Erythrocyte Micronucleus Test)           | Negative, Analogous conclusion        |
| Germ cell mutagenicity:  |          |       |                       | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                   | Negative                              |
| Carcinogenicity:   |          |       |                       |                        | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies) | Negative, Analogous conclusion        |

Page 10 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

|   |  |  |  |  |  |   |
|---|--|--|--|--|--|---|
| Reproductive toxicity:  |  |  |  |  | OECD 414 (Prenatal Developmental Toxicity Study)               | Negative, Analogous conclusion                                    |
| Specific target organ toxicity - repeated exposure (STOT-RE): |  |  |  |  | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | Negative, Analogous conclusion                                    |
| Aspiration hazard:  |  |  |  |  |  | Yes   |
| Symptoms:   |  |  |  |  |  | unconsciousness, headaches, dizziness, mucous membrane irritation |

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics**

| Toxicity / effect   | Endpoint | Value  | Unit                  | Organism               | Test method  | Notes   |
|---|----------|--------|-----------------------|------------------------|--|---|
| Acute toxicity, by oral route:                                | LD50     | >5000  | mg/kg                 | Rat                    | OECD 401 (Acute Oral Toxicity)                                 |   |
| Acute toxicity, by dermal route:                              | LD50     | >5000  | mg/kg                 | Rabbit                 | OECD 402 (Acute Dermal Toxicity)                               |   |
| Acute toxicity, by inhalation:                                | LC50     | >5000  | mg/m <sup>3</sup> /8h | Rat                    | OECD 403 (Acute Inhalation Toxicity)                           | Vapours   |
| Skin corrosion/irritation:                                    |          |        |                       |                        | OECD 404 (Acute Dermal Irritation/Corrosion)                   | Analogous conclusion, Drying of the skin., Dermatitis (skin inflammation) |
| Serious eye damage/irritation:                                |          |        |                       |                        | OECD 405 (Acute Eye Irritation/Corrosion)                      | Analogous conclusion, Slightly irritant                                   |
| Respiratory or skin sensitisation:                            |          |        |                       | Guinea pig             | OECD 406 (Skin Sensitisation)                                  | No (skin contact), Analogous conclusion                                   |
| Germ cell mutagenicity:                                       |          |        |                       | Mouse                  | in vivo  | Negative  |
| Germ cell mutagenicity:                                       |          |        |                       | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                     | Negative, Analogous conclusion  |
| Germ cell mutagenicity:                                       |          |        |                       |                        | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)       | Negative  |
| Germ cell mutagenicity:                                       |          |        |                       | Mouse                  | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)          | Negative, Analogous conclusion  |
| Carcinogenicity:  |          |        |                       |                        | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies)   | Analogous conclusion, Negative  |
| Reproductive toxicity:  |          |        |                       |                        | OECD 414 (Prenatal Developmental Toxicity Study)               | Analogous conclusion, Negative  |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |        |                       |                        |  | Analogous conclusion, No indications of such an effect.                   |
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOAEL    | >=1000 | mg/kg bw/d            | Rat                    | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |   |
| Aspiration hazard:  |          |        |                       |                        |  | Yes   |

Page 11 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

|           |  |  |  |  |  |   |
|-----------|--|--|--|--|--|---|
| Symptoms: |  |  |  |  |  | drying of the skin.,<br>headaches,<br>fatigue,<br>dizziness,<br>nausea,<br>diarrhoea,<br>vomiting |
|-----------|--|--|--|--|--|---|

| Hydrocarbons, C10, aromatics, >1% naphthalene |          |       |       |          |             |         |
|---|----------|-------|-------|----------|-------------|---------|
| Toxicity / effect                             | Endpoint | Value | Unit  | Organism | Test method | Notes   |
| Acute toxicity, by dermal route:              | LD50     | >2000 | mg/kg | Rabbit   |             |         |
| Acute toxicity, by inhalation:                | LC50     | >590  | mg/m3 | Rat      |             | Vapours |
| Aspiration hazard:                            |          |       |       |          |             | Yes     |

| Naphthalene                        |          |       |         |            |             |  |
|------------------------------------|----------|-------|---------|------------|-------------|--|
| Toxicity / effect                  | Endpoint | Value | Unit    | Organism   | Test method | Notes  |
| Acute toxicity, by oral route:     | LD50     | 490   | mg/kg   | Rat        |             |  |
| Acute toxicity, by dermal route:   | LD50     | >2500 | mg/kg   | Rat        |             |  |
| Acute toxicity, by inhalation:     | LC50     | >110  | mg/l/4h | Rat        |             | Vapours  |
| Respiratory or skin sensitisation: |          |       |         | Guinea pig |             | No (skin contact)  |
| Symptoms:                          |          |       |         |            |             | lack of appetite,<br>ataxia, breathing difficulties,<br>unconsciousness ,<br>diarrhoea,<br>cornea opacity,<br>headaches,<br>cramps,<br>gastrointestinal disturbances,<br>mucous membrane irritation,<br>dizziness,<br>nausea and vomiting.,<br>sweating,<br>Reddening,<br>eyes, reddened |

| Maleic anhydride                   |          |       |         |             |  |                            |
|------------------------------------|----------|-------|---------|-------------|--|----------------------------|
| Toxicity / effect                  | Endpoint | Value | Unit    | Organism    | Test method                                | Notes                      |
| Acute toxicity, by oral route:     | LD50     | 1090  | mg/kg   | Rat         | OECD 401 (Acute Oral Toxicity)             |                            |
| Acute toxicity, by dermal route:   | LD50     | 2620  | mg/kg   | Rabbit      | OECD 402 (Acute Dermal Toxicity)           |                            |
| Acute toxicity, by inhalation:     | LC50     | >4,35 | mg/l/4h | Mouse       |  |                            |
| Skin corrosion/irritation:         |          |       |         | Human being |  | Corrosive                  |
| Skin corrosion/irritation:         |          |       |         | Rat         |  | Corrosive                  |
| Serious eye damage/irritation:     |          |       |         | Rabbit      | OECD 405 (Acute Eye Irritation/Corrosion)  | Eye Dam. 1                 |
| Respiratory or skin sensitisation: |          |       |         | Guinea pig  | OECD 406 (Skin Sensitisation)              | Sensitising (skin contact) |
| Respiratory or skin sensitisation: |          |       |         | Rat         |  | Sensitising (inhalation)   |
| Germ cell mutagenicity:            |          |       |         |             | bacterial                                  | References,<br>Negative    |
| Germ cell mutagenicity:            |          |       |         |             | OECD 471 (Bacterial Reverse Mutation Test) | Negative                   |

Page 12 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

|   |       |      |            |     |   |  |
|---|-------|------|------------|-----|---|--|
| Germ cell mutagenicity:   |       |      |            | Rat | OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) | Negative   |
| Carcinogenicity:  | NOAEL | >100 | mg/kg bw/d | Rat |   | oral   |
| Reproductive toxicity:  | NOAEC | 650  | mg/kg bw/d | Rat |   |  |
| Reproductive toxicity:  | NOAEL | 55   | mg/kg      | Rat | OECD 416 (Two-generation Reproduction Toxicity Study)       |  |
| Symptoms:   |       |      |            |     |   | asthmatic symptoms, breathing difficulties, respiratory distress, burning of the membranes of the nose and throat, blisters, coughing, headaches, gastrointestinal disturbances, mucous membrane irritation, watering eyes, nausea |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral:     | NOAEL | 10   | mg/kg/d    | Rat | OECD 452 (Chronic Toxicity Studies)                         |  |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEC | 3,3  | mg/m3      | Rat | OECD 413 (Subchronic Inhalation Toxicity - 90-Day Study)    | Vapours  |

## 11.2. Information on other hazards

| Marine Benzinsystemreiniger      |          |       |      |          |             |   |
|----------------------------------|----------|-------|------|----------|-------------|---|
| Toxicity / effect                | Endpoint | Value | Unit | Organism | Test method | Notes   |
| Endocrine disrupting properties: |          |       |      |          |             | Does not apply to mixtures.   |
| Other information:               |          |       |      |          |             | No other relevant information available on adverse effects on health. |

| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics |          |       |      |          |             |   |
|--|----------|-------|------|----------|-------------|---|
| Toxicity / effect  | Endpoint | Value | Unit | Organism | Test method | Notes   |
| Other information:   |          |       |      |          |             | Repeated exposure may cause skin dryness or cracking. |

## SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Marine Benzinsystemreiniger

Page 13 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes   |
|--|----------|------|-------|------|----------|-------------|---|
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a.  |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a.  |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a.  |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | Isolate as much as possible with an oil separator.                    |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a.  |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a.  |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a.  |
| 12.6. Endocrine disrupting properties:   |          |      |       |      |          |             | Does not apply to mixtures.   |
| 12.7. Other adverse effects:             |          |      |       |      |          |             | No information available on other adverse effects on the environment. |
| Other information:                       |          |      |       |      |          |             | According to the recipe, contains no AOX.                             |

| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics |          |      |       |      |                                 |  |                                      |
|--|----------|------|-------|------|---------------------------------|--|--------------------------------------|
| Toxicity / effect  | Endpoint | Time | Value | Unit | Organism                        | Test method  | Notes                                |
| 12.5. Results of PBT and vPvB assessment                             |          |      |       |      |                                 |  | No PBT substance, No vPvB substance  |
| Water solubility:  |          |      |       |      |                                 |  | Product floats on the water surface. |
| 12.1. Toxicity to fish:  | LL50     | 96h  | >1000 | mg/l | Oncorhynchus mykiss             | OECD 203 (Fish, Acute Toxicity Test)                               |                                      |
| 12.1. Toxicity to fish:  | NOELR    | 28d  | 0,101 | mg/l | Oncorhynchus mykiss             |  |                                      |
| 12.1. Toxicity to daphnia:   | EL50     | 48h  | >1000 | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)                   |                                      |
| 12.1. Toxicity to daphnia:   | NOELR    | 21d  | 0,176 | mg/l | Daphnia magna                   |  |                                      |
| 12.1. Toxicity to algae:   | EL50     | 72h  | >1000 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            |                                      |
| 12.2. Persistence and degradability:                                 |          | 28d  | 80    | %    | activated sludge                | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Readily biodegradable                |
| Other organisms:   | EL50     | 48h  | >1000 | mg/l | Tetrahymena pyriformis          |  |                                      |

| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics |          |      |       |      |                     |                                      |           |
|--|----------|------|-------|------|---------------------|--------------------------------------|-----------|
| Toxicity / effect  | Endpoint | Time | Value | Unit | Organism            | Test method                          | Notes     |
| Water solubility:  |          |      |       |      |                     |                                      | Insoluble |
| 12.1. Toxicity to fish:  | NOELR    | 28d  | 0,17  | mg/l | Oncorhynchus mykiss | QSAR                                 |           |
| 12.1. Toxicity to fish:  | LL50     | 96h  | >1000 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) |           |
| 12.1. Toxicity to daphnia:   | NOELR    | 21d  | 1,22  | mg/l | Daphnia magna       | QSAR                                 |           |

Page 14 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

|  |         |     |       |      |                                 |  |                                     |
|--|---------|-----|-------|------|---------------------------------|--|-------------------------------------|
| 12.1. Toxicity to daphnia:               | EL50    | 48h | >1000 | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)                   |                                     |
| 12.1. Toxicity to algae:                 | NOELR   | 72h | 1000  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            |                                     |
| 12.2. Persistence and degradability:     |         | 28d | 69    | %    |                                 | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Readily biodegradable               |
| 12.3. Bioaccumulative potential:         | Log Pow |     | 6-8   |      |                                 |  | High                                |
| 12.5. Results of PBT and vPvB assessment |         |     |       |      |                                 |  | No PBT substance, No vPvB substance |

#### Hydrocarbons, C10, aromatics, >1% naphthalene

| Toxicity / effect                    | Endpoint | Time | Value | Unit | Organism                        | Test method  | Notes    |
|--------------------------------------|----------|------|-------|------|---------------------------------|--|----------|
| 12.3. Bioaccumulative potential:     | Log Pow  |      | 3,3   |      |                                 |  |          |
| 12.1. Toxicity to fish:              | LC50     | 96h  | 2-5   | mg/l | Pimephales promelas             |  |          |
| 12.1. Toxicity to daphnia:           | EC50     | 48h  | 3-10  | mg/l | Daphnia magna                   |  |          |
| 12.1. Toxicity to algae:             | EC50     | 72h  | 1 - 3 | mg/l | Pseudokirchneriella subcapitata |  |          |
| 12.2. Persistence and degradability: |          | 28d  | 58    | %    |                                 | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Inherent |
| 12.3. Bioaccumulative potential:     | BCF      |      | <100  |      |                                 |  | Low      |

#### Naphthalene

| Toxicity / effect                    | Endpoint  | Time | Value    | Unit | Organism             | Test method | Notes                                    |
|--------------------------------------|-----------|------|----------|------|----------------------|-------------|--|
| 12.1. Toxicity to fish:              | LC50      | 96h  | 0,11     | mg/l | Oncorhynchus mykiss  |             |  |
| 12.4. Mobility in soil:              | Koc       |      | 240-1300 |      |                      |             |  |
| 12.1. Toxicity to fish:              | LC50      | 96h  | 1,99     | mg/l | Pimephales promelas  |             | Does not conform with EU classification. |
| 12.1. Toxicity to daphnia:           | EC50      | 48h  | 1,6-24,1 | mg/l | Daphnia magna        |             |  |
| 12.1. Toxicity to daphnia:           | NOEC/NOEL | >60d | 0,6      | mg/l | Daphnia pulex        |             |  |
| 12.1. Toxicity to algae:             | ErC50     | 72h  | 0,4      | mg/l | Skeletonema costatum |             |  |
| 12.2. Persistence and degradability: |           | 28d  | 2        | %    |                      |             | Not readily biodegradable                |
| 12.3. Bioaccumulative potential:     | BCF       | 28d  | 40-300   |      |                      |             | Lowfish                                  |
| Other information:                   | BOD5      |      | 0        | %    |                      |             |  |
| Other information:                   | COD       |      | 22       | %    |                      |             |  |
| Other information:                   | Log Pow   |      | 3,3      |      |                      |             |  |

#### Maleic anhydride

| Toxicity / effect          | Endpoint  | Time | Value | Unit | Organism            | Test method | Notes            |
|----------------------------|-----------|------|-------|------|---------------------|-------------|------------------|
| 12.1. Toxicity to fish:    | LC50      | 96h  | 75    | mg/l | Oncorhynchus mykiss |             | EPA-660/3-75-009 |
| 12.1. Toxicity to fish:    | LC50      | 96h  | 75    | mg/l | Lepomis macrochirus |             | EPA-660/3-75-009 |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d  | 10    | mg/l | Daphnia magna       |             |                  |

Page 15 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

|  |         |     |                 |      |                                 |  |                                     |
|--|---------|-----|-----------------|------|---------------------------------|--|-------------------------------------|
| 12.1. Toxicity to daphnia:               | EC50    | 48h | 42,81           | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)                   |                                     |
| 12.1. Toxicity to algae:                 | EC50    | 72h | 74,32           | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            |                                     |
| 12.1. Toxicity to algae:                 | EC10    | 72h | 11,8            | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            |                                     |
| 12.1. Toxicity to algae:                 | EC50    | 72h | 29              | mg/l | Desmodesmus subspicatus         | OECD 201 (Alga, Growth Inhibition Test)                            |                                     |
| 12.1. Toxicity to algae:                 | EC10    | 72h | 23              | mg/l | Desmodesmus subspicatus         | OECD 201 (Alga, Growth Inhibition Test)                            |                                     |
| 12.2. Persistence and degradability:     |         | 7d  | 98              | %    |                                 | OECD 301 E (Ready Biodegradability - Modified OECD Screening Test) | Hydrolysis                          |
| 12.3. Bioaccumulative potential:         | Log Pow |     | -2,61 - (-2,16) |      |                                 |  | Not to be expected                  |
| 12.4. Mobility in soil:                  | Koc     |     | 1               |      |                                 |  | Not to be expected                  |
| 12.5. Results of PBT and vPvB assessment |         |     |                 |      |                                 |  | No PBT substance, No vPvB substance |
| Toxicity to bacteria:                    | EC10    | 18h | 44,6            | mg/l | Pseudomonas putida              | IUCLID Chem. Data Sheet (ESIS)                                     | References                          |
| Other information:                       | Log Pow |     | 1,62            |      |                                 |  |                                     |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

07 07 04 other organic solvents, washing liquids and mother liquors

14 06 03 other solvents and solvent mixtures

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Implement substance recycling.

E.g. suitable incineration plant.

#### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

## SECTION 14: Transport information

### General statements

14.1. UN number or ID number:

n.a.

### Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:



Page 16 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

14.3. Transport hazard class(es): n.a.  
 14.4. Packing group: n.a.  
 Classification code: n.a.  
 LQ: n.a.  
 14.5. Environmental hazards: Not applicable  
 Tunnel restriction code:

### Transport by sea (IMDG-code)

14.2. UN proper shipping name:  
 14.3. Transport hazard class(es): n.a.  
 14.4. Packing group: n.a.  
 Marine Pollutant: n.a.  
 14.5. Environmental hazards: Not applicable

### Transport by air (IATA)

14.2. UN proper shipping name:  
 14.3. Transport hazard class(es): n.a.  
 14.4. Packing group: n.a.  
 14.5. Environmental hazards: Not applicable

### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

### 14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:  
 Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!  
 Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 99,64 %

Observe incident regulations.

### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## SECTION 16: Other information

Revised sections: 2, 3, 8, 11, 12

These details refer to the product as it is delivered.  
 Employee instruction/training in handling hazardous materials is required.

### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used                             |
|---|--|
| Asp. Tox. 1, H304   | Classification according to calculation procedure. |
| Aquatic Chronic 3, H412   | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H372 Causes damage to organs through prolonged or repeated exposure by inhalation.

H317 May cause an allergic skin reaction.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Page 17 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.12.2021 / 0025  
 Replacing version dated / version: 01.11.2021 / 0024  
 Valid from: 02.12.2021  
 PDF print date: 02.12.2021  
 Marine Benzinsystemreiniger

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H336 May cause drowsiness or dizziness.  
 H351 Suspected of causing cancer.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.  
 EUH066 Repeated exposure may cause skin dryness or cracking.  
 EUH071 Corrosive to the respiratory tract.

Asp. Tox. — Aspiration hazard  
 Aquatic Chronic — Hazardous to the aquatic environment - chronic  
 STOT SE — Specific target organ toxicity - single exposure - narcotic effects  
 Acute Tox. — Acute toxicity - oral  
 Carc. — Carcinogenicity  
 Aquatic Acute — Hazardous to the aquatic environment - acute  
 Skin Corr. — Skin corrosion  
 Eye Dam. — Serious eye damage  
 Resp. Sens. — Respiratory sensitization  
 Skin Sens. — Skin sensitization  
 STOT RE — Specific target organ toxicity - repeated exposure

### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.  
 Guidelines for the preparation of safety data sheets as amended (ECHA).  
 Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).  
 Safety data sheets for the constituent substances.  
 ECHA Homepage - Information about chemicals.  
 GESTIS Substance Database (Germany).  
 German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).  
 EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.  
 National Lists of Occupational Exposure Limits for each country as amended.  
 Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to  
 ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 AOX Adsorbable organic halogen compounds  
 approx. approximately  
 Art., Art. no. Article number  
 ASTM ASTM International (American Society for Testing and Materials)  
 ATE Acute Toxicity Estimate  
 BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)  
 BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)  
 BCF Bioconcentration factor  
 BSEF The International Bromine Council  
 bw body weight  
 CAS Chemical Abstracts Service  
 CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)  
 CMR carcinogenic, mutagenic, reproductive toxic  
 DMEL Derived Minimum Effect Level  
 DNEL Derived No Effect Level  
 DOC Dissolved organic carbon  
 dw dry weight  
 e.g. for example (abbreviation of Latin 'exempli gratia'), for instance  
 EbCx, EyCx, EBLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)  
 EC European Community  
 ECHA European Chemicals Agency  
 ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

|  |   |
|--|---|
| EEC  | European Economic Community   |
| EINECS                                     | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS                                     | European List of Notified Chemical Substances   |
| EN   | European Norms  |
| EPA  | United States Environmental Protection Agency (United States of America)  |
| ErCx, E <sub>μ</sub> Cx, ErLx (x = 10, 50) | Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)  |
| etc.                                       | et cetera   |
| EU   | European Union  |
| EVAL                                       | Ethylene-vinyl alcohol copolymer  |
| Fax.                                       | Fax number  |
| gen.                                       | general   |
| GHS  | Globally Harmonized System of Classification and Labelling of Chemicals   |
| GWP  | Global warming potential  |
| Koc  | Adsorption coefficient of organic carbon in the soil  |
| Kow  | octanol-water partition coefficient   |
| IARC                                       | International Agency for Research on Cancer   |
| IATA                                       | International Air Transport Association   |
| IBC (Code)                                 | International Bulk Chemical (Code)  |
| IMDG-code                                  | International Maritime Code for Dangerous Goods   |
| incl.                                      | including, inclusive  |
| IUCLID                                     | International Uniform Chemical Information Database   |
| IUPAC                                      | International Union for Pure Applied Chemistry  |
| LC50                                       | Lethal Concentration to 50 % of a test population   |
| LD50                                       | Lethal Dose to 50% of a test population (Median Lethal Dose)  |
| Log Koc                                    | Logarithm of adsorption coefficient of organic carbon in the soil   |
| Log Kow, Log Pow                           | Logarithm of octanol-water partition coefficient  |
| LQ   | Limited Quantities  |
| MARPOL                                     | International Convention for the Prevention of Marine Pollution from Ships  |
| n.a.                                       | not applicable  |
| n.av.                                      | not available   |
| n.c.                                       | not checked   |
| n.d.a.                                     | no data available   |
| NIOSH                                      | National Institute for Occupational Safety and Health (USA)   |
| NLP  | No-longer-Polymer   |
| NOEC, NOEL                                 | No Observed Effect Concentration/Level  |
| OECD                                       | Organisation for Economic Co-operation and Development  |
| org.                                       | organic   |
| OSHA                                       | Occupational Safety and Health Administration (USA)   |
| PBT  | persistent, bioaccumulative and toxic   |
| PE   | Polyethylene  |
| PNEC                                       | Predicted No Effect Concentration   |
| ppm  | parts per million   |
| PVC  | Polyvinylchloride   |
| REACH                                      | Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)   |
| REACH-IT List-No.                          | 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. |
| RID  | Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)   |
| SVHC                                       | Substances of Very High Concern   |
| Tel.                                       | Telephone   |
| TOC  | Total organic carbon  |
| UN RTDG                                    | United Nations Recommendations on the Transport of Dangerous Goods  |
| VOC  | Volatile organic compounds  |
| vPvB                                       | very persistent and very bioaccumulative  |
| wwt  | wet weight  |

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90**

Page 19 of 19

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.12.2021 / 0025

Replacing version dated / version: 01.11.2021 / 0024

Valid from: 02.12.2021

PDF print date: 02.12.2021

Marine Benzinsystemreiniger

---

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.