

Page 1 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

അ

Motorbike 4T 5W-40 HC Scooter

 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Motor oil

 Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (LMR) +1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP) The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).



Page 2 of 16

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3.2 Mixtures

3.2 Mixtures	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	
Registration number (REACH)	01-2119474889-13-XXXX
Index	649-483-00-5
EINECS, ELINCS, NLP, REACH-IT List-No.	276-738-4
CAS	72623-87-1
content %	40-60
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Asp. Tox. 1, H304
Baseoil - unspecified *	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	
content %	1-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic	
Registration number (REACH)	01-2119487077-29-XXXX
Index	649-468-00-3
EINECS, ELINCS, NLP, REACH-IT List-No.	265-158-7
CAS	64742-55-8
content %	1-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Asp. Tox. 1, H304
Bis(nonylphenyl)amine	
Registration number (REACH)	01-2119488911-28-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	253-249-4
CAS	36878-20-3
content %	1-<2,5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Aquatic Chronic 4, H413
Specific Concentration Limits and ATE	ATE (oral): >10000 mg/kg
	ATE (dermal): >5000 mg/kg
	ATE (as inhalation, Aerosol): >20

Impurities, test data and additional information may have been taken into account in classifying and labelling the product. For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

* The contained mineral oil can be described by one or more of the following numbers:

EINECS, ELINCS, NLP, REACH-	Registration number (REACH)	Chemical name
IT List-No.		
265-157-1	01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic
265-158-7	01-2119487077-29-XXXX	Distillates (petroleum), hydrotreated light paraffinic
265-169-7	01-2119471299-27-XXXX	Distillates (petroleum), solvent-dewaxed heavy paraffinic
265-159-2	01-2119480132-48-XXXX	Distillates (petroleum), solvent-dewaxed light paraffinic

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!



Page 3 of 16

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

with long-term contact: Drying of the skin.

Dermatitis (skin inflammation)

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

CO2 Dry extinguisher Foam

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Toxic gases Flammable vapour/air mixtures

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions



Page 4 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter

If leakage occurs, dam up.

അ

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

Fill the absorbed material into lockable containers.

Do not wash away with water or watery cleaning agents.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid formation of oil mist.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells. Store product closed and only in original packing. Protect from direct sunlight and warming. Store in a well ventilated place. Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name O	Dil mist, mineral			Content %:
WEL-TWA: 5 mg/m3 (Mineral oil, excl	luding metal	WEL-STEL:		
working fluids, ACGIH)	-			
Monitoring procedures:	-	Draeger - Oil Mist 1/a (67 33 031)		
BMGV:			Other information: -	

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based										
Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note				
	Environmental									
	compartment									
	Human - oral		PNEC	9,33	mg/kg feed					
Consumer	Human - inhalation	Long term, local effects	DNEL	1,2	mg/m3	24h				
Workers / employees	Human - inhalation	Long term, local effects	DNEL	5,4	mg/m3	8h				

Distillates (petroleum), hydrotreated light paraffinic



Page 5 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter

ആ

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - oral (animal feed)		PNEC	9,33	mg/kg feed	
Consumer	Human - inhalation	Long term, local effects	DNEL	1,19	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,74	mg/kg bw/day	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,97	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	2,7	mg/m3	

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,1	mg/l	
	Environment - marine		PNEC	0,01	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	1	mg/l	
	Environment - sewage treatment plant		PNEC	1	mg/l	
	Environment - sediment, freshwater		PNEC	132000	mg/kg dw	
	Environment - sediment, marine		PNEC	13200	mg/kg dw	
	Environment - soil		DNEL	263000	mg/kg dw	
	Environment - periodic release		PNEC	1	mg/kg	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,25	mg/kg bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	1,09	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	0,31	mg/kg	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,62	mg/kg	
Vorkers / employees Human - inhalation		Long term, systemic effects	DNEL	4,37	mg/m3	

Distillates (petroleum), hydrotreated heavy paraffinic									
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note			
	Environment - oral (animal feed)		PNEC	9,33	mg/kg feed				

(B) WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU), 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).



Page 6 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

ആ

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). If applicable Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: 0,5 Permeation time (penetration time) in minutes: 480 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: If OES or MEL is exceeded. Filter A P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Colour: Odour: D**roperties** Liquid Brown Characteristic



Page 7 of 16

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter

Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lower explosion limit: Upper explosion limit: Flash point: Auto-ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Kinematic viscosity: Solubility: Partition coefficient n-octanol/water (log value): Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics:

9.2 Other information

Explosives: Oxidising liquids:

There is no information available on this parameter. There is no information available on this parameter. Flammable There is no information available on this parameter. There is no information available on this parameter. 230 °C There is no information available on this parameter. There is no information available on this parameter. Mixture is non-soluble (in water). 100,6 mm2/s (40°C) 14,5 mm2/s (100°C) Insoluble Does not apply to mixtures. There is no information available on this parameter. 0.854 g/ml There is no information available on this parameter. Does not apply to liquids.

Product is not explosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** Open flame, ignition sources **10.5 Incompatible materials** Avoid contact with strong oxidizing agents. **10.6 Hazardous decomposition products** No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	-					n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based



Page 8 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter

œ

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute	
Acute toxicity, by definial foure.	LDSU	20000	iiig/kg	Rabbit	Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	>5,53	mg/l/4h	Rat	OECD 403 (Acute	
	2000	20,00			Inhalation Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant,
					Dermal	Repeated
					Irritation/Corrosion)	exposure may
						cause skin
						dryness or
						cracking.
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye	Not irritant
					Irritation/Corrosion)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	No (skin contact
sensitisation:					Sensitisation)	N1 (1
Germ cell mutagenicity:				Salmonella	OECD 471 (Bacterial	Negative,
				typhimurium	Reverse Mutation Test)	Analogous
						conclusion
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative,
					Mammalian Chromosome	Analogous conclusion
					Aberration Test)	Chinese hamste
Germ cell mutagenicity:				Mouse	OECD 476 (In Vitro	Negative,
Germ cen mutagementy.				NICUSE	Mammalian Cell Gene	Analogous
					Mutation Test)	conclusion
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian	Negative,
Connice matagementy.				mouse	Erythrocyte	Analogous
					Micronucleus Test)	conclusion
Carcinogenicity:					OECD 453 (Combined	Negative
5					Chronic	0
					Toxicity/Carcinogenicity	
					Studies)	
Carcinogenicity:				Mouse	OECD 451	Negative,
					(Carcinogenicity Studies)	Analogous
B						conclusion
Reproductive toxicity:					OECD 414 (Prenatal	Negative
					Developmental Toxicity	
Bonroductive toxicity					Study) OECD 421	Negotivo
Reproductive toxicity:					(Reproduction/Developm	Negative
					ental Toxicity Screening	
					Test)	
Reproductive toxicity:				Rat	OECD 421	Negative,
					(Reproduction/Developm	Analogous
					ental Toxicity Screening	conclusion
					Test)	
Specific target organ toxicity -					OECD 453 (Combined	Negative
repeated exposure (STOT-RE):					Chronic	
					Toxicity/Carcinogenicity	
					Studies)	
Specific target organ toxicity -					OECD 408 (Repeated	Negative
repeated exposure (STOT-RE):					Dose 90-Day Oral	
					Toxicity Study in	
0 10 1 1					Rodents)	
Specific target organ toxicity -					OECD 410 (Repeated	Negative
repeated exposure (STOT-RE):					Dose Dermal Toxicity -	
Openifie towned arms to daily					90-Day)	Magative
Specific target organ toxicity -					OECD 411 (Subchronic	Negative
repeated exposure (STOT-RE):					Dermal Toxicity - 90-day	
	1	1		1	Study)	



Safety data sheet according to Re Revision date / version: 01.11.202 Replacing version dated / version Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter	21 / 0006					
Specific target organ toxicity - repeated exposure (STOT-RE):					OECD 412 (Subacute Inhalation Toxicity - 28- Day Study)	Negative
Aspiration hazard:						Asp. Tox. 1
Baseoil - unspecified	-					
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Respiratory or skin sensitisation:						No (skin contact), Analogous conclusion
Symptoms:						mucous membrane irritation
Specific target organ toxicity - single exposure (STOT-SE), inhalative:						Irritation of the respiratory tract
Distillates (petroleum), hydrotro	eated light pa	raffinic				
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	Analogous conclusion
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	Analogous conclusion
Acute toxicity, by inhalation:	LC50	>5,53	mg/l/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Aerosol, Analogous conclusion
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant, Analogous conclusion
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant, Analogous conclusion
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact), Analogous conclusion
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative, Analogous conclusion
Germ cell mutagenicity:				Mammalian	OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative, Analogous conclusionChine e hamster
Carcinogenicity:				Mouse	OECD 451 (Carcinogenicity Studies)	Negative, Analogous conclusionderma
Reproductive toxicity:	NOAEL	1000	mg/kg bw/d	Rat	OECD 421 (Reproduction/Developm ental Toxicity Screening Test)	Analogous conclusionderma
Reproductive toxicity (Developmental toxicity):				Rat	OECD 414 (Prenatal Developmental Toxicity Study)	Negative, Analogous conclusion
Aspiration hazard: Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	125	mg/kg bw/d	Rat	OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Yes Analogous conclusion
Specific target organ toxicity - repeated exposure (STOT-RE), dermal:	NOAEL	<30	mg/kg bw/d	Rat	OECD 411 (Subchronic Dermal Toxicity - 90-day Study)	Analogous conclusion



Page 10 of 16
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 01.11.2021 / 0006
Replacing version dated / version: 26.05.2020 / 0005
Valid from: 01.11.2021
PDF print date: 01.11.2021
Motorbike 4T 5W-40 HC Scooter

- @B-

Specific target organ toxicity -	NOAEL	1000	mg/kg	Rabbit	OECD 410 (Repeated	Analogous
repeated exposure (STOT-RE),					Dose Dermal Toxicity -	conclusion
dermal:					90-Day)	
Specific target organ toxicity -	NOAEL	0,05	mg/l	Rat	OECD 412 (Subacute	Aerosol,
repeated exposure (STOT-RE),					Inhalation Toxicity - 28-	Analogous
inhalat.:					Day Study)	conclusion
Specific target organ toxicity -	NOAEL	0,15	mg/l	Rat		Aerosol,
repeated exposure (STOT-RE),						Analogous
inhalat.:						conclusion13
						weeks

Bis(nonylphenyl)amine Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	Analogous
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	Analogous
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact), Analogous conclusion
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative, Analogous conclusion
Germ cell mutagenicity:				Mouse	OECD 478 (Genetic Toxicology - Rodent dominant Lethal Test)	Negative, Analogous conclusion
Germ cell mutagenicity:				Mammalian	OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative, Analogous conclusion
Reproductive toxicity (Developmental toxicity):	NOAEL	150	mg/kg bw/d	Rat	OECD 414 (Prenatal Developmental Toxicity Study)	Negative
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	<100	mg/kg bw/d	Rat	OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	

11.2. Information on other hazards

Motorbike 4T 5W-40 HC Scoote	r					
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting properties:						Does not apply
						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

SECTION 12: Ecological information

on on environmen	tal effects, se	ee Section 2	.1 (classific	ation).		
C Scooter			·			
Endpoint	Time	Value	Unit	Organism	Test method	Notes
						n.d.a.
	C Scooter	C Scooter	C Scooter	C Scooter		C Scooter



Page 11 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter

œ.

12.1. Toxicity to daphnia:	n.d.a.
12.1. Toxicity to algae:	n.d.a.
12.2. Persistence and	n.d.a.
degradability:	
12.3. Bioaccumulative	n.d.a.
potential:	
12.4. Mobility in soil:	n.d.a.
12.5. Results of PBT	n.d.a.
and vPvB assessment	
12.6. Endocrine	Does not apply
disrupting properties:	to mixtures.
12.7. Other adverse	No information
effects:	available on
	other adverse
	effects on the
	environment.

egradability: (Ready Biodegradability - Co2 Evolution Test) biodegradable 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT substance, No	Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
2.1. Toxicity to fish: NOEC/NOEL 96h >=100 mg/l Pimephales promelas OECD 203 (Fish, Acute Toxicity Test) 2.1. Toxicity to fish: LL50 96h >100 mg/l Pimephales promelas promelas OECD 203 (Fish, Acute Toxicity Test) 2.1. Toxicity to daphnia: EL50 48h >1000 mg/l Daphnia magna OECD 202 (Daphnia sp. Acute Toxicity Test) 2.1. Toxicity to daphnia: NOEC/NOEL 21d 10 mg/l Daphnia magna of CED 201 (Daphnia regna OECD 201 (Daphnia regna (Daphnia regna Reproduction Test) 2.1. Toxicity to daphnia: NOEC/NOEL 21d 10 mg/l Daphnia magna of CED 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: NOEC/NOEL 72h >=100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) Not readily biodegradability - Co2 Evolution Test) Not readily biodegradability - Co2 Evolution Test) Not readily Biodegradability - Co2 Evolution Test) A notable biological accumulatina 	Toxicity to bacteria:	NOEC/NOEL	10min	> 1,93	mg/l	activated sludge		DIN 38412
2.1. Toxicity to fish: LL50 96h > 100 mg/l Pimephales promelas Acute Toxicity Test) 2.1. Toxicity to daphnia: EL50 48h >10000 mg/l Daphnia magna OECD 202 (Fish, Acute Toxicity Test) 2.1. Toxicity to daphnia: EL50 48h >10000 mg/l Daphnia magna OECD 202 (Japhnia sp. Acute Immobilisation Test) 2.1. Toxicity to daphnia: NOEC/NOEL 21d 10 mg/l Daphnia magna OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: NOEC/NOEL 72h >=100 mg/l Pseudokirchneriell a subcapitata Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability- Co2 Evolution Test) Not readily biodegradability- Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 Image: Second Second ClogPow > 3). A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPVB assessment Image: Second Image: Second Image: Second Image: Second Image: Second	12.1. Toxicity to fish:						OECD 203 (Fish,	
2.1. Toxicity to fish:LL5096h> 100mg/lPimephales promelasOECD 203 (Fish, Acute Toxicity Test)2.1. Toxicity to daphnia:EL5048h>10000mg/lDaphnia magnaOECD 202 (Daphnia sp. Acute Immobilisation Test)2.1. Toxicity to daphnia:NOEC/NOEL21d10mg/lDaphnia magna eproduction Test)2.1. Toxicity to daphnia:NOEC/NOEL21d10mg/lDaphnia magna eproduction Test)2.1. Toxicity to algae:NOEC/NOEL72h>=100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.1. Toxicity to algae:EL5048h>100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.1. Toxicity to algae:EL5048h>100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.2. Persistence and egradability:28d46%OECD 301 B (Ready Biodegradability- Co2 Evolution Test)Not readily biodegradability- Co2 Evolution Test)2.3. Bioaccumulative otential:Log Kow>6A notable biological accumulation potential has to biological accumulation potential has to substance, NoA notable biological accumulation potential has to substance, No2.5. Results of PBT nd vPvB assessmentImagenericSecond substance, NoNo PBT substance, No	2				Ū			
2.1. Toxicity to fish: LL50 96h > 100 mg/l Pimephales promelas OECD 203 (Fish, Acute Toxicity Test) 2.1. Toxicity to daphnia: EL50 48h >10000 mg/l Daphnia magna OECD 202 (Daphnia sp. Acute Immobilisation Test) 2.1. Toxicity to daphnia: NOEC/NOEL 21d 10 mg/l Daphnia magna OECD 211 (Daphnia sp. Acute Immobilisation Test) 2.1. Toxicity to algae: NOEC/NOEL 72h >=100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Read) Biodegradability - Co2 Evolution Test) Not readily biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 OECD 301 B (Read) Biodegradability - Co2 Evolution Test) A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT not vPVB asse								
2.1. Toxicity to daphnia: EL50 48h >10000 mg/l Daphnia magna Acute Toxicity Test) 2.1. Toxicity to daphnia: NOEC/NOEL 21d 10 mg/l Daphnia magna OECD 202 (Daphnia sp. Acute Immobilisation Test) 2.1. Toxicity to daphnia: NOEC/NOEL 21d 10 mg/l Daphnia magna 2.1. Toxicity to algae: NOEC/NOEL 72h >=100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.2. Persistence and egradability: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability- Co2 Evolution Test) Not readily biodegradability- Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 Image: Seesend	12.1. Toxicity to fish:	LL50	96h	> 100	ma/l	Pimephales		
2.1. Toxicity to daphnia: EL50 48h >10000 mg/l Daphnia magna OECD 202 (Daphnia sp. Acute Immobilisation Test) 2.1. Toxicity to daphnia: NOEC/NOEL 21d 10 mg/l Daphnia magna OECD 211 (Daphnia magna Reproduction Test) 2.1. Toxicity to algae: NOEC/NOEL 21d 10 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: NOEC/NOEL 72h >=100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) Not readily biodegradability- Co2 Evolution 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability- Co2 Evolution Test) Not readily biodegradability- Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 Image: Secreted (LogPow > 3). A notable biological accumulation potential has to be expected (LogPow > 3). No PBT No PBT	· · · · · · ·				5			
2.1. Toxicity to daphnia: EL50 48h >10000 mg/l Daphnia magna OECD 202 (Daphnia sp. Acute Immobilisation Test) 2.1. Toxicity to daphnia: NOEC/NOEL 21d 10 mg/l Daphnia magna OECD 211 (Daphnia magna Reproduction Test) 2.1. Toxicity to algae: NOEC/NOEL 72h >=100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) Not readily biodegradability: 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) Not readily biodegradability: 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) Not readily biodegradability - Co2 Evolution Test) A notable biological accumulative otential: 2.3. Bioaccumulative otential: Log Kow >6 Image: State of PBT not VPVB assessment A notable biological accumulation potential has to be expected (LogPow >3). No PBT substance, No								
2.1. Toxicity to daphnia: NOEC/NOEL 21d 10 mg/l Daphnia magna OECD 211 (Daphnia magna Reproduction Test) 2.1. Toxicity to algae: NOEC/NOEL 72h >=100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) Not readily biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). No PBT substance, No PBT	12.1. Toxicity to daphnia:	EL50	48h	>10000	ma/l	Daphnia magna	OECD 202	
Acute Immobilisation Test)2.1. Toxicity to daphnia: 2.1. Toxicity to algae: 2.1. Toxicity to algae:NOEC/NOEL 72h21d10mg/lDaphnia magna Reproduction Test)2.1. Toxicity to algae: 2.1. Toxicity to algae:NOEC/NOEL 72h72h>=100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.1. Toxicity to algae: 2.2. Persistence and egradability:EL5048h>100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.2. Persistence and egradability:28d46%OECD 301 B (Ready Biodegradability - Co2 Evolution Test)Not readily biodegradability - Co2 Evolution Test)2.3. Bioaccumulative otential:Log Kow>6A notable biological accumulation potential has to biological accumulation potential has to biological accumul			_		5	1		
Immobilisation Test)Immobilisation Test)2.1. Toxicity to daphnia:NOEC/NOEL21d10mg/lDaphnia magna Reproduction Test)2.1. Toxicity to algae:NOEC/NOEL72h>=100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.1. Toxicity to algae:EL5048h>100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.1. Toxicity to algae:EL5048h>100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition2.2. Persistence and egradability:28d46%OECD 301 B (Ready Biodegradability - Co2 Evolution Test)Not readily biodegradability - Co2 Evolution Test)2.3. Bioaccumulative otential:Log Kow>6A notable biological accumulation potential has to be expected (LogPow > 3).A notable biological accumulation potential has to be expected (LogPow > 3).								
2.1. Toxicity to daphnia:NOEC/NOEL21d10mg/lDaphnia magna mg/lOECD 211 (Daphnia magna Reproduction Test)2.1. Toxicity to algae:NOEC/NOEL72h>=100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.1. Toxicity to algae:EL5048h>100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.1. Toxicity to algae:EL5048h>100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.2. Persistence and egradability:28d46%OECD 301 B (Ready Biodegradability - Co2 Evolution Test)Not readily biodegradability - Co2 Evolution Test)2.3. Bioaccumulative otential:Log Kow>6A notable 							Immobilisation	
2.1. Toxicity to daphnia: NOEC/NOEL 21d 10 mg/l Daphnia magna OECD 211 (Daphnia magna Reproduction Test) 2.1. Toxicity to algae: NOEC/NOEL 72h >=100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) Not readily biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 >6 A notable biological accumulation potential has to be expected (LogPow >3). No PBT nd VPVB assessment No PBT								
2.1. Toxicity to algae: NOEC/NOEL 72h >=100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.2. Persistence and egradability: 22. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) Not readily biodegradable biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 >6 A notable biological accumulation potential has to be expected (LogPow >3). 2.5. Results of PBT nd VPVB assessment No PBT No PBT No PBT	12.1. Toxicity to daphnia:	NOEC/NOEL	21d	10	ma/l	Daphnia magna	OECD 211	
2.1. Toxicity to algae:NOEC/NOEL72h>=100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.1. Toxicity to algae:EL5048h>100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.2. Persistence and egradability:EL5048h>100mg/lPseudokirchneriell a subcapitataOECD 201 (Alga, Growth Inhibition Test)2.2. Persistence and egradability:EL5048h>100mg/lPseudokirchneriell a subcapitataNot readily biodegradability - Co2 Evolution Test)2.2. Persistence and egradability:28d46%OECD 301 B (Ready Biodegradability - Co2 Evolution Test)2.3. Bioaccumulative otential:Log Kow>6A notable biological accumulation potential has to be expected (LogPow > 3).2.5. Results of PBT nd VPVB assessmentLog KowNo PBT substance, NoNo PBT					5	1		
2.1. Toxicity to algae: NOEC/NOEL 72h >=100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.2. Persistence and egradability: 228 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) Not readily biodegradability - Co2 Evolution Test) 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) A notable biological accumulation potential has to be expected (Log Pow >3). 2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (Log Pow >3). 2.5. Results of PBT nd VPVB assessment No PBT No PBT No PBT								
2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata Growth Inhibition Test) 2.2. Persistence and egradability: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) Not readily biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). A notable biological accumulation potential has to be expected (LogPow > 3).	12.1. Toxicity to algae:	NOEC/NOEL	72h	>=100	ma/l	Pseudokirchneriell		
Z.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.2. Persistence and egradability:					5	a subcapitata		
2.1. Toxicity to algae: EL50 48h >100 mg/l Pseudokirchneriell a subcapitata OECD 201 (Alga, Growth Inhibition Test) 2.2. Persistence and egradability: 28 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) Not readily biodegradable Biodegradability - Co2 Evolution Test) 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 >6 A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT No PBT								
2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) Not readily biodegradable 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) Not readily biodegradable 2.3. Bioaccumulative otential: Log Kow >6 >6 A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT substance, No	12.1. Toxicity to algae:	EL50	48h	>100	ma/l	Pseudokirchneriell		
2.2. Persistence and egradability:Test)2.2. Persistence and egradability:0ECD 301 B (Ready Biodegradability- Co2 Evolution Test)Not readily biodegradable Biodegradability- Co2 Evolution Test)2.2. Persistence and egradability:28d46%OECD 301 B (Ready Biodegradability- Co2 Evolution Test)2.3. Bioaccumulative otential:Log Kow>6A notable biological accumulation potential has to be expected (LogPow > 3).2.5. Results of PBT nd vPvB assessmentNot readily accumulationNot readily biodegradability- Co2 Evolution Test)			_		5	a subcapitata		
egradability: (Ready Biodegradability - Co2 Evolution Test) biodegradable 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT substance, No								
egradability: (Ready Biodegradability - Co2 Evolution Test) biodegradable 2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT substance, No	12.2. Persistence and							Not readily
2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT substance, No	degradability:							
2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT substance, No	,							J
2.2. Persistence and egradability: 28d 46 % OECD 301 B (Ready Biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT substance, No								
egradability: (Ready Biodegradability - Co2 Evolution Test) 2.3. Bioaccumulative otential: Log Kow >6 2.3. Bioaccumulative otential: Log Kow >6 2.5. Results of PBT nd vPvB assessment No PBT substance, No							Test)	
2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT substance, No	12.2. Persistence and		28d	46	%		OECD 301 B	
2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT substance, No	degradability:						(Ready	
2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT substance, No	0							
2.3. Bioaccumulative otential: Log Kow >6 A notable biological accumulation potential has to be expected (LogPow > 3). 2.5. Results of PBT nd vPvB assessment No PBT substance, No								
otential: 2.5. Results of PBT nd vPvB assessment biological accumulation biological accumulation potential has to be expected (LogPow > 3). No PBT substance, No							Test)	
otential: 2.5. Results of PBT nd vPvB assessment biological accumulation biological accumulation potential has to be expected (LogPow > 3). No PBT substance, No	12.3. Bioaccumulative	Log Kow		>6				A notable
2.5. Results of PBT nd vPvB assessment No PBT substance, No	potential:							biological
2.5. Results of PBT nd vPvB assessment No PBT substance, No								accumulation
LogPow > 3). (LogPow > 3). 2.5. Results of PBT No PBT nd vPvB assessment substance, No								potential has to
2.5. Results of PBT No PBT nd vPvB assessment substance, No								be expected
2.5. Results of PBT No PBT nd vPvB assessment substance, No								(LogPow > 3).
	12.5. Results of PBT							No PBT
	and vPvB assessment							substance, No
								vPvB substance
	Baseoil - unspecified							
	Faulation Laffa at						-	

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Pimephales		
					promelas		



B Page 12 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter

12.1. Toxicity to daphnia:	EC50	48h	>10000	mg/l	Daphnia magna		
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	>10	mg/l	Daphnia magna		
12.2. Persistence and		28d	31	%		OECD 301 B	Not readily
degradability:						(Ready	biodegradable
						Biodegradability -	-
						Co2 Evolution	
						Test)	

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	NOEC/NOEL	28d	>1000	mg/l	Oncorhynchus mykiss	QSAR	
12.1. Toxicity to fish:	LL50	96h	>100	mg/l	Pimephales promelas	OECD 203 (Fish, Acute Toxicity Test)	Analogous conclusion
12.1. Toxicity to fish:	NOEC/NOEL	14d	1000	mg/l	Oncorhynchus mykiss	QSAR	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	10	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	Analogous conclusion
12.3. Bioaccumulative potential:							Not to be expected
12.1. Toxicity to daphnia:	EL50	48h	> 10000	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	Analogous conclusion
12.1. Toxicity to algae:	NOEC/NOEL	72h	>=100	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	Analogous conclusion
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	Analogous conclusion
12.2. Persistence and degradability:		28d	31	%	activated sludge	OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Not readily biodegradable, Analogous conclusion
12.3. Bioaccumulative potential:	Log Pow		>6				@20°C
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

Bis(nonylphenyl)amine Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and		28d	24	%		OECD 301 C	Not readily
degradability:						(Ready	biodegradable
						Biodegradability -	
						Modified MITI	
						Test (I))	
12.4. Mobility in soil:							Adsorption in
	-						ground.
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Brachydanio rerio	OECD 203 (Fish,	Analogous
						Acute Toxicity	conclusion
						Test)	
12.1. Toxicity to daphnia:	EC50	48h	>100	mg/l	Daphnia magna	OECD 202	
						(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	EC50	72h	> 100	mg/l	Desmodesmus	OECD 201 (Alga,	Analogous
					subspicatus	Growth Inhibition	conclusion
						Test)	



Page 13 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter

12.1. Toxicity to algae:	NOEC/NOEL	72h	>10	mg/l	Desmodesmus subspicatus		Analogous conclusion
12.2. Persistence and degradability:		28d	1	%	activated sludge	OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Not readily biodegradable, Analogous conclusion
12.3. Bioaccumulative potential:	Log Pow		>7,6				A notable biological accumulation potential has to be expected (LogPow > 3).
12.3. Bioaccumulative potential:	BCF		1730				High
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50	3h	>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	Analogous conclusion

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of.

EC disposal code no.:

œ

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 02 06 synthetic engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

15 01 01 paper and cardboard packaging

15 01 02 plastic packaging

15 01 04 metallic packaging

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements 14.1. UN number or ID number: Transport by road/by rail (ADR/RID)	n.a.
14.2. UN proper shipping name: 14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Classification code:	n.a.
LQ:	n.a.



- (8)		
Page 14 of 16 Safety data sheet according to Regulation (EC) No 1907/2006	Anney II	
Revision date / version: 01.11.2021 / 0006		
Replacing version dated / version: 26.05.2020 / 0005		
Valid from: 01.11.2021		
PDF print date: 01.11.2021		
Motorbike 4T 5W-40 HC Scooter		
14.5. Environmental hazards:	Not applicable	
Tunnel restriction code:		
Transport by sea (IMDG-code)		
14.2. UN proper shipping name:		
14.3. Transport hazard class(es):	n.a.	
14.4. Packing group:	n.a.	
Marine Pollutant:	n.a	
14.5. Environmental hazards:	Not applicable	
Transport by air (IATA)		
14.2. UN proper shipping name:		
14.3. Transport hazard class(es):	n.a.	
14.4. Packing group:	n.a.	
14.5. Environmental hazards:	Not applicable	
14.6. Special precautions for user		
Unless specified otherwise, general measures for safe transpo	ort must be followed.	
14.7. Maritime transport in bulk according	to IMO instruments	
Non-dangerous material according to Transport Regulations.		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

0%

15.2 Chemical safety assessment A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

1-16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Asp. Tox. — Aspiration hazard Aquatic Chronic - Hazardous to the aquatic environment - chronic

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:



അ Page 15 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) Adsorbable organic halogen compounds AOX approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAM BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** The International Bromine Council BSEF bw body weight CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect FFC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ΕN **European Norms** EPA United States Environmental Protection Agency (United States of America) $ErCx, E\mu Cx, ErLx (x = 10, 50)$ Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Koc Adsorption coefficient of organic carbon in the soil octanol-water partition coefficient Kow IARC International Agency for Research on Cancer International Air Transport Association IATA IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive IUCLID International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable not available n.av. not checked n.c. n.d.a. no data available NIOSH National Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level



ആ Page 16 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0006 Replacing version dated / version: 26.05.2020 / 0005 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T 5W-40 HC Scooter OECD Organisation for Economic Co-operation and Development org. organic OSHA Occupational Safety and Health Administration (USA) persistent, bioaccumulative and toxic PBT PΕ Polyethylene PNEC Predicted No Effect Concentration ppm parts per million Polyvinylchloride PVC REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International RID Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Telephone Tel. TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.