

Page 1 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

ആ

Top Tec 6200 0W-20

 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Motor oil
 Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (LMR)

+1 872 5888271 (LMR)

```
SECTION 2: Hazards identification
```

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1), Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction. EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).



Page 2 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. **3.2 Mixtures**

œ

| 3.2 Mixtures | |
|--|----------------------------|
| Distillates (petroleum), hydrotreated heavy paraffinic | |
| Registration number (REACH) | 01-2119484627-25-XXXX |
| Index | 649-467-00-8 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 265-157-1 |
| CAS | 64742-54-7 |
| content % | 50-<75 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Asp. Tox. 1, H304 |
| | |
| 1-Decene, homopolymer, hydrogenated | |
| Registration number (REACH) | 01-2119486452-34-XXXX |
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 500-183-1 |
| CAS | 68037-01-4 |
| content % | 1-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Asp. Tox. 1, H304 |
| | 7.6p. Tox. 1, 1004 |
| Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4- | |
| hydroxyphenyl)propionate | |
| Registration number (REACH) | 01-0000015551-76-XXXX |
| Index | 607-530-00-7 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 406-040-9 |
| CAS | 125643-61-0 |
| content % | <2,5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Aquatic Chronic 4, H413 |
| Classification according to Regulation (LC) 1212/2000 (CLP), M-lactors | Aqualle Officiale 4, 11413 |
| Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1) | |
| Registration number (REACH) | |
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 601-337-1 |
| CAS | 114959-46-5 |
| content % | 0.1-<1 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Skin Sens. 1B, H317 |
| Classification according to Regulation (EC) 12/2/2008 (CLP), M-lactors | |
| Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated | |
| Registration number (REACH) | |
| Index | |
| INDEX EINECS. ELINCS. NLP. REACH-IT List-No. | 953-650-0 |
| CAS | 953-650-0 |
| | |
| content % | 0,1-<1 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Skin Sens. 1B, H317 |
| | Repr. 2, H361d |
| Specific Concentration Limits and ATE | Repr. 2, H361d: >=17,15 % |
| | |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!



Page 3 of 15

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Consult doctor immediately. Danger of aspiration.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. Sensitive individuals:

Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media CO2

Extinction powder Foam

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of phosphorus Oxides of sulphur Oxides of nitrogen Toxic dases Hot product gives off combustible vapours. 5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition. Avoid dust formation with solid or powder products. Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin. If applicable, caution - risk of slipping.



Page 4 of 15

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration. If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation. Avoid formation of oil mist. Avoid contact with eyes. Avoid long lasting or intensive contact with skin. Do not carry cleaning cloths soaked in product in trouser pockets. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Under all circumstances prevent penetration into the soil.

Keep protected from direct sunlight and temperatures over 50°C. Store cool.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Chemical Name Oil mist, mineral | | |
|--|------------------------------------|--|
| WEL-TWA: 5 mg/m3 (Mineral oil, excluding metal | WEL-STEL: | |
| working fluids, ACGIH) | | |
| Monitoring procedures: - | Draeger - Oil Mist 1/a (67 33 031) | |
| BMGV: | Other information: | |

| Distillates (petroleum), hydro | otreated heavy paraffinic | | | | | |
|--------------------------------|----------------------------|--------------------------|------------|-------|-------|------|
| Area of application | Exposure route / | Effect on health | Descriptor | Value | Unit | Note |
| | Environmental | | | | | |
| | compartment | | | | | |
| | Environment - oral (animal | | PNEC | 9,33 | mg/kg | |
| | feed) | | | | | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 1,19 | mg/m3 | |



Page 5 of 15

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,74 | mg/kg |
|---------------------|--------------------|-----------------------------|------|------|-------|
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 5,58 | mg/m3 |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 0,97 | mg/kg |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 2,73 | mg/m3 |

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|------------------------------|------------|-------|------------|------|
| | Environment - sewage treatment plant | | PNEC | 10 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 0,37 | mg/kg dw | |
| | Environment - sediment, marine | | PNEC | 0,037 | mg/kg dw | |
| | Environment - soil | | PNEC | 10 | mg/kg dw | |
| | Environment - freshwater | | PNEC | 0,018 | mg/l | |
| | Environment - marine | | PNEC | 0,002 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 0,018 | mg/l | |
| | Environment - oral (animal feed) | | PNEC | 41,33 | mg/kg feed | |
| | Human - oral | Long term, systemic effects | DNEL | 0,22 | mg/kg | |
| | Environment - soil | | PNEC | 0,632 | mg/kg | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 0,74 | mg/m3 | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 0,83 | mg/kg bw/d | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,93 | mg/kg bw/d | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 1,67 | mg/kg | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 6,6 | mg/m3 | |
| Workers / employees | Human - oral | Short term, systemic effects | DNEL | 20 | mg/kg | |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
 (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.
 (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause

sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.



Page 6 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

ആ

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). Recommended Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: 0,11 Permeation time (penetration time) in minutes: 30 Minimum layer thickness in mm: 0,33 Permeation time (penetration time) in minutes: 480 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary. With oil mist formation: Filter A P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range: Liquid Green Characteristic There is no information available on this parameter. There is no information available on this parameter.



Page 7 of 15

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

Flammability:

Lower explosion limit: Upper explosion limit: Flash point: Auto-ignition temperature: pH: Kinematic viscosity: Kinematic viscosity: Solubility: Partition coefficient n-octanol/water (log value): Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics:

9.2 Other information

No information available at present.

There is no information available on this parameter. There is no information available on this parameter. There is no information available on this parameter. 220 °C There is no information available on this parameter. There is no information available on this parameter. n.d.a. 44,0 mm2/s (40°C) 8,4 mm2/s (40°C) 8,4 mm2/s (100°C) Insoluble Does not apply to mixtures. There is no information available on this parameter. 0,845 g/cm3 There is no information available on this parameter.

SECTION 10: Stability and reactivity

Does not apply to liquids.

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** Strong heat **10.5 Incompatible materials** Avoid contact with strong oxidizing agents. **10.6 Hazardous decomposition products** No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|-----------------------------------|---------------|------------|------|----------|-------------|--------|
| Acute toxicity, by oral route: | | | | | | n.d.a. |
| Acute toxicity, by dermal route: | | | | | | n.d.a. |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin | | | | | | n.d.a. |
| sensitisation: | | | | | | |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - | | | | | | n.d.a. |
| single exposure (STOT-SE): | | | | | | |
| Specific target organ toxicity - | | | | | | n.d.a. |
| repeated exposure (STOT-RE): | | | | | | |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |
| | | | | | | |
| Distillates (petroleum), hydrotre | eated heavy p | oaraffinic | | | | |
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |



Page 8 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

œ

| | | Value | Unit | Organism | Test method | Notes |
|---|----------|-------|---------|---------------------------|---|--|
| 1-Decene, homopolymer, hydro | ogenated | | | | | |
| | | | | | | weeks |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEL | 0,22 | mg/l | Rat | | Dust, Mist, Analogous conclusion 4 |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal: | NOAEL | 1000 | mg/kg | Rabbit | OECD 410 (Repeated Dose Dermal Toxicity - 90-Day) | Analogous conclusion |
| Symptoms: | | | | | | gastrointestinal disturbances, diarrhoea |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | LOAEL | 125 | mg/kg | Rat | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | Analogous conclusion |
| Aspiration hazard: | | | | | , | Asp. Tox. 1 |
| Reproductive toxicity: | | | | Rat | OECD 421 (Reproduction/Developm ental Toxicity Screening Test) | Negative, Analogous conclusion oral |
| Reproductive toxicity (Developmental toxicity): | | | | Rat | OECD 414 (Prenatal Developmental Toxicity Study) | Negative, Analogous conclusion dermal |
| Carcinogenicity: | | | | Mouse | OECD 451 (Carcinogenicity Studies) | Negative, Analogous conclusion 78 weeks, dermal |
| | | | | | Erythrocyte Micronucleus Test) | Analogous conclusion |
| Germ cell mutagenicity: | | | | Mouse | Mammalian Cell Gene Mutation Test) OECD 474 (Mammalian | Analogous conclusion Negative, |
| Germ cell mutagenicity: | | | | Mouse | Aberration Test) OECD 476 (In Vitro | Chinese hamste Negative, |
| Germ cell mutagenicity: | | | | | OECD 473 (In Vitro Mammalian Chromosome | Negative, Analogous conclusion |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative, Analogous conclusion |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact), Analogous conclusion |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Not irritant, Analogous conclusion |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant, Analogous conclusion |
| Acute toxicity, by inhalation: | LC50 | >5,53 | mg/l/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | Aerosol, Analogous conclusion |
| Acute toxicity, by dermal route: | LD50 | >5000 | mg/kg | Rabbit | Procedure) OECD 402 (Acute Dermal Toxicity) | Analogous conclusion |
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 420 (Acute Oral toxicity - Fixe Dose | Analogous conclusion |

Aspiration hazard: Asp. Tox. 1
Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate



Page 9 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

œ)

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|---------|-------|-------------|------------------------|-------------------|
| Acute toxicity, by oral route: | LD50 | > 2000 | mg/kg | Rat | OECD 401 (Acute Oral | |
| | | | | | Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | > 2000 | mg/kg | Rat | OECD 402 (Acute | |
| | | | | | Dermal Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute | Not irritant |
| | | | | | Dermal | |
| | | | | | Irritation/Corrosion) | |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye | Not irritant |
| | | | | | Irritation/Corrosion) | |
| Respiratory or skin | | | | Guinea pig | OECD 406 (Skin | No (skin contact) |
| sensitisation: | | | | | Sensitisation) | |
| Germ cell mutagenicity: | | | | | OECD 473 (In Vitro | NegativeChinese |
| | | | | | Mammalian | hamster |
| | | | | | Chromosome | |
| | | | | | Aberration Test) | |
| Germ cell mutagenicity: | | | | Salmonella | OECD 471 (Bacterial | Negative |
| | | | | typhimurium | Reverse Mutation Test) | |
| Germ cell mutagenicity: | | | | | OECD 474 (Mammalian | NegativeChinese |
| | | | | | Erythrocyte | hamster |
| | | | | | Micronucleus Test) | |
| Reproductive toxicity: | NOAEL | 150-600 | mg/kg | Mouse | OECD 415 (One- | |
| | | | bw/d | | Generation | |
| | | | | | Reproduction Toxicity | |
| | | | | | Study) | |
| Carcinogenicity: | | | | Rat | | Negative, |
| | | | | | | Analogous |
| | | | | | | conclusion |
| Aspiration hazard: | | | | | | Negative |

11.2. Information on other hazards

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|-------|------|----------|-------------|-----------------|
| Endocrine disrupting properties: | | | | | | Does not apply |
| | | | | | | to mixtures. |
| Other information: | | | | | | No other |
| | | | | | | relevant |
| | | | | | | information |
| | | | | | | available on |
| | | | | | | adverse effects |
| | | | | | | on health. |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|----------------------------|----------|------|-------|------|----------|-------------|----------------|
| 12.1. Toxicity to fish: | | | | | | | n.d.a. |
| 12.1. Toxicity to daphnia: | | | | | | | n.d.a. |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. |
| 12.2. Persistence and | | | | | | | n.d.a. |
| degradability: | | | | | | | |
| 12.3. Bioaccumulative | | | | | | | n.d.a. |
| potential: | | | | | | | |
| 12.4. Mobility in soil: | | | | | | | n.d.a. |
| 12.5. Results of PBT | | | | | | | n.d.a. |
| and vPvB assessment | | | | | | | |
| 12.6. Endocrine | | | | | | | Does not apply |
| disrupting properties: | | | | | | | to mixtures. |



Page 10 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

œ.

| 12.7. Other adverse effects: | | | | No information available on other adverse effects on the environment. |
|---------------------------------|-----|---|---|---|
| Other information: | | | | DOC-elimination degree(complexi ng organic substance)>= 80%/28d: No |
| Other information: | AOX | 0 | % | According to the recipe, contains no AOX. |

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|---|-----------|------|-------|------|-------------------------------------|--|--|
| 12.1. Toxicity to fish: | LL50 | 96h | >100 | mg/l | Oncorhynchus | OECD 203 (Fish, | Analogous |
| | | | | | mykiss | Acute Toxicity Test) | conclusion |
| 12.1. Toxicity to fish: | NOEC/NOEL | 28d | >1000 | mg/l | Oncorhynchus mykiss | QSAR | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 10 | mg/l | Daphnia magna | QSAR | Analogous conclusion |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >1000 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | Analogous conclusion |
| 12.1. Toxicity to algae: | EC50 | 48h | >100 | mg/l | Pseudokirchneriell a subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | >=100 | mg/l | Pseudokirchneriell a subcapitata | OECD 201 (Alga, Growth Inhibition Test) | Analogous conclusion |
| 12.2. Persistence and degradability: | | 28d | 31 | % | activated sludge | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Not readily biodegradable, Analogous conclusion |
| 12.2. Persistence and degradability: | | 28d | 6 | % | | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Not readily biodegradable |
| 12.3. Bioaccumulative potential: | Log Pow | | 3,9-6 | | | , | High |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Other information: | AOX | | 0 | % | | | |

| 1-Decene, homopolymer, hydrogenated | | | | | | | |
|--------------------------------------|-----------|------|-------|------|----------------------------|---|----------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >1000 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 125 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to algae: | LC50 | 72h | >1000 | mg/l | Scenedesmus quadricauda | | |
| 12.2. Persistence and degradability: | | 28d | 2 | % | | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | |
| 12.3. Bioaccumulative potential: | Log Kow | | >6,5 | | | | measured |



Page 11 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

œ.

| Reaction mass of isome Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|---|-----------|------|----------------|-------|----------------------------|--|--|
| 12.1. Toxicity to fish: | LC50 | 96h | >74 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity | |
| | | | | | | Test) | |
| 12.1. Toxicity to fish: | NOEC/NOEL | 35d | 0,001 | mg/l | Brachydanio rerio | OECD 210 (Fish, Early-Life Stage Toxicity Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >100 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | >=1 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | Water toxicology is above the water-solubility value. |
| 12.1. Toxicity to algae: | EC50 | 72h | >3 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 28d | 2-4 | % | activated sludge | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Not readily biodegradable |
| 12.2. Persistence and degradability: | | | | | | , | Mechanical precipitation possible. |
| 12.3. Bioaccumulative potential: | Log Pow | | 9,2 | | | | Possible@20°C |
| 12.3. Bioaccumulative potential: | BCF | 35d | 260 | | | OECD 305 (Bioconcentration - Flow-Through Fish Test) | Concentration ir organisms possible.Oncorh nchus mykiss |
| 12.4. Mobility in soil: | | | | | | | Adsorption in ground., To be expected |
| 12.4. Mobility in soil: | Кос | | 7673- 18432 | | | OECD 106 (Adsorption/Desor ption Using a Batch Equilibrium Method) | |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Toxicity to bacteria: | IC50 | 3h | >100 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |
| Other organisms: | NOEC/NOEL | 28d | 31,6 | mg/kg | | OECD 217 (Soil Microorganisms - Carbon Transformation Test) | |
| Other information: | EC50 | 19d | >100 | mg/kg | | OECD 208 (Terrestrial Plants, Growth Test) | Brassica rapa |



Page 12 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

| Toxicity to annelids: | EC50 | 14d | >1000 | mg/kg | Eisenia foetida | OECD 207 (Earthworm, Acute Toxicity Tests) | artificial soil |
|-----------------------|-----------|-----|-------|-------|-----------------|---|-----------------|
| Toxicity to annelids: | NOEC/NOEL | 56d | 250 | mg/kg | Eisenia foetida | OECD 222 (Earthworm Reproduction Test (Eisenia fetida/Eisenia andrei)) | artificial soil |
| Water solubility: | | | 0,5 | µg/l | | | Insoluble |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

(GB)·

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

| Transport by read/by roll (ADD/DID) | |
|-------------------------------------|----------------|
| Transport by road/by rail (ADR/RID) | Neternlischle |
| 14.1. UN number or ID number: | Not applicable |
| 14.2. UN proper shipping name: | |
| Not applicable | Not appliable |
| 14.3. Transport hazard class(es): | Not applicable |
| 14.4. Packing group: | Not applicable |
| 14.5. Environmental hazards: | Not applicable |
| Tunnel restriction code: | Not applicable |
| Classification code: | Not applicable |
| LQ: | Not applicable |
| Transport category: | Not applicable |
| Transport by sea (IMDG-code) | |
| 14.1. UN number or ID number: | Not applicable |
| 14.2. UN proper shipping name: | |
| Not applicable | |
| 14.3. Transport hazard class(es): | Not applicable |
| 14.4. Packing group: | Not applicable |
| 14.5. Environmental hazards: | Not applicable |
| Marine Pollutant: | Not applicable |
| EmS: | Not applicable |
| Transport by air (IATA) | |
| 14.1. UN number or ID number: | Not applicable |
| 14.2. UN proper shipping name: | |
| Not applicable | |
| 14.3. Transport hazard class(es): | Not applicable |



Page 13 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

14.4. Packing group:14.5. Environmental hazards:14.6. Special precautions for user

ആ

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

< 0,1 %

Not applicable Not applicable

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

3, 11

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents. H361d Suspected of damaging the unborn child. H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life.

Asp. Tox. — Aspiration hazard Aquatic Chronic — Hazardous to the aquatic environment - chronic Skin Sens. — Skin sensitization Repr. — Reproductive toxicity

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds



ആ Page 14 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20 approx. approximately Article number Art., Art. no. ASTM ASTM International (American Society for Testing and Materials) Acute Toxicity Estimate ATF BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.q. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances FN European Norms EPA United States Environmental Protection Agency (United States of America) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) $ErCx, E\mu Cx, ErLx (x = 10, 50)$ etc. et cetera EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax number Fax. general aen. Globally Harmonized System of Classification and Labelling of Chemicals GHS Global warming potential GWP Adsorption coefficient of organic carbon in the soil Koc Kow octanol-water partition coefficient International Agency for Research on Cancer IARC IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) International Maritime Code for Dangerous Goods IMDG-code including, inclusive incl. IUCLID International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities LQ MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable not available n.av. n.c. not checked n.d.a. no data available NIOSH National Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development org. organic OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic PΕ Polyethylene PNEC Predicted No Effect Concentration ppm parts per million



Page 15 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007 Replacing version dated / version: 12.04.2022 / 0006 Valid from: 17.10.2023 PDF print date: 18.10.2023 Top Tec 6200 0W-20

PVC Polyvinylchloride

œ

REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List REACH-IT List-No. Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International RID Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Telephone Tel. TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

very persistent and very bioaccumulative vPvB

wet weight wwt

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.