

Page 1 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:
See definition of the substance or mixture.
Uses advised against:
No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (LMR) +1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixtureClassification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statementEye Dam.1H318-Causes serious eye damage.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 18

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner



Danger

H318-Causes serious eye damage.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P280-Wear eye protection / face protection. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

EUH208-Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Isotridecanol, ethoxylated Sulfonic acids, C14-17-sec-alkane, sodium salts

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3.2 Mixtures

J.Z WIIXLUIES	
Isotridecanol, ethoxylated	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	9043-30-5
content %	5-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Acute Tox. 4, H302
	Eye Dam. 1, H318
Sulfonic acids, C14-17-sec-alkane, sodium salts	
Registration number (REACH)	01-2119489924-20-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	307-055-2
CAS	97489-15-1
content %	1-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Acute Tox. 4, H302
	Skin Irrit. 2, H315
	Eye Dam. 1, H318



Page 3 of 18

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Specific Concentration Limits and ATE	Skin Irrit. 2, H315: >=10,001 % Eye Dam. 1, H318: >=15,001 % Eye Irrit. 2, H319: >=10,001 %	
---------------------------------------	---	--

Morpholine	Substance for which an EU exposure limit value applies.
Registration number (REACH)	01-2119496057-30-XXXX
Index	613-028-00-9
EINECS, ELINCS, NLP, REACH-IT List-No.	203-815-1
CAS	110-91-8
content %	0,1-<0,25
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Flam. Liq. 3, H226
	Acute Tox. 3, H311
	Acute Tox. 3, H331
	Acute Tox. 4, H302
	Skin Corr. 1A, H314
	Eye Dam. 1, H318
	Repr. 2, H361fd

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	
2H-isothiazol-3-one (3:1)	
Registration number (REACH)	
Index	613-167-00-5
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	55965-84-9
content %	0,00015-<0,0015
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	EUH071
	Acute Tox. 2, H310
	Acute Tox. 2, H330
	Acute Tox. 3, H301
	Skin Corr. 1C, H314
	Eye Dam. 1, H318
	Skin Sens. 1A, H317
	Aquatic Acute 1, H400 (M=100)
	Aquatic Chronic 1, H410 (M=100)
Specific Concentration Limits and ATE	Skin Corr. 1C, H314: >=0,6 %
•	Skin Irrit. 2, H315: >=0,06 %
	Eye Dam. 1, H318: >=0,6 %
	Eye Irrit. 2, H319: >=0,06 %
	Skin Sens. 1A, H317: >=0,0015 %

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

Protect uninjured eye. Follow-up examination by an ophthalmologist.



Page 4 of 18

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon Oxides of nitrogen Oxides of sulphur Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.



Page 5 of 18

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation. Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store in a well ventilated place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	Morpholine			
WEL-TWA: 10 ppm (36 mg/m3) (WEL, EU)	WEL-STEL:	20 ppm (72 mg/m3) (WEL, EU)	
Monitoring procedures:				
BMGV:			Other information:	Sk

Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note
	Environmental					
	compartment					
	Environment - freshwater		PNEC	0,04	mg/l	
	Environment - marine		PNEC	0,004	mg/l	
	Environment - water, sporadic (intermittent)		PNEC	0,06	mg/l	
	release					
	Environment - sediment,		PNEC	9,4	mg/kg dw	
	freshwater					
	Environment - sediment,		PNEC	0,94	mg/kg dw	
	marine					
	Environment - soil		PNEC	9,4	mg/kg dw	
	Environment - sewage		PNEC	600	mg/l	
	treatment plant					
	Environment - oral (animal feed)		PNEC	53,3	mg/kg feed	
	Environment - periodic release		DNEL	0	mg/kg	
Consumer	Human - dermal	Long term, systemic effects	DNEL	3,57	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	12,4	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	7,1	mg/kg bw/d	
Consumer	Human - dermal	Short term, local effects	DNEL	2,8	mg/cm2	
Consumer	Human - dermal	Long term, local effects	DNEL	2,8	mg/cm2	



Page 6 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

ആ

Workers / employees	Human - dermal	Short term, local effects	DNEL	2,8	mg/cm2
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	5	mg/kg bw/d
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	35	mg/m3
Workers / employees	Human - dermal	Long term, local effects	DNEL	2,8	mg/cm2

Morpholine						
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,163	mg/l	
	Environment - marine		PNEC	0,0163	mg/l	
	Environment - sediment, freshwater		PNEC	1,83	mg/kg dw	
	Environment - sediment, marine		PNEC	0,183	mg/kg dw	
	Environment - sporadic (intermittent) release		PNEC	0,45	mg/l	
	Environment - sewage treatment plant		PNEC	10	mg/l	
	Environment - soil		PNEC	0,269	mg/kg	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,84	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	36	mg/m3	

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	3,39	µg/l	
	Environment - marine		PNEC	3,39	µg/l	
	Environment - sporadic (intermittent) release		PNEC	3,39	µg/l	
	Environment - sewage treatment plant		PNEC	0,23	mg/kg	
	Environment - sediment, freshwater		PNEC	0,027	mg/kg	
	Environment - sediment, marine		PNEC	0,027	mg/kg	
	Environment - soil		PNEC	0,01	mg/kg	
Consumer	Human - inhalation	Long term, local effects	DNEL	0,02	mg/m3	
Consumer	Human - inhalation	Short term, local effects	DNEL	0,04	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,09	mg/kg bw/day	
Consumer	Human - oral	Short term, systemic effects	DNEL	0,11	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	0,02	mg/m3	
Workers / employees	Human - inhalation	Short term, local effects	DNEL	0,04	mg/m3	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
 (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE).
(11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).
(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit

value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer



Page 7 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

ആ

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Rubber gloves (EN ISO 374). Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: 0,4 Permeation time (penetration time) in minutes: > 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



Page 8 of 18

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Physical state: Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lower explosion limit: Upper explosion limit: Flash point: Auto-ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Solubility: Partition coefficient n-octanol/water (log value): Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics:

9.2 Other information

Explosives: Oxidising liquids:

Liquid White, Turbid Characteristic There is no information available on this parameter. There is no information available on this parameter. Flammable There is no information available on this parameter. There is no information available on this parameter. >100 °C There is no information available on this parameter. There is no information available on this parameter. n.a. >7 mm2/s (40°C) Soluble Does not apply to mixtures. There is no information available on this parameter. 1,015 g/cm3 (20°C) There is no information available on this parameter. Does not apply to liquids.

There is no information available on this parameter. There is no information available on this parameter.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** See also section 7.

None known

10.5 Incompatible materials

See also section 7. Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Motorbike Kuehlerreiniger						
Motorbike Radiator Cleaner						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	>2000	mg/kg			calculated value
Acute toxicity, by dermal route:	ATE	>2000	mg/kg			calculated value
Acute toxicity, by inhalation:	ATE	>20	mg/l/4h			Vapours, calculated value
Acute toxicity, by inhalation:	ATE	>5	mg/l/4h			Aerosol, calculated value
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.



Page 9 of 18						
Safety data sheet according to R	egulation (EC)	No 1907/2006	Annex II			
Revision date / version: 29.08.20	122 / 0030	10 1907/2000, 7				
Replacing version dated / version		/ 0020				
Valid from: 29.08.2022	1. 03.01.2022	/ 0029				
PDF print date: 29.08.2022						
Motorbike Kuehlerreiniger						
Motorbike Radiator Cleaner						
O main a maniaitan						l a al a
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE): Specific target organ toxicity -						n.d.a.
						n.u.a.
repeated exposure (STOT-RE): Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
leatridaganal athoxylated						
Isotridecanol, ethoxylated Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	500	mg/kg	Rat		NULES
	LD50 LD50	>2000		Rat	OECD 402 (Acute	
Acute toxicity, by dermal route:	LDOU	>2000	mg/kg	Rai	DecD 402 (Acute Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit		Not irritant
				Rabbit	OECD 405 (Acute Eye	
Serious eye damage/irritation:				Rabbit	Irritation/Corrosion)	Intensively irritan
Respiratory or skin				Guinea pig	Initation/Conosion)	No (skin
sensitisation:				Ouniea pig		contact),
sensusation.						References
Germ cell mutagenicity:					(Ames-Test)	Negative,
Connicen matagementy.					(Ames rest)	References
• •						
	ane, sodium s	alts				
Sulfonic acids, C14-17-sec-alk			Unit	Organism	Test method	1
Sulfonic acids, C14-17-sec-alk Toxicity / effect	Endpoint	Value	Unit mg/kg	Organism Rat	Test method	Notes
Sulfonic acids, C14-17-sec-alk Toxicity / effect			Unit mg/kg	Organism Rat	OECD 401 (Acute Oral	1
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route:	Endpoint LD50	Value >500-2000	mg/kg	Rat		Notes
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route:	Endpoint	Value		-	OECD 401 (Acute Oral	Notes Analogous
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	Endpoint LD50	Value >500-2000	mg/kg	Rat Mouse	OECD 401 (Acute Oral Toxicity)	Notes Analogous conclusion
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	Endpoint LD50	Value >500-2000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute	Notes Analogous
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	Endpoint LD50	Value >500-2000	mg/kg	Rat Mouse	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal	Notes Analogous conclusion
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation:	Endpoint LD50	Value >500-2000 >2000	mg/kg mg/kg	Rat Mouse Rabbit	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion)	Notes Analogous conclusion Skin Irrit. 2
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation:	Endpoint LD50	Value >500-2000	mg/kg	Rat Mouse	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye	Notes Analogous conclusion
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation:	Endpoint LD50	Value >500-2000 >2000 >15	mg/kg mg/kg %	Rat Mouse Rabbit	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion)	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation:	Endpoint LD50	Value >500-2000 >2000	mg/kg mg/kg	Rat Mouse Rabbit Rabbit	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin	Endpoint LD50	Value >500-2000 >2000 >15	mg/kg mg/kg %	Rat Mouse Rabbit	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation:	Endpoint LD50	Value >500-2000 >2000 >15	mg/kg mg/kg %	Rat Mouse Rabbit Rabbit Guinea pig	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation)	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact)
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation:	Endpoint LD50	Value >500-2000 >2000 >15	mg/kg mg/kg %	Rat Mouse Rabbit Rabbit Guinea pig Salmonella	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity:	Endpoint LD50	Value >500-2000 >2000 >15	mg/kg mg/kg %	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation)	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity:	Endpoint LD50	Value >500-2000 >2000 >15 >10	mg/kg mg/kg % %	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity:	Endpoint LD50	Value >500-2000 >2000 >15	mg/kg mg/kg %	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity:	Endpoint LD50	Value >500-2000 >2000 >15 >10	mg/kg mg/kg % %	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity:	Endpoint LD50	Value >500-2000 >2000 >15 >10	mg/kg mg/kg % %	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine	Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200	mg/kg mg/kg % % %	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test)	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect.
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect	Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value	mg/kg mg/kg % % % mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat Rat Organism	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect Acute toxicity, by oral route:	Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value 1910	mg/kg mg/kg % % % mg/kg Unit mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat Rat Rat Organism Rat	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test) Test method	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect.
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect Acute toxicity, by oral route:	Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value	mg/kg mg/kg % % % mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat Rat Organism	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test) Test method OECD 402 (Acute	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect.
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	Endpoint LD50 LD50 Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value 1910 500	mg/kg mg/kg % % % mg/kg mg/kg mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat Rat	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test) Test method	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect. Notes References
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value 1910	mg/kg mg/kg % % % mg/kg Unit mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test) Test method OECD 402 (Acute Dermal Toxicity)	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect. Notes References Vapours
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	Endpoint LD50 LD50 Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value 1910 500	mg/kg mg/kg % % % mg/kg mg/kg mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat Rat	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test) Test method OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect. Notes References Vapours Corrosive, Skin
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route:	Endpoint LD50 LD50 Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value 1910 500	mg/kg mg/kg % % % mg/kg mg/kg mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test) Test method OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect. Notes References Vapours
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation:	Endpoint LD50 LD50 Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value 1910 500	mg/kg mg/kg % % % mg/kg mg/kg mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat Rabbit	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test) Test method OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion)	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect. Notes References Vapours Corrosive, Skin Corr. 1A
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation:	Endpoint LD50 LD50 Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value 1910 500	mg/kg mg/kg % % % mg/kg mg/kg mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test) Test method OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect. Notes References Vapours Corrosive, Skin Corr. 1A Corrosive, Eye
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation:	Endpoint LD50 LD50 Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value 1910 500	mg/kg mg/kg % % % mg/kg mg/kg mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat Rat Rat Rat Rat Rat Rat Rat Rat Rabbit Rat Rabbit Rat Rabbit Rat Rabbit	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 4071 (Bacterial Reverse Mutation Test) Test method OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect. Notes References Vapours Corrosive, Skin Corr. 1A Corrosive, Eye Dam. 1
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by oral route: Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin	Endpoint LD50 LD50 Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value 1910 500	mg/kg mg/kg % % % mg/kg mg/kg mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat Rabbit	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test) Test method OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect. Notes References Vapours Corrosive, Skin Corr. 1A Corrosive, Eye
Sulfonic acids, C14-17-sec-alk Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Morpholine Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation:	Endpoint LD50 LD50 Endpoint LD50 LD50	Value >500-2000 >2000 >15 >10 200 200 Value 1910 500	mg/kg mg/kg % % % mg/kg mg/kg mg/kg	Rat Mouse Rabbit Rabbit Guinea pig Salmonella typhimurium Rat Rat Rat Rat Rat Rat Rat Rat Rat Rabbit Rat Rabbit Rat Rabbit Rat Rabbit	OECD 401 (Acute Oral Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 4071 (Bacterial Reverse Mutation Test) Test method OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Notes Analogous conclusion Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 No (skin contact) Negative Negative 2 years No indications of such an effect. Notes References Vapours Corrosive, Skin Corr. 1A Corrosive, Eye Dam. 1

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)									
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes			
Acute toxicity, by oral route:	LD50	64-66	mg/kg	Rat	OECD 401 (Acute Oral	Acute Tox. 3			
					Toxicity)				



Page 10 of 18

œ)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Acute toxicity, by dermal route:	LD50	87,12-92,4	mg/kg	Rabbit		Acute Tox. 2
Acute toxicity, by dermal route:	LD50	>=141	mg/kg	Rat	OECD 402 (Acute	Acute Tox. 2
					Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	0,17-0,33	mg/l/4h	Rat	OECD 403 (Acute	Aerosol, Dust,
					Inhalation Toxicity)	Acute Tox. 2
Acute toxicity, by inhalation:	LC50	0,81	mg/l/4h	Rat	OECD 403 (Acute	Vapours, Acute
					Inhalation Toxicity)	Tox. 2
Skin corrosion/irritation:				Rabbit		Skin Corr. 1C
Serious eye damage/irritation:				Rabbit		Eye Dam. 1
Respiratory or skin				Guinea pig	OECD 406 (Skin	Yes (skin
sensitisation:					Sensitisation)	contact), Skin
						Sens. 1A
Germ cell mutagenicity:					in vitro	Negative
Germ cell mutagenicity:				Mammalian	in vitro	Negative
Symptoms:						diarrhoea,
						mucous
						membrane
						irritation,
						watering eyes

11.2. Information on other hazards

Motorbike Kuehlerreiniger Motorbike Radiator Cleaner						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting properties:						Does not apply
						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Motorbike Kuehlerreiniger

WOTOTDIKE	Motorbike Radiator Cleaner								
Toxicity /	effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes	
12.1. Toxi	city to fish:							n.d.a.	
12.1. Toxi	city to daphnia:							n.d.a.	
12.1. Toxi	city to algae:							n.d.a.	



Page 11 of 18

œ.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

12.2. Persistence and				The surfactan contained in t
degradability:				
				mixture
				complies(com
				with the
				biodegradabil
				criteria as laid
				down in
				Regulation (E
				No.648/2004
				detergents.
				Supporting
				documents the
				confirm this a
				kept available
				the competen
				authorities and
				will be provide
				by a detergen
				manufacturer
				upon inquiry c
				demand.
12.3. Bioaccumulative		 	-	n.d.a.
potential:				n.u.a.
12.4. Mobility in soil:		 	-	n.d.a.
12.4. Mobility in soll. 12.5. Results of PBT		 		n.d.a.
				n.u.a.
and vPvB assessment		 	-	Deep not appl
12.6. Endocrine				Does not appl
disrupting properties:		 		to mixtures.
12.7. Other adverse				No information
effects:				available on
				other adverse
				effects on the
				environment.
Other information:				DOC-eliminat
				degree(compl
				ng organic
				substance)>=
				80%/28d: No
Other information:	AOX	%		According to t
				recipe, contai
				no ÁOX.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to algae:	EC50	72h	>=10	mg/l	Scenedesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
Toxicity to bacteria:	EC50	17h	>1000	mg/l	Pseudomonas putida	DIN 38412 T.8	
12.1. Toxicity to fish:	LC50	96h	1-10	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	LC50	96h	1 -10	mg/l	Cyprinus caprio	OECD 203 (Fish, Acute Toxicity Test)	References
12.1. Toxicity to daphnia:	EC50	48h	4,7	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	2,48- 3,76	mg/l	Daphnia magna		



B Page 12 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

12.2. Persistence and		28d	67	%	OECD 301 B	
degradability:					(Ready	
0 ,					Biodegradability -	
					Co2 Evolution	
					Test)	
12.2. Persistence and		28d	>60	%	OECD 301 E	
degradability:					(Ready	
					Biodegradability -	
					Modified OECD	
					Screening Test)	
12.2. Persistence and		28d	>70	%	OECD 301 A	
degradability:					(Ready	
					Biodegradability -	
					DOC Die-Away	
					Test)	
12.5. Results of PBT					No PBT	
and vPvB assessment					substance, N	
					vPvB substa	nce
Other information:	DOC		600	mg/g		
Other information:	COD		1980	mg/g	DIN 38409-H41	
Water solubility:					Soluble	

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	NOEC/NOEL	28d	0,85	mg/l	Oncorhynchus mykiss	OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study)	
12.1. Toxicity to fish:	LC50	96h	8.4	mg/l	Leuciscus idus	84/449/EEC C.1	
12.1. Toxicity to daphnia:	NOEC/NOEL	22d	0,36	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	EC50	48h	9,81	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	EC50	72h	>61	mg/l	Scenedesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		34d	96,2	%	activated sludge	OECD 304 A (Inherent Biodegradability in Soil)	Readily biodegradable
12.2. Persistence and degradability:		28d	78	%	activated sludge	OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Readily biodegradable
12.2. Persistence and degradability:		28d	89	%	activated sludge	OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		0,2			Regulation (EC) 440/2008 A.8 (PARTITION COEFFICIENT)	Bioaccumulation is unlikely (LogPow < 1). 20 °C
pH 7-8,5							



B Page 13 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	NOEC/NOEL	16h	600	mg/l	Pseudomonas putida	DIN 38412 T.8	
Other organisms:	NOEC/NOEL	56d	470	mg/kg	Eisenia foetida	OECD 222 (Earthworm Reproduction Test (Eisenia fetida/Eisenia andrei))	

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and							Readily
degradability:							biodegradable
12.3. Bioaccumulative	BCF	42d	<2,8		Cyprinus caprio	OECD 305	Not to be
potential:						(Bioconcentration -	expected
						Flow-Through	
						Fish Test)	
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Oryzias latipes	OECD 203 (Fish,	
						Acute Toxicity	
						Test)	
12.1. Toxicity to daphnia:	EC50	48h	45	mg/l	Daphnia magna	OECD 202	References
						(Daphnia sp.	
						Acute	
						Immobilisation Test)	
12.1. Toxicity to daphnia:	EC10	21d	8.134	mg/l	Daphnia magna	OECD 211	
	ECIU	210	0,134	iiig/i	Daprina magna	(Daphnia magna	
						Reproduction Test)	
12.1. Toxicity to algae:	EC50	72h	64,6	mg/l	Pseudokirchneriell	OECD 201 (Alga,	
12.11 Fonderly to algue.	2000		01,0	iiig/i	a subcapitata	Growth Inhibition	
					a cabcapitata	Test)	
Toxicity to bacteria:	EC20	30min	>1000	mg/l	activated sludge	OECD 209	
				0		(Activated Sludge,	
						Respiration	
						Inhibition Test	
						(Carbon and	
						Ammonium	
						Oxidation))	
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
12.4. Mobility in soil:							No adsorption i
							soil.

Foxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
2.2. Persistence and			>80	%	activated sludge	OECD 303 A	
legradability:					_	(Simulation Test -	
						Aerobic Sewage	
						Treatment -	
						Activated Sludge	
						Units)	
12.3. Bioaccumulative	Log Pow		-0,71-			OECD 107	
potential:	-		0,75			(Partition	
-						Coefficient (n-	
						octanol/water) -	
						Shake Flask	
						Method)	



Page 14 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

œ

12.1. Toxicity to fish:	LC50	96h	0,188	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	28d	0,098	mg/l	Oncorhynchus mykiss	OECD 210 (Fish, Early-Life Stage Toxicity Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,004	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to daphnia:	EC50	48h	0,1	mg/l	Daphnia magna		
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,0012	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	48h	0,00064	mg/l	Skeletonema costatum	ISO 10253	
12.1. Toxicity to algae:	EC50	48h	0,0052	mg/l	Skeletonema costatum	ISO 10253	
12.3. Bioaccumulative potential:	BCF		3,16				calculated value
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50	3h	7,92	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	

SECTION 13: Disposal considerations

13.1 Waste treatment methods For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

14.1. UN number or ID number:

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

n.a.

n.a.

n.a.



Page 15 of 18	
Safety data sheet according to Regulation (EC) No 1907/2006, Annex Revision date / version: 29.08.2022 / 0030	11
Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022	
PDF print date: 29.08.2022	
Motorbike Kuehlerreiniger	
Motorbike Radiator Cleaner	
Classification code:	n.a.
LQ:	n.a.
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Marine Pollutant:	n.a
14.5. Environmental hazards:	Not applicable
Transport by air (IATA)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	
Unless specified otherwise, general measures for safe transport must	be followed
14.7. Maritime transport in bulk according to IM	

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): **REGULATION (EC) No 648/2004** 5 % or over but less than 15 %

non-ionic surfactants less than 5 % anionic surfactants METHYLCHLOROISOTHIAZOLINONE/ METHYLISOTHIAZOLINONE

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label. Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012. Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods. These are indicated in the approval of the active substance.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

8

Revised sections:

These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Dam. 1, H318	Classification according to calculation procedure.

0,101 %



Page 16 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H330 Fatal if inhaled. H310 Fatal in contact with skin.

ആ

H314 Causes severe skin burns and eye damage.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H226 Flammable liquid and vapour.
H317 May cause an allergic skin reaction.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H331 Toxic if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.

Eye Dam. — Serious eye damage Acute Tox. — Acute toxicity - oral Skin Irrit. — Skin irritation Aquatic Chronic — Hazardous to the aquatic environment - chronic Flam. Liq. — Flammable liquid Acute Tox. — Acute toxicity - dermal Acute Tox. — Acute toxicity - inhalation Skin Corr. — Skin corrosion Repr. — Reproductive toxicity Skin Sens. — Skin sensitization Aquatic Acute — Hazardous to the aquatic environment - acute

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Article number Art., Art. no. ASTM ASTM International (American Society for Testing and Materials) ATF Acute Toxicity Estimate Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAM Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BAuA BCF Bioconcentration factor BSEF The International Bromine Council body weight bw CAS Chemical Abstracts Service



ആ Page 17 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances CLP and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect European Economic Community EEC EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ΕN **European Norms** EPA United States Environmental Protection Agency (United States of America) $ErCx, E\mu Cx, ErLx (x = 10, 50)$ Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera FU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number aen. general Globally Harmonized System of Classification and Labelling of Chemicals GHS GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. IUCLID International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. no data available n.d.a. NIOSH National Institute for Occupational Safety and Health (USA) NI P No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development org. organic OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic PF Polyethylene PNEC Predicted No Effect Concentration parts per million ppm PVC Polyvinylchloride REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) **REACH-IT List-No.** 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Telephone Tel.



Page 18 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.08.2022 / 0030 Replacing version dated / version: 05.01.2022 / 0029 Valid from: 29.08.2022 PDF print date: 29.08.2022 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wet weight wwt

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

GB

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.