

Page 1 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

ആ

Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

See definition of the substance or mixture. **Uses advised against:** No information available at present.

1.3 Details of the supplier of the safety data sheet

(B) LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tol: (+40) 0731 1420

89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Landspitali- The National University Hospital of Iceland, tel. +354 543 2222 or 112 (valid only for Iceland) **Telephone number of the company in case of emergencies:** +49 (0) 700 / 24 112 112 (LMR)

+1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixtureClassification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statementEye Dam.1H318-Causes serious eye damage.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 17

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner



Danger

H318-Causes serious eye damage.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P280-Wear eye protection / face protection. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

EUH208-Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Sulfonic acids, C14-17-sec-alkane, sodium salts Fatty alcohol ethoxylate

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3.2 Mixtures

Fatty alcohol ethoxylate	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	78330-21-9
content %	5-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Acute Tox. 4, H302
	Eye Dam. 1, H318
	Aquatic Chronic 3, H412
Specific Concentration Limits and ATE	ATE (oral): 500 mg/kg
Sulfonic acids, C14-17-sec-alkane, sodium salts	
Registration number (REACH)	01-2119489924-20-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	307-055-2
CAS	97489-15-1
content %	1-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Acute Tox. 4, H302
	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Aquatic Chronic 3, H412



Page 3 of 17	
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last a	imended by Regulation (EU) 2020/878)
Revision date / version: 07.10.2024 / 0031	
Replacing version dated / version: 29.08.2022 / 0030	
Valid from: 07.10.2024	
PDF print date: 08.10.2024	
Motorbike Kuehlerreiniger	
Motorbike Radiator Cleaner	
Specific Concentration Limits and ATE	Skin Irrit. 2, H315: >=10,001 %
	Eye Dam. 1, H318: >=15,001 %
	Eye Irrit. 2, H319: >=10,001 %
	ATE (oral): 500 mg/kg
Morpholine	Substance for which an EU exposure limit value applies.
Registration number (REACH)	01-2119496057-30-XXXX
Index	613-028-00-9
EINECS, ELINCS, NLP, REACH-IT List-No.	203-815-1
	110-91-8
CAS	
content %	0,1-<0,25
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Flam. Liq. 3, H226
	Acute Tox. 3, H311
	Acute Tox. 3, H331
	Acute Tox. 4, H302
	Skin Corr. 1A, H314
	Eye Dam. 1, H318
	Repr. 2, H361fd
Specific Concentration Limits and ATE	
Specific Concentration Limits and ATE	ATE (oral): 1960 mg/kg
Specific Concentration Limits and ATE	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg
Specific Concentration Limits and ATE	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h
Specific Concentration Limits and ATE	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg
	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH)	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No.	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content %	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content %	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content %	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H330
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content %	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content %	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301 Skin Corr. 1C, H314
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content %	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content %	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content %	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100)
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content % Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content %	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) Skin Corr. 1C, H314: >=0,6 %
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content % Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content % Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) Skin Corr. 1C, H314: >=0,6 %
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content % Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) Skin Corr. 1C, H314: >=0,6 % Skin Irrit. 2, H315: >=0,06 %
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content % Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) Skin Corr. 1C, H314: >=0,6 % Skin Irrit. 2, H315: >=0,06 % Eye Dam. 1, H318: >=0,6 %
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content % Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H310 Acute Tox. 2, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) Skin Corr. 1C, H314: >=0,6 % Skin Irrit. 2, H315: >=0,06 % Eye Dam. 1, H317: >=0,06 % Eye Irrit. 2, H319: >=0,06 %
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content % Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015- 0,00015- EUH071 Acute Tox. 2, H310 Acute Tox. 2, H300 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Chronic 1, H410 (M=100) Aquatic Chronic 1, H410 (M=100) Skin Irrit. 2, H315: >=0,06 % Eye Dam. 1, H318: >=0,6 % Skin Sens. 1A, H317: >=0,0015 % ATE (oral): 64 mg/kg
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content % Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015-<0,0015 EUH071 Acute Tox. 2, H310 Acute Tox. 2, H310 Acute Tox. 2, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) Skin Corr. 1C, H314: >=0,6 % Skin Irrit. 2, H315: >=0,06 % Eye Dam. 1, H318: >=0,6 % Eye Irrit. 2, H319: >=0,0015 % ATE (oral): 64 mg/kg ATE (dermal): 87,12 mg/kg
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) Registration number (REACH) Index EINECS, ELINCS, NLP, REACH-IT List-No. CAS content % Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	ATE (oral): 1960 mg/kg ATE (dermal): 500 mg/kg ATE (as inhalation, Dusts or mist): 0,5 mg/l/4h ATE (as inhalation, Vapours): 8 mg/l/4h 613-167-00-5 55965-84-9 0,00015- 0,00015- EUH071 Acute Tox. 2, H310 Acute Tox. 2, H300 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Chronic 1, H410 (M=100) Aquatic Chronic 1, H410 (M=100) Skin Irrit. 2, H315: >=0,06 % Eye Dam. 1, H318: >=0,6 % Skin Sens. 1A, H317: >=0,0015 % ATE (oral): 64 mg/kg

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

GB

Never pour anything into the mouth of an unconscious person!



Page 4 of 17

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

Protect uninjured eye. Follow-up examination by an ophthalmologist.

Indection

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of nitrogen Oxides of sulphur Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up. Resolve leaks if this possible without risk. Prevent from entering drainage system.



Page 5 of 17

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

 $\label{eq:prevent-surface-pr$

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store in a well ventilated place.

7.3 Specific end use(s)

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries,

depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Nam	e Morpholine			
WEL-TWA: 10 pp	m (36 mg/m3) (WEL-TWA, EU)	WEL-STEL:	20 ppm (72 mg/m3) (WEL-STEL, EU)	
Monitoring procedu	res:			
BMGV:			Other information: S	Sk

Area of application	Exposure route / Environmental compartment	Environmental		Value	Unit	Note
	Environment - freshwater		PNEC	0,04	mg/l	
	Environment - marine		PNEC	0,004	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,06	mg/l	
	Environment - sediment, freshwater		PNEC	9,4	mg/kg dw	
	Environment - sediment, marine		PNEC	0,94	mg/kg dw	
	Environment - soil		PNEC	9,4	mg/kg dw	



B Page 6 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

	Environment - sewage treatment plant		PNEC	600	mg/l
	Environment - oral (animal feed)		PNEC	53,3	mg/kg feed
	Environment - periodic release		DNEL	0	mg/kg
Consumer	Human - dermal	Long term, systemic effects	DNEL	3,57	mg/kg bw/d
Consumer	Human - inhalation	Long term, systemic effects	DNEL	12,4	mg/m3
Consumer	Human - oral	Long term, systemic effects	DNEL	7,1	mg/kg bw/d
Consumer	Human - dermal	Short term, local effects	DNEL	2,8	mg/cm2
Consumer	Human - dermal	Long term, local effects	DNEL	2,8	mg/cm2
Workers / employees	Human - dermal	Short term, local effects	DNEL	2,8	mg/cm2
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	5	mg/kg bw/d
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	35	mg/m3
Workers / employees	Human - dermal	Long term, local effects	DNEL	2,8	mg/cm2

Morpholine						
Area of application	Exposure route / Environmental compartment	Effect on health		Value	Unit	Note
	Environment - freshwater		PNEC	0,163	mg/l	
	Environment - marine		PNEC	0,0163	mg/l	
	Environment - sediment, freshwater		PNEC	1,83	mg/kg dw	
	Environment - sediment, marine		PNEC	0,183	mg/kg dw	
	Environment - sporadic (intermittent) release		PNEC	0,45	mg/l	
	Environment - sewage treatment plant		PNEC	10	mg/l	
	Environment - soil		PNEC	0,269	mg/kg	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,84	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	36	mg/m3	

Area of application	Exposure route / Environmental	Effect on health	Descriptor	Value	Unit	Note
	compartment					
	Environment - freshwater		PNEC	3,39	µg/l	
	Environment - marine		PNEC	3,39	µg/l	
	Environment - sporadic		PNEC	3,39	µg/l	
	(intermittent) release					
	Environment - sewage		PNEC	0,23	mg/kg	
	treatment plant					
	Environment - sediment,		PNEC	0,027	mg/kg	
	freshwater					
	Environment - sediment,		PNEC	0,027	mg/kg	
	marine			,		
	Environment - soil		PNEC	0,01	mg/kg	
Consumer	Human - inhalation	Long term, local effects	DNEL	0,02	mg/m3	
Consumer	Human - inhalation	Short term, local effects	DNEL	0,04	mg/m3	



Page 7 of 17

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Consumer	Human - oral	Long term, systemic effects	DNEL	0,09	mg/kg bw/day	
Consumer	Human - oral	Short term, systemic effects	DNEL	0,11	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	0,02	mg/m3	
Workers / employees	Human - inhalation	Short term, local effects	DNEL	0,04	mg/m3	

Inited Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). | | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |

BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL))

Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Rubber gloves (EN ISO 374). Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: 0,4

Permeation time (penetration time) in minutes: > 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).



Page 8 of 17

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	White, Turbid
Odour:	Characteristic
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	Combustible.
Lower explosion limit:	There is no information available on this parameter.
Upper explosion limit:	There is no information available on this parameter.
Flash point:	>100 °C
Auto-ignition temperature:	There is no information available on this parameter.
Decomposition temperature:	There is no information available on this parameter.
pH:	n.a.
Kinematic viscosity:	>7 mm2/s (40°C)
Solubility:	Soluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	1,015 g/cm3 (20°C)
Relative vapour density:	There is no information available on this parameter.
Particle characteristics:	Does not apply to liquids.
9.2 Other information	
Explosives:	There is no information available on this parameter.
Oxidising liquids:	There is no information available on this parameter.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** See also section 7. None known **10.5 Incompatible materials** See also section 7. Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products



B Page 9 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

See also section 5.2 No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Motorbike Kuehlerreiniger						
Motorbike Radiator Cleaner						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	>2000	mg/kg			calculated value
Acute toxicity, by dermal route:	ATE	>2000	mg/kg			calculated value
Acute toxicity, by inhalation:	ATE	>20	mg/l/4h			Vapours, calculated value
Acute toxicity, by inhalation:	ATE	>5	mg/l/4h			Aerosol, calculated value
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Fatty alcohol ethoxylate						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	500	mg/kg			

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>500-2000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by oral route:	ATE	500	mg/kg			
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Mouse		Analogous conclusion
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Skin Irrit. 2
Serious eye damage/irritation:		>15	%	Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Dam. 1
Serious eye damage/irritation:		>10	%			Eye Irrit. 2
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Carcinogenicity:				Rat		Negative 2 years
Reproductive toxicity:		200	mg/kg	Rat		No indications of such an effect.

Morpholine						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	1910	mg/kg	Rat		
Acute toxicity, by oral route:	ATE	1960	mg/kg			
Acute toxicity, by dermal route:	ATE	500	mg/kg			
Acute toxicity, by dermal route:	LD50	500	mg/kg	Rabbit	OECD 402 (Acute	References
					Dermal Toxicity)	



Page 10 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Acute toxicity, by inhalation:	LC50	8	mg/l/4h	Rat		Vapours
Acute toxicity, by inhalation:	ATE	8	mg/l/4h			Vapours
Acute toxicity, by inhalation:	ATE	0,5	mg/l/4h			Dusts or mist
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Corrosive, Skin
					Dermal	Corr. 1A
					Irritation/Corrosion)	
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye	Corrosive, Eye
					Irritation/Corrosion)	Dam. 1
Respiratory or skin				Guinea pig	OECD 406 (Skin	No (skin contact)
sensitisation:					Sensitisation)	
Germ cell mutagenicity:				Salmonella		Negative
				typhimurium		

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	64-66	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	Acute Tox. 3
Acute toxicity, by oral route:	ATE	64	mg/kg			
Acute toxicity, by dermal route:	ATE	87,12	mg/kg			
Acute toxicity, by dermal route:	LD50	>=141	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	Acute Tox. 2
Acute toxicity, by dermal route:	LD50	87,12-92,4	mg/kg	Rabbit		Acute Tox. 2
Acute toxicity, by inhalation:	LC50	0,17-0,33	mg/l/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Aerosol, Dust, Acute Tox. 2
Acute toxicity, by inhalation:	LC50	0,81	mg/l/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Vapours, Acute Tox. 2
Acute toxicity, by inhalation:	ATE	0,81	mg/l/4h			Vapours
Acute toxicity, by inhalation:	ATE	0,17	mg/l/4h			Dusts or mist
Skin corrosion/irritation:				Rabbit		Skin Corr. 1C
Serious eye damage/irritation:				Rabbit		Eye Dam. 1
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Yes (skin contact), Skin Sens. 1A
Germ cell mutagenicity:					in vitro	Negative
Germ cell mutagenicity:				Mammalian	in vitro	Negative
Symptoms:						diarrhoea,
						mucous
						membrane
						irritation,
						watering eyes

11.2. Information on other hazards

œ

Motorbike Kuehlerreiniger						
Motorbike Radiator Cleaner						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting properties:						Does not apply
						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

SECTION 12: Ecological information Possibly more information on environmental effects, see Section 2.1 (classification). Motorbike Kuehlerreiniger Motorbike Radiator Cleaner Motorbike Radiator Cleaner Time Value Unit Organism Test method Notes 12.1. Toxicity to fish: Image: Colspan="5">Image: Colspan="5" Image: Colspan="5" Imag



authorities and will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. n.d.a. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th recipe, contains no AOX. thod Notes D1 D dability - ottle Test)
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-eliminatic degree(comple ng organic substance)>= 80%/28d: No According to th recipe, contains no AOX.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-eliminatic degree(comple ng organic substance)>= 80%/28d: No According to th recipe, contains no AOX.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th recipe, contains no AOX.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th recipe, contains no AOX.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th recipe, contains no AOX.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. n.d.a. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th recipe, contains no AOX.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. n.d.a. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th recipe, contains no AOX.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. n.d.a. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th recipe, contains no AOX.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. n.d.a. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th recipe, contains no AOX.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-elimination degree(comple ng organic substance)>= 80%/28d: No According to th
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-eliminatic degree(comple ng organic substance)>= 80%/28d: No
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-eliminatic degree(comple ng organic substance)>=
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-eliminatic degree(comple ng organic substance)>=
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-eliminatic degree(comple ng organic
 will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment. DOC-eliminatic degree(comple
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the environment.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse effects on the
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information available on other adverse
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. Does not apply to mixtures. No information available on
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures. No information
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply to mixtures.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a. Does not apply
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a. n.d.a.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a. n.d.a.
will be provided by a detergent manufacturer upon inquiry or demand. n.d.a.
will be provided by a detergent manufacturer upon inquiry or demand.
will be provided by a detergent manufacturer upon inquiry or demand.
will be provided by a detergent manufacturer upon inquiry or
will be provided by a detergent manufacturer upon inquiry or
will be provided by a detergent manufacturer
will be provided by a detergent
will be provided
the competent
kept available f
confirm this are
documents that
Supporting
detergents.
No.648/2004 of
Regulation (EC
down in
criteria as laid
biodegradability
with the
complies(comp
mixture
contained in thi
The surfactant
n.d.a.
n.d.a.
-

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	NOEC/NOEL	28d	0,85	mg/l	Oncorhynchus	OECD 204 (Fish,	
-				_	mykiss	Prolonged Toxicity	
						Test - 14-Day	
						Study)	
12.1. Toxicity to fish:	LC50	96h	8,4	mg/l	Leuciscus idus	84/449/EEC C.1	



B Page 12 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

12.1. Toxicity to daphnia:	NOEC/NOEL	22d	0,36	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	EC50	48h	9,81	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	EC50	72h	>61	mg/l	Scenedesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		34d	96,2	%	activated sludge	OECD 304 A (Inherent Biodegradability in Soil)	Readily biodegradable
12.2. Persistence and degradability:		28d	78	%	activated sludge	OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Readily biodegradable
12.2. Persistence and degradability:		28d	89	%	activated sludge	OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		0,2			Regulation (EC) 440/2008 A.8 (PARTITION COEFFICIENT)	Bioaccumulation is unlikely (LogPow < 1). 20 °C, pH 7-8,5
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	NOEC/NOEL	16h	600	mg/l	Pseudomonas putida	DIN 38412 T.8	
Other organisms:	NOEC/NOEL	56d	470	mg/kg	Eisenia foetida	OECD 222 (Earthworm Reproduction Test (Eisenia fetida/Eisenia andrei))	

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Oryzias latipes	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	45	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	References
12.1. Toxicity to daphnia:	EC10	21d	8,134	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to algae:	EC50	72h	64,6	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:						,	Readily biodegradable



B Page 13 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

12.3. Bioaccumulative potential:	BCF	42d	<2,8		Cyprinus caprio	OECD 305 (Bioconcentration - Flow-Through Fish Test)	Not to be expected
12.4. Mobility in soil:							No adsorption in soil.
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC20	30min	>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	

Reaction mass of 5-chlo Toxicity / effect		Time	Value	Unit		Test method	Notes
	Endpoint				Organism		Notes
12.1. Toxicity to fish:	LC50	96h	0,188	mg/l	Oncorhynchus	OECD 203 (Fish,	
					mykiss	Acute Toxicity	
						Test)	
12.1. Toxicity to fish:	NOEC/NOEL	28d	0,098	mg/l	Oncorhynchus	OECD 210 (Fish,	
					mykiss	Early-Life Stage	
						Toxicity Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,004	mg/l	Daphnia magna	OECD 211	
				-		(Daphnia magna	
						Reproduction Test)	
12.1. Toxicity to daphnia:	EC50	48h	0,1	mg/l	Daphnia magna	,	
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,0012	mg/l	Pseudokirchneriell	OECD 201 (Alga,	
, ,				5	a subcapitata	Growth Inhibition	
						Test)	
12.1. Toxicity to algae:	EC50	48h	0,0052	mg/l	Skeletonema	ISO 10253	
, 5				0	costatum		
12.1. Toxicity to algae:	NOEC/NOEL	48h	0,00064	mg/l	Skeletonema	ISO 10253	
,		_	-,	5	costatum		
12.2. Persistence and			>80	%	activated sludge	OECD 303 A	
degradability:				, -	g-	(Simulation Test -	
aogradability.						Aerobic Sewage	
						Treatment -	
						Activated Sludge	
						Units)	
12.3. Bioaccumulative	BCF		3,16			Units)	calculated value
potential:	BOI		3,10				calculated value
12.3. Bioaccumulative	Log Pow		-0,71-			OECD 107	
potential:	LUGFUW		0,75			(Partition	
potential.			0,75				
						Coefficient (n-	
						octanol/water) -	
						Shake Flask	
						Method)	
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
Taniala ta barra i	5050	01-	7.00				vPvB substance
Toxicity to bacteria:	EC50	3h	7,92	mg/l	activated sludge	OECD 209	
						(Activated Sludge,	
						Respiration	
						Inhibition Test	
						(Carbon and	
						Ammonium	
						Oxidation))	

SECTION 13: Disposal considerations



Page 14 of 17

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	Not applicable
Classification code:	Not applicable
LQ:	Not applicable
Transport category:	Not applicable
Transport by sea (IMDG-code)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
Marine Pollutant:	Not applicable
EmS:	Not applicable
Transport by air (IATA)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	
Unless specified otherwise, general measures for safe	e transport must be followed.
14.7 Maritime transport in bulk acco	•

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information



Page 15 of 17

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): REGULATION (EC) No 648 0,101 %

REGULATION (EC) No 648/2004 5 % or over but less than 15 %

non-ionic surfactants less than 5 % anionic surfactants METHYLCHLOROISOTHIAZOLINONE/ METHYLISOTHIAZOLINONE

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label. Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012. Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods. These are indicated in the approval of the active substance.

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

Employee instruction/training in handling hazardous materials is required.

SECTION 16: Other information

Revised sections: These details refer to the product as it is delivered. 2, 3, 9, 11, 12

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Dam. 1, H318	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents. H330 Fatal if inhaled.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation. H318 Causes serious eye damage.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Eye Dam. — Serious eye damage Acute Tox. — Acute toxicity - oral Aquatic Chronic — Hazardous to the aquatic environment - chronic Skin Irrit. — Skin irritation



Page 16 of 17

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner

Flam. Liq. — Flammable liquid Acute Tox. — Acute toxicity - dermal Acute Tox. — Acute toxicity - inhalation Skin Corr. — Skin corrosion Repr. — Reproductive toxicity Skin Sens. — Skin sensitization Aquatic Acute — Hazardous to the aquatic environment - acute

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** BSEF The International Bromine Council CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) EC European Community ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ΕN European Norms United States Environmental Protection Agency (United States of America) EPA Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) $ErCx, E\mu Cx, ErLx (x = 10, 50)$ et cetera etc. EU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general Globally Harmonized System of Classification and Labelling of Chemicals GHS GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc



ആ Page 17 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 07.10.2024 / 0031 Replacing version dated / version: 29.08.2022 / 0030 Valid from: 07.10.2024 PDF print date: 08.10.2024 Motorbike Kuehlerreiniger Motorbike Radiator Cleaner octanol-water partition coefficient Kow IARC International Agency for Research on Cancer ΙΑΤΑ International Air Transport Association IBC (Code) International Bulk Chemical (Code) International Maritime Code for Dangerous Goods IMDG-code incl. including, inclusive IUCLID International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities LQ MARPOL International Convention for the Prevention of Marine Pollution from Ships mg/kg body weight mg/kg bw mg/kg bw/d, mg/kg bw/day mg/kg body weight/day mg/kg dw mg/kg dry weight mg/kg wwt mg/kg wet weight n.a. not applicable not available n.av. not checked n.c. no data available n.d.a. NIOSH National Institute for Occupational Safety and Health (USA) NI P No-longer-Polymer No Observed Effect Concentration/Level NOEC, NOEL OECD Organisation for Economic Co-operation and Development organic org. OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic PF Polyethylene PNEC Predicted No Effect Concentration parts per million ppm PVC Polyvinylchloride REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) **REACH-IT List-No.** 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods Volatile organic compounds VOC very persistent and very bioaccumulative vPvB The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.