

Page 1 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 04.06.2020 / 0013  
Replacing version dated / version: 22.02.2019 / 0012  
Valid from: 04.06.2020  
PDF print date: 14.12.2020  
Polieren & Wachs

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

### Polieren & Wachs

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses of the substance or mixture:

Polish

Sector of use [SU]:

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC31 - Polishes and wax blends

PC35 - Washing and cleaning products

Process category [PROC]:

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 8b - Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC 9 - Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10 - Roller application or brushing

PROC19 - Manual activities involving hand contact

Article Categories [AC]:

AC99 - Not required.

Environmental Release Category [ERC]:

ERC 4 - Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC 7 - Use of functional fluid at industrial site

ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC 8d - Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

##### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH

Jerg-Wieland-Str. 4

89081 Ulm-Lehr

Tel.: (+49) 0731-1420-0

Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

##### Emergency information services / official advisory body:

---

##### Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.06.2020 / 0013

Replacing version dated / version: 22.02.2019 / 0012

Valid from: 04.06.2020

PDF print date: 14.12.2020

Polieren &amp; Wachs

## Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

## 2.2 Label elements

### Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210-Safety data sheet available on request.

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (&lt; 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (&lt; 0,1 %).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

n.a.

### 3.2 Mixtures

| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics            |                               |
|---|-------------------------------|
| Registration number (REACH)                                 | 01-2119456810-40-XXXX         |
| Index   | ---                           |
| EINECS, ELINCS, NLP   | 920-901-0 (REACH-IT List-No.) |
| CAS   | (90622-58-5)                  |
| content %   | 10-20                         |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Asp. Tox. 1, H304             |

| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics |                               |
|--|-------------------------------|
| Registration number (REACH)  | 01-2119456620-43-XXXX         |
| Index  | ---                           |
| EINECS, ELINCS, NLP  | 926-141-6 (REACH-IT List-No.) |
| CAS  | ---                           |
| content %  | 1-10                          |
| Classification according to Regulation (EC) 1272/2008 (CLP)          | Asp. Tox. 1, H304             |

| White mineral oil (Natural oil)                             |                       |
|---|-----------------------|
| Registration number (REACH)                                 | 01-2119487078-27-XXXX |
| Index   | ---                   |
| EINECS, ELINCS, NLP   | 232-455-8             |
| CAS   | 8042-47-5             |
| content %   | 1-2,5                 |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Asp. Tox. 1, H304     |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Page 3 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 04.06.2020 / 0013  
Replacing version dated / version: 22.02.2019 / 0012  
Valid from: 04.06.2020  
PDF print date: 14.12.2020  
Polieren & Wachs

Remove person from danger area.  
Supply person with fresh air and consult doctor according to symptoms.

### **Skin contact**

Dab away with polyethylene glycol 400  
Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

### **Eye contact**

Remove contact lenses.  
Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

### **Ingestion**

Rinse the mouth thoroughly with water.  
Give copious water to drink - consult doctor immediately.

### **4.2 Most important symptoms and effects, both acute and delayed**

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.  
In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

### **4.3 Indication of any immediate medical attention and special treatment needed**

n.c.

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Adapt to the nature and extent of fire.  
Water jet spray / alcohol resistant foam / CO<sub>2</sub> / dry extinguisher.

#### **Unsuitable extinguishing media**

High volume water jet

### **5.2 Special hazards arising from the substance or mixture**

In case of fire the following can develop:

Oxides of carbon  
Metal oxides  
Oxides of sulphur  
Oxides of nitrogen  
Toxic gases

### **5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes.  
Protective respirator with independent air supply.  
Full protection, if necessary.  
Dispose of contaminated extinction water according to official regulations.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure sufficient supply of air.  
Avoid contact with eyes or skin.

### **6.2 Environmental precautions**

If leakage occurs, dam up.  
Resolve leaks if this possible without risk.  
Prevent from entering drainage system.  
Prevent surface and ground-water infiltration, as well as ground penetration.

### **6.3 Methods and material for containment and cleaning up**

Pick up mechanically and dispose of according to Section 13.

### **6.4 Reference to other sections**

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### **7.1 Precautions for safe handling**

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.06.2020 / 0013

Replacing version dated / version: 22.02.2019 / 0012

Valid from: 04.06.2020

PDF print date: 14.12.2020

Polieren &amp; Wachs

### 7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### 7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

### 7.3 Specific end use(s)

No information available at present.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40):

 1200 mg/m<sup>3</sup>

| Chemical Name  | Hydrocarbons, C11-C13, isoalkanes, <2% aromatics   | Content %:10-20 |
|--|--|-----------------|
| WEL-TWA: 1200 mg/m <sup>3</sup> (>=C7 normal and branched chain alkanes) | WEL-STEL: ---  | ---             |
| Monitoring procedures:   | <ul style="list-style-type: none"> <li>- Draeger - Hydrocarbons 0,1%/c (81 03 571)</li> <li>- Draeger - Hydrocarbons 2/a (81 03 581)</li> <li>- Compur - KITA-187 S (551 174)</li> </ul> |                 |
| BMGV: ---  | Other information: ---   |                 |

| Chemical Name  | Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics   | Content %:1-10 |
|--|--|----------------|
| WEL-TWA: 1200 mg/m <sup>3</sup> (>=C7 normal and branched chain alkanes) | WEL-STEL: ---  | ---            |
| Monitoring procedures:   | <ul style="list-style-type: none"> <li>- Draeger - Hydrocarbons 0,1%/c (81 03 571)</li> <li>- Draeger - Hydrocarbons 2/a (81 03 581)</li> <li>- Compur - KITA-187 S (551 174)</li> </ul> |                |
| BMGV: ---  | Other information: ---   |                |

| Chemical Name   | general dust limit     | Content %: |
|---|------------------------|------------|
| WEL-TWA: 10 mg/m <sup>3</sup> (inhal. dust), 4 mg/m <sup>3</sup> (respir. dust) | WEL-STEL: ---          | ---        |
| Monitoring procedures:  | ---                    |            |
| BMGV: ---   | Other information: --- |            |

| Chemical Name  | Aluminium oxide        | Content %: |
|--|------------------------|------------|
| WEL-TWA: 10 mg/m <sup>3</sup> (total inhal. dust), 4 mg/m <sup>3</sup> (resp. dust) (aluminium oxides) | WEL-STEL: ---          | ---        |
| Monitoring procedures:   | ---                    |            |
| BMGV: ---  | Other information: --- |            |

| White mineral oil (Natural oil) |  |                             |            |       |                   |      |
|---------------------------------|--|-----------------------------|------------|-------|-------------------|------|
| Area of application             | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit              | Note |
| Consumer                        | Human - dermal                             | Long term, systemic effects | DNEL       | 92    | mg/kg bw/day      |      |
| Consumer                        | Human - inhalation                         | Long term, systemic effects | DNEL       | 35    | mg/m <sup>3</sup> |      |

GB

Page 5 of 15  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 04.06.2020 / 0013  
 Replacing version dated / version: 22.02.2019 / 0012  
 Valid from: 04.06.2020  
 PDF print date: 14.12.2020  
 Polieren & Wachs

|                     |                    |                             |      |     |              |  |
|---------------------|--------------------|-----------------------------|------|-----|--------------|--|
| Consumer            | Human - oral       | Long term, systemic effects | DNEL | 40  | mg/kg bw/day |  |
| Workers / employees | Human - inhalation | Long term, local effects    | DNEL | 160 | mg/m3        |  |
| Workers / employees | Human - dermal     | Long term, local effects    | DNEL | 220 | mg/kg        |  |
| Workers / employees | Human - dermal     | Long term, systemic effects | DNEL | 220 | mg/kg bw/day |  |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 160 | mg/m3        |  |

| Aluminium oxide     |  |                  |            |       |              |      |
|---------------------|--|------------------|------------|-------|--------------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit         | Note |
|                     | Environment - sewage treatment plant       |                  | PNEC       | 20    | mg/l         |      |
| Industrial          | Human - inhalation                         | Long term        | DNEL       | 3     | mg/m3        |      |
| Commercial          | Human - inhalation                         | Long term        | DNEL       | 3     | mg/m3        |      |
| Consumer            | Human - oral                               | Long term        | DNEL       | 6,22  | mg/kg bw/day |      |

GB WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).  
 (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).  
 (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.  
 \*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.  
 (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.  
 If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.  
 Applies only if maximum permissible exposure values are listed here.  
 Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.  
 These are specified by e.g. EN 14042.  
 EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.  
 Wash hands before breaks and at end of work.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:  
 With danger of contact with eyes.  
 Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:  
 Chemical resistant protective gloves (EN 374).  
 If applicable  
 Protective nitrile gloves (EN 374).  
 Minimum layer thickness in mm:  
 0,4  
 Permeation time (penetration time) in minutes:

Page 6 of 15  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 04.06.2020 / 0013  
 Replacing version dated / version: 22.02.2019 / 0012  
 Valid from: 04.06.2020  
 PDF print date: 14.12.2020  
 Polieren & Wachs

60  
 Protective PVC gloves (EN 374).  
 Protective hand cream recommended.  
 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.  
 The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:  
 Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:  
 If OES or MEL is exceeded.  
 Filter A2 P2 (EN 14387), code colour brown, white  
 Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:  
 Not applicable

Additional information on hand protection - No tests have been performed.  
 In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.  
 Selection of materials derived from glove manufacturer's indications.  
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.  
 Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.  
 In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.  
 The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |                                 |
|--|---------------------------------|
| Physical state:                          | Paste, Liquid                   |
| Colour:                                  | Light green                     |
| Odour:                                   | Characteristic, Fruity          |
| Odour threshold:                         | Not determined                  |
| pH-value:                                | 8 (20°C)                        |
| Melting point/freezing point:            | Not determined                  |
| Initial boiling point and boiling range: | 100 °C (Not determined )        |
| Flash point:                             | >61 °C                          |
| Evaporation rate:                        | Not determined                  |
| Flammability (solid, gas):               | Not determined                  |
| Lower explosive limit:                   | 0,6 Vol-%                       |
| Upper explosive limit:                   | 7 Vol-%                         |
| Vapour pressure:                         | 0,4 hPa (20°C)                  |
| Vapour density (air = 1):                | Not determined                  |
| Density:                                 | 0,953 g/cm <sup>3</sup> (20°C)  |
| Bulk density:                            | n.a.                            |
| Solubility(ies):                         | Not determined                  |
| Water solubility:                        | 652 g/l (Soluble )              |
| Partition coefficient (n-octanol/water): | Not determined                  |
| Auto-ignition temperature:               | >200 °C (Ignition temperature ) |
| Decomposition temperature:               | Not determined                  |
| Viscosity:                               | 4000-5000 mPas (20°C)           |
| Viscosity:                               | >20,5 mm <sup>2</sup> /s (40°C) |
| Explosive properties:                    | Product is not explosive.       |
| Oxidising properties:                    | No                              |

### 9.2 Other information

|                           |                |
|---------------------------|----------------|
| Miscibility:              | Not determined |
| Fat solubility / solvent: | Not determined |
| Conductivity:             | Not determined |
| Surface tension:          | Not determined |
| Solvents content:         | 19,91 %        |

Page 7 of 15  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 04.06.2020 / 0013  
 Replacing version dated / version: 22.02.2019 / 0012  
 Valid from: 04.06.2020  
 PDF print date: 14.12.2020  
 Polieren & Wachs

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Hazardous reactions will not occur during storage and handling under normal conditions.

### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

None known

### 10.5 Incompatible materials

None known

### 10.6 Hazardous decomposition products

No decomposition when used as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

| Polieren & Wachs  |          |       |      |          |             |        |
|---|----------|-------|------|----------|-------------|--------|
| Toxicity / effect   | Endpoint | Value | Unit | Organism | Test method | Notes  |
| Acute toxicity, by oral route:                                |          |       |      |          |             | n.d.a. |
| Acute toxicity, by dermal route:                              |          |       |      |          |             | n.d.a. |
| Acute toxicity, by inhalation:                                |          |       |      |          |             | n.d.a. |
| Skin corrosion/irritation:                                    |          |       |      |          |             | n.d.a. |
| Serious eye damage/irritation:                                |          |       |      |          |             | n.d.a. |
| Respiratory or skin sensitisation:                            |          |       |      |          |             | n.d.a. |
| Germ cell mutagenicity:                                       |          |       |      |          |             | n.d.a. |
| Carcinogenicity:  |          |       |      |          |             | n.d.a. |
| Reproductive toxicity:  |          |       |      |          |             | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |       |      |          |             | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): |          |       |      |          |             | n.d.a. |
| Aspiration hazard:  |          |       |      |          |             | n.d.a. |
| Symptoms:   |          |       |      |          |             | n.d.a. |

| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics |          |       |                       |            |  |   |
|--|----------|-------|-----------------------|------------|--|---|
| Toxicity / effect                                | Endpoint | Value | Unit                  | Organism   | Test method  | Notes   |
| Acute toxicity, by oral route:                   | LD50     | >5000 | mg/kg                 | Rat        | OECD 401 (Acute Oral Toxicity)                     |   |
| Acute toxicity, by dermal route:                 | LD50     | >5000 | mg/kg                 | Rabbit     | OECD 402 (Acute Dermal Toxicity)                   | 24h   |
| Acute toxicity, by inhalation:                   | LC50     | >5000 | mg/m <sup>3</sup> /8h | Rat        | OECD 403 (Acute Inhalation Toxicity)               |   |
| Skin corrosion/irritation:                       |          |       |                       | Rabbit     | OECD 404 (Acute Dermal Irritation/Corrosion)       | Not irritant, Repeated exposure may cause skin dryness or cracking. |
| Serious eye damage/irritation:                   |          |       |                       | Rabbit     | OECD 405 (Acute Eye Irritation/Corrosion)          | Not irritant  |
| Respiratory or skin sensitisation:               |          |       |                       | Guinea pig | OECD 406 (Skin Sensitisation)                      | Not sensitising   |
| Germ cell mutagenicity:                          |          |       |                       | Mouse      | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative  |

Page 8 of 15  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 04.06.2020 / 0013  
 Replacing version dated / version: 22.02.2019 / 0012  
 Valid from: 04.06.2020  
 PDF print date: 14.12.2020  
 Polieren & Wachs

|   |  |  |  |                        |  |                                |
|---|--|--|--|------------------------|--|--------------------------------|
| Germ cell mutagenicity:                                       |  |  |  | Mouse                  | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)        | Negative                       |
| Germ cell mutagenicity:                                       |  |  |  | Rat                    | OECD 478 (Genetic Toxicology - Rodent dominant Lethal Test)  | Negative                       |
| Germ cell mutagenicity:                                       |  |  |  | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                   | Negative                       |
| Carcinogenicity:  |  |  |  | Rat                    | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies) | Negative                       |
| Specific target organ toxicity - repeated exposure (STOT-RE): |  |  |  |                        |  | Analogous conclusion, Negative |
| Aspiration hazard:  |  |  |  |                        |  | Yes                            |
| Symptoms:   |  |  |  |                        |  | headaches, dizziness           |

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics**

| Toxicity / effect   | Endpoint | Value | Unit                  | Organism   | Test method  | Notes   |
|---|----------|-------|-----------------------|------------|--|---|
| Acute toxicity, by oral route:                                | LD50     | >5000 | mg/kg                 | Rat        | OECD 401 (Acute Oral Toxicity)                                 |   |
| Acute toxicity, by dermal route:                              | LD50     | >5000 | mg/kg                 | Rabbit     | OECD 402 (Acute Dermal Toxicity)                               |   |
| Acute toxicity, by inhalation:                                | LC50     | >5000 | mg/m <sup>3</sup> /8h | Rat        | OECD 403 (Acute Inhalation Toxicity)                           | Vapours   |
| Skin corrosion/irritation:                                    |          |       |                       |            | OECD 404 (Acute Dermal Irritation/Corrosion)                   | Analogous conclusion, Drying of the skin., Dermatitis (skin inflammation) |
| Serious eye damage/irritation:                                |          |       |                       |            | OECD 405 (Acute Eye Irritation/Corrosion)                      | Analogous conclusion, Slightly irritant                                   |
| Respiratory or skin sensitisation:                            |          |       |                       | Guinea pig | OECD 406 (Skin Sensitisation)                                  | No (skin contact), Analogous conclusion                                   |
| Germ cell mutagenicity:                                       |          |       |                       |            | in vivo  | Negative  |
| Germ cell mutagenicity:                                       |          |       |                       |            | OECD 471 (Bacterial Reverse Mutation Test)                     | Analogous conclusion, Negative  |
| Carcinogenicity:  |          |       |                       |            | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies)   | Analogous conclusion, Negative  |
| Reproductive toxicity:  |          |       |                       |            | OECD 414 (Prenatal Developmental Toxicity Study)               | Analogous conclusion, Negative  |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |       |                       |            |  | Analogous conclusion, No indications of such an effect.                   |
| Specific target organ toxicity - repeated exposure (STOT-RE): |          |       |                       |            | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | Analogous conclusion, Not to be expected                                  |
| Aspiration hazard:  |          |       |                       |            |  | Yes   |



Page 9 of 15  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 04.06.2020 / 0013  
 Replacing version dated / version: 22.02.2019 / 0012  
 Valid from: 04.06.2020  
 PDF print date: 14.12.2020  
 Polieren & Wachs

|           |  |  |  |  |  |   |
|-----------|--|--|--|--|--|---|
| Symptoms: |  |  |  |  |  | drying of the skin.,<br>headaches,<br>fatigue,<br>dizziness,<br>nausea,<br>diarrhoea,<br>vomiting |
|-----------|--|--|--|--|--|---|

| White mineral oil (Natural oil)                                       |          |        |            |                        |   |                      |
|---|----------|--------|------------|------------------------|---|----------------------|
| Toxicity / effect   | Endpoint | Value  | Unit       | Organism               | Test method   | Notes                |
| Acute toxicity, by oral route:  | LD50     | >5000  | mg/kg      | Rat                    | OECD 401 (Acute Oral Toxicity)                                |                      |
| Acute toxicity, by dermal route:                                      | LD50     | >2000  | mg/kg      | Rabbit                 | OECD 402 (Acute Dermal Toxicity)                              |                      |
| Acute toxicity, by inhalation:  | LC50     | >5     | mg/l/4h    | Rat                    | OECD 403 (Acute Inhalation Toxicity)                          |                      |
| Skin corrosion/irritation:  |          |        |            | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)                  | Not irritant         |
| Serious eye damage/irritation:  |          |        |            | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                     | Not irritant         |
| Respiratory or skin sensitisation:                                    |          |        |            | Guinea pig             | OECD 406 (Skin Sensitisation)                                 | No (skin contact)    |
| Germ cell mutagenicity:   |          |        |            | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                    | Negative             |
| Carcinogenicity:  | NOAEL    | >1200  | mg/kg      | Rat                    | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies)  | Negative             |
| Reproductive toxicity:  |          |        |            |                        | OECD 415 (One-Generation Reproduction Toxicity Study)         | Negative             |
| Reproductive toxicity:  | NOAEL    | >=1000 | mg/kg bw/d | Rat                    | OECD 421 (Reproduction/Developmental Toxicity Screening Test) | Negative             |
| Specific target organ toxicity - repeated exposure (STOT-RE):         | NOAEL    | >1200  | mg/kg      | Rat                    | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies)  |                      |
| Specific target organ toxicity - repeated exposure (STOT-RE):         | NOAEL    | >1200  | mg/kg      |                        | OECD 452 (Chronic Toxicity Studies)                           |                      |
| Aspiration hazard:  |          |        |            |                        |   | Asp. Tox. 1          |
| Symptoms:   |          |        |            |                        |   | nausea and vomiting. |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal: | NOAEL    | >2000  | mg/kg      | Rat                    | OECD 411 (Subchronic Dermal Toxicity - 90-day Study)          |                      |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal: | NOAEL    | 1000   | mg/kg      | Rabbit                 | OECD 410 (Repeated Dose Dermal Toxicity - 90-Day)             |                      |

| Aluminium oxide                |          |       |       |          |                                |                      |
|--------------------------------|----------|-------|-------|----------|--------------------------------|----------------------|
| Toxicity / effect              | Endpoint | Value | Unit  | Organism | Test method                    | Notes                |
| Acute toxicity, by oral route: | LD50     | >5000 | mg/kg | Rat      | OECD 401 (Acute Oral Toxicity) |                      |
| Acute toxicity, by oral route: | NOAEL    | 30    | mg/kg | Rat      |                                | Analogous conclusion |
| Acute toxicity, by inhalation: | NOAEC    | 70    | mg/m3 | Rat      |                                | subchronic           |

Page 10 of 15  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 04.06.2020 / 0013  
 Replacing version dated / version: 22.02.2019 / 0012  
 Valid from: 04.06.2020  
 PDF print date: 14.12.2020  
 Polieren & Wachs

|   |       |     |         |            |  |  |
|---|-------|-----|---------|------------|--|--|
| Acute toxicity, by inhalation:  | LC50  | 7,6 | mg/l/4h | Rat        |  | Aerosol, Maximum achievable concentration. |
| Skin corrosion/irritation:  |       |     |         | Rabbit     | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant                               |
| Serious eye damage/irritation:  |       |     |         | Rabbit     | OECD 405 (Acute Eye Irritation/Corrosion)    | Not irritant                               |
| Respiratory or skin sensitisation:                                      |       |     |         | Guinea pig |  | Not sensitising                            |
| Germ cell mutagenicity:   |       |     |         |            | in vivo                                      | Negative, Analogous conclusion             |
| Symptoms:   |       |     |         |            |  | constipation                               |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | LOAEL | 70  | mg/m3   | Rat        |  | Lung damage                                |

## SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Polieren & Wachs                         |          |      |       |      |          |             |   |
|--|----------|------|-------|------|----------|-------------|---|
| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes   |
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a.  |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a.  |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a.  |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a.  |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a.  |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a.  |
| 12.6. Other adverse effects:             |          |      |       |      |          |             | n.d.a.  |
| Other information:                       |          |      |       |      |          |             | According to the recipe, contains no AOX.   |

Page 11 of 15  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 04.06.2020 / 0013  
 Replacing version dated / version: 22.02.2019 / 0012  
 Valid from: 04.06.2020  
 PDF print date: 14.12.2020  
 Polieren & Wachs

| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics |          |      |       |      |                                 |  |   |
|--|----------|------|-------|------|---------------------------------|--|---|
| Toxicity / effect                                | Endpoint | Time | Value | Unit | Organism                        | Test method  | Notes                                   |
| 12.1. Toxicity to fish:                          | LL50     | 96h  | >1000 | mg/l | Oncorhynchus mykiss             | OECD 203 (Fish, Acute Toxicity Test)                               |   |
| 12.1. Toxicity to daphnia:                       | EL50     | 48h  | >1000 | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)                   |   |
| 12.1. Toxicity to daphnia:                       | NOELR    | 21d  | >1    | mg/l | Daphnia magna                   |  |   |
| 12.1. Toxicity to algae:                         | ErL50    | 72h  | >1000 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            |   |
| 12.1. Toxicity to algae:                         | NOELR    | 72h  | 1000  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            |   |
| 12.2. Persistence and degradability:             |          | 28d  | 31    | %    |                                 | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Not readily but inherent biodegradable. |
| 12.5. Results of PBT and vPvB assessment         |          |      |       |      |                                 |  | No PBT substance, No vPvB substance     |
| Water solubility:                                |          |      |       |      |                                 |  | Insoluble                               |

| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics |          |      |       |      |                                 |  |                                     |
|--|----------|------|-------|------|---------------------------------|--|-------------------------------------|
| Toxicity / effect  | Endpoint | Time | Value | Unit | Organism                        | Test method  | Notes                               |
| 12.1. Toxicity to fish:  | NOELR    | 28d  | 0,17  | mg/l | Oncorhynchus mykiss             | QSAR   |                                     |
| 12.1. Toxicity to fish:  | LL50     | 96h  | >1000 | mg/l | Oncorhynchus mykiss             | OECD 203 (Fish, Acute Toxicity Test)                               |                                     |
| 12.1. Toxicity to daphnia:   | NOELR    | 21d  | 1,22  | mg/l | Daphnia magna                   | QSAR   |                                     |
| 12.1. Toxicity to daphnia:   | EL50     | 48h  | >1000 | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)                   |                                     |
| 12.1. Toxicity to algae:   | NOELR    | 72h  | 1000  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            |                                     |
| 12.2. Persistence and degradability:                                 |          | 28d  | 69    | %    |                                 | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Readily biodegradable               |
| 12.3. Bioaccumulative potential:                                     | Log Pow  |      | 6-8   |      |                                 |  | High                                |
| 12.5. Results of PBT and vPvB assessment                             |          |      |       |      |                                 |  | No PBT substance, No vPvB substance |

| White mineral oil (Natural oil)      |          |      |       |      |          |  |                                      |
|--------------------------------------|----------|------|-------|------|----------|--|--------------------------------------|
| Toxicity / effect                    | Endpoint | Time | Value | Unit | Organism | Test method  | Notes                                |
| 12.2. Persistence and degradability: |          | 28d  | >60   | %    |          | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Biodegradable                        |
| 12.6. Other adverse effects:         |          |      |       |      |          |  | Product floats on the water surface. |

Page 12 of 15  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 04.06.2020 / 0013  
 Replacing version dated / version: 22.02.2019 / 0012  
 Valid from: 04.06.2020  
 PDF print date: 14.12.2020  
 Polieren & Wachs

|                                      |           |     |       |      |                                 |  |                           |
|--------------------------------------|-----------|-----|-------|------|---------------------------------|--|---------------------------|
| 12.1. Toxicity to daphnia:           | EL50      | 21d | >1000 | mg/l | Daphnia magna                   |  |                           |
| 12.1. Toxicity to fish:              | LC50      | 96h | >1000 | mg/l | Leuciscus idus                  | OECD 203 (Fish, Acute Toxicity Test)                               |                           |
| 12.1. Toxicity to fish:              | NOEC/NOEL | 96h | >1000 | mg/l | Oncorhynchus mykiss             | OECD 203 (Fish, Acute Toxicity Test)                               |                           |
| 12.1. Toxicity to daphnia:           | EL50      | 48h | >100  | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)                   |                           |
| 12.1. Toxicity to daphnia:           | LC50      | 48h | >100  | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)                   |                           |
| 12.1. Toxicity to algae:             | EL50      | 48h | >1000 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            |                           |
| 12.2. Persistence and degradability: |           | 28d | 31,3  | %    |                                 | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Not readily biodegradable |
| Toxicity to bacteria:                | LC50      |     | >1000 | mg/l | activated sludge                |  |                           |
| Toxicity to bacteria:                | NOELR     |     | >100  | mg/l | Pseudomonas subspicata          |  |                           |

| Aluminium oxide                          |           |      |         |      |                           |  |   |
|--|-----------|------|---------|------|---------------------------|--|---|
| Toxicity / effect                        | Endpoint  | Time | Value   | Unit | Organism                  | Test method                                      | Notes   |
| 12.1. Toxicity to fish:                  | LC50      | 96h  | 218,6   | mg/l | Pimephales promelas       |  |   |
| 12.1. Toxicity to daphnia:               | NOEC/NOEL | 48h  | >0,135  | mg/l | Daphnia magna             | OECD 202 (Daphnia sp. Acute Immobilisation Test) |   |
| 12.1. Toxicity to daphnia:               | EC50      |      | >100    | mg/l | Daphnia magna             |  |   |
| 12.3. Bioaccumulative potential:         |           |      |         |      |                           |  | Not to be expected  |
| 12.1. Toxicity to algae:                 | EC50      |      | >100    | mg/l | Selenastrum capricornutum |  |   |
| 12.1. Toxicity to algae:                 | NOEC/NOEL | 72h  | >=0,052 | mg/l | Selenastrum capricornutum | OECD 201 (Alga, Growth Inhibition Test)          |   |
| 12.2. Persistence and degradability:     |           |      |         |      |                           |  | Inorganic products cannot be eliminated from water through biological purification methods. |
| 12.5. Results of PBT and vPvB assessment |           |      |         |      |                           |  | No PBT substance, No vPvB substance   |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods For the substance / mixture / residual amounts

Page 13 of 15  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 04.06.2020 / 0013  
 Replacing version dated / version: 22.02.2019 / 0012  
 Valid from: 04.06.2020  
 PDF print date: 14.12.2020  
 Polieren & Wachs

EC disposal code no.:  
 The waste codes are recommendations based on the scheduled use of this product.  
 Owing to the user's specific conditions for use and disposal, other waste codes may be  
 allocated under certain circumstances. (2014/955/EU)  
 12 01 09 machining emulsions and solutions free of halogens  
 12 01 12 spent waxes and fats  
 Recommendation:  
 Sewage disposal shall be discouraged.  
 Pay attention to local and national official regulations.  
 E.g. dispose at suitable refuse site.  
 E.g. suitable incineration plant.  
**For contaminated packing material**  
 Pay attention to local and national official regulations.  
 Empty container completely.  
 Uncontaminated packaging can be recycled.  
 Dispose of packaging that cannot be cleaned in the same manner as the substance.

## SECTION 14: Transport information

### General statements

14.1. UN number: n.a.

### Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Classification code: n.a.

LQ: n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

### Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Marine Pollutant: n.a.

14.5. Environmental hazards: Not applicable

### Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): ~ 20 %

#### REGULATION (EC) No 648/2004

15 % or over but less than 30 %

aliphatic hydrocarbons

less than 5 %

non-ionic surfactants

perfumes

Page 14 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 04.06.2020 / 0013  
Replacing version dated / version: 22.02.2019 / 0012  
Valid from: 04.06.2020  
PDF print date: 14.12.2020  
Polieren & Wachs

FORMALDEHYDE  
METHYLCHLOROISOTHIAZOLINONE/ METHYLISOTHIAZOLINONE  
TETRAMETHYLOLGLYCOLURIL

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label.  
Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012.  
Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods.  
These are indicated in the approval of the active substance.

## 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## SECTION 16: Other information

Revised sections:

1

### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H304 May be fatal if swallowed and enters airways.

Asp. Tox. — Aspiration hazard

## Any abbreviations and acronyms used in this document:

acc., acc. to according, according to  
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)  
AOX Adsorbable organic halogen compounds  
approx. approximately  
Art., Art. no. Article number  
ASTM ASTM International (American Society for Testing and Materials)  
ATE Acute Toxicity Estimate  
BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)  
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)  
BSEF The International Bromine Council  
bw body weight  
CAS Chemical Abstracts Service  
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)  
CMR carcinogenic, mutagenic, reproductive toxic  
DMEL Derived Minimum Effect Level  
DNEL Derived No Effect Level  
dw dry weight  
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance  
EC European Community  
ECHA European Chemicals Agency  
EEC European Economic Community  
EINECS European Inventory of Existing Commercial Chemical Substances  
ELINCS European List of Notified Chemical Substances  
EN European Norms  
EPA United States Environmental Protection Agency (United States of America)  
etc. et cetera  
EU European Union  
EVAL Ethylene-vinyl alcohol copolymer  
Fax. Fax number  
gen. general  
GHS Globally Harmonized System of Classification and Labelling of Chemicals

Page 15 of 15  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 04.06.2020 / 0013  
Replacing version dated / version: 22.02.2019 / 0012  
Valid from: 04.06.2020  
PDF print date: 14.12.2020  
Polieren & Wachs

GWP Global warming potential  
IARC International Agency for Research on Cancer  
IATA International Air Transport Association  
IBC (Code) International Bulk Chemical (Code)  
IMDG-code International Maritime Code for Dangerous Goods  
incl. including, inclusive  
IUCLID International Uniform Chemical Information Database  
IUPAC International Union for Pure Applied Chemistry  
LC50 Lethal Concentration to 50 % of a test population  
LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)  
LQ Limited Quantities  
MARPOL International Convention for the Prevention of Marine Pollution from Ships  
n.a. not applicable  
n.av. not available  
n.c. not checked  
n.d.a. no data available  
OECD Organisation for Economic Co-operation and Development  
org. organic  
PBT persistent, bioaccumulative and toxic  
PE Polyethylene  
PNEC Predicted No Effect Concentration  
ppm parts per million  
PVC Polyvinylchloride  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
SVHC Substances of Very High Concern  
Tel. Telephone  
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
VOC Volatile organic compounds  
vPvB very persistent and very bioaccumulative  
wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.  
No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.