

Page 1 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

അ

Pro-Line Turbocharger Additive

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Lubricant Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (LMR) +1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard classHazard categoryAquatic Chronic3

Hazard statement H412-Harmful to aquatic life with long lasting effects.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

H412-Harmful to aquatic life with long lasting effects.

P273-Avoid release to the environment. P501-Dispose of contents / container to an approved waste disposal facility.

EUH208-Contains Polysulfides, di-tert-Bu. May produce an allergic reaction.

2.3 Other hazards



Page 2 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %). The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC)

The mixture does not contain any PBT substance (PBT = persistent, bloaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. **3.2 Mixtures**

GB

Baseoil - unspecified *	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	
content %	1-<15
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Asp. Tox. 1, H304
Polysulfides, di-tert-Bu	
Registration number (REACH)	01-2119540515-43-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	273-103-3
CAS	68937-96-2
content %	1-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Skin Sens. 1B, H317
	Aquatic Chronic 3, H412
Specific Concentration Limits and ATE	Skin Sens. 1B, H317: >=46 %
•	
Zinc 0,0,0',0'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	
Registration number (REACH)	01-2119953275-34-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	218-679-9
CAS	2215-35-2
content %	1-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Skin Irrit. 2. H315
······································	Eye Dam. 1, H318
	Aquatic Chronic 2, H411
Specific Concentration Limits and ATE	Skin Irrit. 2. H315: >=10.001 %
-p	Eye Dam. 1, H318: >=10 %
	Eye Irrit. 2, H319: >=10 %
Benzenesulfonic acid, mono-C20-24(even)-sec-alkyl derivs., para-,	
sodium salts	
Registration number (REACH)	01-2120743157-55-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	946-212-5
CAS	
	1-<5
content %	
content % Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Eve Irrit. 2, H319

* The contained mineral oil can be described by one or more of the following numbers: EINECS, ELINCS, NLP, REACH-Registration number (REACH) **Chemical name** IT List-No. 01-2119484627-25-XXXX Distillates (petroleum), hydrotreated heavy paraffinic 265-157-1 Distillates (petroleum), solvent-dewaxed heavy paraffinic Distillates (petroleum), hydrotreated light paraffinic 265-169-7 01-2119471299-27-XXXX 265-158-7 01-2119487077-29-XXXX 265-159-2 01-2119480132-48-XXXX Distillates (petroleum), solvent-dewaxed light paraffinic



Page 3 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

ആ

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Immediately rinse the eyes with plenty of water for at least ten minutes, holding the eyelids properly open. Follow-up examination by an ophthalmologist.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of phosphorus Oxides of sulphur Oxides of nitrogen

Aldehydes Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.



Page 4 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

Ensure sufficient ventilation, remove sources of ignition. Avoid dust formation with solid or powder products. Leave the danger zone if possible, use existing emergency plans if necessary. Ensure sufficient supply of air. Avoid formation of oil mist. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

ആ

Resolve leaks if this possible without risk. Prevent from entering drainage system.

Prevent for energy grainage system. Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Under all circumstances prevent penetration into the soil.

Store at room temperature. Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	Molybdenum disul	phide		Content %:
WEL-TWA: 10 mg/m3 (molybdenu	m insoluble	WEL-STEL: 20 mg/m3 (molybo	denum insoluble	
compounds, as Mo)		compounds, as Mo)		
Monitoring procedures:	-			
BMGV:			Other information:	
Chemical Name	Oil mist, mineral			Content %:
WEL-TWA: 5 mg/m3 (Mineral oil, e	excluding metal	WEL-STEL:		
working fluids, ACGIH)				
Monitoring procedures:	- [Draeger - Oil Mist 1/a (67 33 031)		
working fluids, ACGIH)	excluding metal			 Content %:



Page 5 of 14

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

BMGV: ---

Other information: ---

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - oral (animal feed)		PNEC	9,33	mg/kg	
Consumer	Human - inhalation	Long term, local effects	DNEL	1,2	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,74	mg/kg	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	1	mg/kg	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	5,6	mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	2,7	mg/m3	

Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note
	Environmental					
	compartment					
	Environment - freshwater		PNEC	0,004	mg/l	
	Environment - soil		PNEC	0,01	mg/kg	
	Environment - sediment, marine		PNEC	0,007	mg/kg	
	Environment - marine		PNEC	0,0046	mg/l	
	Environment - oral (animal feed)		PNEC	10,67	mg/kg	
	Environment - sewage treatment plant		PNEC	100	mg/l	
	Environment - sediment, freshwater		PNEC	0,074	mg/kg	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	2,13	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	6,1	mg/kg bw/day	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,24	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	8,6	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	12,2	mg/kg bw/day	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.



Page 6 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

ആ

Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection: Protective gloves, oil resistant (EN ISO 374). If applicable Protective nitrile gloves (EN ISO 374). Protective Neoprene® / polychloroprene gloves (EN ISO 374). Minimum layer thickness in mm: 0,5

Permeation time (penetration time) in minutes: 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary. With oil mist formation: Filter A2 P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flammability: Liquid Black Characteristic There is no information available on this parameter. There is no information available on this parameter. Flammable



Page 7 of 14

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

Lower explosion limit: Upper explosion limit: Flash point: Auto-ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Solubility: Partition coefficient n-octanol/water (log value): Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics:

9.2 Other information

Explosives: Oxidising liquids: There is no information available on this parameter. There is no information available on this parameter. 100 °C There is no information available on this parameter. There is no information available on this parameter. 304,31 mm2/s (20°C) There is no information available on this parameter. Does not apply to mixtures. There is no information available on this parameter. 1,0013 g/ml (20°C) There is no information available on this parameter. Does not apply to liquids.

There is no information available on this parameter. There is no information available on this parameter.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable when handled and stored correctly.

10.2 Chemical stability

Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. 10.4 Conditions to avoid See also section 7. Heating **10.5 Incompatible materials** See also section 7. Avoid contact with strong oxidizing agents. Avoid contact with strong alkalis. Avoid contact with strong acids. Amines Aldehydes Reducing agent **10.6 Hazardous decomposition products** See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						



	021 / 0007 n: 27.07.2020 .	/ 0006				
Valid from: 01.11.2021	1. 27.07.2020	0000				
PDF print date: 01.11.2021						
Pro-Line Turbocharger Additive						
		T		-	-	1
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
Baseoil - unspecified						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Respiratory or skin	Lindpoint	Value	Onic	Organishi	Test method	Not sensitizising
sensitisation:						Analogous
Aspiration hazard:						Yes
Symptoms:						mucous
						membrane
Polysulfides, di-tert-Bu						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Respiratory or skin				Guinea pig	OECD 406 (Skin	Skin Sens. 1B
sensitisation:					Sensitisation)	
Zinc 0,0,0',0'-tetrakis(1,3-dim		(nhoonhoroo	lithiaata)			
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	2230	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	Notes
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Skin Irrit. 2,
okin conosion/initiation.				Rabbit	Dermal	Irritant
					Irritation/Corrosion)	
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Dam. 1
Respiratory or skin	-			Guinea pig	OECD 406 (Skin	No (skin contac
sensitisation:					Sensitisation)	
Benzenesulfonic acid, mono-C		Value			Test method	1
Taviaity / affect	Endpoint	value				Notoo
	Endpoint		Unit	Organism	Test method	Notes Analogous
	LD50	>5000	mg/kg	Organism Rat		Analogous
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat		Analogous conclusion
Acute toxicity, by oral route:					OECD 402 (Acute	Analogous
Acute toxicity, by oral route: Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rat		Analogous conclusion Analogous
Acute toxicity, by oral route: Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal	Analogous conclusion Analogous conclusion
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation:	LD50	>5000	mg/kg	Rat Rabbit Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion)	Analogous conclusion Analogous conclusion Not irritant
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation:	LD50	>5000	mg/kg	Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal	Analogous conclusion Analogous conclusion Not irritant
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation:	LD50	>5000	mg/kg	Rat Rabbit Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit.
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Molybdenum disulphide	LD50 LD50	>5000 >2000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect	LD50 LD50 Endpoint	>5000 >2000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit.
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route:	LD50 LD50	>5000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism Rat Rat	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2 Notes
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism Rat Rat	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) Test method	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2 Notes Notes Not irritant Mild irritant
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism Rat Rat	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) Test method OECD 406 (Skin Sensitisation)	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2 Notes Not irritant Mild irritant No (skin contac
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) Test method OECD 406 (Skin	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2 Notes Notes Not irritant Mild irritant
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) Test method OECD 406 (Skin Sensitisation) OECD 471 (Bacterial	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2 Notes Not irritant Mild irritant No (skin contac
Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms:	LD50 LD50 Endpoint LD50	>5000 >2000 Value >2000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) Test method OECD 406 (Skin Sensitisation) OECD 471 (Bacterial	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2 Notes Not irritant Mild irritant No (skin contac) Negative
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity:	LD50 LD50 Endpoint LD50 LD50	>5000 >2000 Value >2000 >2000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) Test method OECD 406 (Skin Sensitisation) OECD 471 (Bacterial	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2 Notes Not irritant Mild irritant No (skin contact Negative mucous membrane
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Germ cell mutagenicity: Symptoms: 11.2. Information on ot	LD50 LD50 Endpoint LD50 LD50	>5000 >2000 Value >2000 >2000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) Test method OECD 406 (Skin Sensitisation) OECD 471 (Bacterial	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2 Notes Not irritant Mild irritant No (skin contac Negative mucous membrane
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms:	LD50 LD50 Endpoint LD50 LD50	>5000 >2000 Value >2000 >2000	mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism Rat Rat Rabbit Guinea pig	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) Test method OECD 406 (Skin Sensitisation) OECD 471 (Bacterial	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2 Notes Not irritant Mild irritant No (skin contact Negative mucous membrane
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Germ cell mutagenicity: Symptoms: 11.2. Information on ot Pro-Line Turbocharger Additiv	LD50 LD50 Endpoint LD50 LD50	>5000 >2000 Value >2000 >2000 >2000	Unit mg/kg mg/kg mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) Test method OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test)	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2 Notes Not irritant Mild irritant No (skin contact Negative mucous membrane irritation
Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Molybdenum disulphide Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Germ cell mutagenicity: Symptoms: 11.2. Information on ot Pro-Line Turbocharger Additiv Toxicity / effect	LD50 LD50 Endpoint LD50 LD50	>5000 >2000 Value >2000 >2000 >2000	Unit mg/kg mg/kg mg/kg mg/kg	Rat Rabbit Rabbit Rabbit Organism Rat Rat Rabbit Guinea pig	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) Test method OECD 406 (Skin Sensitisation) OECD 471 (Bacterial Reverse Mutation Test)	Analogous conclusion Analogous conclusion Not irritant Irritant, Eye Irrit. 2 Notes Not irritant Mild irritant No (skin contact Negative mucous membrane irritation

- (GB)-



Page 9 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

œ)

No other relevant information available on adverse effects on health.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Pro-Line Turbocharger A	Additive						
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							Does not apply
disrupting properties:							to mixtures.
12.7. Other adverse							No information
effects:							available on
							other adverse
							effects on the
							environment.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Pimephales promelas		
12.1. Toxicity to daphnia:	EC50	48h	>10000	mg/l	Daphnia magna		
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	>10	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Scenedesmus quadricauda		
12.2. Persistence and degradability:		28d	31	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Not readily biodegradable

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.3. Bioaccumulative potential:	Log Kow		6				measured
12.1. Toxicity to daphnia:	EC50	48h	63	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.2. Persistence and degradability:		28d	13	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Not readily biodegradable
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
Toxicity to bacteria:	EC50	3h	>10000	mg/l	activated sludge		



Page 10 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

œ

Zinc 0,0,0',0'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	4,5	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	23	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,4	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	24	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:	COD	28d	1,5	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Not readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		2,2				measured

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and		28d	~8	%		OECD 301 F	Not readily
degradability:						(Ready	biodegradable
						Biodegradability -	
						Manometric	
						Respirometry Test)	
12.1. Toxicity to fish:	LC50	96h	100	mg/l	Oncorhynchus	OECD 203 (Fish,	
					mykiss	Acute Toxicity	
						Test)	
12.1. Toxicity to daphnia:	LC50	48h	>100	mg/l	Daphnia magna	OECD 202	
						(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	LC50	72h	>100	mg/l	Selenastrum	OECD 201 (Alga,	
					capricornutum	Growth Inhibition	
						Test)	

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to daphnia:	LC50	48h	1680,4- 1776,6	mg/l	Daphnia magna		Analogous conclusion(mg Mo/L)
12.1. Toxicity to daphnia:	LC50	48h	2729,4	mg/l	Daphnia magna		Analogous conclusion(mg Mo/L)
12.1. Toxicity to daphnia:	LC50	48h	130,9	mg/l	Daphnia magna		Analogous conclusion(mg Mo/L)
12.1. Toxicity to daphnia:	LC50	48h	1005,5- 1024,6	mg/l	Ceriodaphnia spec.		Analogous conclusion(mg Mo/L)
12.1. Toxicity to algae:	ErC50	72h	289,2- 390,9	mg/l	Pseudokirchneriell a subcapitata		Analogous conclusion(mg Mo/L)
12.2. Persistence and degradability:							Not relevant for inorganic substances.
12.1. Toxicity to fish:	LC50	96h	609- 681,4	mg/l	Pimephales promelas		Analogous conclusion(mg Mo/L)



Page 11 of 14

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

12.1. Toxicity to fish:	LC50	96h	7600	mg/l	Oncorhynchus	Analogous
					mykiss	conclusion(mg
						Mo/L)
12.1. Toxicity to fish:	LC50	96h	781-	mg/l	Oncorhynchus	Analogous
			1339		mykiss	conclusion(mg
						Mo/L)
12.1. Toxicity to daphnia:	LC50	48h	2847,5	mg/l	Daphnia magna	Analogous
				_		conclusion(mg
						Mo/L)
12.3. Bioaccumulative						Not relevant for
potential:						inorganic
						substances.
12.5. Results of PBT						No PBT
and vPvB assessment						substance, No
						vPvB substance
Water solubility:			<0,1	mg/l		@20°C

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no .:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 07 03 other fuels (including mixtures)

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements	
14.1. UN number or ID number:	n.a.
Transport by road/by rail (ADR/RID)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Classification code:	n.a.
LQ:	n.a.
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Marine Pollutant:	n.a
14.5. Environmental hazards:	Not applicable
Transport by air (IATA)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.



Page 12 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

14.5. Environmental hazards:

അ

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

Not applicable

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

9,4 %

1-16

Revised sections:

These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Aquatic Chronic 3, H412	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Asp. Tox. — Aspiration hazard

Skin Sens. — Skin sensitization

Skin Irrit. - Skin irritation

 ${\sf Eye} \; {\sf Dam}. - {\sf Serious} \; {\sf eye} \; {\sf damage}$

Eye Irrit. — Eye irritation

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.



Page 13 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive

ആ

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the ADR International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) Acute Toxicity Estimate ATF Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAM BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances CLP and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.q. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) EC European Community ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ΕN European Norms EPA United States Environmental Protection Agency (United States of America) $ErCx, E\mu Cx, ErLx (x = 10, 50)$ Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera EU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number aen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc Kow octanol-water partition coefficient IARC International Agency for Research on Cancer International Air Transport Association IATA IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive **IUCLID** International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable not available n.av. not checked n.c. no data available n.d.a. NIOSH National Institute for Occupational Safety and Health (USA)



œ Page 14 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 27.07.2020 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 Pro-Line Turbocharger Additive NLP No-longer-Polymer No Observed Effect Concentration/Level NOEC, NOEL OECD Organisation for Economic Co-operation and Development org. organic OSHA Occupational Safety and Health Administration (USA) persistent, bioaccumulative and toxic PBT PE Polyethylene PNEC Predicted No Effect Concentration parts per million ppm PVC Polyvinylchloride REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List **REACH-IT List-No.** Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International RID Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wet weight wwt

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.