

Page 1 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### Wash & Wax

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Vehicle cleansing

#### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

GB

LIQUI MOLY GmbH  
Jerg-Wieland-Str. 4  
89081 Ulm-Lehr  
Tel.: (+49) 0731-1420-0  
Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

#### Emergency information services / official advisory body:

GB

Landspítali- The National University Hospital of Iceland, tel. +354 543 2222 or 112 (valid only for Iceland)

#### Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)  
+1 872 5888271 (LMR)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) 1272/2008 (CLP)

| Hazard class | Hazard category | Hazard statement                |
|--------------|-----------------|---------------------------------|
| Eye Dam.     | 1               | H318-Causes serious eye damage. |

#### 2.2 Label elements

#### Labeling according to Regulation (EC) 1272/2008 (CLP)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.07.2024 / 0029

Replacing version dated / version: 25.10.2023 / 0028

Valid from: 30.07.2024

PDF print date: 31.07.2024

Wash &amp; Wax


**Danger**

H318-Causes serious eye damage.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P280-Wear eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

EUH208-Contains 1,2-benzisothiazol-3(2H)-one, Citral, Dipentene. May produce an allergic reaction.

D-Glucopyranose, oligomer, decyl octyl glycoside

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts

D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (&lt; 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (&lt; 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (&lt; 0,1 %).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

n.a.

### 3.2 Mixtures

| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts |                                                     |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| Registration number (REACH)                                                                                                                  | 01-2119489410-39-XXXX                               |
| Index                                                                                                                                        | ---                                                 |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                                                                                       | 931-333-8                                           |
| CAS                                                                                                                                          | 147170-44-3                                         |
| content %                                                                                                                                    | 5-<10                                               |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors                                                                       | Eye Dam. 1, H318<br>Aquatic Chronic 3, H412         |
| Specific Concentration Limits and ATE                                                                                                        | Eye Dam. 1, H318: >10 %<br>Eye Irrit. 2, H319: >4 % |
| D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides                                                                          |                                                     |
| Registration number (REACH)                                                                                                                  | 01-2119489418-23-XXXX                               |
| Index                                                                                                                                        | ---                                                 |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                                                                                       | 600-975-8                                           |
| CAS                                                                                                                                          | 110615-47-9                                         |
| content %                                                                                                                                    | 1-<5                                                |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors                                                                       | Skin Irrit. 2, H315<br>Eye Dam. 1, H318             |

Page 3 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

|                                              |                                                                                                |
|----------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>Specific Concentration Limits and ATE</b> | Skin Irrit. 2, H315: $\geq 30$ %<br>Eye Dam. 1, H318: $> 12$ %<br>Eye Irrit. 2, H319: $> 12$ % |
|----------------------------------------------|------------------------------------------------------------------------------------------------|

|                                                                               |                       |
|-------------------------------------------------------------------------------|-----------------------|
| <b>D-Glucopyranose, oligomer, decyl octyl glycoside</b>                       |                       |
| <b>Registration number (REACH)</b>                                            | 01-2119488530-36-XXXX |
| <b>Index</b>                                                                  | ---                   |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 500-220-1             |
| <b>CAS</b>                                                                    | 68515-73-1            |
| <b>content %</b>                                                              | 1- $< 5$              |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Eye Dam. 1, H318      |

|                                                                               |                                                                |
|-------------------------------------------------------------------------------|----------------------------------------------------------------|
| <b>2-(2-butoxyethoxy)ethanol</b>                                              | <b>Substance for which an EU exposure limit value applies.</b> |
| <b>Registration number (REACH)</b>                                            | 01-2119475104-44-XXXX                                          |
| <b>Index</b>                                                                  | 603-096-00-8                                                   |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 203-961-6                                                      |
| <b>CAS</b>                                                                    | 112-34-5                                                       |
| <b>content %</b>                                                              | 1- $< 5$                                                       |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Eye Irrit. 2, H319                                             |

|                                                                               |                                                                 |
|-------------------------------------------------------------------------------|-----------------------------------------------------------------|
| <b>Citral</b>                                                                 |                                                                 |
| <b>Registration number (REACH)</b>                                            | 01-2119462829-23-XXXX                                           |
| <b>Index</b>                                                                  | 605-019-00-3                                                    |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 226-394-6                                                       |
| <b>CAS</b>                                                                    | 5392-40-5                                                       |
| <b>content %</b>                                                              | 0,1- $< 0,25$                                                   |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317 |

|                                                                               |                                                                                                                                                      |
|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Dipentene</b>                                                              |                                                                                                                                                      |
| <b>Registration number (REACH)</b>                                            | 01-2119529223-47-XXXX                                                                                                                                |
| <b>Index</b>                                                                  | 601-029-00-7                                                                                                                                         |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 205-341-0                                                                                                                                            |
| <b>CAS</b>                                                                    | 138-86-3                                                                                                                                             |
| <b>content %</b>                                                              | 0,1- $< 0,25$                                                                                                                                        |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 1, H410 (M=1) |

|                                                                               |                                                                                                                                                                            |
|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>1,2-benzisothiazol-3(2H)-one</b>                                           |                                                                                                                                                                            |
| <b>Registration number (REACH)</b>                                            | ---                                                                                                                                                                        |
| <b>Index</b>                                                                  | 613-088-00-6                                                                                                                                                               |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 220-120-9                                                                                                                                                                  |
| <b>CAS</b>                                                                    | 2634-33-5                                                                                                                                                                  |
| <b>content %</b>                                                              | 0,0036- $< 0,036$                                                                                                                                                          |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Acute Tox. 2, H330<br>Acute Tox. 4, H302<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 1, H410 (M=1) |
| <b>Specific Concentration Limits and ATE</b>                                  | Skin Sens. 1A, H317: $\geq 0,036$ %<br>ATE (oral): 450 mg/kg<br>ATE (as inhalation, Dusts or mist): 0,21 mg/l/4h<br>ATE (as inhalation, Vapours): 0,5 mg/l/4h              |

|                                              |              |
|----------------------------------------------|--------------|
| <b>Pyridine-2-thiol 1-oxide, sodium salt</b> |              |
| <b>Registration number (REACH)</b>           | ---          |
| <b>Index</b>                                 | 613-344-00-7 |

Page 4 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

|                                                                               |                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 223-296-5                                                                                                                                                                                                                                   |
| <b>CAS</b>                                                                    | 3811-73-2                                                                                                                                                                                                                                   |
| <b>content %</b>                                                              | 0,001-<0,01                                                                                                                                                                                                                                 |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | EUH070<br>Acute Tox. 3, H311<br>Acute Tox. 3, H331<br>Acute Tox. 4, H302<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>STOT RE 1, H372 (nervous system)<br>Aquatic Acute 1, H400 (M=100)<br>Aquatic Chronic 2, H411 |
| <b>Specific Concentration Limits and ATE</b>                                  | ATE (oral): 500 mg/kg<br>ATE (dermal): 790 mg/kg<br>ATE (as inhalation, Dusts or mist): 0,5 mg/l<br>ATE (as inhalation, Vapours): 3 mg/l/4h                                                                                                 |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.  
For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.  
The substances named in this section are given with their actual, appropriate classification!  
For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.  
The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!  
Never pour anything into the mouth of an unconscious person!

#### Inhalation

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

#### Eye contact

Remove contact lenses.  
Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.  
Protect uninjured eye.  
Follow-up examination by an ophthalmologist.

#### Ingestion

Rinse the mouth thoroughly with water.  
Do not induce vomiting - give copious water to drink. Consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.  
In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.  
eyes, reddened  
watering eyes  
irritation of the eyes  
Sensitive individuals:  
Allergic reaction possible.

### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Adapt to the nature and extent of fire.  
Water jet spray / alcohol resistant foam / CO2 / dry extinguisher.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.07.2024 / 0029

Replacing version dated / version: 25.10.2023 / 0028

Valid from: 30.07.2024

PDF print date: 31.07.2024

Wash & Wax

## Unsuitable extinguishing media

None known

## 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of nitrogen

Toxic gases

## 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water.

### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid aerosol formation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Use working methods according to operating instructions.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Page 6 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

Store product closed and only in original packing.  
Not to be stored in gangways or stair wells.  
Store at room temperature.  
Protect from frost.

### 7.3 Specific end use(s)

No information available at present.  
Observe the instructions for good working practice and the recommendations for risk assessment.  
Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries, depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

|                                                                                  |                      |                                               |                        |     |
|----------------------------------------------------------------------------------|----------------------|-----------------------------------------------|------------------------|-----|
|  | <b>Chemical Name</b> | 2-(2-butoxyethoxy)ethanol                     |                        |     |
| WEL-TWA: 10 ppm (67,5 mg/m3) (WEL-TWA, EU)                                       |                      | WEL-STEL: 15 ppm (101,2 mg/m3) (WEL-STEL, EU) |                        | --- |
| Monitoring procedures:                                                           |                      | ---                                           |                        |     |
| BMGV: ---                                                                        |                      |                                               | Other information: --- |     |

#### 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts

| Area of application | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value  | Unit       | Note |
|---------------------|--------------------------------------------|-----------------------------|------------|--------|------------|------|
|                     | Environment - freshwater                   |                             | PNEC       | 0,0135 | mg/l       |      |
|                     | Environment - marine                       |                             | PNEC       | 0,0014 | mg/l       |      |
|                     | Environment - sediment, freshwater         |                             | PNEC       | 14,8   | mg/kg      |      |
|                     | Environment - sediment, marine             |                             | PNEC       | 1,48   | mg/kg      |      |
|                     | Environment - sewage treatment plant       |                             | PNEC       | 3000   | mg/l       |      |
|                     | Environment - soil                         |                             | PNEC       | 0,8    | mg/kg      |      |
| Consumer            | Human - inhalation                         | Long term, systemic effects | DNEL       | 13,04  | mg/m3      |      |
| Consumer            | Human - oral                               | Long term, systemic effects | DNEL       | 7,5    | mg/kg bw/d |      |
| Consumer            | Human - dermal                             | Long term, systemic effects | DNEL       | 7,5    | mg/kg bw/d |      |
| Workers / employees | Human - inhalation                         | Long term, systemic effects | DNEL       | 44     | mg/m3      |      |
| Workers / employees | Human - dermal                             | Long term, systemic effects | DNEL       | 12,5   | mg/kg bw/d |      |

#### D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides

| Area of application | Exposure route / Environmental compartment           | Effect on health | Descriptor | Value  | Unit     | Note |
|---------------------|------------------------------------------------------|------------------|------------|--------|----------|------|
|                     | Environment - freshwater                             |                  | PNEC       | 0,176  | mg/l     |      |
|                     | Environment - marine                                 |                  | PNEC       | 0,018  | mg/l     |      |
|                     | Environment - water, sporadic (intermittent) release |                  | PNEC       | 0,0295 | mg/l     |      |
|                     | Environment - sewage treatment plant                 |                  | PNEC       | 5000   | mg/l     |      |
|                     | Environment - sediment, freshwater                   |                  | PNEC       | 1,516  | mg/kg dw |      |
|                     | Environment - sediment, marine                       |                  | PNEC       | 0,065  | mg/kg dw |      |
|                     | Environment - soil                                   |                  | PNEC       | 0,654  | mg/kg dw |      |

Page 7 of 25  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 30.07.2024 / 0029  
 Replacing version dated / version: 25.10.2023 / 0028  
 Valid from: 30.07.2024  
 PDF print date: 31.07.2024  
 Wash & Wax

|                     |                                  |                             |      |        |              |  |
|---------------------|----------------------------------|-----------------------------|------|--------|--------------|--|
|                     | Environment - oral (animal feed) |                             | PNEC | 111,11 | mg/kg feed   |  |
| Consumer            | Human - oral                     | Long term, systemic effects | DNEL | 35,7   | mg/kg bw/day |  |
| Consumer            | Human - dermal                   | Long term, systemic effects | DNEL | 357000 | mg/kg bw/day |  |
| Consumer            | Human - inhalation               | Long term, systemic effects | DNEL | 124    | mg/m3        |  |
| Workers / employees | Human - dermal                   | Long term, systemic effects | DNEL | 595000 | mg/kg bw/day |  |
| Workers / employees | Human - inhalation               | Long term, systemic effects | DNEL | 420    | mg/kg        |  |

| D-Glucopyranose, oligomer, decyl octyl glycoside |                                                      |                  |            |        |              |      |
|--------------------------------------------------|------------------------------------------------------|------------------|------------|--------|--------------|------|
| Area of application                              | Exposure route / Environmental compartment           | Effect on health | Descriptor | Value  | Unit         | Note |
|                                                  | Environment - sediment, freshwater                   |                  | PNEC       | 1,516  | mg/kg dw     |      |
|                                                  | Environment - sediment, marine                       |                  | PNEC       | 0,152  | mg/kg dw     |      |
|                                                  | Environment - soil                                   |                  | PNEC       | 0,654  | mg/kg dw     |      |
|                                                  | Environment - water, sporadic (intermittent) release |                  | PNEC       | 0,27   | mg/l         |      |
|                                                  | Environment - sewage treatment plant                 |                  | PNEC       | 560    | mg/l         |      |
|                                                  | Environment - freshwater                             |                  | PNEC       | 0,176  | mg/l         |      |
|                                                  | Environment - marine                                 |                  | PNEC       | 0,0176 | mg/l         |      |
|                                                  | Environment - oral (animal feed)                     |                  | DNEL       | 111,11 | mg/kg feed   |      |
| Consumer                                         | Human - dermal                                       | Long term        | DNEL       | 357000 | mg/kg bw/day |      |
| Consumer                                         | Human - inhalation                                   | Long term        | DNEL       | 124    | mg/m3        |      |
| Consumer                                         | Human - oral                                         | Long term        | DNEL       | 35,7   | mg/kg bw/day |      |
| Workers / employees                              | Human - dermal                                       | Long term        | DNEL       | 595000 | mg/kg bw/day |      |
| Workers / employees                              | Human - inhalation                                   | Long term        | DNEL       | 420    | mg/m3        |      |

| 2-(2-butoxyethoxy)ethanol |                                                      |                             |            |       |            |      |
|---------------------------|------------------------------------------------------|-----------------------------|------------|-------|------------|------|
| Area of application       | Exposure route / Environmental compartment           | Effect on health            | Descriptor | Value | Unit       | Note |
|                           | Environment - marine                                 |                             | PNEC       | 0,11  | mg/l       |      |
|                           | Environment - water, sporadic (intermittent) release |                             | PNEC       | 11    | mg/l       |      |
|                           | Environment - sediment, freshwater                   |                             | PNEC       | 4,4   | mg/kg      |      |
|                           | Environment - sediment, marine                       |                             | PNEC       | 0,44  | mg/kg      |      |
|                           | Environment - soil                                   |                             | PNEC       | 0,32  | mg/kg      |      |
|                           | Environment - sewage treatment plant                 |                             | PNEC       | 100   | mg/l       |      |
|                           | Environment - oral (animal feed)                     |                             | PNEC       | 56    | mg/kg      |      |
|                           | Environment - freshwater                             |                             | PNEC       | 1,1   | mg/l       |      |
| Consumer                  | Human - inhalation                                   | Short term, local effects   | DNEL       | 7,5   | mg/m3      |      |
| Consumer                  | Human - dermal                                       | Long term, systemic effects | DNEL       | 10    | mg/kg bw/d |      |

Page 8 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

|                     |                    |                              |      |       |                   |  |
|---------------------|--------------------|------------------------------|------|-------|-------------------|--|
| Consumer            | Human - inhalation | Long term, systemic effects  | DNEL | 40,5  | mg/m <sup>3</sup> |  |
| Consumer            | Human - oral       | Long term, systemic effects  | DNEL | 5     | mg/kg bw/d        |  |
| Consumer            | Human - oral       | Long term, systemic effects  | DNEL | 6,25  | mg/kg bw/d        |  |
| Consumer            | Human - inhalation | Long term, local effects     | DNEL | 5     | mg/m <sup>3</sup> |  |
| Workers / employees | Human - oral       | Long term, local effects     | DNEL | 67,5  | mg/m <sup>3</sup> |  |
| Workers / employees | Human - dermal     | Short term, systemic effects | DNEL | 89    | mg/kg bw/d        |  |
| Workers / employees | Human - inhalation | Long term, local effects     | DNEL | 67,5  | mg/m <sup>3</sup> |  |
| Workers / employees | Human - dermal     | Long term, systemic effects  | DNEL | 20    | mg/kg             |  |
| Workers / employees | Human - inhalation | Short term, local effects    | DNEL | 101,2 | mg/m <sup>3</sup> |  |
| Workers / employees | Human - inhalation | Long term, systemic effects  | DNEL | 67,5  | mg/m <sup>3</sup> |  |

| Citral              |                                                      |                             |            |          |                    |      |
|---------------------|------------------------------------------------------|-----------------------------|------------|----------|--------------------|------|
| Area of application | Exposure route / Environmental compartment           | Effect on health            | Descriptor | Value    | Unit               | Note |
|                     | Environment - freshwater                             |                             | PNEC       | 0,00678  | mg/l               |      |
|                     | Environment - marine                                 |                             | PNEC       | 0,000678 | mg/l               |      |
|                     | Environment - water, sporadic (intermittent) release |                             | PNEC       | 0,0678   | mg/l               |      |
|                     | Environment - sewage treatment plant                 |                             | PNEC       | 1,6      | mg/l               |      |
|                     | Environment - sediment, freshwater                   |                             | PNEC       | 0,125    | mg/kg              |      |
|                     | Environment - sediment, marine                       |                             | PNEC       | 0,0125   | mg/kg              |      |
|                     | Environment - soil                                   |                             | PNEC       | 0,0209   | mg/kg              |      |
| Consumer            | Human - dermal                                       | Long term, systemic effects | DNEL       | 1        | mg/kg              |      |
| Consumer            | Human - inhalation                                   | Long term, systemic effects | DNEL       | 2,7      | mg/m <sup>3</sup>  |      |
| Consumer            | Human - oral                                         | Long term, systemic effects | DNEL       | 0,6      | mg/kg              |      |
| Consumer            | Human - dermal                                       | Long term, local effects    | DNEL       | 0,14     | mg/cm <sup>2</sup> |      |
| Workers / employees | Human - dermal                                       | Long term, systemic effects | DNEL       | 1,7      | mg/kg              |      |
| Workers / employees | Human - inhalation                                   | Long term, systemic effects | DNEL       | 9        | mg/m <sup>3</sup>  |      |
| Workers / employees | Human - dermal                                       | Long term, local effects    | DNEL       | 0,14     | mg/cm <sup>2</sup> |      |

| 1,2-benzisothiazol-3(2H)-one |                                            |                  |            |          |          |      |
|------------------------------|--------------------------------------------|------------------|------------|----------|----------|------|
| Area of application          | Exposure route / Environmental compartment | Effect on health | Descriptor | Value    | Unit     | Note |
|                              | Environment - freshwater                   |                  | PNEC       | 0,00403  | mg/l     |      |
|                              | Environment - marine                       |                  | PNEC       | 0,000403 | mg/l     |      |
|                              | Environment - sediment, freshwater         |                  | PNEC       | 0,0499   | mg/kg dw |      |
|                              | Environment - sediment, marine             |                  | PNEC       | 0,00499  | mg/kg dw |      |
|                              | Environment - soil                         |                  | PNEC       | 3        | mg/kg dw |      |
|                              | Environment - sewage treatment plant       |                  | PNEC       | 1,03     | mg/l     |      |

Page 9 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

|                     |                                                      |                             |      |        |              |  |
|---------------------|------------------------------------------------------|-----------------------------|------|--------|--------------|--|
|                     | Environment - water, sporadic (intermittent) release |                             | PNEC | 0,0011 | mg/l         |  |
| Consumer            | Human - inhalation                                   | Long term, systemic effects | DNEL | 1,2    | mg/m3        |  |
| Consumer            | Human - dermal                                       | Long term, systemic effects | DNEL | 0,345  | mg/kg bw/day |  |
| Workers / employees | Human - inhalation                                   | Long term, systemic effects | DNEL | 6,81   | mg/m3        |  |
| Workers / employees | Human - dermal                                       | Long term, systemic effects | DNEL | 0,966  | mg/kg bw/day |  |

GB - United Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
(8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). |  
| WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |  
| BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
(EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |  
| Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.  
(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
(13) = The substance can cause sensitisation of the skin and of the respiratory tract (2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE). |

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

Recommended

Protective gloves made of butyl (EN ISO 374).

Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

> 120

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Page 10 of 25  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 30.07.2024 / 0029  
 Replacing version dated / version: 25.10.2023 / 0028  
 Valid from: 30.07.2024  
 PDF print date: 31.07.2024  
 Wash & Wax

Respiratory protection:  
 Normally not necessary.  
 If OES or MEL is exceeded.  
 Gas mask filter A (EN 14387), code colour brown  
 Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:  
 Not applicable

Additional information on hand protection - No tests have been performed.  
 In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.  
 Selection of materials derived from glove manufacturer's indications.  
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.  
 Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.  
 In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.  
 The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                           |                                                      |
|-----------------------------------------------------------|------------------------------------------------------|
| Physical state:                                           | Liquid                                               |
| Colour:                                                   | Yellow                                               |
| Odour:                                                    | Fruity                                               |
| Melting point/freezing point:                             | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability:                                             | There is no information available on this parameter. |
| Lower explosion limit:                                    | There is no information available on this parameter. |
| Upper explosion limit:                                    | There is no information available on this parameter. |
| Flash point:                                              | >101 °C                                              |
| Auto-ignition temperature:                                | There is no information available on this parameter. |
| Decomposition temperature:                                | There is no information available on this parameter. |
| pH:                                                       | 5,8 (100 %, 20°C, DIN 19268)                         |
| Kinematic viscosity:                                      | There is no information available on this parameter. |
| Solubility:                                               | Mixable                                              |
| Partition coefficient n-octanol/water (log value):        | Does not apply to mixtures.                          |
| Vapour pressure:                                          | 23 hPa (20°C)                                        |
| Density and/or relative density:                          | 1,02 g/cm <sup>3</sup> (20°C, DIN 51757)             |
| Relative vapour density:                                  | There is no information available on this parameter. |
| Particle characteristics:                                 | Does not apply to liquids.                           |

### 9.2 Other information

|                    |                                                      |
|--------------------|------------------------------------------------------|
| Explosives:        | Product is not explosive.                            |
| Oxidising liquids: | There is no information available on this parameter. |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not to be expected

### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

See also section 7.

None known

### 10.5 Incompatible materials

See also section 7.

Avoid contact with strong oxidizing agents.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.07.2024 / 0029

Replacing version dated / version: 25.10.2023 / 0028

Valid from: 30.07.2024

PDF print date: 31.07.2024

Wash &amp; Wax

## 10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

#### Wash & Wax

| Toxicity / effect                                             | Endpoint | Value | Unit | Organism | Test method | Notes  |
|---------------------------------------------------------------|----------|-------|------|----------|-------------|--------|
| Acute toxicity, by oral route:                                |          |       |      |          |             | n.d.a. |
| Acute toxicity, by dermal route:                              |          |       |      |          |             | n.d.a. |
| Acute toxicity, by inhalation:                                |          |       |      |          |             | n.d.a. |
| Skin corrosion/irritation:                                    |          |       |      |          |             | n.d.a. |
| Serious eye damage/irritation:                                |          |       |      |          |             | n.d.a. |
| Respiratory or skin sensitisation:                            |          |       |      |          |             | n.d.a. |
| Germ cell mutagenicity:                                       |          |       |      |          |             | n.d.a. |
| Carcinogenicity:                                              |          |       |      |          |             | n.d.a. |
| Reproductive toxicity:                                        |          |       |      |          |             | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |       |      |          |             | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): |          |       |      |          |             | n.d.a. |
| Aspiration hazard:                                            |          |       |      |          |             | n.d.a. |
| Symptoms:                                                     |          |       |      |          |             | n.d.a. |

#### 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts

| Toxicity / effect                  | Endpoint | Value  | Unit  | Organism               | Test method                                        | Notes             |
|------------------------------------|----------|--------|-------|------------------------|----------------------------------------------------|-------------------|
| Acute toxicity, by oral route:     | LD50     | 2430   | mg/kg | Rat                    |                                                    |                   |
| Acute toxicity, by dermal route:   | LD50     | >5000  | mg/kg | Rat                    |                                                    |                   |
| Skin corrosion/irritation:         |          |        |       | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)       | Slightly irritant |
| Serious eye damage/irritation:     |          | > 10   | %     | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)          | Eye Dam. 1        |
| Serious eye damage/irritation:     |          | > 4-10 | %     |                        |                                                    | Eye Irrit. 2      |
| Respiratory or skin sensitisation: |          |        |       | Guinea pig             | OECD 406 (Skin Sensitisation)                      | No (skin contact) |
| Germ cell mutagenicity:            |          |        |       | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)         | Negative          |
| Germ cell mutagenicity:            |          |        |       | Mouse                  | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative          |

#### D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides

| Toxicity / effect                  | Endpoint | Value | Unit  | Organism   | Test method                                  | Notes                                   |
|------------------------------------|----------|-------|-------|------------|----------------------------------------------|-----------------------------------------|
| Acute toxicity, by oral route:     | LD50     | >5000 | mg/kg | Rat        | OECD 401 (Acute Oral Toxicity)               |                                         |
| Acute toxicity, by dermal route:   | LD50     | >2000 | mg/kg | Rabbit     | OECD 402 (Acute Dermal Toxicity)             |                                         |
| Skin corrosion/irritation:         |          |       |       | Rabbit     | OECD 404 (Acute Dermal Irritation/Corrosion) | Skin Irrit. 2                           |
| Serious eye damage/irritation:     |          |       |       | Rabbit     | OECD 405 (Acute Eye Irritation/Corrosion)    | Eye Dam. 1                              |
| Respiratory or skin sensitisation: |          |       |       | Guinea pig | OECD 406 (Skin Sensitisation)                | No (skin contact), Analogous conclusion |

Page 12 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

|                                                                     |       |      |            |                        |                                                                                                 |                                                                                              |
|---------------------------------------------------------------------|-------|------|------------|------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Germ cell mutagenicity:                                             |       |      |            | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                                                      | Negative                                                                                     |
| Germ cell mutagenicity:                                             |       |      |            | Mouse                  | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)                                           | Negative                                                                                     |
| Germ cell mutagenicity:                                             |       |      |            | Mammalian              | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)                                        | Negative<br>Chinese hamster                                                                  |
| Reproductive toxicity:                                              |       |      |            | Rat                    | OECD 414 (Prenatal Developmental Toxicity Study)                                                | Negative                                                                                     |
| Reproductive toxicity (Developmental toxicity):                     | NOAEL | 1000 | mg/kg bw/d | Rat                    | OECD 414 (Prenatal Developmental Toxicity Study)                                                | Negative                                                                                     |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 1000 | mg/kg bw/d | Rat                    | Regulation (EC) 440/2008 B.26 (SUB-CHRONIC ORAL TOXICITY TEST REPEATED DOSE 90 - DAY (RODENTS)) |                                                                                              |
| Symptoms:                                                           |       |      |            |                        |                                                                                                 | eyes, reddened, watering eyes, blisters by skin-contact, reddening of the skin, stomach pain |

| D-Glucopyranose, oligomer, decyl octyl glycoside |          |       |            |                        |                                                               |                 |
|--------------------------------------------------|----------|-------|------------|------------------------|---------------------------------------------------------------|-----------------|
| Toxicity / effect                                | Endpoint | Value | Unit       | Organism               | Test method                                                   | Notes           |
| Acute toxicity, by oral route:                   | LD50     | >2000 | mg/kg      | Rat                    | OECD 423 (Acute Oral Toxicity - Acute Toxic Class Method)     |                 |
| Acute toxicity, by dermal route:                 | LD50     | >2000 | mg/kg      | Rabbit                 | OECD 402 (Acute Dermal Toxicity)                              |                 |
| Skin corrosion/irritation:                       |          |       |            | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)                  | Not irritant    |
| Serious eye damage/irritation:                   |          |       |            | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                     | Eye Dam. 1      |
| Respiratory or skin sensitisation:               |          |       |            | Guinea pig             | Regulation (EC) 440/2008 B.6 (SKIN SENSITISATION)             | Not sensitising |
| Germ cell mutagenicity:                          |          |       |            | Mouse                  | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)         | Negative        |
| Germ cell mutagenicity:                          |          |       |            | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                    | Negative        |
| Germ cell mutagenicity:                          |          |       |            | Mouse                  | OECD 474 (Mammalian Erythrocyte Micronucleus Test)            | Negative        |
| Germ cell mutagenicity:                          |          |       |            | Mammalian              | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)      | Negative        |
| Reproductive toxicity (Developmental toxicity):  | NOAEL    | 1000  | mg/kg bw/d | Rat                    | OECD 421 (Reproduction/Developmental Toxicity Screening Test) | Negative        |
| Reproductive toxicity (Effects on fertility):    | NOAEL    | 1000  | mg/kg bw/d | Rat                    | OECD 414 (Prenatal Developmental Toxicity Study)              | Negative        |

Page 13 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

|                                                                     |       |     |            |     |                                                                                                 |                                                                                              |
|---------------------------------------------------------------------|-------|-----|------------|-----|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 100 | mg/kg bw/d | Rat | Regulation (EC) 440/2008 B.26 (SUB-CHRONIC ORAL TOXICITY TEST REPEATED DOSE 90 - DAY (RODENTS)) |                                                                                              |
| Symptoms:                                                           |       |     |            |     |                                                                                                 | watering eyes, eyes, reddened, reddening of the skin, blisters by skin-contact, stomach pain |

| 2-(2-butoxyethoxy)ethanol                                               |          |       |            |                        |                                                             |                                |
|-------------------------------------------------------------------------|----------|-------|------------|------------------------|-------------------------------------------------------------|--------------------------------|
| Toxicity / effect                                                       | Endpoint | Value | Unit       | Organism               | Test method                                                 | Notes                          |
| Acute toxicity, by oral route:                                          | LD50     | >5000 | mg/kg      | Rat                    | OECD 401 (Acute Oral Toxicity)                              |                                |
| Acute toxicity, by oral route:                                          | LD50     | 2410  | mg/kg      | Mouse                  | OECD 401 (Acute Oral Toxicity)                              | fasted animals                 |
| Acute toxicity, by dermal route:                                        | LD50     | 2764  | mg/kg      | Rabbit                 | OECD 402 (Acute Dermal Toxicity)                            |                                |
| Acute toxicity, by inhalation:                                          | LC50     | >29   | ppm        | Rat                    | OECD 403 (Acute Inhalation Toxicity)                        | Dusts or mist                  |
| Skin corrosion/irritation:                                              |          |       |            | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)                | Not irritant                   |
| Serious eye damage/irritation:                                          |          |       |            | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                   | Eye Irrit. 2                   |
| Respiratory or skin sensitisation:                                      |          |       |            | Guinea pig             | OECD 406 (Skin Sensitisation)                               | No (skin contact)              |
| Germ cell mutagenicity:                                                 |          |       |            | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                  | Negative                       |
| Germ cell mutagenicity:                                                 |          |       |            |                        | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)    | Negative Chinese hamster       |
| Germ cell mutagenicity:                                                 |          |       |            | Mouse                  | OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) | Negative                       |
| Germ cell mutagenicity:                                                 |          |       |            |                        | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)       | Negative Chinese hamster       |
| Reproductive toxicity:                                                  |          | 1000  | mg/kg      | Rat                    | OECD 414 (Prenatal Developmental Toxicity Study)            | Negative, Analogous conclusion |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral:     | NOAEL    | 250   | mg/kg      | Rat                    |                                                             |                                |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal:   | NOAEL    | < 200 | mg/kg bw/d | Rat                    | OECD 411 (Subchronic Dermal Toxicity - 90-day Study)        | Male                           |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEL    | 14    | ppm        | Rat                    |                                                             | Vapours                        |
| Aspiration hazard:                                                      |          |       |            |                        |                                                             | No                             |

Page 14 of 25  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 30.07.2024 / 0029  
 Replacing version dated / version: 25.10.2023 / 0028  
 Valid from: 30.07.2024  
 PDF print date: 31.07.2024  
 Wash & Wax

|           |  |  |  |  |  |                                                                                                                                 |
|-----------|--|--|--|--|--|---------------------------------------------------------------------------------------------------------------------------------|
| Symptoms: |  |  |  |  |  | breathing difficulties, respiratory distress, diarrhoea, coughing, mucous membrane irritation, dizziness, watering eyes, nausea |
|-----------|--|--|--|--|--|---------------------------------------------------------------------------------------------------------------------------------|

| Citral                             |          |        |       |                        |                                                          |                                                                                                                          |
|------------------------------------|----------|--------|-------|------------------------|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Toxicity / effect                  | Endpoint | Value  | Unit  | Organism               | Test method                                              | Notes                                                                                                                    |
| Acute toxicity, by oral route:     | LD50     | ~ 6800 | mg/kg | Rat                    |                                                          |                                                                                                                          |
| Acute toxicity, by dermal route:   | LD50     | >2000  | mg/kg | Rat                    |                                                          |                                                                                                                          |
| Skin corrosion/irritation:         |          |        |       | Rabbit                 |                                                          | Irritant                                                                                                                 |
| Serious eye damage/irritation:     |          |        |       | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                | Eye Irrit. 2                                                                                                             |
| Respiratory or skin sensitisation: |          |        |       | Guinea pig             | OECD 406 (Skin Sensitisation)                            | Yes (skin contact)                                                                                                       |
| Germ cell mutagenicity:            |          |        |       | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)               | Negative                                                                                                                 |
| Germ cell mutagenicity:            |          |        |       | Mammalian              | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)    | Negative, Chinese hamster                                                                                                |
| Germ cell mutagenicity:            |          |        |       | Mammalian              | OECD 473 (In Vitro Mammalian Chromosome Aberration Test) | Negative, Chinese hamster                                                                                                |
| Germ cell mutagenicity:            |          |        |       | Mouse                  | OECD 474 (Mammalian Erythrocyte Micronucleus Test)       | Negative                                                                                                                 |
| Symptoms:                          |          |        |       |                        |                                                          | respiratory distress, drowsiness, coughing, headaches, gastrointestinal disturbances, mucous membrane irritation, nausea |

| Dipentene                        |          |       |       |          |             |                                                                                                           |
|----------------------------------|----------|-------|-------|----------|-------------|-----------------------------------------------------------------------------------------------------------|
| Toxicity / effect                | Endpoint | Value | Unit  | Organism | Test method | Notes                                                                                                     |
| Acute toxicity, by oral route:   | LD50     | 5300  | mg/kg | Rat      |             |                                                                                                           |
| Acute toxicity, by dermal route: | LD50     | 5000  | mg/kg | Rabbit   |             |                                                                                                           |
| Aspiration hazard:               |          |       |       |          |             | Yes                                                                                                       |
| Symptoms:                        |          |       |       |          |             | diarrhoea, rash, itching, gastrointestinal disturbances, mucous membrane irritation, nausea and vomiting. |

| 1,2-benzisothiazol-3(2H)-one   |          |       |       |          |             |       |
|--------------------------------|----------|-------|-------|----------|-------------|-------|
| Toxicity / effect              | Endpoint | Value | Unit  | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50     | 1193  | mg/kg | Rat      |             |       |
| Acute toxicity, by oral route: | LD50     | 490   | mg/kg | Rat      |             |       |
| Acute toxicity, by oral route: | ATE      | 450   | mg/kg |          |             |       |

Page 15 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

|                                                                     |       |      |            |            |                                                                |                                                            |
|---------------------------------------------------------------------|-------|------|------------|------------|----------------------------------------------------------------|------------------------------------------------------------|
| Acute toxicity, by dermal route:                                    | LD50  | 4115 | mg/kg      | Rat        |                                                                |                                                            |
| Acute toxicity, by inhalation:                                      | ATE   | 0,5  | mg/l/4h    |            |                                                                | Vapours                                                    |
| Acute toxicity, by inhalation:                                      | ATE   | 0,21 | mg/l/4h    |            | OECD 403 (Acute Inhalation Toxicity)                           | Dusts or mist                                              |
| Skin corrosion/irritation:                                          |       |      |            |            |                                                                | Skin Irrit. 2                                              |
| Serious eye damage/irritation:                                      |       |      |            |            |                                                                | Eye Dam. 1                                                 |
| Respiratory or skin sensitisation:                                  |       |      |            | Guinea pig | OECD 406 (Skin Sensitisation)                                  | Skin Sens. 1                                               |
| Germ cell mutagenicity:                                             |       |      |            |            |                                                                | Negative                                                   |
| Reproductive toxicity (Developmental toxicity):                     | NOAEL | 112  | mg/kg      | Rat        |                                                                | Negative, FemaleOPPTS 870.3800                             |
| Reproductive toxicity (Effects on fertility):                       | NOAEL | 56,6 | mg/kg bw/d | Rat        |                                                                | Negative, FemaleOPPTS 870.3800                             |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 150  | mg/kg bw/d | Rat        | OECD 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) | Negative                                                   |
| Symptoms:                                                           |       |      |            |            |                                                                | vomiting, headaches, gastrointestinal disturbances, nausea |

| Pyridine-2-thiol 1-oxide, sodium salt                         |          |       |         |            |                                                                |                                                                        |
|---------------------------------------------------------------|----------|-------|---------|------------|----------------------------------------------------------------|------------------------------------------------------------------------|
| Toxicity / effect                                             | Endpoint | Value | Unit    | Organism   | Test method                                                    | Notes                                                                  |
| Acute toxicity, by oral route:                                | ATE      | 500   | mg/kg   |            |                                                                |                                                                        |
| Acute toxicity, by dermal route:                              | ATE      | 790   | mg/kg   |            |                                                                |                                                                        |
| Acute toxicity, by inhalation:                                | ATE      | 0,5   | mg/l    |            |                                                                | Dusts or mist                                                          |
| Acute toxicity, by inhalation:                                | ATE      | 3     | mg/l/4h |            |                                                                | Vapours                                                                |
| Skin corrosion/irritation:                                    |          |       |         | Rabbit     | OECD 404 (Acute Dermal Irritation/Corrosion)                   | Skin Irrit. 2                                                          |
| Serious eye damage/irritation:                                |          |       |         | Rabbit     | OECD 405 (Acute Eye Irritation/Corrosion)                      | Eye Irrit. 2                                                           |
| Respiratory or skin sensitisation:                            |          |       |         | Guinea pig | OECD 429 (Skin Sensitisation - Local Lymph Node Assay)         | Skin Sens. 1                                                           |
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOAEL    | 0,5   | mg/kg   |            | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |                                                                        |
| Symptoms:                                                     |          |       |         |            |                                                                | cornea opacity, cramps, fatigue, mucous membrane irritation, trembling |

## 11.2. Information on other hazards

| Wash & Wax                       |          |       |      |          |             |                                                                       |
|----------------------------------|----------|-------|------|----------|-------------|-----------------------------------------------------------------------|
| Toxicity / effect                | Endpoint | Value | Unit | Organism | Test method | Notes                                                                 |
| Endocrine disrupting properties: |          |       |      |          |             | Does not apply to mixtures.                                           |
| Other information:               |          |       |      |          |             | No other relevant information available on adverse effects on health. |

## SECTION 12: Ecological information

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.07.2024 / 0029

Replacing version dated / version: 25.10.2023 / 0028

Valid from: 30.07.2024

PDF print date: 31.07.2024

Wash &amp; Wax

Possibly more information on environmental effects, see Section 2.1 (classification).

| Wash & Wax                               |          |      |       |      |          |             |                                                                       |
|------------------------------------------|----------|------|-------|------|----------|-------------|-----------------------------------------------------------------------|
| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes                                                                 |
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a.                                                                |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a.                                                                |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a.                                                                |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | n.d.a.                                                                |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a.                                                                |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a.                                                                |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a.                                                                |
| 12.6. Endocrine disrupting properties:   |          |      |       |      |          |             | Does not apply to mixtures.                                           |
| 12.7. Other adverse effects:             |          |      |       |      |          |             | No information available on other adverse effects on the environment. |
| Other information:                       |          |      |       |      |          |             | DOC-elimination degree(complexing organic substance)>= 80%/28d: Yes   |
| Other information:                       | AOX      |      |       | %    |          |             | According to the recipe, contains no AOX.                             |

| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts |           |      |       |      |                         |                                                                                                     |                       |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----------|------|-------|------|-------------------------|-----------------------------------------------------------------------------------------------------|-----------------------|
| Toxicity / effect                                                                                                                            | Endpoint  | Time | Value | Unit | Organism                | Test method                                                                                         | Notes                 |
| 12.1. Toxicity to fish:                                                                                                                      | LC50      | 96h  | 1,1   | mg/l | Pimephales promelas     | OECD 203 (Fish, Acute Toxicity Test)                                                                |                       |
| 12.1. Toxicity to fish:                                                                                                                      | NOEC/NOEL | >60d | 0,135 | mg/l | Oncorhynchus mykiss     | OECD 210 (Fish, Early-Life Stage Toxicity Test)                                                     |                       |
| 12.1. Toxicity to daphnia:                                                                                                                   | NOEC/NOEL | 21d  | 0,32  | mg/l | Daphnia magna           | OECD 211 (Daphnia magna Reproduction Test)                                                          |                       |
| 12.1. Toxicity to daphnia:                                                                                                                   | EC50      | 48h  | 1,9   | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)                                                    |                       |
| 12.1. Toxicity to algae:                                                                                                                     | EC50      | 72h  | 1,5   | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test)                                                             |                       |
| 12.1. Toxicity to algae:                                                                                                                     | NOEC/NOEL |      | 2,99  | mg/l |                         |                                                                                                     |                       |
| 12.2. Persistence and degradability:                                                                                                         |           | >60d | 80    | %    |                         | OECD 311 (Anaerobic Biodeg. of Organic Comp. in Digested Sludge - by Measurement of Gas Production) | Readily biodegradable |

Page 17 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

|                                      |     |     |        |   |                  |                                                                 |                       |
|--------------------------------------|-----|-----|--------|---|------------------|-----------------------------------------------------------------|-----------------------|
| 12.2. Persistence and degradability: | DOC | 28d | 98-101 | % | activated sludge | OECD 302 B (Inherent Biodegradability - Zahn-Wellens/EMPA Test) | Readily biodegradable |
|--------------------------------------|-----|-----|--------|---|------------------|-----------------------------------------------------------------|-----------------------|

| D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides |           |      |          |      |                         |                                                          |                                     |
|---------------------------------------------------------------------|-----------|------|----------|------|-------------------------|----------------------------------------------------------|-------------------------------------|
| Toxicity / effect                                                   | Endpoint  | Time | Value    | Unit | Organism                | Test method                                              | Notes                               |
| 12.1. Toxicity to fish:                                             | NOEC/NOEL | 28d  | 1,8      | mg/l | Brachydanio rerio       | OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study)  |                                     |
| 12.1. Toxicity to fish:                                             | LC50      | 96h  | 2,95-5,9 | mg/l | Brachydanio rerio       | OECD 203 (Fish, Acute Toxicity Test)                     |                                     |
| 12.1. Toxicity to daphnia:                                          | LC50      | 48h  | 7-14     | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)         |                                     |
| 12.1. Toxicity to daphnia:                                          | NOEC/NOEL | 21d  | 1-4      | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)         |                                     |
| 12.1. Toxicity to algae:                                            | EC50      | 72h  | 5-38     | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test)                  |                                     |
| 12.2. Persistence and degradability:                                |           | 28d  | 88       | %    |                         | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Readily biodegradable               |
| 12.3. Bioaccumulative potential:                                    | Log Kow   |      | <=-0,07  |      |                         |                                                          | Lowat 20 °C                         |
| 12.5. Results of PBT and vPvB assessment                            |           |      |          |      |                         |                                                          | No PBT substance, No vPvB substance |
| 12.6. Endocrine disrupting properties:                              |           |      |          |      |                         |                                                          | No                                  |

| D-Glucopyranose, oligomer, decyl octyl glycoside |           |      |          |      |                         |                                                         |       |
|--------------------------------------------------|-----------|------|----------|------|-------------------------|---------------------------------------------------------|-------|
| Toxicity / effect                                | Endpoint  | Time | Value    | Unit | Organism                | Test method                                             | Notes |
| 12.1. Toxicity to fish:                          | LC50      | 96h  | 126      | mg/l | Brachydanio rerio       | OECD 203 (Fish, Acute Toxicity Test)                    |       |
| 12.1. Toxicity to fish:                          | NOEC/NOEL | 28d  | 1-3,2    | mg/l | Brachydanio rerio       | OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study) |       |
| 12.1. Toxicity to daphnia:                       | EC50      | 48h  | >100     | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)        |       |
| 12.1. Toxicity to daphnia:                       | NOEC/NOEL | 21d  | 1-4      | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)        |       |
| 12.1. Toxicity to algae:                         | EC20      | 72h  | 27,22-37 | mg/l | Desmodesmus subspicatus | DIN 38412 T.9                                           |       |

Page 18 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

|                                          |         |     |       |       |                    |                                                         |                                     |
|------------------------------------------|---------|-----|-------|-------|--------------------|---------------------------------------------------------|-------------------------------------|
| 12.2. Persistence and degradability:     |         | 28d | >99,4 | %     | activated sludge   | OECD 301 A (Ready Biodegradability - DOC Die-Away Test) |                                     |
| 12.3. Bioaccumulative potential:         | Log Pow |     | <1,77 |       |                    |                                                         | Low                                 |
| 12.5. Results of PBT and vPvB assessment |         |     |       |       |                    |                                                         | No PBT substance, No vPvB substance |
| Toxicity to bacteria:                    | EC50    | 6h  | >560  | mg/l  | Pseudomonas putida |                                                         |                                     |
| Toxicity to annelids:                    |         | 14d | >=654 | mg/kg | Eisenia foetida    |                                                         |                                     |

#### 2-(2-butoxyethoxy)ethanol

| Toxicity / effect                        | Endpoint  | Time  | Value | Unit | Organism                | Test method                                                                              | Notes                                                                                                 |
|------------------------------------------|-----------|-------|-------|------|-------------------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| 12.1. Toxicity to fish:                  | LC50      | 96h   | 1300  | mg/l | Lepomis macrochirus     | OECD 203 (Fish, Acute Toxicity Test)                                                     |                                                                                                       |
| 12.1. Toxicity to daphnia:               | EC50      | 48h   | >100  | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)                                         |                                                                                                       |
| 12.1. Toxicity to daphnia:               | NOEC/NOEL | 48h   | >=100 | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)                                         |                                                                                                       |
| 12.1. Toxicity to algae:                 | NOEC/NOEL | 96h   | >100  | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test)                                                  |                                                                                                       |
| 12.2. Persistence and degradability:     |           | 28d   | 76    | %    |                         | OECD 301 D (Ready Biodegradability - Closed Bottle Test)                                 |                                                                                                       |
| 12.2. Persistence and degradability:     |           | 28d   | 100   | %    | activated sludge        | OECD 302 B (Inherent Biodegradability - Zahn-Wellens/EMPA Test)                          | Readily biodegradable                                                                                 |
| 12.3. Bioaccumulative potential:         | Log Pow   |       | 0,9-1 |      |                         | OECD 117 (Partition Coefficient (n-octanol/water) - HPLC method)                         | Slight                                                                                                |
| 12.5. Results of PBT and vPvB assessment |           |       |       |      |                         |                                                                                          | No PBT substance, No vPvB substance                                                                   |
| Toxicity to bacteria:                    | EC10      | 30min | >1995 | mg/l | activated sludge        | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) |                                                                                                       |
| Other information:                       |           |       |       |      |                         |                                                                                          | Does not contain any organically bound halogens which can contribute to the AOX value in waste water. |

Page 19 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

| Citral                                   |          |       |       |      |                         |                                                                                                   |                                                                                      |
|------------------------------------------|----------|-------|-------|------|-------------------------|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Toxicity / effect                        | Endpoint | Time  | Value | Unit | Organism                | Test method                                                                                       | Notes                                                                                |
| 12.1. Toxicity to fish:                  | LC50     | 96h   | 6,78  | mg/l | Leuciscus idus          | OECD 203 (Fish, Acute Toxicity Test)                                                              |                                                                                      |
| 12.1. Toxicity to daphnia:               | EC50     | 48h   | 6,8   | mg/l | Daphnia magna           | Regulation (EC) 440/2008 C.2 (DAPHNIA SP. ACUTE IMMOBILISATION TEST)                              |                                                                                      |
| 12.1. Toxicity to algae:                 | EC50     | 72h   | 103,8 | mg/l | Desmodesmus subspicatus | DIN 38412 T.9                                                                                     |                                                                                      |
| 12.1. Toxicity to algae:                 | EC10     | 72h   | 3     | mg/l | Desmodesmus subspicatus | DIN 38412 T.9                                                                                     |                                                                                      |
| 12.2. Persistence and degradability:     |          | 28d   | > 90  | %    |                         | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)                                | Readily biodegradable                                                                |
| 12.2. Persistence and degradability:     |          | 28d   | 92    | %    | activated sludge        | OECD 301 C (Ready Biodegradability - Modified MITI Test (I))                                      | Readily biodegradable                                                                |
| 12.3. Bioaccumulative potential:         | BCF      |       | 89,72 |      |                         |                                                                                                   | Low                                                                                  |
| 12.3. Bioaccumulative potential:         | Log Pow  |       | 2,76  |      |                         | OECD 107 (Partition Coefficient (n-octanol/water) - Shake Flask Method)                           | A notable biological accumulation potential is not to be expected (LogPow 1-3).25 °C |
| 12.4. Mobility in soil:                  | Log Koc  |       | 2,33  |      |                         | OECD 121 (Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using HPLC) |                                                                                      |
| 12.5. Results of PBT and vPvB assessment |          |       |       |      |                         |                                                                                                   | No PBT substance, No vPvB substance                                                  |
| Toxicity to bacteria:                    | EC50     | 30min | ~160  | mg/l | activated sludge        | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))          |                                                                                      |

| Dipentene                  |          |      |        |      |                                 |             |       |
|----------------------------|----------|------|--------|------|---------------------------------|-------------|-------|
| Toxicity / effect          | Endpoint | Time | Value  | Unit | Organism                        | Test method | Notes |
| 12.1. Toxicity to fish:    | EC50     | 96h  | 20,2   | mg/l | Pimephales promelas             |             |       |
| 12.1. Toxicity to fish:    | LC50     | 96h  | 38,5   | mg/l | Pimephales promelas             |             |       |
| 12.1. Toxicity to daphnia: | EC50     | 48h  | 70     | mg/l | Daphnia pulex                   |             |       |
| 12.1. Toxicity to daphnia: | EC50     | 48h  | 28,2   | mg/l | Daphnia magna                   |             |       |
| 12.1. Toxicity to algae:   | IC50     | 78h  | 13,798 | mg/l | Pseudokirchneriella subcapitata |             |       |

Page 20 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

|                                          |         |     |      |   |  |                                                          |                                     |
|------------------------------------------|---------|-----|------|---|--|----------------------------------------------------------|-------------------------------------|
| 12.2. Persistence and degradability:     |         | 28d | 83   | % |  | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Readily biodegradable               |
| 12.3. Bioaccumulative potential:         | Log Pow |     | 4,57 |   |  |                                                          | High                                |
| 12.5. Results of PBT and vPvB assessment |         |     |      |   |  |                                                          | No PBT substance, No vPvB substance |

| 1,2-benzisothiazol-3(2H)-one             |          |      |        |      |                                 |                                                                                          |                                     |
|------------------------------------------|----------|------|--------|------|---------------------------------|------------------------------------------------------------------------------------------|-------------------------------------|
| Toxicity / effect                        | Endpoint | Time | Value  | Unit | Organism                        | Test method                                                                              | Notes                               |
| 12.1. Toxicity to fish:                  | LC50     | 96h  | 2,18   | mg/l | Oncorhynchus mykiss             | OECD 203 (Fish, Acute Toxicity Test)                                                     |                                     |
| 12.1. Toxicity to daphnia:               | EC50     | 48h  | 2,94   | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)                                         |                                     |
| 12.1. Toxicity to algae:                 | ErC50    | 24h  | 0,1087 | mg/l | Pseudokirchneriella subcapitata |                                                                                          |                                     |
| 12.1. Toxicity to algae:                 | ErC10    | 24h  | 0,0268 | mg/l | Pseudokirchneriella subcapitata |                                                                                          |                                     |
| 12.2. Persistence and degradability:     |          |      |        |      |                                 |                                                                                          | Not readily biodegradable           |
| 12.3. Bioaccumulative potential:         | BCF      |      | 6,95   |      |                                 | OECD 305 (Bioconcentration - Flow-Through Fish Test)                                     |                                     |
| 12.3. Bioaccumulative potential:         | Log Pow  |      | 0,7    |      |                                 | Regulation (EC) 440/2008 A.8 (PARTITION COEFFICIENT)                                     |                                     |
| 12.5. Results of PBT and vPvB assessment |          |      |        |      |                                 |                                                                                          | No PBT substance, No vPvB substance |
| Toxicity to bacteria:                    | EC50     | 3h   | 12,8   | mg/l | activated sludge                | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) |                                     |
| Toxicity to bacteria:                    | EC20     | 3h   | 3,3    | mg/l | activated sludge                | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) |                                     |

| Pyridine-2-thiol 1-oxide, sodium salt |          |      |         |      |                   |                                                  |            |
|---------------------------------------|----------|------|---------|------|-------------------|--------------------------------------------------|------------|
| Toxicity / effect                     | Endpoint | Time | Value   | Unit | Organism          | Test method                                      | Notes      |
| 12.1. Toxicity to fish:               | LC50     | 96h  | 0,00767 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test)             |            |
| 12.1. Toxicity to daphnia:            | LC50     | 48h  | 0,150   | mg/l | Daphnia magna     | OECD 202 (Daphnia sp. Acute Immobilisation Test) | References |

Page 21 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

|                                      |           |     |       |      |                         |                                                          |                       |
|--------------------------------------|-----------|-----|-------|------|-------------------------|----------------------------------------------------------|-----------------------|
| 12.1. Toxicity to algae:             | LC50      | 72h | 0,22  | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test)                  | References            |
| 12.1. Toxicity to algae:             | NOEC/NOEL | 72h | 0,033 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test)                  | References            |
| 12.2. Persistence and degradability: |           | 28d | 79    | %    | activated sludge        | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Readily biodegradable |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

#### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

## SECTION 14: Transport information

### General statements

#### Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):

Not applicable

14.4. Packing group:

Not applicable

14.5. Environmental hazards:

Not applicable

Tunnel restriction code:

Not applicable

Classification code:

Not applicable

LQ:

Not applicable

Transport category:

Not applicable

#### Transport by sea (IMDG-code)

14.1. UN number or ID number:

Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):

Not applicable

14.4. Packing group:

Not applicable

14.5. Environmental hazards:

Not applicable

Marine Pollutant:

Not applicable

EmS:

Not applicable

#### Transport by air (IATA)

14.1. UN number or ID number:

Not applicable

14.2. UN proper shipping name:

Not applicable

Page 22 of 25  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 30.07.2024 / 0029  
 Replacing version dated / version: 25.10.2023 / 0028  
 Valid from: 30.07.2024  
 PDF print date: 31.07.2024  
 Wash & Wax

14.3. Transport hazard class(es): Not applicable  
 14.4. Packing group: Not applicable  
 14.5. Environmental hazards: Not applicable

#### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

Regulation (EC) No 1907/2006, Annex XVII

2-(2-butoxyethoxy)ethanol

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 1,81 %

#### REGULATION (EC) No 648/2004

5 % or over but less than 15 %

amphoteric surfactants

non-ionic surfactants

perfumes

CITRAL

LIMONENE

CITRONELLOL

HEXYL CINNAMAL

GERANIOL

LINALOOL

BENZISOTHIAZOLINONE

LAURYLAMINE DIPROPYLENEDIAMINE

SODIUM PYRITHIONE

National requirements/regulations on safety and health protection must be applied when using work equipment.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

### SECTION 16: Other information

Revised sections: 3, 8, 11, 12

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

#### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used                             |
|-----------------------------------------------------------------------|----------------------------------------------------|
| Eye Dam. 1, H318                                                      | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.

H330 Fatal if inhaled.

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

Page 23 of 25  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 30.07.2024 / 0029  
 Replacing version dated / version: 25.10.2023 / 0028  
 Valid from: 30.07.2024  
 PDF print date: 31.07.2024  
 Wash & Wax

H311 Toxic in contact with skin.  
 H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H331 Toxic if inhaled.  
 H372 Causes damage to organs through prolonged or repeated exposure.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.  
 EUH070 Toxic by eye contact.

Eye Dam. — Serious eye damage  
 Aquatic Chronic — Hazardous to the aquatic environment - chronic  
 Skin Irrit. — Skin irritation  
 Eye Irrit. — Eye irritation  
 Skin Sens. — Skin sensitization  
 Flam. Liq. — Flammable liquid  
 Asp. Tox. — Aspiration hazard  
 Aquatic Acute — Hazardous to the aquatic environment - acute  
 Acute Tox. — Acute toxicity - inhalation  
 Acute Tox. — Acute toxicity - oral  
 Acute Tox. — Acute toxicity - dermal  
 STOT RE — Specific target organ toxicity - repeated exposure

### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.  
 Guidelines for the preparation of safety data sheets as amended (ECHA).  
 Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).  
 Safety data sheets for the constituent substances.  
 ECHA Homepage - Information about chemicals.  
 GESTIS Substance Database (Germany).  
 German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).  
 EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.  
 National Lists of Occupational Exposure Limits for each country as amended.  
 Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to  
 ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 AOX Adsorbable organic halogen compounds  
 approx. approximately  
 Art., Art. no. Article number  
 ASTM ASTM International (American Society for Testing and Materials)  
 ATE Acute Toxicity Estimate  
 BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)  
 BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)  
 BCF Bioconcentration factor  
 BSEF The International Bromine Council  
 CAS Chemical Abstracts Service  
 CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)  
 CMR carcinogenic, mutagenic, reproductive toxic  
 DMEL Derived Minimum Effect Level  
 DNEL Derived No Effect Level  
 DOC Dissolved organic carbon  
 e.g. for example (abbreviation of Latin 'exempli gratia'), for instance  
 EbCx, EyCx, Eblx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)  
 EC European Community

Page 24 of 25  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 30.07.2024 / 0029  
 Replacing version dated / version: 25.10.2023 / 0028  
 Valid from: 30.07.2024  
 PDF print date: 31.07.2024  
 Wash & Wax

ECHA European Chemicals Agency  
 ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect  
 EEC European Economic Community  
 EINECS European Inventory of Existing Commercial Chemical Substances  
 ELINCS European List of Notified Chemical Substances  
 EN European Norms  
 EPA United States Environmental Protection Agency (United States of America)  
 ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)  
 etc. et cetera  
 EU European Union  
 EVAL Ethylene-vinyl alcohol copolymer  
 Fax. Fax number  
 gen. general  
 GHS Globally Harmonized System of Classification and Labelling of Chemicals  
 GWP Global warming potential  
 Koc Adsorption coefficient of organic carbon in the soil  
 Kow octanol-water partition coefficient  
 IARC International Agency for Research on Cancer  
 IATA International Air Transport Association  
 IBC (Code) International Bulk Chemical (Code)  
 IMDG-code International Maritime Code for Dangerous Goods  
 incl. including, inclusive  
 IUCLID International Uniform Chemical Information Database  
 IUPAC International Union for Pure Applied Chemistry  
 LC50 Lethal Concentration to 50 % of a test population  
 LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)  
 Log Koc Logarithm of adsorption coefficient of organic carbon in the soil  
 Log Kow, Log Pow Logarithm of octanol-water partition coefficient  
 LQ Limited Quantities  
 MARPOL International Convention for the Prevention of Marine Pollution from Ships  
 mg/kg bw mg/kg body weight  
 mg/kg bw/d, mg/kg bw/day mg/kg body weight/day  
 mg/kg dw mg/kg dry weight  
 mg/kg ww mg/kg wet weight  
 n.a. not applicable  
 n.av. not available  
 n.c. not checked  
 n.d.a. no data available  
 NIOSH National Institute for Occupational Safety and Health (USA)  
 NLP No-longer-Polymer  
 NOEC, NOEL No Observed Effect Concentration/Level  
 OECD Organisation for Economic Co-operation and Development  
 org. organic  
 OSHA Occupational Safety and Health Administration (USA)  
 PBT persistent, bioaccumulative and toxic  
 PE Polyethylene  
 PNEC Predicted No Effect Concentration  
 ppm parts per million  
 PVC Polyvinylchloride  
 REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
 REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
 RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
 SVHC Substances of Very High Concern  
 Tel. Telephone  
 TOC Total organic carbon  
 UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
 VOC Volatile organic compounds  
 vPvB very persistent and very bioaccumulative

The statements made here should describe the product with regard to the necessary safety precautions - they are

Page 25 of 25  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 30.07.2024 / 0029  
Replacing version dated / version: 25.10.2023 / 0028  
Valid from: 30.07.2024  
PDF print date: 31.07.2024  
Wash & Wax

---

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.  
No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax:  
+49 5233 94 17 90**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document  
is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.