

Page 1 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

# Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Window cleaner

Sector of use [SU]:

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC35 - Washing and cleaning products

Process category [PROC]:

PROC 7 - Industrial spraying

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 9 - Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC11 - Non industrial spraying

Article Categories [AC]:

AC99 - Not required.

Environmental Release Category [ERC]:

ERC 4 - Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC 7 - Use of functional fluid at industrial site

ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC 8d - Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

#### Uses advised against:

No information available at present.

# 1.3 Details of the supplier of the safety data sheet

Œ

LIQUI MOLY GmbH, Jerg-Wieland-Str. 4, 89081 Ulm-Lehr, Germany Phone:(+49) 0731-1420-0, Fax:(+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

#### Emergency information services / official advisory body:

---

#### Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class Hazard category Hazard statement

Skin Irrit. 2 H315-Causes skin irritation.



Page 2 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

1

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

Eye Dam.

H318-Causes serious eye damage.

# 2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Danger

H315-Causes skin irritation. H318-Causes serious eye damage.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P280-Wear protective gloves and eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts Sulfonic acids, C14-17-sec-alkane, sodium salts Diisooctyl sulfosuccinate, sodium salt

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substance

n.a.
3.2 Mixture

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Substance with specific conc. limit(s) acc. to REACh-registration
Registration number (REACH)	01-2119488639-16-XXXX
Index	
EINECS, ELINCS, NLP	500-234-8 (NLP)
CAS	68891-38-3
content %	10-20
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Aquatic Chronic 3, H412

Sulfonic acids, C14-17-sec-alkane, sodium salts	Substance with specific conc. limit(s) acc. to REACh-registration
Registration number (REACH)	01-2119489924-20-XXXX
Index	
EINECS, ELINCS, NLP	307-055-2
CAS	97489-15-1



Page 3 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

content %	1-10
Classification according to Regulation (EC) 1272/2008 (CLP)	Acute Tox. 4, H302
	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Aquatic Chronic 3, H412

Diisooctyl sulfosuccinate, sodium salt	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	209-406-4
CAS	577-11-7
content %	1-5
Classification according to Regulation (EC) 1272/2008 (CLP)	Flam. Liq. 3, H226
	Skin Irrit. 2, H315
	Eye Dam. 1, H318

Bronopol (INN)	
Registration number (REACH)	
Index	603-085-00-8
EINECS, ELINCS, NLP	200-143-0
CAS	52-51-7
content %	0,01-<0,1
Classification according to Regulation (EC) 1272/2008 (CLP)	Acute Tox. 4, H312
	Acute Tox. 4, H302
	STOT SE 3, H335
	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Aquatic Acute 1, H400 (M=10)

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix  $\overline{VI}$ , table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### **Eye contact**

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

Protect uninjured eye.

Follow-up examination by an ophthalmologist

#### Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

# 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



(B)

Page 4 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017

PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media Suitable extinguishing media

The product does not burn.

Adapt to the nature and extent of fire.

# Unsuitable extinguishing media

None known

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of sulphur

Oxides of nitrogen

Toxic gases

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13. Diluting with water is possible.

Flush residue using copious water.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

#### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### 7.2 Conditions for safe storage, including any incompatibilities



(B)

Page 5 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

Keep out of access to unauthorised individuals. Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store at room temperature.

Protect from frost.

# 7.3 Specific end use(s)

No information available at present.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

#### 8.2 Exposure controls

Area of application	lated, sulfates, sodium salts  Exposure route /	Effect on health	Descriptor	Value	Unit	Note
Alca of application	Environmental	Elicot oli licular	Descriptor	Value	J.III	11010
	compartment					
	Environment - freshwater		PNEC	0,24	mg/l	
	Environment - periodic release		PNEC	0,13	mg/l	
	Environment - marine		PNEC	0,024	mg/l	
	Environment - sediment, freshwater		PNEC	5,45	mg/kg dry weight	
	Environment - sediment, marine		PNEC	0,545	mg/kg dry weight	
	Environment - sewage treatment plant		PNEC	10000	mg/l	
	Environment - soil		PNEC	0,946	mg/kg dry weight	
	Environment - sporadic (intermittent) release		PNEC	0,071	mg/l	
	Environment - sediment, freshwater	Short term	PNEC	0,917	mg/kg	
	Environment - sediment, marine	Short term	PNEC	0,092	mg/kg	
	Environment - soil	Short term	PNEC	7,5	mg/kg	
Consumer	Human - oral	Long term, systemic effects	DNEL	15	mg/kg bw/day	
Consumer	Human - dermal	Long term, systemic effects	DNEL	1650	mg/kg bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	52	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	2750	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	175	mg/m3	

Sulfonic acids, C14-17-sec-alkane, sodium salts								
Area of application Exposure route / Effect on health Descriptor Value Unit								
	Environmental							
	compartment							
	Environment - freshwater		PNEC	0,04	mg/l			
	Environment - marine		PNEC	0,004	mg/l			
	Environment - water, sporadic (intermittent) release		PNEC	0,06	mg/l			
	Environment - sediment, freshwater		PNEC	9,4	mg/kg dw			



(B)

Page 6 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

	Environment - sediment, marine		PNEC	0,94	mg/kg dw
	Environment - soil		PNEC	9,4	mg/kg dw
	Environment - sewage treatment plant		PNEC	600	mg/l
	Environment - oral (animal feed)		PNEC	53,3	mg/kg feed
	Environment - periodic release		DNEL	0	mg/kg
Consumer	Human - dermal	Long term, systemic effects	DNEL	3,57	mg/kg bw/d
Consumer	Human - inhalation	Long term, systemic effects	DNEL	12,4	mg/m3
Consumer	Human - oral	Long term, systemic effects	DNEL	7,1	mg/kg bw/d
Consumer	Human - dermal	Short term, local effects	DNEL	2,8	mg/cm2
Consumer	Human - dermal	Long term, local effects	DNEL	2,8	mg/cm2
Workers / employees	Human - dermal	Short term, local effects	DNEL	2,8	mg/cm2
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	5	mg/kg bw/d
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	35	mg/m3
Workers / employees	Human - dermal	Long term, local effects	DNEL	2,8	mg/cm2

#### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

# 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

If applicable

Face protection (EN 166)

Skin protection - Hand protection:

Chemical resistant protective gloves (EN 374).

Recommended

Safety gloves made of butyl (EN 374)

Minimum layer thickness in mm:

>= 0,5

Permeation time (penetration time) in minutes:

>= 480

The breakthrough times determined in accordance with EN 374 Part 3 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

Not applicable



Page 7 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state: Liquid
Colour: Green, Yellow

Odour: Fruity

Odour threshold:

pH-value:

Not determined

7,7 (20°C, DIN 19268)

Melting point/freezing point:

Not determined

Initial boiling point:

Flash point:

Flash point:

Flash point:

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

Flammability (solid, gas):

Lower explosive limit: Product is not explosive.

Upper explosive limit:

Vapour pressure:

Vapour density (air = 1):

Not determined

Not determined

Not determined

Density: 1,033 g/cm3 (20°C, DIN 51757)

Bulk density:

Solubility(ies):

Water solubility:

Partition coefficient (n-octanol/water):

Not determined

Mixable

Not determined

Auto-ignition temperature: No

Decomposition temperature:

Viscosity:

Not determined

Not determined

Explosive properties: Product is not explosive.

Oxidising properties: No

9.2 Other information

Miscibility: Not determined Fat solubility / solvent: Not determined Conductivity: Not determined Surface tension: Not determined

Solvents content: 0 %

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product has not been tested.

#### 10.2 Chemical stability

Stable with proper storage and handling.

#### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

# 10.4 Conditions to avoid

None known

#### 10.5 Incompatible materials

Avoid contact with strong acids.

#### 10.6 Hazardous decomposition products



③B)·

Page 8 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL Art.: 1517

No decomposition when used as directed.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Scheiben-Reiniger-Super-Konz	Scheiben-Reiniger-Super-Konzentrat 50 mL					
Art.: 1517						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	>2000	mg/kg			calculated value
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	4100	mg/kg	Rat	OECD 401 (Acute Oral	
					Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat	OECD 402 (Acute	
					Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Irritant
					Dermal	
					Irritation/Corrosion)	
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye	Risk of serious
					Irritation/Corrosion)	damage to eyes.
Serious eye damage/irritation:		>=10	%			Eye Dam. 1
Serious eye damage/irritation:		>=5	%			Eye Irrit. 2
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not sensitizising
sensitisation:					Sensitisation)	
Germ cell mutagenicity:					OECD 471 (Bacterial	Negative
					Reverse Mutation Test)	
Reproductive toxicity:	NOAEL	>1000	mg/kg	Rat	OECD 414 (Prenatal	Negative,
					Developmental Toxicity	References
					Study)	
Reproductive toxicity:	NOAEL	>300	mg/kg	Rat	OECD 416 (Two-	Negative,
					generation	References
					Reproduction Toxicity	
					Study)	
Symptoms:						mucous
						membrane
	110151			<u> </u>	0500 100 (0	irritation
Specific target organ toxicity -	NOAEL	>225	mg/kg	Rat	OECD 408 (Repeated	Target organ(s):
repeated exposure (STOT-RE),					Dose 90-Day Oral	liver, References
oral:					Toxicity Study in	
					Rodents)	

	Sulfonic acids, C14-17-sec-alkane, sodium salts								
	Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
	Acute toxicity, by oral route:	LD50	>500-2000	mg/kg	Rat	OECD 401 (Acute Oral			
						Toxicity)			
١		I	I .	1	I				



Page 9 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL Art.: 1517

Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Mouse		Analogous
						conclusion
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Skin Irrit. 2
					Dermal	
					Irritation/Corrosion)	
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye	Eye Dam. 1
					Irritation/Corrosion)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	No (skin contact)
sensitisation:					Sensitisation)	
Germ cell mutagenicity:						No indications of
						such an effect.
Carcinogenicity:				Rat		No indications of
						such an effect.
Reproductive toxicity:		200	mg/kg	Rat		No indications of
						such an effect.
Aspiration hazard:						No

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat	OECD 401 (Acute Oral	
					Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute	
					Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	>20	mg/l/4h			
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Irritant
					Dermal	
					Irritation/Corrosion)	
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye	Eye Dam. 1
, ,					Irritation/Corrosion)	'
Germ cell mutagenicity:					(Ames-Test)	Negative
Reproductive toxicity:				Rat		Negative
Specific target organ toxicity -		750	mg/kg			Negative
repeated exposure (STOT-RE):						
Symptoms:						mucous
•						membrane
						irritation.
						coughing,
						breathing
						difficulties

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	305	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	data of a diluted aequous solution
Acute toxicity, by dermal route:	LD50	1600	mg/kg	Rat		
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Irritant
Serious eye damage/irritation:				Rabbit	(Draize-Test)	Risk of serious damage to eyes.
Specific target organ toxicity - single exposure (STOT-SE):						May cause respiratory irritation.
Symptoms:						eyes, reddened, drowsiness, coughing, mucous membrane irritation, nausea and vomiting.

# **SECTION 12: Ecological information**



®∙

Page 10 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.12.2017 / 0021
Replacing version dated / version: 22.06.2017 / 0020
Valid from: 11.12.2017
PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

Possibly more information on environmental effects, see Section 2.1 (classification).

Scheiben-Reiniger-Supe Art.: 1517	r-Konzentrat 5	0 mL					
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	Liiapoiiit		74.45		O garnom	Tool mound	n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							The surfactant(s)
degradability:							contained in this
3							mixture
							complies(comply)
							with the
							biodegradability
							criteria as laid
							down in
							Regulation (EC)
							No.648/2004 on
							detergents. Data
							to support this
							assertion are
							held at the
							disposal of the
							competent
							authorities of the
							Member States
							and will be made
							available to
							them, at their
							direct request or at the request of
							a detergent manufacturer.
12.3. Bioaccumulative							n.d.a.
potential:							II.u.a.
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Other adverse							n.d.a.
effects:							
Other information:	AOX						Does not contain
							any organically
							bound halogens
							which can
							contribute to the
							AOX value in
							waste water.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
12.1. Toxicity to fish:	LC50	96h	7,1	mg/l	Brachydanio rerio	OECD 203 (Fish,			
						Acute Toxicity			
						Test)			
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,27	mg/l	Daphnia magna	OECD 211			
						(Daphnia magna			
						Reproduction Test)			
12.1. Toxicity to daphnia:	EC50	48h	7,4	mg/l	Daphnia magna	OECD 202			
						(Daphnia sp.			
						Acute			
						Immobilisation			
						Test)			



Page 11 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL Art.: 1517

12.1. Toxicity to algae:	NOEC/NOEL	96h	0,95	mg/l		OECD 201 (Alga,	
						Growth Inhibition Test)	
12.1. Toxicity to algae:	EC50	72h	27,7	mg/l		OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	95	%		OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	
12.2. Persistence and degradability:		28d	>70	%		OECD 301 A (Ready Biodegradability - DOC Die-Away Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Kow		0,3			,	
12.3. Bioaccumulative potential:	Log Pow		0,3				Bioaccumulation is unlikely (LogPow < 1).
12.4. Mobility in soil:	Koc		191				calculated value
12.5. Results of PBT and vPvB assessment							No PBT substance
Toxicity to bacteria:	EC50	16h	>10	g/l	Pseudomonas putida	DIN 38412 T.8	

Sulfonic acids, C14-17-sec-alkane, sodium salts								
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes	
12.1. Toxicity to fish:	LC50	96h	1 -10	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)		
12.1. Toxicity to fish:	NOEC/NOEL	28d	0,85	mg/l	Oncorhynchus mykiss	OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study)		
12.1. Toxicity to daphnia:	NOEC/NOEL	22d	0,36	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)		
12.1. Toxicity to daphnia:	EC50	48h	9,81	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)		
12.1. Toxicity to algae:	EC50	72h	>61	mg/l	Scenedesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)		
12.2. Persistence and degradability:		28d	96,2	%	activated sludge	OECD 304 A (Inherent Biodegradability in Soil)	Readily biodegradable	
12.2. Persistence and degradability:		28d	78	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Readily biodegradable	
12.2. Persistence and degradability:		28d	89	%	activated sludge	OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	Readily biodegradable	



Œ

Page 12 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

12.3. Bioaccumulative potential:							Not accepted due to the log Pow - value.
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	NOEC/NOEL	16h	600	mg/l	Pseudomonas putida	DIN 38412 T.8	
Other organisms:	NOEC/NOEL	56d	470	mg/kg	Eisenia foetida	OECD 222 (Earthworm Reproduction Test (Eisenia fetida/Eisenia andrei))	

Diisooctyl sulfosuccinate, sodium salt									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
12.1. Toxicity to fish:	LC50	96h	49	mg/l	Brachydanio rerio	84/449/EEC C.1			
12.1. Toxicity to daphnia:	EC50	48h	10,3	mg/l	Daphnia magna	84/449/EEC C.2			
12.1. Toxicity to algae:	EC50	72h	39,3	mg/l	Scenedesmus	84/449/EEC C.3			
					subspicatus				
12.2. Persistence and		28d	91,2	%		OECD 310	Readily		
degradability:						(Ready	biodegradable		
						Biodegradability -	_		
						CO2 in sealed			
						vessels			
						(Headspace Test))			
Toxicity to bacteria:		16h	164	mg/l	Pseudomonas	DIN 38412 T.8			
					putida				

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	35,7	mg/l	Lepomis macrochirus		
12.1. Toxicity to fish:	LC50	96h	41,2	mg/l	Oncorhynchus mykiss		
12.1. Toxicity to daphnia:	EC50	48h	1,4	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	0,4 - 2,8	mg/l	Pseudokirchneriell a subcapitata		
12.2. Persistence and degradability:	DOC		50	%		ISO 9888	Biodegradable
12.3. Bioaccumulative potential:	Log Pow		0,18				Not accepted due to the log Pow - value.
Toxicity to bacteria:	EC50	16h	>50	mg/l	Pseudomonas putida		

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.



Page 13 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

E.g. dispose at suitable refuse site

# For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

# **SECTION 14: Transport information**

**General statements** 

14.1. UN number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.LQ:n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):
14.4. Packing group:
n.a

14.5. Environmental hazards:

Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

< 1 %

REGULATION (EC) No 648/2004

15 % or over but less than 30 %  $\,$ 

anionic surfactants

perfumes

2-BROMO-2-NITROPROPANE-1,3-DIOL

BENZISOTHIAZOLINONE

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

#### **SECTION 16: Other information**

Revised sections:

15

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.



Page 14 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Skin Irrit. 2, H315	Classification according to calculation procedure.
Eye Dam. 1, H318	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Skin Irrit. — Skin irritation

Eye Dam. — Serious eye damage

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Acute Tox. — Acute toxicity - oral Flam. Liq. — Flammable liquid

Acute Tox. — Acute toxicity - dermal

STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation

Aquatic Acute — Hazardous to the aquatic environment - acute

# Any abbreviations and acronyms used in this document:

AC **Article Categories** 

acc., acc. to according, according to

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level

Adsorbable organic halogen compounds AOX

approx. approximately

Art., Art. no. Article number

Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) ATE

Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAM BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BMGV Biological monitoring guidance value (EH40, UK)

BOD Biochemical oxygen demand

BSEF Bromine Science and Environmental Forum

body weight bw

CAS Chemical Abstracts Service

Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids CEC

CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques

CIPAC Collaborative International Pesticides Analytical Council

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

COD Chemical oxygen demand

CTFA Cosmetic, Toiletry, and Fragrance Association



Page 15 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
DOC Dissolved organic carbon

DT50 Dwell Time - 50% reduction of start concentration

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community
ECHA European Chemicals Agency
EEA European Economic Area
EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

ES Exposure scenario

etc. et cetera EU European Union

EWC European Waste Catalogue

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

HET-CAM Hen's Egg Test - Chorionallantoic Membrane

HGWP Halocarbon Global Warming Potential
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IBC Intermediate Bulk Container

IBC (Code) International Bulk Chemical (Code)

IC Inhibitory concentration

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

LC lethal concentration

LC50 lethal concentration 50 percent kill LCLo lowest published lethal concentration

LD Lethal Dose of a chemical LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low

LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSH National Institute of Occupational Safety and Health (United States of America)

NOAECNo Observed Adverse Effective Concentration

NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration NOEL No Observed Effect Level

ODP Ozone Depletion Potential

OECD Organisation for Economic Co-operation and Development

org. organic

PÄH polycyclic aromatic hydrocarbon
PBT persistent, bioaccumulative and toxic
PC Chemical product category

PE Polyethylene

PNEC Predicted No Effect Concentration
POCP Photochemical ozone creation potential



Page 16 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 11.12.2017 / 0021

Replacing version dated / version: 22.06.2017 / 0020

Valid from: 11.12.2017 PDF print date: 12.12.2017

Scheiben-Reiniger-Super-Konzentrat 50 mL

Art.: 1517

ppm parts per million PROC Process category PTFE Polytetrafluorethylene

REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List

Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SU Sector of use

SVHC Substances of Very High Concern

Tel. Telephone

ThOD Theoretical oxygen demand

TOC Total organic carbon

TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).

WHO World Health Organization

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

# Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.