

Page 1 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

## Auto-Wasch & Wachs 1 L Art.: 1542

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Vehicle cleansing Sector of use [SU]:

അ

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]: PC35 - Washing and cleaning products

Process category [PROC]:

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 9 - Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10 - Roller application or brushing

PROC19 - Manual activities involving hand contact

Article Categories [AC]:

AC99 - Not required.

Environmental Release Category [ERC]: ERC 4 - Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC 7 - Use of functional fluid at industrial site

ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC 8d - Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

#### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

œ

LIQUI MOLY GmbH, Jerg-Wieland-Str. 4, 89081 Ulm-Lehr, Germany Phone: (+49) 0731-1420-0, Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number Emergency information services / official advisory body:

**Telephone number of the company in case of emergencies:** +49 (0) 700 / 24 112 112 (LMR)

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixtureClassification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statement



Page 2 of 15

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

1

Eye Dam.

H318-Causes serious eye damage.

#### 2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



H318-Causes serious eye damage.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P280-Wear eye protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

EUH208-Contains Dipentene, Citral. May produce an allergic reaction.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts

Alkyl polyglycoside

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substance

#### n.a. 3.2 Mixture

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-	Substance with specific conc. limit(s) acc. to REACh-
18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner	registration
salts	
Registration number (REACH)	01-2119489410-39-XXXX
Index	
EINECS, ELINCS, NLP	931-333-8 (REACH-IT List-No.)
CAS	147170-44-3
content %	5-<10
Classification according to Regulation (EC) 1272/2008 (CLP)	Eye Dam. 1, H318
	Aquatic Chronic 3, H412
Alkyl polyglycoside	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	
CAS	110615-47-9



Page 3 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

content %	3-<10
Classification according to Regulation (EC) 1272/2008 (CLP)	Eye Dam. 1, H318
2-(2-butoxyethoxy)ethanol	Substance for which an EU exposure limit value applies.
Registration number (REACH)	01-2119475104-44-XXXX
Index	603-096-00-8
EINECS, ELINCS, NLP	203-961-6
CAS	112-34-5
content %	1-5
Classification according to Regulation (EC) 1272/2008 (CLP)	Eye Irrit. 2, H319
Citral	
Registration number (REACH)	
Index	605-019-00-3
	226 304 6

EINECS, ELINCS, NLP	226-394-6
CAS	5392-40-5
content %	0,1-<1
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Irrit. 2, H315
	Skin Sens. 1, H317
	Eye Irrit. 2, H319

Dipentene		
Registration number (REACH)		
Index	601-029-00-7	
EINECS, ELINCS, NLP	205-341-0	
CAS	138-86-3	
content %	0,1-<0,25	
Classification according to Regulation (EC) 1272/2008 (CLP)	Flam. Liq. 3, H226	
	Asp. Tox. 1, H304	l
	Skin Sens. 1, H317	l
	Aquatic Acute 1, H400 (M=1)	
	Aquatic Chronic 1, H410 (M=1)	
	Skin Irrit. 2, H315	l

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1/3.2 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that

may be given here for the named classification have been taken into account.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### Inhalation

ആ

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor. **Eve contact** 

#### Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

Protect uninjured eye.

Follow-up examination by an ophthalmologist

#### Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

With long-term contact:

Dermatitis (skin inflammation) Sensitive individuals:



Page 4 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

#### Allergic reaction possible.

ആ

**4.3** Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire. Water jet spray / alcohol resistant foam / CO2 / dry extinguisher

## Unsuitable extinguishing media

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of nitrogen Toxic gases

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

#### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13. Flush residue using copious water.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

#### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid aerosol formation.

Avoid contact with eyes. Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.



Page 5 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Use working methods according to operating instructions.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store at room temperature. Protect from frost.

#### 7.3 Specific end use(s)

œ

No information available at present.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Chemical Name	2-(2-butoxyethox	y)ethanol			Content %:1-5
WEL-TWA: 10 ppm (67,5 r	mg/m3) (WEL, EU)	WEL-STEL:	15 ppm (101,2 mg/m3) (WEL, EU)	-	
Monitoring procedures:					
BMGV:			Other information:		

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

hydroxides, inner salts		Effect on health	Decoriptor	Value	Unit	Note
Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note
	Environmental					
	compartment					
	Environment - freshwater		PNEC	0,0135	mg/l	
	Environment - marine		PNEC	0,0014	mg/l	
	Environment - sediment, freshwater		PNEC	1	mg/kg	
	Environment - sediment, marine		PNEC	0,1	mg/kg	
	Environment - sewage treatment plant		PNEC	3000	mg/l	
	Environment - soil		PNEC	0,8	mg/kg	
Consumer	Human - oral	Long term, systemic effects	DNEL	7,5	mg/kg bw/d	
Consumer	Human - dermal	Long term, systemic effects	DNEL	7,5	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	44	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	12,5	mg/kg bw/d	

Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note
	Environmental					
	compartment					
	Environment - freshwater		PNEC	1,1	mg/l	
	Environment - marine		PNEC	0,11	mg/l	



Page 6 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

œ

	Environment - water, sporadic (intermittent)		PNEC	11	mg/l
	release				
	Environment - sediment, freshwater		PNEC	4,4	mg/kg
	Environment - sediment, marine		PNEC	0,44	mg/kg
	Environment - soil		PNEC	0.32	mg/kg
	Environment - sewage treatment plant		PNEC	200	mg/l
Consumer	Human - inhalation	Short term, local effects	DNEL	60,7	mg/m3
Consumer	Human - dermal	Long term, systemic effects	DNEL	50	mg/kg bw/d
Consumer	Human - inhalation	Long term, systemic effects	DNEL	40,5	mg/m3
Consumer	Human - oral	Long term, systemic effects	DNEL	5	mg/kg bw/d
Consumer	Human - inhalation	Long term, local effects	DNEL	60,7	mg/m3
Workers / employees	Human - oral	Long term, local effects	DNEL	67,5	mg/m3
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	89	mg/kg bw/d
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	83	mg/kg bw/d
Workers / employees	Human - inhalation	Short term, local effects	DNEL	101,2	mg/m3
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	67,5	mg/m3

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,00678	mg/l	
	Environment - marine		PNEC	0,00067 8	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,0678	mg/l	
	Environment - sewage treatment plant		PNEC	1,6	mg/l	
	Environment - sediment, freshwater		PNEC	0,125	mg/kg	
	Environment - sediment, marine		PNEC	0,0125	mg/kg	
	Environment - soil		PNEC	0,0209	mg/kg	
Consumer	Human - dermal	Long term, systemic effects	DNEL	1	mg/kg	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	2,7	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,6	mg/kg	
Consumer	Human - dermal	Long term, local effects	DNEL	0,14	mg/cm2	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	1,7	mg/kg	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	9	mg/m3	
Workers / employees	Human - dermal	Long term, local effects	DNEL	0,14	mg/cm2	

8.2 Exposure controls

8.2.1 Appropriate engineering controls



Page 7 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

ആ

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN 374). Recommended Safety gloves made of butyl (EN 374) Minimum layer thickness in mm: 0,5 - 0,8 Permeation time (penetration time) in minutes: > 120 The breakthrough times determined in accordance with EN 374 Part 3 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary. If OES or MEL is exceeded. Gas mask filter A (EN 14387), code colour brown Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

## 8.2.3 Environmental exposure controls

No information available at present.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold: pH-value: Melting point/freezing point: Initial boiling point and boiling range: Flash point: Liquid Orange Fruity Not determined 4,8 (20°C, DIN 19268) Not determined ~100 °C >100 °C



Page 8 of 15

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

Evaporation rate: Flammability (solid, gas): Lower explosive limit: Upper explosive limit: Vapour pressure: Vapour density (air = 1): Density: Bulk density: Solubility(ies): Water solubility: Partition coefficient (n-octanol/water): Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidising properties:

## **9.2 Other information** Miscibility:

Fat solubility / solvent: Conductivity: Surface tension: Solvents content: Not determined n.a. n.a. n.a. 23 hPa (20°C) Not determined 1,021 g/cm3 (20°C, DIN 51757) n.a. Not determined Mixable Not determined No Not determined Not determined Product is not explosive. No

Not determined Not determined Not determined Not determined Not determined

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Not to be expected **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known.

#### 10.4 Conditions to avoid

See also section 7. None known

#### 10.5 Incompatible materials

See also section 7. None known

#### **10.6 Hazardous decomposition products**

See also section 5.2

No decomposition when used as directed.

**SECTION 11: Toxicological information** 

#### **11.1 Information on toxicological effects**

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.



Safety data sheet according to R Revision date / version: 07.03.20 Replacing version dated / versior Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542	17 / 0016		, Annex II			
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
Other information:						Classification according to calculation procedure.
1-Propanaminium, 3-amino-N-( hydroxides, inner salts	carboxymeth	yl)-N,N-dimetl	hyl-, N-(C8-18(e	even numbered) a	and C18 unsaturated acyl)	derivs.,
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	4900	mg/kg	Rat		
2 (2 hutowysthese )sthese -						
2-(2-butoxyethoxy)ethanol Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	Notes
Acute toxicity, by dermal route:	LD50	2764	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Negative
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Irrit. 2
Symptoms:						breathing difficulties, respiratory distress, diarrhoea, coughing, mucous membrane irritation, dizziness, watering eyes, nausea
Citral						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	3450	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	2250	mg/kg	Rabbit		
Skin corrosion/irritation:				Rabbit		Irritant
Dipentene						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat		
Acute toxicity, by oral route:	LD50	5300	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	5000	mg/kg	Rabbit		
Aspiration hazard: Symptoms:						Yes diarrhoea, rash itching, gastrointestinal disturbances, mucous membrane irritation, nause and vomiting.



Page 10 of 15

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

Possibly more information on environmental effects, see Section 2.1 (classification	).
Auto-Wasch & Wachs 1 L	

Auto-wasch	α	VV d
Art • 15/2		

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	•						n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Other adverse							n.d.a.
effects:							

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,							
hydroxides, inner salts							
<b>T</b> 1 14 1 14 4			1/1	11.14	<b>a</b> .		

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to daphnia:	NOEC/NOEL		0,38	mg/l			
12.1. Toxicity to algae:	NOEC/NOEL		2,99	mg/l			

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	1300	mg/l	Lepomis		
					macrochirus		
12.1. Toxicity to daphnia:	EC50	48h	>100	mg/l	Daphnia magna		
12.2. Persistence and		28d	100	%	activated sludge	OECD 302 B	
degradability:					_	(Inherent	
						Biodegradability -	
						Zahn-	
						Wellens/EMPA	
						Test)	
12.2. Persistence and		28d	76	%		OECD 301 D	
degradability:						(Ready	
0						Biodegradability -	
						Closed Bottle Test)	
Other information:							Does not contai
							any organically
							bound halogens
							which can
							contribute to the
							AOX value in
							waste water.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	6,8	mg/l			
12.1. Toxicity to daphnia:	EC50	48h	7	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	103,8	mg/l			
12.2. Persistence and degradability:		28d	92	%		OECD 301 C (Ready Biodegradability - Modified MITI Test (I))	Readily biodegradable
12.3. Bioaccumulative potential:	BCF		89,72				
12.3. Bioaccumulative potential:	Log Pow		2,76				



Page 11 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

## Dinantana

œ

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	20,2	mg/l	Pimephales		
					promelas		
12.1. Toxicity to fish:	LC50	96h	38,5	mg/l	Pimephales		
					promelas		
12.1. Toxicity to fish:	EC50	96h	20,2	mg/l	Pimephales		
					promelas		
12.1. Toxicity to daphnia:	EC50	48h	70	mg/l	Daphnia pulex		
12.1. Toxicity to algae:	IC50	96h	13,798	mg/l	Pseudokirchneriell		
					a subcapitata		
12.1. Toxicity to algae:	IC50	78h	13,798	mg/l	Pseudokirchneriell		
					a subcapitata		
12.3. Bioaccumulative potential:	Log Pow		4,57				
12.3. Bioaccumulative	Log Pow		4,57				High
potential:							

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods For the substance / mixture / residual amounts

EC disposal code no .:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

## For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

## **SECTION 14: Transport information**

General statements	
14.1. UN number:	n.a.
Transport by road/by rail (ADR/RID)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Classification code:	n.a.
LQ:	n.a.
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Marine Pollutant:	n.a
14.5. Environmental hazards:	Not applicable
Transport by air (IATA)	
14.2. UN proper shipping name:	



Page 12 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

14.3. Transport hazard class(es):14.4. Packing group:14.5. Environmental hazards:

ആ

n.a. n.a. Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: Regulation (EC) No 1907/2006, Annex XVII 2-(2-butoxyethoxy)ethanol Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

#### **REGULATION (EC) No 648/2004**

5 % or over but less than 15 % amphoteric surfactants non-ionic surfactants

perfumes CITRAL CITRONELLOL GERANIOL HEXYL CINNAMAL LIMONENE LINALOOL BENZISOTHIAZOLINONE METHYLISOTHIAZOLINONE

Observe youth employment law (German regulation).

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## **SECTION 16: Other information**

Revised sections:

2,16

These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Dam. 1, H318	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

19,399 g/l



Page 13 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

ആ

Eye Dam. — Serious eye damage Aquatic Chronic — Hazardous to the aquatic environment - chronic Eye Irrit. — Eye irritation Skin Irrit. — Skin irritation Skin Sens. — Skin sensitization Flam. Liq. — Flammable liquid Asp. Tox. — Aspiration hazard Aquatic Acute — Hazardous to the aquatic environment - acute

#### Any abbreviations and acronyms used in this document:

AC **Article Categories** according, according to acc., acc. to ACGIH American Conference of Governmental Industrial Hygienists Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the ADR International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAM BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BHT BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum bw body weight Chemical Abstracts Service CAS Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids CEC CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques CIPAC Collaborative International Pesticides Analytical Council Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances CLP and mixtures) CMR carcinogenic, mutagenic, reproductive toxic Chemical oxygen demand COD CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon Dwell Time - 50% reduction of start concentration DT50 Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) DVS dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. European Community EC ECHA European Chemicals Agency EEA European Economic Area EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ΕN **European Norms** EPA United States Environmental Protection Agency (United States of America) **Environmental Release Categories** ERC ES Exposure scenario et cetera etc. EU **European Union** 



Page 14 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542 EWC European Waste Catalogue Fax. Fax number general aen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Hen's Egg Test - Chorionallantoic Membrane HET-CAM HGWP Halocarbon Global Warming Potential IARC International Agency for Research on Cancer IATA International Air Transport Association Intermediate Bulk Container IBC IBC (Code) International Bulk Chemical (Code) IC Inhibitory concentration IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. IUCLID International Uniform ChemicaL Information Database LC lethal concentration lethal concentration 50 percent kill LC50 LCLo lowest published lethal concentration Lethal Dose of a chemical LD LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration LOEL Lowest Observed Effect Level Limited Quantities 10 MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable not available n.av. not checked n.c. no data available n.d.a. NIOSH National Institute of Occupational Safety and Health (United States of America) NOAECNo Observed Adverse Effective Concentration NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration NOEL No Observed Effect Level ODP **Ozone Depletion Potential** OECD Organisation for Economic Co-operation and Development org. organic PAH polycyclic aromatic hydrocarbon persistent, bioaccumulative and toxic PBT PC Chemical product category Polyethylene ΡE PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential ppm parts per million Process category PROC PTFE Polytetrafluorethylene REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List REACH-IT List-No. Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International RID Carriage of Dangerous Goods by Rail) SADT Self-Accelerating Decomposition Temperature Structure Activity Relationship SAR SU Sector of use SVHC Substances of Very High Concern Tel. Telephone ThOD Theoretical oxygen demand TOC Total organic carbon TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) UN RTDG United Nations Recommendations on the Transport of Dangerous Goods Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) VbF

ആ



Page 15 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 07.03.2017 / 0016 Replacing version dated / version: 21.08.2015 / 0015 Valid from: 07.03.2017 PDF print date: 17.03.2017 Auto-Wasch & Wachs 1 L Art.: 1542

VOC Volatile organic compounds vPvB very persistent and very bioaccumulative WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK). WHO World Health Organization wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

GB

## These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.