

Page 1 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.01.2020 / 0010 Replacing version dated / version: 05.06.2019 / 0009 Valid from: 22.01.2020 PDF print date: 24.01.2020 Reifenmontierpaste weiß 5 kg Art.: 3021

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Reifenmontierpaste weiß 5 kg Art.: 3021

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Assembly paste Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP) The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).



Page 2 of 10

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.01.2020 / 0010 Replacing version dated / version: 05.06.2019 / 0009 Valid from: 22.01.2020 PDF print date: 24.01.2020 Reifenmontierpaste weiß 5 kg Art.: 3021

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a. **3.2 Mixture**

| Diethylene glycol | |
|---|-----------------------|
| Registration number (REACH) | 01-2119457857-21-XXXX |
| Index | 603-140-00-6 |
| EINECS, ELINCS, NLP | 203-872-2 |
| CAS | 111-46-6 |
| content % | 1-<5 |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Acute Tox. 4, H302 |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water. Give copious water to drink. Consult doctor if necessary.

Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. irritation of the eyes

Skin irritation possible with prolonged contact.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon

Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.



Page 3 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.01.2020 / 0010 Replacing version dated / version: 05.06.2019 / 0009 Valid from: 22.01.2020 PDF print date: 24.01.2020 Reifenmontierpaste weiß 5 kg Art.: 3021

Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

Or:

ആ

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation. Avoid contact with eyes.

Avoid contact with eyes. Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store cool.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| n: |
|----|
| |
| |

Diethylene glycol



Page 4 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.01.2020 / 0010 Replacing version dated / version: 05.06.2019 / 0009 Valid from: 22.01.2020 PDF print date: 24.01.2020 Reifenmontierpaste weiß 5 kg Art.: 3021

ആ

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|-----------------------------|------------|-------|-----------------|------|
| | Environment - freshwater | | PNEC | 10 | mg/m3 | |
| | Environment - marine | | PNEC | 1 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 10 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 20,9 | mg/kg dw | |
| | Environment - soil | | PNEC | 1,53 | mg/kg dw | |
| | Environment - sediment, marine | | PNEC | 2,09 | mg/kg | |
| | Environment - sewage treatment plant | | PNEC | 199,5 | mg/l | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 21 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 12 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 43 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 44 | mg/m3 | |

B WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. BS EN 14042.

BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: With danger of contact with eyes. Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Normally not necessary. Protective hand cream recommended. With long-term contact: Rubber gloves (EN 374). Protective nitrile gloves (EN 374). Minimum layer thickness in mm:



Page 5 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.01.2020 / 0010 Replacing version dated / version: 05.06.2019 / 0009 Valid from: 22.01.2020 PDF print date: 24.01.2020 Reifenmontierpaste weiß 5 kg Art.: 3021

>= 0,4

ആ

Permeation time (penetration time) in minutes:

>= 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold: pH-value: Melting point/freezing point: Initial boiling point and boiling range: Flash point: Evaporation rate: Flammability (solid, gas): Lower explosive limit: Upper explosive limit: Vapour pressure: Vapour density (air = 1): Density: Bulk density: Solubility(ies): Water solubility: Partition coefficient (n-octanol/water): Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidising properties:

9.2 Other information

Miscibility: Fat solubility / solvent: Conductivity: Surface tension: Solvents content:

Paste. Liquid According to specification Mild Not determined ~8 (20°C, Emulsion) ~50[°]C n.a. ~240 °C (DIN 51376 (Cleveland, open cup)) Not determined n.a. n.a. n.a. Not determined Not determined 1,06 g/cm3 (20°C) n.a. Not determined Mixable Not determined ~400 °C (DIN 51794, Ignition temperature) Not determined Not determined Product is not explosive. No

Not determined Not determined Not determined Not determined

SECTION 10: Stability and reactivity



Page 6 of 10

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.01.2020 / 0010 Replacing version dated / version: 05.06.2019 / 0009 Valid from: 22.01.2020 PDF print date: 24.01.2020 Reifenmontierpaste weiß 5 kg Art.: 3021

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known. **10.4 Conditions to avoid**

See also section 7.

None known

10.5 Incompatible materials

See also section 7. None known

10.6 Hazardous decomposition products

See also section 5.2 No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

| Art.: 3021 Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|-------|----------|-----------|-------------|------------------|
| Acute toxicity, by oral route: | ATE | >2000 | mg/kg | Organishi | rest method | calculated value |
| Acute toxicity, by dermal route: | 7.12 | 2000 | iiig/itg | | | n.d.a. |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin | | | | | | n.d.a. |
| sensitisation: | | | | | | |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - | | | | | | n.d.a. |
| single exposure (STOT-SE): | | | | | | |
| Specific target organ toxicity - | | | | | | n.d.a. |
| repeated exposure (STOT-RE): | | | | | | |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |
| Other information: | | | | | | According to |
| | | | | | | current |
| | | | | | | knowledge that |
| | | | | | | mixture does not |
| | | | | | | endanger man |
| | | | | | | under normal |
| | | | | | | conditions of |
| | | | | | | application. |

| Diethylene glycol | | | | | | |
|----------------------------------|----------|---------|---------|----------|-------------|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 12565 | mg/kg | Rat | | Does not conform with EU classification. |
| Acute toxicity, by dermal route: | LD50 | 11890 | mg/kg | Rabbit | | |
| Acute toxicity, by inhalation: | LC0 | 4,4-4,6 | mg/l/4h | Rat | | Does not conform with EU classification. |



Page 7 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.01.2020 / 0010 Replacing version dated / version: 05.06.2019 / 0009 Valid from: 22.01.2020 PDF print date: 24.01.2020 Reifenmontierpaste weiß 5 kg Art.: 3021

œ.

| Skin corrosion/irritation: | | Rabbit | OECD 404 (Acute Dermal | Not irritant |
|--------------------------------|--|------------|---------------------------|---|
| | | | Irritation/Corrosion) | |
| Serious eye damage/irritation: | | | | Mild irritant |
| Respiratory or skin | | Guinea pig | | Not sensitizising |
| sensitisation: | | | | |
| Symptoms: | | | | acidosis, breathing difficulties, unconsciousness , diarrhoea, coughing, cramps, fatigue, mucous membrane irritation, dizziness, nausea and vomiting., trembling |

| Possibly more information | on environmen | tal effects, s | ee Section 2 | .1 (classifica | ation). | | |
|----------------------------|---------------|----------------|--------------|----------------|----------|-------------|------------------|
| Reifenmontierpaste weif | 3 5 kg | | | | | | |
| Art.: 3021 | | | | | | | |
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | | | | | | | n.d.a. |
| 12.1. Toxicity to daphnia: | | | | | | | n.d.a. |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. |
| 12.2. Persistence and | | | | | | | Readily |
| degradability: | | | | | | | biodegradable |
| 12.3. Bioaccumulative | | | | | | | n.d.a. |
| potential: | | | | | | | |
| 12.4. Mobility in soil: | | | | | | | n.d.a. |
| 12.5. Results of PBT | | | | | | | n.d.a. |
| and vPvB assessment | | | | | | | |
| 12.6. Other adverse | | | | | | | n.d.a. |
| effects: | | | | | | | |
| Other information: | AOX | | | | | | According to the |
| | | | | | | | recipe, contains |
| | | | | | | | no AOX. |
| Other information: | DOC | | | | | | DOC-elimination |
| | | | | | | | degree(complexi |
| | | | | | | | ng organic |
| | | | | | | | substance)>= |
| | | | | | | | 80%/28d: n.a. |

| Diethylene glycol Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--|----------|------|--------|------|----------------------------|---|------------|
| 12.1. Toxicity to fish: | LC50 | 24h | >5000 | ppm | Carassius auratus | | |
| 12.1. Toxicity to fish: | LC50 | 96h | >32000 | mg/l | Gambusia affinis | | References |
| 12.1. Toxicity to daphnia: | EC50 | 24h | >10000 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to algae: | IC0 | 7d | 2700 | mg/l | Scenedesmus quadricauda | | References |
| 12.2. Persistence and degradability: | | 28d | 67 | % | | OECD 301 A (Ready Biodegradability - DOC Die-Away Test) | |
| Toxicity to bacteria: | EC0 | 16h | 8000 | mg/l | Pseudomonas putida | | References |



Page 8 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.01.2020 / 0010 Replacing version dated / version: 05.06.2019 / 0009 Valid from: 22.01.2020 PDF print date: 24.01.2020 Reifenmontierpaste weiß 5 kg Art.: 3021

| Other information: | BOD5 | 1,3 - 1 | 10 % | | References |
|--------------------|------|---------|------|--|------------|
| Other information: | COD | 99 | % | | References |
| Other information: | ThOD | 1,51 | g/g | | References |
| Water solubility: | | | | | Mixable |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

œ

| EC disposal code no.: | | | | | | |
|--|--------------------------|--|--|--|--|--|
| The waste codes are recommendations based on the scheduled use of this product. | | | | | | |
| Owing to the user's specific conditions for use and disposal, other waste codes may be | | | | | | |
| allocated under certain circumstances. (2014/955/EU) | | | | | | |
| 07 06 99 wastes not otherwise specified | | | | | | |
| Recommendation: | | | | | | |
| Sewage disposal shall be discouraged. | | | | | | |
| Pay attention to local and national official regulations. | | | | | | |
| Implement substance recycling. | | | | | | |
| E.g. suitable incineration plant. | | | | | | |
| For contaminated packing material | | | | | | |
| Pay attention to local and national official regulations. | | | | | | |
| Empty container completely. | | | | | | |
| Uncontaminated packaging can be recycled. | and the substance | | | | | |
| Dispose of packaging that cannot be cleaned in the same mar | nner as the substance. | | | | | |
| SECTION 1 | 4: Transport information | | | | | |
| | | | | | | |
| General statements | | | | | | |
| 14.1. UN number: | n.a. | | | | | |
| Transport by road/by rail (ADR/RID) | | | | | | |
| 14.2. UN proper shipping name: | | | | | | |
| 14.3. Transport hazard class(es): | n.a. | | | | | |
| 14.4. Packing group: | n.a. | | | | | |
| Classification code: | n.a. | | | | | |
| LQ: | n.a. | | | | | |
| 14.5. Environmental hazards: | Not applicable | | | | | |
| Tunnel restriction code: | | | | | | |
| Transport by sea (IMDG-code) | | | | | | |
| 14.2. UN proper shipping name: | | | | | | |
| 14.3. Transport hazard class(es): | n.a. | | | | | |
| 14.4. Packing group: | n.a. | | | | | |
| Marine Pollutant: | n.a | | | | | |
| 14.5. Environmental hazards: | Not applicable | | | | | |
| Transport by air (IATA) | | | | | | |
| 14.2. UN proper shipping name: | | | | | | |
| 14.3. Transport hazard class(es): | n.a. | | | | | |
| 14.4. Packing group: | n.a. | | | | | |
| 14.5. Environmental hazards: | Not applicable | | | | | |
| 14.6. Special precautions for user | | | | | | |
| Unless specified otherwise, general measures for safe transpo | ort must be followed. | | | | | |
| 14.7. Transport in bulk according to Annex | | | | | | |
| Non-dangerous material according to Transport Regulations. | | | | | | |
| | | | | | | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



Page 9 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.01.2020 / 0010 Replacing version dated / version: 05.06.2019 / 0009 Valid from: 22.01.2020 PDF print date: 24.01.2020 Reifenmontierpaste weiß 5 kg Art.: 3021

Observe restrictions: General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

0%

Revised sections:

ആ

3, 11, 12

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP): Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H302 Harmful if swallowed.

Acute Tox. - Acute toxicity - oral

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAM Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BAUA BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances CLP and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. European Community EC ECHA European Chemicals Agency EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances EN **European Norms** EPA United States Environmental Protection Agency (United States of America) etc. et cetera EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number general aen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential International Agency for Research on Cancer IARC IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code)



ആ Page 10 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.01.2020 / 0010 Replacing version dated / version: 05.06.2019 / 0009 Valid from: 22.01.2020 PDF print date: 24.01.2020 Reifenmontierpaste weiß 5 kg Art.: 3021 IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive IUCLID International Uniform Chemical Information Database LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. n.d.a. no data available OECD Organisation for Economic Co-operation and Development org. organic PBT persistent, bioaccumulative and toxic PE Polyethylene PNEC Predicted No Effect Concentration parts per million ppm PVC Polyvinylchloride REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) **REACH-IT List-No.** 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International RID Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.