

Page 1 of 14  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 22.07.2019 / 0019  
Replacing version dated / version: 08.04.2019 / 0018  
Valid from: 22.07.2019  
PDF print date: 22.07.2019  
Motorbike Kuehler Dichter 125 mL  
Art.: 3043

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Motorbike Kuehler Dichter 125 mL**  
**Art.: 3043**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture:**

Sector of use [SU]:

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC16 - Heat transfer fluids

Process category [PROC]:

PROC 1 - Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC 2 - Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 8b - Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC 9 - Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC20 - Use of functional fluids in small devices

Article Categories [AC]:

AC99 - Not required.

Environmental Release Category [ERC]:

ERC 4 - Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC 7 - Use of functional fluid at industrial site

ERC 9a - Widespread use of functional fluid (indoor)

ERC 9b - Widespread use of functional fluid (outdoor)

#### **Uses advised against:**

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

GB

LIQUI MOLY GmbH, Jerg-Wieland-Str. 4, 89081 Ulm-Lehr, Germany  
Phone:(+49) 0731-1420-0, Fax:(+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

**Emergency information services / official advisory body:**

---

**Telephone number of the company in case of emergencies:**

+49 (0) 700 / 24 112 112 (LMR)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) 1272/2008 (CLP)**

| Hazard class | Hazard category | Hazard statement |
|--------------|-----------------|------------------|
|--------------|-----------------|------------------|

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 22.07.2019 / 0019  
 Replacing version dated / version: 08.04.2019 / 0018  
 Valid from: 22.07.2019  
 PDF print date: 22.07.2019  
 Motorbike Kuehler Dichter 125 mL  
 Art.: 3043

STOT RE 2 H373-May cause damage to organs through prolonged or repeated exposure.

## 2.2 Label elements

### Labeling according to Regulation (EC) 1272/2008 (CLP)



Warning

H373-May cause damage to organs through prolonged or repeated exposure.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.  
 P260-Do not breathe vapours or spray.  
 P314-Get medical advice / attention if you feel unwell.  
 P501-Dispose of contents / container to an approved waste disposal facility.

EU208-Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Ethanediol

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

## SECTION 3: Composition/information on ingredients

### 3.1 Substance

n.a.

### 3.2 Mixture

| Ethanediol  | Substance for which an EU exposure limit value applies. |
|---|---|
| Registration number (REACH)                                 | 01-2119456816-28-XXXX                                   |
| Index   | 603-027-00-1  |
| EINECS, ELINCS, NLP   | 203-473-3   |
| CAS   | 107-21-1  |
| content %   | 10-<20  |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Acute Tox. 4, H302<br>STOT RE 2, H373 (kidneys) (oral)  |

| Disodium tetraborate pentahydrate                           | SVHC-substance   |
|---|------------------|
| Registration number (REACH)                                 | ---              |
| Index   | 005-011-02-9     |
| EINECS, ELINCS, NLP   | 215-540-4        |
| CAS   | 12179-04-3       |
| content %   | 0,1-<1           |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Repr. 1B, H360FD |

Page 3 of 14  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 22.07.2019 / 0019  
 Replacing version dated / version: 08.04.2019 / 0018  
 Valid from: 22.07.2019  
 PDF print date: 22.07.2019  
 Motorbike Kuehler Dichter 125 mL  
 Art.: 3043

|  |   |
|--|---|
| <b>Sodium nitrite</b>  |   |
| <b>Registration number (REACH)</b>                                 | 01-2119471836-27-XXXX   |
| <b>Index</b>   | 007-010-00-4  |
| <b>EINECS, ELINCS, NLP</b>   | 231-555-9   |
| <b>CAS</b>   | 7632-00-0   |
| <b>content %</b>   | 0,1-<1  |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP)</b> | Ox. Sol. 3, H272<br>Acute Tox. 3, H301<br>Eye Irrit. 2, H319<br>Aquatic Acute 1, H400 (M=1) |

|  |  |
|--|--|
| <b>Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)</b> |  |
| <b>Registration number (REACH)</b>   | ---  |
| <b>Index</b>   | 613-167-00-5   |
| <b>EINECS, ELINCS, NLP</b>   | ---  |
| <b>CAS</b>   | 55965-84-9   |
| <b>content %</b>   | 0,001-<0,0015  |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP)</b>                                   | Acute Tox. 3, H301<br>Acute Tox. 2, H310<br>Skin Corr. 1C, H314<br>Skin Sens. 1A, H317<br>Eye Dam. 1, H318<br>Acute Tox. 2, H330<br>Aquatic Acute 1, H400 (M=100)<br>Aquatic Chronic 1, H410 (M=100) |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.

If applicable

Induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 22.07.2019 / 0019  
Replacing version dated / version: 08.04.2019 / 0018  
Valid from: 22.07.2019  
PDF print date: 22.07.2019  
Motorbike Kuehler Dichter 125 mL  
Art.: 3043

### **Suitable extinguishing media**

Product is not combustible.  
Adapt to the nature and extent of fire.

### **Unsuitable extinguishing media**

High volume water jet

### **5.2 Special hazards arising from the substance or mixture**

In case of fire the following can develop:

Oxides of carbon

Toxic gases

### **5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes.  
Protective respirator with independent air supply.  
Dispose of contaminated extinction water according to official regulations.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Keep unprotected persons away.  
Ensure sufficient supply of air.  
Avoid contact with eyes or skin.  
If applicable, caution - risk of slipping.

### **6.2 Environmental precautions**

If leakage occurs, dam up.  
Resolve leaks if this possible without risk.  
Prevent from entering drainage system.  
Prevent surface and ground-water infiltration, as well as ground penetration.

### **6.3 Methods and material for containment and cleaning up**

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

### **6.4 Reference to other sections**

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### **7.1 Precautions for safe handling**

#### **7.1.1 General recommendations**

Ensure good ventilation.  
Avoid contact with eyes or skin.  
Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.  
Observe directions on label and instructions for use.  
Use working methods according to operating instructions.

#### **7.1.2 Notes on general hygiene measures at the workplace**

General hygiene measures for the handling of chemicals are applicable.  
Wash hands before breaks and at end of work.  
Keep away from food, drink and animal feedingstuffs.  
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### **7.2 Conditions for safe storage, including any incompatibilities**

Keep out of access to unauthorised individuals.  
Store product closed and only in original packing.  
Not to be stored in gangways or stair wells.  
Do not store with oxidizing agents.  
Store in a well ventilated place.

### **7.3 Specific end use(s)**

No information available at present.

## **SECTION 8: Exposure controls/personal protection**

GB

Page 5 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 22.07.2019 / 0019

Replacing version dated / version: 08.04.2019 / 0018

Valid from: 22.07.2019

PDF print date: 22.07.2019

Motorbike Kuehler Dichter 125 mL

Art.: 3043

## 8.1 Control parameters

| Chemical Name  | Ethanediol   | Content %:10-<br><20 |
|--|--|----------------------|
| WEL-TWA: 10 mg/m <sup>3</sup> (particulate), 52 mg/m <sup>3</sup> (vapour) (WEL), 20 ppm (52 mg/m <sup>3</sup> ) (EU)  | WEL-STEL: 104 mg/m <sup>3</sup> (vapour) (WEL), 40 ppm (104 mg/m <sup>3</sup> ) (EU) | ---                  |
| Monitoring procedures:   |  |                      |
| <ul style="list-style-type: none"> <li>- Compur - KITA-232 SA (502 342)</li> <li>- Compur - KITA-232 SB (550 267)</li> <li>- Draeger - Ethylene Glycol 10 (5) (81 01 351)</li> <li>- NIOSH 5523 (Glycols) - 1996</li> <li>- OSHA PV2024 (Ethylene glycol) - 1999 - EU project BC/CEN/ENTR/000/2002-16 card</li> <li>- 11-2 (2004)</li> </ul> |  |                      |
| BMGV: ---  | Other information: Sk (particulate, vapour)  |                      |

  

| Chemical Name                | Disodium tetraborate pentahydrate | Content %:0,1-<1 |
|------------------------------|-----------------------------------|------------------|
| WEL-TWA: 1 mg/m <sup>3</sup> | WEL-STEL: ---                     | ---              |
| Monitoring procedures: ---   |                                   |                  |
| BMGV: ---                    | Other information: ---            |                  |

| Ethanediol          |  |                             |            |       |                   |      |
|---------------------|--|-----------------------------|------------|-------|-------------------|------|
| Area of application | Exposure route / Environmental compartment           | Effect on health            | Descriptor | Value | Unit              | Note |
|                     | Environment - freshwater                             |                             | PNEC       | 10    | mg/l              |      |
|                     | Environment - marine                                 |                             | PNEC       | 1     | mg/l              |      |
|                     | Environment - sediment                               |                             | PNEC       | 20,9  | mg/kg             |      |
|                     | Environment - soil                                   |                             | PNEC       | 1,53  | mg/kg             |      |
|                     | Environment - sewage treatment plant                 |                             | PNEC       | 199,5 | mg/l              |      |
|                     | Environment - water, sporadic (intermittent) release |                             | PNEC       | 10    | mg/l              |      |
|                     | Environment - sediment, freshwater                   |                             | PNEC       | 37    | mg/kg dry weight  |      |
|                     | Environment - sediment, marine                       |                             | PNEC       | 3,7   | mg/kg dry weight  |      |
| Consumer            | Human - inhalation                                   | Long term, local effects    | DNEL       | 7     | mg/m <sup>3</sup> |      |
| Consumer            | Human - dermal                                       | Long term, systemic effects | DNEL       | 53    | mg/kg             |      |
| Workers / employees | Human - inhalation                                   | Long term, local effects    | DNEL       | 35    | mg/m <sup>3</sup> |      |
| Workers / employees | Human - dermal                                       | Long term, systemic effects | DNEL       | 106   | mg/kg             |      |

| Sodium nitrite      |  |                  |            |              |                  |      |
|---------------------|--|------------------|------------|--------------|------------------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value        | Unit             | Note |
|                     | Environment - freshwater                   |                  | PNEC       | 0,0054       | mg/l             |      |
|                     | Environment - marine                       |                  | PNEC       | 0,00616      | mg/l             |      |
|                     | Environment - sewage treatment plant       |                  | PNEC       | 21           | mg/l             |      |
|                     | Environment - sediment, freshwater         |                  | PNEC       | 0,019        | mg/kg dry weight |      |
|                     | Environment - sediment, marine             |                  | PNEC       | 0,022        | mg/kg dry weight |      |
|                     | Environment - soil                         |                  | PNEC       | 0,00073<br>3 | mg/kg            |      |

Ⓞ

Page 6 of 14  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 22.07.2019 / 0019  
 Replacing version dated / version: 08.04.2019 / 0018  
 Valid from: 22.07.2019  
 PDF print date: 22.07.2019  
 Motorbike Kuehler Dichter 125 mL  
 Art.: 3043

|                     |                                      |                              |      |    |       |  |
|---------------------|--------------------------------------|------------------------------|------|----|-------|--|
|                     | Environment - sewage treatment plant |                              | PNEC | 21 | mg/kg |  |
| Workers / employees | Human - inhalation                   | Short term, systemic effects | DNEL | 2  | mg/m3 |  |
| Workers / employees | Human - inhalation                   | Long term, systemic effects  | DNEL | 2  | mg/m3 |  |

Ⓞ WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).  
 (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).  
 (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.  
 \*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.  
 If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.  
 Applies only if maximum permissible exposure values are listed here.  
 Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.  
 These are specified by e.g. BS EN 14042.  
 BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.  
 Wash hands before breaks and at end of work.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:  
 Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:  
 Rubber gloves (EN 374).  
 Protective nitrile gloves (EN 374).  
 Minimum layer thickness in mm:  
 0,35  
 Permeation time (penetration time) in minutes:  
 > 480  
 Protective hand cream recommended.  
 The recommended maximum wearing time is 50% of breakthrough time.  
 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

Skin protection - Other:  
 Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:  
 Normally not necessary.  
 If OES or MEL is exceeded.  
 Gas mask filter A (EN 14387), code colour brown  
 Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:  
 Not applicable

Additional information on hand protection - No tests have been performed.  
 In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Page 7 of 14  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 22.07.2019 / 0019  
 Replacing version dated / version: 08.04.2019 / 0018  
 Valid from: 22.07.2019  
 PDF print date: 22.07.2019  
 Motorbike Kuehler Dichter 125 mL  
 Art.: 3043

Selection of materials derived from glove manufacturer's indications.  
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.  
 Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.  
 In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.  
 The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |                               |
|--|-------------------------------|
| Physical state:                          | Liquid                        |
| Colour:                                  | White                         |
| Odour:                                   | Slightly                      |
| Odour threshold:                         | Not determined                |
| pH-value:                                | Not determined                |
| Melting point/freezing point:            | Not determined                |
| Initial boiling point and boiling range: | Not determined                |
| Flash point:                             | >100 °C                       |
| Evaporation rate:                        | Not determined                |
| Flammability (solid, gas):               | n.a.                          |
| Lower explosive limit:                   | Not determined                |
| Upper explosive limit:                   | Not determined                |
| Vapour pressure:                         | Not determined                |
| Vapour density (air = 1):                | Not determined                |
| Density:                                 | 1,05 g/ml (20°C)              |
| Bulk density:                            | n.a.                          |
| Solubility(ies):                         | Not determined                |
| Water solubility:                        | Mixable                       |
| Partition coefficient (n-octanol/water): | Not determined                |
| Auto-ignition temperature:               | Not determined                |
| Decomposition temperature:               | Not determined                |
| Viscosity:                               | 130 mm <sup>2</sup> /s (40°C) |
| Explosive properties:                    | Product is not explosive.     |
| Oxidising properties:                    | No                            |

### 9.2 Other information

|                           |                |
|---------------------------|----------------|
| Miscibility:              | Not determined |
| Fat solubility / solvent: | Not determined |
| Conductivity:             | Not determined |
| Surface tension:          | Not determined |
| Solvents content:         | Not determined |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product has not been tested.

### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

None known

### 10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

### 10.6 Hazardous decomposition products

No decomposition when used as directed.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 22.07.2019 / 0019  
 Replacing version dated / version: 08.04.2019 / 0018  
 Valid from: 22.07.2019  
 PDF print date: 22.07.2019  
 Motorbike Kuehler Dichter 125 mL  
 Art.: 3043

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

#### Motorbike Kuehler Dichter 125 mL

Art.: 3043

| Toxicity / effect   | Endpoint | Value | Unit  | Organism | Test method | Notes            |
|---|----------|-------|-------|----------|-------------|------------------|
| Acute toxicity, by oral route:                                | ATE      | >2000 | mg/kg |          |             | calculated value |
| Acute toxicity, by dermal route:                              |          |       |       |          |             | n.d.a.           |
| Acute toxicity, by inhalation:                                |          |       |       |          |             | n.d.a.           |
| Skin corrosion/irritation:                                    |          |       |       |          |             | n.d.a.           |
| Serious eye damage/irritation:                                |          |       |       |          |             | n.d.a.           |
| Respiratory or skin sensitisation:                            |          |       |       |          |             | n.d.a.           |
| Germ cell mutagenicity:                                       |          |       |       |          |             | n.d.a.           |
| Carcinogenicity:  |          |       |       |          |             | n.d.a.           |
| Reproductive toxicity:  |          |       |       |          |             | n.d.a.           |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |       |       |          |             | n.d.a.           |
| Specific target organ toxicity - repeated exposure (STOT-RE): |          |       |       |          |             | n.d.a.           |
| Aspiration hazard:  |          |       |       |          |             | n.d.a.           |
| Symptoms:   |          |       |       |          |             | n.d.a.           |

#### Ethanediol

| Toxicity / effect                  | Endpoint | Value | Unit       | Organism               | Test method                                | Notes  |
|------------------------------------|----------|-------|------------|------------------------|--|--|
| Acute toxicity, by oral route:     | LD50     | 1600  | mg/kg      | Human being            |  |  |
| Acute toxicity, by dermal route:   | LD50     | 9530  | mg/kg      | Rabbit                 |  |  |
| Acute toxicity, by dermal route:   | LD50     | >3500 | mg/kg      | Mouse                  |  |  |
| Skin corrosion/irritation:         |          |       |            | Rabbit                 |  | Slightly irritant  |
| Serious eye damage/irritation:     |          |       |            | Rabbit                 |  | Slightly irritant  |
| Respiratory or skin sensitisation: |          |       |            | Human being            | (Patch-Test)                               | Negative   |
| Germ cell mutagenicity:            |          |       |            | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative   |
| Germ cell mutagenicity:            |          |       |            | Rat                    | in vivo                                    | Negative   |
| Reproductive toxicity:             | NOAEL    | 1000  | mg/kg bw/d | Rat                    |  |  |
| Symptoms:                          |          |       |            |                        |  | ataxia, breathing difficulties, unconsciousness, cramps, fatigue |

#### Sodium nitrite

| Toxicity / effect              | Endpoint | Value | Unit    | Organism | Test method                                  | Notes                           |
|--------------------------------|----------|-------|---------|----------|--|---------------------------------|
| Acute toxicity, by oral route: | LD50     | 180   | mg/kg   | Rat      |  |                                 |
| Acute toxicity, by inhalation: | LC50     | 5,5   | mg/l/4h | Rat      |  | Aerosol                         |
| Skin corrosion/irritation:     |          |       |         | Rabbit   | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant                    |
| Serious eye damage/irritation: |          |       |         | Rabbit   | OECD 405 (Acute Eye Irritation/Corrosion)    | Slightly irritant, Eye Irrit. 2 |



Page 9 of 14  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 22.07.2019 / 0019  
 Replacing version dated / version: 08.04.2019 / 0018  
 Valid from: 22.07.2019  
 PDF print date: 22.07.2019  
 Motorbike Kuehler Dichter 125 mL  
 Art.: 3043

|           |  |  |  |  |  |  |
|-----------|--|--|--|--|--|--|
| Symptoms: |  |  |  |  |  | breathing difficulties, abdominal pain, unconsciousness, drop in blood pressure, annoyance, disturbed heart rhythm, collapse, headaches, mucous membrane irritation, dizziness, nausea and vomiting. |
|-----------|--|--|--|--|--|--|

| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) |          |       |         |            |                                      |  |
|---|----------|-------|---------|------------|--------------------------------------|--|
| Toxicity / effect   | Endpoint | Value | Unit    | Organism   | Test method                          | Notes  |
| Acute toxicity, by oral route:  | LD50     | 64-66 | mg/kg   | Rat        | OECD 401 (Acute Oral Toxicity)       | Acute Tox. 3   |
| Acute toxicity, by dermal route:  | LD50     | 87,12 | mg/kg   | Rabbit     |                                      | Acute Tox. 2   |
| Acute toxicity, by inhalation:  | LC50     | 0,33  | mg/l/4h | Rat        | OECD 403 (Acute Inhalation Toxicity) | Aerosol, Dust, Acute Tox. 2                          |
| Acute toxicity, by inhalation:  | LC50     | 0,81  | mg/l/4h | Rat        | OECD 403 (Acute Inhalation Toxicity) | Vapours, Acute Tox. 2                                |
| Skin corrosion/irritation:  |          |       |         | Rabbit     |                                      | Skin Corr. 1C  |
| Serious eye damage/irritation:  |          |       |         | Rabbit     |                                      | Eye Dam. 1   |
| Respiratory or skin sensitisation:  |          |       |         | Guinea pig | OECD 406 (Skin Sensitisation)        | Skin Sens. 1A  |
| Symptoms:   |          |       |         |            |                                      | diarrhoea, mucous membrane irritation, watering eyes |

## SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Motorbike Kuehler Dichter 125 mL<br>Art.: 3043 |          |      |       |      |          |             |        |
|--|----------|------|-------|------|----------|-------------|--------|
| Toxicity / effect                              | Endpoint | Time | Value | Unit | Organism | Test method | Notes  |
| 12.1. Toxicity to fish:                        |          |      |       |      |          |             | n.d.a. |
| 12.1. Toxicity to daphnia:                     |          |      |       |      |          |             | n.d.a. |
| 12.1. Toxicity to algae:                       |          |      |       |      |          |             | n.d.a. |
| 12.2. Persistence and degradability:           |          |      |       |      |          |             | n.d.a. |
| 12.3. Bioaccumulative potential:               |          |      |       |      |          |             | n.d.a. |
| 12.4. Mobility in soil:                        |          |      |       |      |          |             | n.d.a. |
| 12.5. Results of PBT and vPvB assessment       |          |      |       |      |          |             | n.d.a. |
| 12.6. Other adverse effects:                   |          |      |       |      |          |             | n.d.a. |

| Ethanediol        |          |      |       |      |          |             |       |
|-------------------|----------|------|-------|------|----------|-------------|-------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |

|   |           |       |               |      |                                     |  |                          |
|---|-----------|-------|---------------|------|-------------------------------------|--|--------------------------|
| Toxicity to bacteria:                   | EC20      | 30min | >1995         | mg/l | activated sludge                    | OECD 209<br>(Activated Sludge,<br>Respiration<br>Inhibition Test<br>(Carbon and<br>Ammonium<br>Oxidation)) |                          |
| Other information:                      | BOD5      |       | 0,78          | g/g  |                                     |  | IUCLID                   |
| 12.1. Toxicity to fish:                 | LC50      | 96h   | >10000        | mg/l | Pimephales<br>promelas              | IUCLID Chem.<br>Data Sheet (ESIS)  |                          |
| 12.1. Toxicity to fish:                 | NOEC/NOEL | 7d    | 15380         | mg/l | Pimephales<br>promelas              | U.S. EPA<br>ECOTOX<br>Database   |                          |
| 12.1. Toxicity to daphnia:              | EC50      | 48h   | >100          | mg/l | Daphnia magna                       | OECD 202<br>(Daphnia sp.<br>Acute<br>Immobilisation<br>Test)   |                          |
| 12.1. Toxicity to daphnia:              | NOEC/NOEL |       | 8590          | mg/l | Daphnia magna                       | U.S. EPA<br>ECOTOX<br>Database   |                          |
| 12.1. Toxicity to algae:                | EC50      | 96h   | 6500-<br>7500 | mg/l | Pseudokirchneriell<br>a subcapitata |  |                          |
| 12.2. Persistence and<br>degradability: |           | 28d   | 56            | %    |                                     | OECD 301 C<br>(Ready<br>Biodegradability -<br>Modified MITI<br>Test (I))                                   |                          |
| 12.2. Persistence and<br>degradability: |           | 10h   | 90-100        | %    |                                     | OECD 301 A<br>(Ready<br>Biodegradability -<br>DOC Die-Away<br>Test)  | Readily<br>biodegradable |
| 12.3. Bioaccumulative<br>potential:     | Log Pow   |       | -1,36         |      |                                     |  | Not to be<br>expected    |
| Toxicity to bacteria:                   | EC50      | 16h   | >10000        | mg/l | Pseudomonas<br>putida               | IUCLID Chem.<br>Data Sheet (ESIS)  |                          |

**Sodium nitrite**

| Toxicity / effect          | Endpoint | Time | Value         | Unit | Organism                   | Test method  | Notes |
|----------------------------|----------|------|---------------|------|----------------------------|--|-------|
| 12.1. Toxicity to fish:    | LC50     | 96h  | 0,54-<br>26,3 | mg/l | Oncorhynchus<br>mykiss     |  |       |
| 12.1. Toxicity to daphnia: | EC50     | 48h  | 15,4          | mg/l | Daphnia magna              | OECD 202<br>(Daphnia sp.<br>Acute<br>Immobilisation<br>Test)   |       |
| 12.1. Toxicity to algae:   | EC50     | 72h  | >100          | mg/l | Desmodesmus<br>subspicatus | OECD 201 (Alga,<br>Growth Inhibition<br>Test)  |       |
| Toxicity to bacteria:      | EC10     | 3h   | 210           | mg/l | activated sludge           | OECD 209<br>(Activated Sludge,<br>Respiration<br>Inhibition Test<br>(Carbon and<br>Ammonium<br>Oxidation)) |       |

**Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|-------------------|----------|------|-------|------|----------|-------------|-------|
|-------------------|----------|------|-------|------|----------|-------------|-------|

Page 11 of 14  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 22.07.2019 / 0019  
 Replacing version dated / version: 08.04.2019 / 0018  
 Valid from: 22.07.2019  
 PDF print date: 22.07.2019  
 Motorbike Kuehler Dichter 125 mL  
 Art.: 3043

|                                      |           |     |         |      |                                 |  |  |
|--------------------------------------|-----------|-----|---------|------|---------------------------------|--|--|
| 12.2. Persistence and degradability: |           |     | >60     | %    | activated sludge                | OECD 301 D (Ready Biodegradability - Closed Bottle Test)                                 | Does not conform with EU classification. |
| 12.1. Toxicity to algae:             | EC50      | 48h | 0,0052  | mg/l | Skeletonema costatum            | ISO 10253  |  |
| 12.1. Toxicity to algae:             | NOEC/NOEL | 48h | 0,00064 | mg/l | Skeletonema costatum            | ISO 10253  |  |
| 12.1. Toxicity to algae:             | NOEC/NOEL | 72h | 0,0012  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)  |  |
| Toxicity to bacteria:                | EC50      | 3h  | 7,92    | mg/l | activated sludge                | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) |  |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

07 07 01 aqueous washing liquids and mother liquors

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

#### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

## SECTION 14: Transport information

### General statements

14.1. UN number: n.a.

#### Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Classification code:

LQ:

14.5. Environmental hazards:

Tunnel restriction code:

#### Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Marine Pollutant:

14.5. Environmental hazards:

#### Transport by air (IATA)

14.2. UN proper shipping name:

n.a.

n.a.

n.a.

n.a.

n.a.

Not applicable

n.a.

n.a.

n.a.

Not applicable

Page 12 of 14  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 22.07.2019 / 0019  
 Replacing version dated / version: 08.04.2019 / 0018  
 Valid from: 22.07.2019  
 PDF print date: 22.07.2019  
 Motorbike Kuehler Dichter 125 mL  
 Art.: 3043

14.3. Transport hazard class(es): n.a.  
 14.4. Packing group: n.a.  
 14.5. Environmental hazards: Not applicable

#### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!  
 Regulation (EC) No 1907/2006, Annex XVII

Disodium tetraborate pentahydrate

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 0,022065 %

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label.

Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012.

Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods.

These are indicated in the approval of the active substance.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

### SECTION 16: Other information

Revised sections: 2, 9, 15

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

#### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used                             |
|---|--|
| STOT RE 2, H373   | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H330 Fatal if inhaled.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H272 May intensify fire, oxidiser.

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H317 May cause an allergic skin reaction.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

STOT RE — Specific target organ toxicity - repeated exposure

Page 13 of 14  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 22.07.2019 / 0019  
 Replacing version dated / version: 08.04.2019 / 0018  
 Valid from: 22.07.2019  
 PDF print date: 22.07.2019  
 Motorbike Kuehler Dichter 125 mL  
 Art.: 3043

Acute Tox. — Acute toxicity - oral  
 Repr. — Reproductive toxicity  
 Ox. Sol. — Oxidising solid  
 Eye Irrit. — Eye irritation  
 Aquatic Acute — Hazardous to the aquatic environment - acute  
 Acute Tox. — Acute toxicity - dermal  
 Skin Corr. — Skin corrosion  
 Skin Sens. — Skin sensitization  
 Eye Dam. — Serious eye damage  
 Acute Tox. — Acute toxicity - inhalation  
 Aquatic Chronic — Hazardous to the aquatic environment - chronic

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to  
 ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 AOX Adsorbable organic halogen compounds  
 approx. approximately  
 Art., Art. no. Article number  
 ASTM ASTM International (American Society for Testing and Materials)  
 BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)  
 BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)  
 BSEF The International Bromine Council  
 bw body weight  
 CAS Chemical Abstracts Service  
 CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)  
 CMR carcinogenic, mutagenic, reproductive toxic  
 DMEL Derived Minimum Effect Level  
 DNEL Derived No Effect Level  
 dw dry weight  
 e.g. for example (abbreviation of Latin 'exempli gratia'), for instance  
 EC European Community  
 ECHA European Chemicals Agency  
 EEC European Economic Community  
 EINECS European Inventory of Existing Commercial Chemical Substances  
 ELINCS European List of Notified Chemical Substances  
 EN European Norms  
 EPA United States Environmental Protection Agency (United States of America)  
 etc. et cetera  
 EU European Union  
 EVAL Ethylene-vinyl alcohol copolymer  
 Fax. Fax number  
 gen. general  
 GHS Globally Harmonized System of Classification and Labelling of Chemicals  
 GWP Global warming potential  
 IARC International Agency for Research on Cancer  
 IATA International Air Transport Association  
 IBC (Code) International Bulk Chemical (Code)  
 IMDG-code International Maritime Code for Dangerous Goods  
 incl. including, inclusive  
 IUCLID International Uniform Chemical Information Database  
 LQ Limited Quantities  
 MARPOL International Convention for the Prevention of Marine Pollution from Ships  
 n.a. not applicable  
 n.av. not available  
 n.c. not checked  
 n.d.a. no data available  
 OECD Organisation for Economic Co-operation and Development  
 org. organic  
 PBT persistent, bioaccumulative and toxic

Page 14 of 14  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 22.07.2019 / 0019  
Replacing version dated / version: 08.04.2019 / 0018  
Valid from: 22.07.2019  
PDF print date: 22.07.2019  
Motorbike Kuehler Dichter 125 mL  
Art.: 3043

PE Polyethylene  
PNEC Predicted No Effect Concentration  
ppm parts per million  
PVC Polyvinylchloride  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
SVHC Substances of Very High Concern  
Tel. Telephone  
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
VOC Volatile organic compounds  
vPvB very persistent and very bioaccumulative  
wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.  
No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.