



Page 1 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Art.: 9101025

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Clear View Winter concentrate 5 l

Art.: 9101025

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Cleaning product

for the windscreen washer

Uses advised against:

No information available at present.

# 1.3 Details of the supplier of the safety data sheet

BTI Befestigungstechnik GmbH & Co. KG

Salzstr. 51

74653 Ingelfingen Tel.: +49 7940 141 141 Fax: +49 7940 141 9141 Email: info@bti.de Homepage: www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

# 1.4 Emergency telephone number

Emergency information services / official advisory body:

---

### Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (BRC)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class Hazard category Hazard statement

Flam. Liq. 3 H226-Flammable liquid and vapour.

### 2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)





Page 2 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Art.: 9101025



H226-Flammable liquid and vapour.

P102-Keep out of reach of children.

P210-Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P501-Dispose of contents / container to an approved waste disposal facility.

# 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 < 0.1 %).

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

n.a.

#### 3.2 Mixtures

Ethanol	Substance with specific conc. limit(s) acc. to
	REACH-registration.
Registration number (REACH)	01-2119457610-43-XXXX
Index	603-002-00-5
EINECS, ELINCS, NLP, REACH-IT List-No.	200-578-6
CAS	64-17-5
content %	30-<50
Classification according to Regulation (EC) 1272/2008	Flam. Liq. 2, H225
(CLP), M-factors	Eye Irrit. 2, H319

Ethanediol	Substance for which an EU exposure limit				
	value applies.				
Registration number (REACH)	01-2119456816-28-XXXX				
Index	603-027-00-1				
EINECS, ELINCS, NLP, REACH-IT List-No.	203-473-3				
CAS	107-21-1				
content %	5-<10				





Page 3 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 51

Art.: 9101025

Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP), M-factors	STOT RE 2, H373 (kidneys) (oral)

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

# Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

# Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

CO<sub>2</sub>

Extinction powder

Water jet spray

Alcohol resistant foam

# Unsuitable extinguishing media

None known

# 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

Possible build up of explosive/highly flammable vapour/air mixture.

# 5.3 Advice for firefighters





Page 4 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Art.: 9101025

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Keep unprotected persons away.

Remove possible causes of ignition - do not smoke.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

# 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

Fill the absorbed material into lockable containers.

Flush residue using copious water.

#### **6.4 Reference to other sections**

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

### 7.1.1 General recommendations

Ensure good ventilation.

Avoid inhalation of the vapours.

Avoid contact with eyes or skin.

Keep away from sources of ignition - Do not smoke.

Take measures against electrostatic charging, if appropriate.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.





Page 5 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Art.: 9101025

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Do not store with flammable or self-igniting materials.

Observe special storage conditions.

Protect from direct sunlight and warming.

Store in a well-ventilated place.

Store cool.

### 7.3 Specific end use(s)

No information available at present.

# **SECTION 8: Exposure controls/personal protection**

# **8.1** Control parameters

Chemical Name	Ethanol			Content %:30-<50
WEL-TWA: 1000 ppm (19	920 mg/m3)	WEL-STEL:		
Monitoring procedures:	-	Draeger - Alcohol 25/a Ethanol (81 01 631)		
	-	Compur - KITA-104 SA (549 210)		
		DFG (D) (Loesungsmittelgemische), Methode	Nr. 6 D	FG (E)
		(Solvent mixtures) - 2013, 2002 - EU project		
	-	BC/CEN/ENTR/000/2002-16 card 63-2 (2004)	)	
		DFG Meth. Nr. 2 (D) (Loesungsmittelgemische	e) - 2013	3 - EU project
	-	BC/CEN/ENTR/000/2002-16 card 63-2 (2004)	)	
		DFG Meth. Nr. 3 (D) (Loesungsmittelgemische	e) - 2013	3 - EU project
	-	BC/CEN/ENTR/000/2002-16 card 63-2 (2004)	)	_
BMGV:		Other information	:	

©® Chemical Name	Ethanediol			Content %:5-<10
WEL-TWA: 10 mg/m3 (pa	rticulate), 52	WEL-STEL: 104 mg/m3 (vapour)		
mg/m3 (vapour) (WEL), 20 j	opm (52	(WEL), 40 ppm (104 mg/m3) (EU)		
mg/m3) (EU)				
Monitoring procedures:	-	Draeger - Ethylene Glycol 10 (5) (81 01 351)		
	-	Compur - KITA-232 SA (502 342)		
	-	Compur - KITA-232 SB (550 267)		
	-	NIOSH 5500 (ETHYLENE GLYCOL) - 1993		
	-	NIOSH 5523 (GLYCOLS) - 1996		
		OSHA PV2024 (Ethylene glycol) - 1999 - EU 1	oroject	
	-	BC/CEN/ENTR/000/2002-16 card 11-2 (2004)	-	
BMGV:		Other information:	Sk (	particulate,
		vapour)		-

© Chemical Name Gly	ycerine			Content %:			
WEL-TWA: 10 mg/m3 (mist)	WEL-STEL:						
Monitoring procedures:							
BMGV:		Other information:					

# Ethanol





Page 6 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 1

Area of application	Exposure route / Environmental compartment	Effect on health	Descript or	Value	Unit	Note
	Environment - freshwater		PNEC	0,96	mg/l	
	Environment - marine		PNEC	0,79	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	2,75	mg/l	
	Environment - sewage treatment plant		PNEC	580	mg/l	
	Environment - sediment, freshwater		PNEC	3,6	mg/kg	
	Environment - soil		PNEC	0,63	mg/kg dry weight	
	Environment - oral (animal feed)		PNEC	0,38	g/kg feed	
	Environment - sediment, marine		PNEC	2,9	mg/kg dry weight	
Consumer	Human - dermal	Short term, local effects	DNEL	950	mg/m3	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	114	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	87	mg/kg	
Consumer	Human - dermal	Long term, systemic effects	DNEL	206	mg/kg bw/d	
Consumer	Human - inhalation	Short term, local effects	DNEL	950	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	343	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	950	mg/m3	
Workers / employees	Human - inhalation	Short term, local effects	DNEL	1900	mg/m3	

Ethanediol							
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note	
	Environmental		or				
	compartment						
	Environment -		PNEC	10	mg/l		
	freshwater						
	Environment - marine		PNEC	1	mg/l		
	Environment -		PNEC	20,9	mg/kg		
	sediment						
	Environment - soil		PNEC	1,53	mg/kg		





Page 7 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

	Environment - sewage treatment plant		PNEC	199,5	mg/l
	Environment - water, sporadic (intermittent) release		PNEC	10	mg/l
	Environment - sediment, freshwater		PNEC	37	mg/kg dry weight
	Environment - sediment, marine		PNEC	3,7	mg/kg dry weight
Consumer	Human - inhalation	Long term, local effects	DNEL	7	mg/m3
Consumer	Human - dermal	Long term, systemic effects	DNEL	53	mg/kg
Workers / employees	Human - inhalation	Long term, local effects	DNEL	35	mg/m3
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	106	mg/kg bw/d

Glycerine							
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note	
	Environmental		or				
	compartment						
	Environment -		PNEC	0,885	mg/l		
	freshwater						
	Environment - marine		PNEC	0,088	mg/l		
	Environment -		PNEC	1000	mg/l		
	sewage treatment						
	plant						
	Environment -		PNEC	3,3	mg/kg		
	sediment, freshwater				dw		
	Environment -		PNEC	0,33	mg/kg		
	sediment, marine				dw		
	Environment - soil		PNEC	0,141	mg/kg		
					dw		
	Environment - water,		PNEC	8,85	mg/l		
	sporadic						
	(intermittent) release						
Consumer	Human - inhalation	Long term, local	DNEL	33	mg/m3		
		effects					
Consumer	Human - oral	Long term,	DNEL	229	mg/kg		
		systemic effects			bw/day		
Workers / employees	Human - inhalation	Long term, local	DNEL	56	mg/m3		
		effects					

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable





Page 8 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Art.: 9101025

fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

# 8.2 Exposure controls

# 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN 374).

If applicable

Protective gloves in butyl rubber (EN 374).

Protective gloves made of fluorocarbon rubber (EN 374).

Protective Neoprene® / polychloroprene gloves (EN 374).

Protective nitrile gloves (EN 374).

Minimum layer thickness in mm:

0.5

Permeation time (penetration time) in minutes:

480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.





Page 9 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Art.: 9101025

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

If OES or MEL is exceeded.

Gas mask filter A (EN 14387), code colour brown

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state: Liquid
Colour: Blue
Odour: Lemon

Odour threshold: Not determined

pH-value: 7,9

Melting point/freezing point:

Not determined
Initial boiling point and boiling range:

Not determined

Flash point: 23 °C

Evaporation rate: Not determined

Flammability (solid, gas): n.a.

Lower explosive limit:

Upper explosive limit:

Vapour pressure:

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

Opour density (air = 1):

Density:

0,93 g/cm3

Bulk density: Does not apply to liquids.

Solubility(ies): Not determined Water solubility: Soluble

Partition coefficient (n-octanol/water):

Does not apply to mixtures.

Auto-ignition temperature: Not determined





Page 10 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Art.: 9101025

Decomposition temperature: Not determined Viscosity: Not determined

Explosive properties: When using: development of explosive vapour/air

mixture possible.

Oxidising properties: No

9.2 Other information

Miscibility: Not determined
Fat solubility / solvent: Not determined
Conductivity: Not determined
Surface tension: Not determined
Solvents content: Not determined

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

The product has not been tested.

### 10.2 Chemical stability

Stable with proper storage and handling.

# 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

Heating, open flame, ignition sources

# 10.5 Incompatible materials

Avoid contact with strong alkalis.

Avoid contact with strong oxidizing agents.

Avoid contact with strong acids.

#### 10.6 Hazardous decomposition products

No decomposition when used as directed.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Clear View Winter conc	entrate 5 l					
Art.: 9101025						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	ATE	>2000	mg/kg			calculated
route:						value
Acute toxicity, by						n.d.a.
dermal route:						
Acute toxicity, by						n.d.a.
inhalation:						
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.





Page 11 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Carcinogenicity:		n.d.a.
Reproductive toxicity:		n.d.a.
Specific target organ		n.d.a.
toxicity - single		
exposure (STOT-SE):		
Specific target organ		n.d.a.
toxicity - repeated		
exposure (STOT-RE):		
Aspiration hazard:		n.d.a.
Symptoms:		n.d.a.

Ethanol						
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	10470	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	124,7	mg/l/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Vapours
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosio n)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosio n)	Irritant
Respiratory or skin sensitisation:				Mouse	OECD 429 (Skin Sensitisation - Local Lymph Node Assay)	No (skin contact)
Germ cell mutagenicity:				Salmonella typhimuri um	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative
Germ cell mutagenicity:					OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative
Germ cell mutagenicity:					OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test)	Negative





Page 12 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Aspiration hazard:	Human	No
	being	indications
		of such an
		effect.
Symptoms:		respiratory
The second secon		distress,
		drowsiness,
		unconsciousn
		ess, drop in
		blood
		pressure,
		vomiting,
		coughing,
		headaches,
		intoxication,
		drowsiness,
		· ·
		mucous
		membrane
		irritation,
		dizziness,
041 : 6 4:		nausea
Other information:		Excessive
		alcohol
		consumption
		during
		pregnancy
		induces the
		foetus
		alcohol
		syndrome
		(reduced
		weight at
		birth,
		physical and
		mental
		disorders).,
		There is no
		sign that this
		syndrome is
		also caused
		by dermal or
		inhalative
		absorption.,
		Experiences
		on persons.

Ethanediol									
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes			
	nt								
Acute toxicity, by oral	LD50	1600	mg/kg	Human					
route:				being					





Page 13 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Acute toxicity, by	LD50	9530	mg/kg	Rabbit		
dermal route:						
Acute toxicity, by	LD50	>3500	mg/kg	Mouse		
dermal route:						
Skin corrosion/irritation:				Rabbit		Not irritant
Serious eye				Rabbit		Not irritant
damage/irritation:						
Respiratory or skin				Human	(Patch-Test)	Negative
sensitisation:				being		
Germ cell mutagenicity:				Salmonella	OECD 471	Negative
				typhimuri	(Bacterial Reverse	
				um	Mutation Test)	
Germ cell mutagenicity:				Rat	in vivo	Negative
Reproductive toxicity:	NOAEL	1000	mg/kg	Rat		
			bw/d			
Symptoms:						ataxia,
						breathing
						difficulties,
						unconsciousn
						ess, cramps,
						fatigue

Glycerine									
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes			
	nt								
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat					
Acute toxicity, by dermal route:	LD50	>10000	mg/kg	Rabbit					
Skin corrosion/irritation:				Rabbit	IUCLID Chem. Data Sheet (ESIS)	Not irritant			
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosio n)	Not irritant			
Respiratory or skin sensitisation:				Guinea pig	,	Not sensitizising			
Germ cell mutagenicity:				Salmonella typhimuri um	OECD 471 (Bacterial Reverse Mutation Test)	Negative			
Reproductive toxicity:	NOAEL	2000	mg/kg/			Negative			
Specific target organ toxicity - repeated exposure (STOT-RE):	NOAEL	3,91	mg/l	Rat		14d			
Aspiration hazard:						Negative			



(B)

Page 14 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Art.: 9101025

Symptoms:		abdominal
		pain,
		drowsiness,
		diarrhoea,
		vomiting,
		headaches,
		mucous
		membrane
		irritation,
		nausea

# **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

Clear View Winter concentrate 5 l									
Art.: 9101025									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
12.1. Toxicity to							n.d.a.		
fish:									
12.1. Toxicity to							n.d.a.		
daphnia:									
12.1. Toxicity to							n.d.a.		
algae:									





Page 15 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 1

10.0 D			TD1
12.2. Persistence			The
and degradability:			surfactant(s)
			contained in
			this mixture
			complies(co
			mply) with
			the
			biodegradabi
			lity criteria
			as laid down
			in
			Regulation
			(EC)
			No.648/2004
			on
			detergents.
			Data to
			support this
			assertion are
			held at the
			disposal of
			the
			competent
			authorities
			of the
			Member
			States and
			will be made
			available to
			them, at
			their direct
			request or at
			the request
			of a
			detergent
			manufacturer
12.3.			n.d.a.
Bioaccumulative			11.0.0.
potential:			
12.4 Mal: 11:4 1:			- d -
12.4. Mobility in			n.d.a.
soil:			
12.5. Results of			n.d.a.
PBT and vPvB			
assessment			
12.6. Other			n.d.a.
adverse effects:			
	 	 •	





Page 16 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Other information:					DOC- elimination degree(comp lexing organic
					substance)>=
					80%/28d:
					n.a.
Other information:	AOX	0	%		According
					to the recipe,
					contains no
					AOX.

Ethanol							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	13000	mg/l	Oncorhynchus	OECD 203	
fish:				_	mykiss	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	NOEC/NO	120h	250	mg/l	Brachydanio	OECD 212	
fish:	EL				rerio	(Fish, Short-	
						term Toxicity	
						Test on	
						Embryo and	
						Sac-fry	
						Stages)	
12.1. Toxicity to	EC50	48h	5414	mg/l	Daphnia	OECD 202	
daphnia:				_	magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	NOEC/NO	10d	9,6	mg/l	Ceriodaphnia		References
daphnia:	EL				spec.		
12.1. Toxicity to	EC50	72h	275	mg/l	Chlorella	OECD 201	
algae:					vulgaris	(Alga,	
						Growth	
						Inhibition	
						Test)	
12.2. Persistence		28d	97	%		OECD 301 B	Readily
and degradability:						(Ready	biodegradabl
						Biodegradabil	e
						ity - Co2	
						Evolution	
						Test)	
12.3.	Log Pow		-0,32				Bioaccumula
Bioaccumulative							tion is
potential:							unlikely
							(LogPow <
							1).
12.3.	BCF		0,66 -				
Bioaccumulative			3,2				
potential:							





Page 17 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 1

12.4. Mobility in soil:	H (Henry)		0,000 138				
12.4. Mobility in soil:	Koc		1,0				Highestimate d
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	IC50	3h	>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	Analogous conclusion
Other organisms:	NOEC/NO EL		280	mg/l	Lemna gibba	OECD 201 (Alga, Growth Inhibition Test)	

Ethanediol	Ethanediol									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes			
Toxicity to	EC20	30min	>1995	mg/l	activated	OECD 209				
bacteria:					sludge	(Activated				
						Sludge,				
						Respiration				
						Inhibition				
						Test (Carbon				
						and				
						Ammonium				
						Oxidation))				
12.1. Toxicity to	LC50	96h	>1000	mg/l	Pimephales	IUCLID				
fish:			0		promelas	Chem. Data				
						Sheet (ESIS)				
12.1. Toxicity to	NOEC/NO	7d	15380	mg/l	Pimephales	U.S. EPA				
fish:	EL				promelas	ECOTOX				
						Database				
12.1. Toxicity to	EC50	48h	>100	mg/l	Daphnia	OECD 202				
daphnia:					magna	(Daphnia sp.				
						Acute				
						Immobilisatio				
						n Test)				
12.1. Toxicity to	NOEC/NO		8590	mg/l	Daphnia	U.S. EPA				
daphnia:	EL				magna	ECOTOX				
						Database				
12.1. Toxicity to	EC50	96h	6500-	mg/l	Pseudokirchne					
algae:			7500		riella					
					subcapitata					





Page 18 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

12.2. Persistence and degradability:		28d	56	%		OECD 301 C (Ready	
and degradability.						Biodegradabil	
						ity - Modified	
						MITI Test (I))	
12.2. Persistence		10d	90-	%		OECD 301 A	Readily
and degradability:			100			(Ready	biodegradabl
						Biodegradabil	e
						ity - DOC	
						Die-Away	
						Test)	
12.3.	Log Pow		-1,36				Not to be
Bioaccumulative							expected
potential:							
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance
Toxicity to	EC50	16h	>1000	mg/l	Pseudomonas	IUCLID	
bacteria:			0		putida	Chem. Data	
						Sheet (ESIS)	
Other information:	BOD5		0,78	g/g			IUCLID

Glycerine							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence	BOD5		0,87	g/g			
and degradability:							
12.2. Persistence	COD		1,16	g/g			
and degradability:							
12.1. Toxicity to	LC50	96h	>	mg/l	Carassius		
fish:			5000		auratus		
12.1. Toxicity to	EC50	48h	>1000	mg/l	Daphnia		
daphnia:			0		magna		
12.1. Toxicity to	EC5	72h	3200	mg/l			Entosiphon
daphnia:							sulcatum
12.1. Toxicity to	EC50		2900	mg/l	Chlorella		
algae:					vulgaris		
12.2. Persistence		14d	63	%		OECD 301 C	
and degradability:						(Ready	
						Biodegradabil	
						ity - Modified	
						MITI Test (I))	
12.2. Persistence	BOD/COD		>60	%			
and degradability:							
12.2. Persistence	BOD5/CO		> 50	%			
and degradability:	D						
12.2. Persistence	DOC		>70	%			Readily
and degradability:							biodegradabl
							e





Page 19 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Art.: 9101025

12.3.	Log Pow		-1,75			OECD 107	A notable
Bioaccumulative						(Partition	biological
potential:						Coefficient (n-	accumulation
						octanol/water)	potential is
						- Shake	not to be
						Flask Method)	expected
							(LogPow 1-
							3).
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance
Toxicity to	EC5	16h	>	mg/l	Pseudomonas		
bacteria:			10000		putida		

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

# For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

# For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

# **SECTION 14: Transport information**

# **General statements**

14.1. UN number: 1170

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

UN 1170 ETHANOL, MIXTURE

14.3. Transport hazard class(es):
14.4. Packing group:

Classification code:

III

III

14.5. Environmental hazards: Not applicable

5 L

Tunnel restriction code: D/E







Page 20 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 51

Art.: 9101025

# Transport by sea (IMDG-code)

14.2. UN proper shipping name:

ETHANOL MIXTURE

14.3. Transport hazard class(es):314.4. Packing group:IIIEmS:F-E, S-DMarine Pollutant:n.a

14.5. Environmental hazards: Not applicable


Transport by air (IATA)

14.2. UN proper shipping name:

Ethanol mixture

14.3. Transport hazard class(es): 3
14.4. Packing group: III

14.5. Environmental hazards: Not applicable



Persons employed in transporting dangerous goods must be trained.

All persons involved in transporting must observe safety regulations.

Precautions must be taken to prevent damage.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Freighted as packaged goods rather than in bulk, therefore not applicable.

Minimum amount regulations have not been taken into account.

Danger code and packing code on request.

Comply with special provisions.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 1 - The following categories apply to this product (others may also need to be considered according to storage, handling etc.):

Hazard categories	Notes to Annex I	Qualifying quantity	Qualifying quantity
		(tonnes) of dangerous	(tonnes) of dangerous
		substances as referred to	substances as referred to
		in Article 3(10) for the	in Article 3(10) for the
		application of - Lower-	application of - Upper-
		tier requirements	tier requirements
P5c		5000	50000

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Directive 2010/75/EU (VOC): **REGULATION (EC) No 648/2004** 

less than 5 % anionic surfactants











Page 21 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 1

Art.: 9101025

perfumes LIMONENE CITRAL

2-BROMO-2-NITROPROPANE-1,3-DIOL

Observe incident regulations.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

### **SECTION 16: Other information**

Revised sections:

n.a.

Employee training in handling dangerous goods is required.

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance $(EG)\ 1272/2008\ (CLP)$ :

Classification in accordance with regulation (EC)	Evaluation method used
No. 1272/2008 (CLP)	
Flam. Liq. 3, H226	Classification based on test data.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H225 Highly flammable liquid and vapour.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

Flam. Liq. — Flammable liquid

Eye Irrit. — Eye irritation

Acute Tox. — Acute toxicity - oral

STOT RE — Specific target organ toxicity - repeated exposure

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)



(GB

Page 22 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 51

Art.: 9101025

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and

Safety, Germany)

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling

and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community

ECHA European Chemicals Agency

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

IUPACInternational Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checked

n.d.a. no data available

OECD Organisation for Economic Co-operation and Development

org. organic

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No

1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)





Page 23 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 14.07.2021 / 0001

Replacing version dated / version: 14.07.2021 / 0001

Valid from: 14.07.2021 PDF print date: 14.07.2021 Clear View Winter concentrate 5 l

Art.: 9101025

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.