

(GB)

Page 1 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

hand cleaner scarves

Art.: 9081274

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Skin cleaning

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

BTI Befestigungstechnik GmbH & Co. KG

Salzstr. 51

74653 Ingelfingen Tel.: +49 7940 141 141 Fax: +49 7940 141 9141 Email: info@bti.de Homepage: www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (BRC)

+1 872 5888271 (BRC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Cosmetics regulations are to be applied.

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

Cosmetics regulations are to be applied.

2.3 Other hazards





Page 2 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

INCI:

AQUA, CITRUS AURANTIUM DULCIS PEEL EXTRACT, LIMONENE, C11-12 ISOPARAFFIN, C11-15 SEC-PARETH-12, ISOPROPYL ALCOHOL, PROPYLENE GLYCOL,

SODIUM LAURYL SULFATE, BHT, SORBITOL, BENZYL ALCOHOL, POTASSIUM SORBATE, LINALOOL, ETHYLHEXYLGLYCERIN, PARFUM, CINNAMAL, TOCOPHEROL.

3.1 Substances

n.a.

3.2 Mixtures

(R)-p-mentha-1,8-diene	
Registration number (REACH)	
Index	601-096-00-2
EINECS, ELINCS, NLP, REACH-IT List-No.	227-813-5
CAS	5989-27-5
content %	1-10
Classification according to Regulation (EC) 1272/2008	Flam. Liq. 3, H226
(CLP), M-factors	Skin Irrit. 2, H315
	Skin Sens. 1B, H317
	Asp. Tox. 1, H304
	Aquatic Acute 1, H400 (M=1)
	Aquatic Chronic 3, H412

Alcohols, C11-15-secondary, ethoxylated	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	68131-40-8
content %	1-5
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP), M-factors	Acute Tox. 4, H332
	Skin Irrit. 2, H315
	Eye Dam. 1, H318

Propan-2-ol	
Registration number (REACH)	01-2119457558-25-XXXX
Index	603-117-00-0
EINECS, ELINCS, NLP, REACH-IT List-No.	200-661-7
CAS	67-63-0
content %	1-5
Classification according to Regulation (EC) 1272/2008	Flam. Liq. 2, H225
(CLP), M-factors	Eye Irrit. 2, H319
	STOT SE 3, H336





Page 3 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	
Registration number (REACH)	01-2119472146-39-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	918-167-1
CAS	
content %	1-5
Classification according to Regulation (EC) 1272/2008	EUH066
(CLP), M-factors	Flam. Liq. 3, H226
	Asp. Tox. 1, H304
	Aquatic Chronic 4, H413

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Not required.

Skin contact

Not applicable

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Typically no exposure pathway.

Call doctor immediately - have Data Sheet available.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

5.3 Advice for firefighters





Page 4 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

No special measures required.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store at room temperature.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters





Page 5 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40):

1200 mg/m3

©® Chemical Name	Propan-2-ol	Content %:1-		
WEL-TWA: 400 ppm (99	9 mg/m3) WEL-STEL: 500 ppm (1250 mg/m3)			
Monitoring procedures:	- Draeger - Alcohol 25/a i-Propanol (81 01 631)			
	- Compur - KITA-122 SA(C) (549 277)			
- Compur - KITA-150 U (550 382)				
DFG (D) (Loesungsmittelgemische), DFG (E) (Solvent mixtures 6) -				
	2013, 2002 - EU project BC/CEN/ENTR/000/200	02-16 card 66-3		
	- (2004)			
	- NIOSH 1400 (ALCOHOLS I) - 1994			
	NIOSH 2549 (VOLATILE ORGANIC COMPOU	UNDS		
	- (SCREENING)) - 1996			
	 Draeger - Alcohol 100/a (CH 29 701) 			
BMGV:	Other information:			
©® Chemical Name	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	Content %:1- 5		
WEL-TWA: 1200 mg/m3	(>=C7 normal WEL-STEL:			

®	Chemical Name	hemical Name Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		Content %:1- 5	
W	EL-TWA: 1200 mg/m3	(>=C7 normal	WEL-STEL:		
an	d branched chain alkanes)				
Mo	onitoring procedures:	-]	Oraeger - Hydrocarbons 0,1%	/c (81 03 571)	
		-]	Oraeger - Hydrocarbons 2/a (8	81 03 581)	
		- (Compur - KITA-187 S (551 1	74)	
BN	MGV:		C	Other information:	

© Chemical Name	Propane-1,2-	-diol		Content %:
WEL-TWA: 150 ppm (474	mg/m3)	WEL-STEL:		
(total, vapour and particulate (particulates)	s), 10 mg/m3			
Monitoring procedures:	-	Draeger - Alcohol 100/a (CH 29 701)		
BMGV:		Other information	on:	

(R)-p-mentha-1,8-diene						
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					
	Environment -		PNEC	14	μg/l	
	freshwater					
	Environment - marine		PNEC	1,4	μg/l	
	Environment -		PNEC	1,8	mg/l	
	sewage treatment					
	plant					
	Environment -		PNEC	3,85	mg/kg	
	sediment, freshwater				dry	
					weight	





Page 6 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Environment -	PNEC	0,385	mg/kg
sediment, marine		1	dry
			weight
Environment - soil	PNEC	0,763	mg/kg
			dry
			weight
Environment - oral	PNEC	133	mg/kg
(animal feed)			

Propan-2-ol						
Area of application	Exposure route / Environmental	Effect on health	Descript or	Value	Unit	Note
	compartment		DNIEG	140.0	/1	
	Environment - freshwater		PNEC	140,9	mg/l	
	Environment - marine		PNEC	140,9	mg/l	
	Environment - sediment, freshwater		PNEC	552	mg/kg dw	
	Environment - sediment, marine		PNEC	552	mg/kg dw	
	Environment - soil		PNEC	28	mg/kg dw	
	Environment - sewage treatment plant		PNEC	2251	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	140,9	mg/l	
	Environment - oral (animal feed)		PNEC	160	mg/kg feed	
Consumer	Human - dermal	Long term, systemic effects	DNEL	319	mg/kg bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	89	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	26	mg/kg bw/day	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	888	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	500	mg/m3	

Propane-1,2-diol							
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note	
	Environmental		or				
	compartment						
	Environment -		PNEC	260	mg/l		
	freshwater						
	Environment - marine		PNEC	26	mg/l		





Page 7 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

	Environment - sewage treatment plant		PNEC	20000	mg/l
	Environment - sediment, freshwater		PNEC	572	mg/kg dw
	Environment - sediment, marine		PNEC	57,2	mg/kg dw
	Environment - soil		PNEC	50	mg/kg dw
	Environment - water, sporadic (intermittent) release		PNEC	183	mg/l
Consumer	Human - dermal	Long term, systemic effects	DNEL	213	mg/kg
Consumer	Human - inhalation	Long term, systemic effects	DNEL	50	mg/m3
Consumer	Human - oral	Long term, systemic effects	DNEL	85	mg/kg
Consumer	Human - inhalation	Long term, local effects	DNEL	10	mg/m3
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	168	mg/m3
Workers / employees	Human - inhalation	Long term, local effects	DNEL	10	mg/m3

- WEL-TWA = Workplace Exposure Limit Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit Short-term exposure limit (15-minute reference period).
- (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.
- ** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.
- (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.





Page 8 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Normally not necessary.

Skin protection - Hand protection:

Normally not necessary.

Skin protection - Other:

Normally not necessary.

Respiratory protection:

Normally not necessary.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid

Colour: White, Opaque

Odour: Lemon

Melting point/freezing point: There is no information available on this parameter.





Page 9 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

Boiling point or initial boiling point and boiling range:

Flammability:

Lower explosion limit: Upper explosion limit: Flash point:

Auto-ignition temperature:

Decomposition temperature:

pH:

Kinematic viscosity:

Solubility:

Partition coefficient n-octanol/water (log value):

Vapour pressure:

Density and/or relative density:

Relative vapour density:

Particle characteristics:

9.2 Other information

Explosives: Oxidising liquids:

Solvents content:

There is no information available on this parameter.

Flammable

There is no information available on this parameter. There is no information available on this parameter.

47,5 °C (Does not maintain combustion.)

No

There is no information available on this parameter.

7-7,5

There is no information available on this parameter.

Mixable

Does not apply to mixtures.

There is no information available on this parameter.

0,97-0,98 g/cm3

There is no information available on this parameter.

Does not apply to liquids.

Product is not explosive.

No 11,5 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Not to be expected

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

None known

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

hand cleaner scarves Art.: 9081274						
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.





Page 10 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Skin corrosion/irritation:		n.d.a.
Serious eye		n.d.a.
damage/irritation:		
Respiratory or skin		n.d.a.
sensitisation:		
Germ cell mutagenicity:		n.d.a.
Carcinogenicity:		n.d.a.
Reproductive toxicity:		n.d.a.
Specific target organ		n.d.a.
toxicity - single		
exposure (STOT-SE):		
Specific target organ		n.d.a.
toxicity - repeated		
exposure (STOT-RE):		
Aspiration hazard:		n.d.a.
Symptoms:		 n.d.a.

(R)-p-mentha-1,8-diene						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	> 2000	mg/kg	Rat	OECD 423 (Acute	Female
route:					Oral Toxicity -	
					Acute Toxic Class	
					Method)	
Acute toxicity, by oral	LD50	>5000	mg/kg	Rat	OECD 401 (Acute	
route:					Oral Toxicity)	
Acute toxicity, by	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute	
dermal route:					Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit		Skin Irrit. 2
Serious eye				Rabbit	OECD 405 (Acute	Not irritant
damage/irritation:					Eye	
					Irritation/Corrosio	
					n)	
Respiratory or skin				Mouse	OECD 429 (Skin	Skin Sens.
sensitisation:					Sensitisation -	1B
					Local Lymph	
					Node Assay)	
Respiratory or skin				Mouse	OECD 429 (Skin	Skin Sens. 1
sensitisation:					Sensitisation -	
					Local Lymph	
					Node Assay)	
Germ cell mutagenicity:				Mouse	OECD 476 (In	Negative
					Vitro Mammalian	
					Cell Gene	
					Mutation Test)	





Page 11 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Germ cell mutagenicity:			OECD 479	Negative
			(Genetic	Chinese
			Toxicology - In	hamster
			Vitro Sister	
			Chromatid	
			Exchange assay in	
			Mammalian Cells)	
Germ cell mutagenicity:			OECD 473 (In	Negative
			Vitro Mammalian	Chinese
			Chromosome	hamster
			Aberration Test)	
Germ cell mutagenicity:		Salmonella	OECD 471	Negative
		typhimuri	(Bacterial Reverse	
		um	Mutation Test)	
Symptoms:				diarrhoea,
				rash, itching,
				gastrointestin
				al
				disturbances,
				mucous
				membrane
				irritation,
				nausea and
				vomiting.
Symptoms:				diarrhoea,
				rash, itching,
				gastrointestin
				al
				disturbances,
				mucous
				membrane
				irritation,
				nausea and
				vomiting.

Alcohols, C11-15-second	ary, ethoxy	ylated				
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	>412	mg/kg	Rat		
route:						
Acute toxicity, by	LD50	>14000	mg/kg	Rat		
dermal route:						
Acute toxicity, by	LD50	1,06	mg/l/4h	Rat		Aerosol
inhalation:						
Skin corrosion/irritation:						Irritant
Serious eye						Risk of
damage/irritation:						serious
						damage to
						eyes.
Respiratory or skin				Human		Not
sensitisation:				being		sensitizising





Page 12 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Aspiration hazard:			No
			indications
			of such an
			effect.

Propan-2-ol	T =	T				T = -
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	4570-5840	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by	LD50	12800-	ma/ka	Rabbit	OECD 402 (Acute	
dermal route:	LD30	13900	mg/kg	Kabbit	Dermal Toxicity)	
Acute toxicity, by	LC50	> 25	mg/l/6h	Rat	OECD 403 (Acute	Vapours
inhalation:	LC30	25	111g/1/011	Kat	Inhalation	v apours
illiaration.					Toxicity)	
Acute toxicity, by	LC50	46600	mg/l/4h	Rat	Toxicity)	Aerosol
inhalation:	LC30	40000	1115/1/411	Kat		71010301
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
				1140011	Dermal	110011111111
					Irritation/Corrosio	
					n)	
Serious eye				Rabbit	OECD 405 (Acute	Eye Irrit. 2
damage/irritation:					Eye	
					Irritation/Corrosio	
					n)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	No (skin
sensitisation:					Sensitisation)	contact)
Germ cell mutagenicity:				Salmonella	OECD 471	Negative
				typhimuri	(Bacterial Reverse	
				um	Mutation Test)	
Germ cell mutagenicity:				Mouse	OECD 474	Negative
					(Mammalian	
					Erythrocyte	
					Micronucleus	
					Test)	
Germ cell mutagenicity:					OECD 476 (In	Negative
					Vitro Mammalian	
					Cell Gene	
					Mutation Test)	
Germ cell mutagenicity:				Salmonella	(Ames-Test)	Negative
				typhimuri		
				um		
Carcinogenicity:						Negative
Specific target organ						STOT SE 3,
toxicity - single						H336
exposure (STOT-SE):						
Specific target organ						Target
toxicity - repeated						organ(s):
exposure (STOT-RE):						liver
Aspiration hazard:	1					No





Page 13 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Symptoms:						breathing difficulties, unconsciousn ess, vomiting, headaches, fatigue, dizziness, nausea, eyes, reddened, watering eyes
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	900	mg/kg	Rat	OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	NOAEL	5000	ppm	Rat		Vapours (OECD 451)

Hydrocarbons, C11-C12	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes		
	nt			_				
Acute toxicity, by oral	LD50	>5000	mg/kg	Rat	OECD 401 (Acute	Analogous		
route:					Oral Toxicity)	conclusion		
Acute toxicity, by	LD50	> 3160	mg/kg	Rabbit	OECD 402 (Acute	Analogous		
dermal route:					Dermal Toxicity)	conclusion		
Acute toxicity, by	LC50	>5000	mg/m3/	Rat	OECD 403 (Acute	Vapours,		
inhalation:			8h		Inhalation	Analogous		
					Toxicity)	conclusion		
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant,		
					Dermal	Analogous		
					Irritation/Corrosio	conclusion		
					n)			
Skin corrosion/irritation:						Repeated		
						exposure		
						may cause		
						skin dryness		
						or cracking.		
Serious eye				Rabbit	OECD 405 (Acute	Not irritant,		
damage/irritation:					Eye	Analogous		
					Irritation/Corrosio	conclusion		
					n)			
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not		
sensitisation:					Sensitisation)	sensitizising		
Germ cell mutagenicity:					OECD 471	Negative,		
					(Bacterial Reverse	Analogous		
					Mutation Test)	conclusion		





Page 14 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Germ cell mutagenicity:					OECD 473 (In	Negative,
germ een maaagemen).					Vitro Mammalian	Analogous
					Chromosome	conclusion
					Aberration Test)	Concrasion
Germ cell mutagenicity:					OECD 474	Negative,
Germ cen matagementy.					(Mammalian	Analogous
					Erythrocyte	conclusion
					Micronucleus	Conclusion
					Test)	
Germ cell mutagenicity:					OECD 476 (In	Negative,
Germ cen mutagementy.					Vitro Mammalian	Analogous
					Cell Gene	conclusion
					Mutation Test)	Conclusion
Germ cell mutagenicity:					OECD 478	Negative,
Germ cen mutagementy.					(Genetic	Analogous
					Toxicology -	conclusion
					Rodent dominant	Conclusion
C					Lethal Test)	NI
Germ cell mutagenicity:					OECD 479	Negative,
					(Genetic	Analogous
					Toxicology - In	conclusion
					Vitro Sister	
					Chromatid	
					Exchange assay in	
					Mammalian Cells)	
Carcinogenicity:					OECD 451	Negative,
					(Carcinogenicity	Analogous
					Studies)	conclusion
Carcinogenicity:					OECD 453	Negative,
					(Combined	Analogous
					Chronic	conclusion
					Toxicity/Carcinoge	
					nicity Studies)	
Reproductive toxicity:					OECD 415 (One-	Negative,
					Generation	Analogous
					Reproduction	conclusion
					Toxicity Study)	
Reproductive toxicity:	NOAEC	> 5,2	mg/l	Rat	OECD 414	vapour
					(Prenatal	
					Developmental	
					Toxicity Study)	
Reproductive toxicity:					OECD 414	Negative,
					(Prenatal	Analogous
					Developmental	conclusion
					Toxicity Study)	
Reproductive toxicity:					OECD 421	Negative,
•					(Reproduction/Dev	Analogous
					elopmental	conclusion
					Toxicity	
					Screening Test)	





Page 15 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Reproductive toxicity:					OECD 422	Negative,
1					(Combined	Analogous
					Repeated Dose	conclusion
					Tox. Study with	
					the	
					Reproduction/Dev	
					elopm. Tox.	
					Screening Test)	
Reproductive toxicity	NOAEL	750	mg/kg	Rat	OECD 415 (One-	
(Developmental	NOALL	730	IIIg/Kg	Kat	Generation	
toxicity):					Reproduction	
toxicity).					1 *	
Danraduativa taviaity	NOAEL	> 1500	ma/lra	Rat	Toxicity Study) OECD 415 (One-	
Reproductive toxicity	NOAEL	> 1300	mg/kg	Kat	Generation	
(Effects on fertility):					1	
					Reproduction	
G . C .					Toxicity Study)	NT /:
Specific target organ					OECD 412	Negative,
toxicity - repeated					(Subacute	Analogous
exposure (STOT-RE):					Inhalation	conclusion
					Toxicity - 28-Day	
					Study)	
Specific target organ					OECD 453	Negative,
toxicity - repeated					(Combined	Analogous
exposure (STOT-RE):					Chronic	conclusion
					Toxicity/Carcinoge	
					nicity Studies)	
Specific target organ					OECD 413	Negative,
toxicity - repeated					(Subchronic	Analogous
exposure (STOT-RE):					Inhalation	conclusion
					Toxicity - 90-Day	
					Study)	
Specific target organ					OECD 422	Negative,
toxicity - repeated					(Combined	Analogous
exposure (STOT-RE):					Repeated Dose	conclusion
					Tox. Study with	
					the	
					Reproduction/Dev	
					elopm. Tox.	
					Screening Test)	
Specific target organ					OECD 408	Negative,
toxicity - repeated					(Repeated Dose	Analogous
exposure (STOT-RE):					90-Day Oral	conclusion
1					Toxicity Study in	
					Rodents)	
Aspiration hazard:					,	Asp. Tox. 1
Symptoms:						drowsiness,
						headaches





Page 16 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

Specific target organ toxicity - single exposure (STOT-SE), oral:	NOAEL	> 5000	mg/kg	Rat	OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
Specific target organ toxicity - single exposure (STOT-SE), oral:	NOAEL	> 1000	mg/kg	Rat	OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Dev elopm. Tox. Screening Test)	
Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	NOAEC	> 10,4	mg/l	Rat	OECD 413 (Subchronic Inhalation Toxicity - 90-Day Study)	Vapours

Propane-1,2-diol						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	>20000	mg/kg	Rat		
route:						
Acute toxicity, by	LD50	>2000	mg/kg	Rabbit		
dermal route:						
Acute toxicity, by	LC50	>20	mg/l/4h	Rabbit		Vapours
inhalation:						
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosio	
					n)	
Serious eye				Rabbit	OECD 405 (Acute	Not irritant
damage/irritation:					Eye	
					Irritation/Corrosio	
					n)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not
sensitisation:					Sensitisation)	sensitizising
Germ cell mutagenicity:					in vitro	Negative

11.2. Information on other hazards

11.2. Illioi mation on o	mei nazaius	<u> </u>				
hand cleaner scarves						
Art.: 9081274						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Endocrine disrupting						Does not
properties:						apply to
						mixtures.





Page 17 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

Other information:			No other
			relevant
			information
			available on
			adverse
			effects on
			health.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

hand cleaner scarv	es						
Art.: 9081274							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to							n.d.a.
fish:							
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to							n.d.a.
algae:							
12.2. Persistence							n.d.a.
and degradability:							
12.3.							n.d.a.
Bioaccumulative							
potential:							
12.4. Mobility in							n.d.a.
soil:							
12.5. Results of							n.d.a.
PBT and vPvB							
assessment							
12.6. Endocrine							Does not
disrupting							apply to
properties:							mixtures.
12.7. Other							No
adverse effects:							information
							available o
							other
							adverse
							effects on
							the
							environme
Other information:							DOC-
							elimination
							degree(con
							lexing
							organic
							substance)
							80%/28d:
							n.a.
	1	1	1	1	1	1	11.a.





Page 18 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

(R)-p-mentha-1,8-d		Time	17.0 l	T 1-4-24	Owen	Toot made a	Notes
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.3.	Log Kow		4,38			OECD 117	37 °C, pH =
Bioaccumulative						(Partition	7.2
potential:						Coefficient (n-	
						octanol/water)	
						- HPLC	
						method)	
Other information:						incurs a)	Does not
other information.							contain any
							organically
							bound
							halogens
							which can
							contribute to
							the AOX
							value in
							waste water.
12.1. Toxicity to	LC50	96h	0,70	mg/l	Pimephales	OECD 203	
fish:					promelas	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	EC50	48h	0,307-	mg/l	Daphnia	OECD 202	
daphnia:			0,42		magna	(Daphnia sp.	
			", -=		8	Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	ErC50	72h	0,214-	mg/l	Pseudokirchne	OECD 201	
algae:	LICSO	7211	0,32	IIIg/I	riella	(Alga,	
aigac.			0,32			Growth	
					subcapitata		
						Inhibition	
10.1 55	NOFGNO	0.01	1	/1		Test)	
12.1. Toxicity to	NOEC/NO	96h	4	mg/l			
algae:	EL	20.1	90.02	0/		OECD 201 D	D 1'1
12.2. Persistence		28d	80-92	%		OECD 301 D	Readily
and degradability:						(Ready	biodegradab
						Biodegradabil	e
						ity - Closed	
						Bottle Test)	
12.2. Persistence		28d	71	%		OECD 301 B	Readily
and degradability:						(Ready	biodegradab
•						Biodegradabil	e
						ity - Co2	
						Evolution	
						Test)	
12.4. Mobility in						- 555)	Adsorption
soil:							in ground.
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
assessment							
							substance





Page 19 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Alcohols, C11-15-s	econdary, eth	oxylated					
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	3,2-	mg/l	Pimephales		
fish:			3,6		promelas		
12.1. Toxicity to	EC50	48h	7,3	mg/l	Daphnia		
daphnia:					magna		
12.2. Persistence		28d	>60	%		OECD 301 F	
and degradability:						(Ready	
						Biodegradabil	
						ity -	
						Manometric	
						Respirometry	
						Test)	
12.3.	BCF		29				
Bioaccumulative							
potential:							
12.3.	Log Pow		2,72				
Bioaccumulative							
potential:							
Toxicity to	EC50	16h	>1000	mg/l			
bacteria:							
Other information:	ThOD		2,1	g/g			

Propan-2-ol							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.3.	BCF		3,2				Low
Bioaccumulative potential:							
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Leuciscus idus		
12.1. Toxicity to fish:	LC50	96h	1400	mg/l	Lepomis macrochirus		
12.1. Toxicity to	EC50	48h	2285	mg/l	Daphnia		
daphnia:					magna		
12.1. Toxicity to daphnia:	EC50	16d	141	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Desmodesmus subspicatus		
12.2. Persistence		21d	95	%		OECD 301 E	Readily
and degradability:						(Ready	biodegradabl
						Biodegradabil	e
						ity - Modified	
						OECD	
						Screening	
						Test)	





Page 20 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

12.2. Persistence			99,9	%		OECD 303 A	Readily
and degradability:						(Simulation	biodegradabl
						Test -	e
						Aerobic	
						Sewage	
						Treatment -	
						Activated	
						Sludge Units)	
12.3.	Log Pow		0,05			OECD 107	Slight
Bioaccumulative						(Partition	
potential:						Coefficient (n-	
						octanol/water)	
						- Shake	
						Flask Method)	
12.4. Mobility in	Koc		1,1				Expert
soil:							judgement
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance
Toxicity to	EC50		>1000	mg/l	activated		
bacteria:					sludge		
Toxicity to	EC10	16h	1050	mg/l	Pseudomonas		
bacteria:					putida		
Other information:	ThOD		2,4	g/g			
Other information:	BOD5		53	%			
Other information:	COD		96	%			References
Other information:	COD		2,4	g/g			
Other information:	BOD		1171	mg/g			

Hydrocarbons, C1	1-C12, isoalk	anes, <2º	% aroma	tics			
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to	IC50		>100	mg/l			estimated
bacteria:							
12.4. Mobility in							Product
soil:							floats on the
							water
							surface.
12.1. Toxicity to	NOELR	21d	>1	mg/l	Daphnia		Analogous
daphnia:					magna		conclusion
12.1. Toxicity to	LC50	96h	>1000	mg/l	Oncorhynchus	OECD 203	Analogous
fish:					mykiss	(Fish, Acute	conclusion
						Toxicity Test)	
12.1. Toxicity to	EC50	48h	>1000	mg/l	Daphnia	OECD 202	Analogous
daphnia:					magna	(Daphnia sp.	conclusion
						Acute	
						Immobilisatio	
						n Test)	





Page 21 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

12.1. Toxicity to algae:	EC50	72h	>1000	mg/l	Pseudokirchne riella subcapitata	OECD 201 (Alga, Growth Inhibition Test)	Analogous conclusion
12.1. Toxicity to algae:	NOELR	72h	1000	mg/l	Pseudokirchne riella subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	31,3	%		OECD 301 F (Ready Biodegradabil ity - Manometric Respirometry Test)	Not readily but inherent biodegradabl e.
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

Propane-1,2-diol	Endonésia.	TP:	X/alas	T1	0	To at an other 1	Madaa
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.3.	Log Pow		-1,07			OECD 107	
Bioaccumulative						(Partition	
potential:						Coefficient (n-	
						octanol/water)	
						- Shake	
						Flask Method)	
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance
12.1. Toxicity to	LC50	96h	40613	mg/l	Oncorhynchus	OECD 203	
fish:					mykiss	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	LC50	48h	18340	mg/l	Ceriodaphnia	OECD 202	
daphnia:					spec.	(Daphnia sp.	
						Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	NOEC/NO	7d	13020	mg/l	Ceriodaphnia		
daphnia:	EL				spec.		
12.1. Toxicity to	EC50	48h	19000	mg/l	Pseudokirchne	OECD 201	
algae:					riella	(Alga,	
					subcapitata	Growth	
						Inhibition	
						Test)	





Page 22 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

12.2. Persistence		28d	81,7	%		OECD 301 F	Readily
and degradability:			,			(Ready	biodegradabl
						Biodegradabil	e
						ity -	
						Manometric	
						Respirometry	
						Test)	
12.3.	BCF		0,09				valued
Bioaccumulative							
potential:							
Toxicity to	NOEC/NO	18h	>2000	mg/l	Pseudomonas		
bacteria:	EL		0		putida		
Other information:	COD		1585	mg/g			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

15 02 02 absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Implement substance recycling.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Recommended cleaner:

Water

If applicable

Cleaning product

SECTION 14: Transport information

General statements

14.1. UN number or ID number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.





Page 23 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

LQ: n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a. 14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): 11,5 %

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 1-16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.





Page 24 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

EUH066 Repeated exposure may cause skin dryness or cracking.

Flam. Liq. — Flammable liquid Skin Irrit. — Skin irritation

Skin Sens. — Skin sensitization

Asp. Tox. — Aspiration hazard

Aquatic Acute — Hazardous to the aquatic environment - acute

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Acute Tox. — Acute toxicity - oral

Acute Tox. — Acute toxicity - inhalation

Eye Dam. — Serious eye damage

Eye Irrit. — Eye irritation

STOT SE — Specific target organ toxicity - single exposure - narcotic effects

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU)

2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)



(GE

Page 25 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and

Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling

and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level DOC Dissolved organic carbon

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, $E\mu Cx$, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae,

plants)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number

gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

IUPACInternational Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LO Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable n.av. not available

n.c. not checked

n.d.a. no data available





Page 26 of 26

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0004

Replacing version dated / version: 27.09.2018 / 0003

Valid from: 01.11.2021 PDF print date: 01.11.2021 hand cleaner scarves Art.: 9081274

NIOSH National Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.