

Page 1 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

> Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:
Silicone sealant
Uses advised against:
No information available at present.

1.3 Details of the supplier of the safety data sheet

BTI Befestigungstechnik GmbH & Co. KG Salzstr. 51 74653 Ingelfingen Tel.: +49 7940 141 141 Fax: +49 7940 141 9141 Email: info@bti.de Homepage: www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (BRC) +1 872 5888271 (BRC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP) The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

EUH208-Contains 4,5-Dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction. EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

32	Mixtures
3.4	MIALUICS

Triacetoxyethylsilane	
Registration number (REACH)	01-2119881778-15-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	241-677-4
CAS	17689-77-9
content %	1-<3
Classification according to Regulation (EC) 1272/2008	EUH014
(CLP), M-factors	Acute Tox. 4, H302
	Skin Corr. 1B, H314
	Eye Dam. 1, H318

Methylsilanetriyl triacetate	
Registration number (REACH)	01-2119962266-32-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	224-221-9
CAS	4253-34-3
content %	1-<3
Classification according to Regulation (EC) 1272/2008	EUH014
(CLP), M-factors	Acute Tox. 4, H302
	Skin Corr. 1C, H314
	Eye Dam. 1, H318

Oligomeric ethyl and methylacetoxysilanes	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	
content %	<2
Classification according to Regulation (EC) 1272/2008	Skin Corr. 1B, H314
(CLP), M-factors	Eye Dam. 1, H318



Page 3 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

4,5-Dichloro-2-octyl-2H-isothiazol-3-one	
Registration number (REACH)	
Index	613-335-00-8
EINECS, ELINCS, NLP, REACH-IT List-No.	264-843-8
CAS	64359-81-5
content %	0,025-<0,5
Classification according to Regulation (EC) 1272/2008	EUH071
(CLP), M-factors	Acute Tox. 2, H330
	Acute Tox. 4, H302
	Skin Corr. 1, H314
	Eye Dam. 1, H318
	Skin Sens. 1A, H317
	Aquatic Acute 1, H400 (M=100)
	Aquatic Chronic 1, H410 (M=100)
Specific Concentration Limits and ATE	Skin Irrit. 2, H315: >=0,025 %
	Eye Irrit. 2, H319: >=0,025 %
	Skin Sens. 1A, H317: >=0,0015 %
	ATE (oral): 567 mg/kg
	ATE (as inhalation, Mist): 0,16 mg/l/4h

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation)

this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wipe off residual product carefully with a soft, dry cloth.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. Sensitive individuals:

Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.



Page 4 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Water jet spray/foam/CO2/dry extinguisher Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of carbon Silicon dioxide Formaldehyde Toxic gases 5.3 Advice for firefighters For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

Flush residue using copious water.

Or:

Allow product to harden.

Pick up mechanically and dispose of according to Section 13.

6.4 Reference to other sections



Page 5 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1. 7.1 Precautions for safe handling 7.1.1 General recommendations Ensure good ventilation. Avoid contact with eyes. Avoid long lasting or intensive contact with skin. An combustible atmosphere can develop in closed vessels. Remove possible causes of ignition - do not smoke. Take measures against electrostatic charging, if appropriate. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use. 7.1.2 Notes on general hygiene measures at the workplace General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed. 7.2 Conditions for safe storage, including any incompatibilities Not to be stored in gangways or stair wells. Store product closed and only in original packing. Store in a well ventilated place. Store cool. Store in a dry place. 7.3 Specific end use(s) No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

^(B) Chemical Name Acetic acid						
WEL-TWA: 10 ppm (25 mg/m3) (WEL,	WEL-STEL: 20 ppm (50 mg/m3) (WEL,					
EU)	EU)					
Monitoring procedures: -	Draeger - Acetic Acid 5/a (67 22 101)					
-	Compur - KITA-216 S (549 194)					
-	- NIOSH 1603 (Acetic acid in workplace atmospheres) - 1994					
OSHA PV2119 (Acetic acid) - 2003 - EU project						
- BC/CEN/ENTR/000/2002-16 card 64-5 (2004)						
BMGV:	Other information	1:				

Triacetoxyethylsilane						
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					



Page 6 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

[·		DUEG		
	Environment -		PNEC	0,2	mg/l
	freshwater				
	Environment - marine		PNEC	0,02	mg/l
	Environment -		PNEC	0,16	mg/kg
	sediment, freshwater				
	Environment -		PNEC	0,016	mg/kg
	sediment, marine				
	Environment - soil		PNEC	0,031	mg/kg
	Environment -		PNEC	1	mg/l
	sewage treatment				
	plant				
	Environment -		PNEC	1,7	mg/l
	sporadic				
	(intermittent) release				
Consumer	Human - inhalation	Short term, local	DNEL	65	mg/m3
		effects			
Consumer	Human - inhalation	Long term, local	DNEL	10,8	mg/m3
		effects			
Workers / employees	Human - inhalation	Long term, local	DNEL	32,5	mg/m3
		effects			

Methylsilanetriyl triacetate						
Area of application	Exposure route / Environmental compartment	Effect on health	Descript or	Value	Unit	Note
	Human - inhalation	Long term, systemic effects	DNEL	6,3	mg/m3	
	Environment - freshwater		PNEC	1	mg/l	
	Environment - sewage treatment plant		PNEC	10	mg/l	
	Environment - soil		PNEC	0,145	mg/kg dw	
	Environment - marine		PNEC	0,1	mg/l	
	Environment - sediment, marine		PNEC	0,34	mg/kg dw	
	Environment - sediment, freshwater		PNEC	3,4	mg/kg dw	
	Environment - water, sporadic (intermittent) release		PNEC	10	mg/l	
Consumer	Human - oral	Short term, systemic effects	DNEL	1	mg/kg bw/d	
Consumer	Human - oral	Long term, systemic effects	DNEL	1	mg/kg bw/d	
Consumer	Human - dermal	Short term, systemic effects	DNEL	7,2	mg/kg bw/d	
Consumer	Human - dermal	Long term, systemic effects	DNEL	7,2	mg/kg bw/d	



Page 7 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

Consumer	Human - inhalation	Short term, local effects	DNEL	5,1	mg/m3
Consumer	Human - inhalation	Short term, systemic effects	DNEL	6,3	mg/m3
Consumer	Human - inhalation	Long term, local effects	DNEL	5,1	mg/m3
Workers / employees	Human - inhalation	Short term, local effects	DNEL	31	mg/m3
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	25	mg/m3
Workers / employees	Human - inhalation	Long term, local effects	DNEL	31	mg/m3
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	25	mg/m3
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	14,5	mg/kg bw/d
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	14,5	mg/kg bw/d

4,5-Dichloro-2-octyl-2H-isothiazol-3-one						
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					
	Environment -		PNEC	0,034	µg/l	
	freshwater					
	Environment -		PNEC	0,41	mg/kg	
	sediment, freshwater					
	Environment -		PNEC	0,41	mg/kg	
	sediment, marine					
	Environment -		PNEC	0,064	mg/l	
	sewage treatment					
	plant					
	Environment - soil		PNEC	0,062	mg/kg	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).



Page 8 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 22.07.2022 / 0005
Replacing version dated / version: 01.11.2021 / 0004
Valid from: 22.07.2022
PDF print date: 22.07.2022
Silicone Sanitary Plus Transparent 310 ml
Art.: 9093986

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). Recommended Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: > 0.1Permeation time (penetration time) in minutes: 60 - 120 Protective gloves in butyl rubber (EN ISO 374). Minimum layer thickness in mm: > 0.3Permeation time (penetration time) in minutes: > 480The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary. If OES or MEL is exceeded. Gas mask filter ABEK (EN 14387), code colour brown, grey, yellow, green Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:



œ

Page 9 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties					
Physical state:	Paste, liquid.				
Colour:	Transparent				
Odour:	Penetrating				
Melting point/freezing point:	n.a.				
Boiling point or initial boiling point and boiling range:	n.a.				
Flammability:	Flammable				
Lower explosion limit:	4 Vol-% (Acetic acid)				
Upper explosion limit:	17 Vol-% (Acetic acid)				
Flash point:	100 °C (ISO 3679 (Setaflash, RECC))				
Auto-ignition temperature:	>400 °C (DIN 51794)				

Auto-ignition temperature:	>400 °C (DIN 51794)
Decomposition temperature:	>300 °C
pH:	Mixture is non-soluble (in water).
Kinematic viscosity:	>20,5 mm2/s (40°C)
Solubility:	Insoluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	1,02 g/cm3 (20°C, ISO 1183)
Relative vapour density:	There is no information available on this parameter.
Particle characteristics:	Does not apply to liquids.
9.2 Other information	
Explosives:	There is no information available on this parameter.
Oxidising liquids:	There is no information available on this parameter.

SECTION 10: Stability and reactivity

10.1 Reactivity The product has not been tested. 10.2 Chemical stability



Page 10 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

Stable with proper storage and handling. 10.3 Possibility of hazardous reactions No dangerous reactions are known. **10.4 Conditions to avoid** See also section 7. Moisture Strong heat $T > 150^{\circ}C$ **10.5 Incompatible materials** See also section 7. Water Bases Alcohols 10.6 Hazardous decomposition products See also section 5.2 In case of contact with water: Acetic acid

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Possibly more information on health effects, see Section 2.1 (classification).

Silicone Sanitary Plus Transparent 310 ml							
Art.: 9093986							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes	
	nt						
Acute toxicity, by oral	LD50	>2000	mg/kg	Rat		Analogous	
route:						conclusion	
Acute toxicity, by	LD50	>2009	mg/kg	Rabbit		Analogous	
dermal route:						conclusion	
Acute toxicity, by						n.d.a.	
inhalation:							
Skin corrosion/irritation:				Rabbit		Not irritant,	
						Expert	
						judgement	
Serious eye				Rabbit		Not irritant,	
damage/irritation:						Expert	
						judgement	
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not	
sensitisation:					Sensitisation)	sensitizising,	
						Expert	
						judgement	
Germ cell mutagenicity:						n.d.a.	
Carcinogenicity:						n.d.a.	
Reproductive toxicity:						n.d.a.	
Specific target organ						n.d.a.	
toxicity - single							
exposure (STOT-SE):							



Page 11 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

Specific target organ toxicity - repeated exposure (STOT-RE):			n.d.a.
Aspiration hazard:			n.d.a.
Symptoms:			n.d.a.

Triacetoxyethylsilane						
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	1460	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosio n)	Corrosive
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosio n)	Not irritant, Classificatio n based on toxicological analyses.<5 %
Skin corrosion/irritation:				Rabbit		Corrosive
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosio n)	Not irritant, Classificatio n based on toxicological analyses.<5 %
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:					OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative, Analogous conclusion
Germ cell mutagenicity:					OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative, Analogous conclusion
Symptoms:					, , , , , , , , , , , , , , , , , , , ,	mucous membrane irritation

Methylsilanetriyl triacetate							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes	
	nt						
Acute toxicity, by oral	LD50	1600	mg/kg	Rat			
route:							



Page 12 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

	r	1	
Symptoms:			mucous
			membrane
			irritation

Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral route:	ATE	567	mg/kg			
Acute toxicity, by dermal route:	LD50	>2000	mg/kg			
Acute toxicity, by inhalation:	ATE	0,16	mg/l/4h			Dust, Mist
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosio n)	Corrosive
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Skin Sens. 1A
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	LOAEL	100	mg/kg	Rat		28d
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	20	mg/kg	Rat		28d

11.2. Information on other hazards

Silicone Sanitary Plus T	Silicone Sanitary Plus Transparent 310 ml						
Art.: 9093986							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes	
	nt						
Endocrine disrupting						Does not	
properties:						apply to	
						mixtures.	
Other information:						No other	
						relevant	
						information	
						available on	
						adverse	
						effects on	
						health.	

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification). Silicone Sanitary Plus Transparent 310 ml Art.: 9093986



Page 13 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	>10-	mg/l	Oncorhynchus		Expert
fish:			<100		mykiss		judgement
12.1. Toxicity to	NOEC/NO		>1	mg/l	Oncorhynchus		Expert
fish:	EL			0	mykiss		judgementear
					5		ly life stage
							test
12.1. Toxicity to	NOEC/NO		>1	mg/l	Daphnia		Expert
daphnia:	EL			U	magna		judgementre
					U		production
12.1. Toxicity to	ErC50	24h	>1-	mg/l	Navicula		Expert
algae:			<10	Ū	pelliculosa		judgement
12.1. Toxicity to	NOEC/NO	24h	>1	mg/l	Navicula		Expert
algae:	EL				pelliculosa		judgementgr
							owth rate
12.2. Persistence							n.d.a.
and degradability:							
12.3.							n.d.a.
Bioaccumulative							
potential:							
12.4. Mobility in							n.d.a.
soil:							
12.5. Results of							n.d.a.
PBT and vPvB							
assessment							
12.6. Endocrine							Does not
disrupting							apply to
properties:							mixtures.
12.7. Other							No
adverse effects:							information
							available on
							other
							adverse
							effects on
							the
							environment.
Other information:	AOX		0,04	%			Contains
							organically
							bound
							halogens,
							which may
							contribute to
							the AOX
							value in
							wastewater.



Page 14 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

Other information:	DOC-
	elimination
	degree(comp
	lexing
	organic
	substance)>=
	80%/28d:
	n.a.

Triacetoxyethylsil	ane						
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance
12.1. Toxicity to	LC50	96h	251	mg/l	Brachydanio	OECD 203	
fish:					rerio	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	EC50	48h	168,7	mg/l	Daphnia	OECD 202	Analogous
daphnia:					magna	(Daphnia sp.	conclusion
						Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	EC50	72h	210	mg/l	Pseudokirchne	OECD 201	Analogous
algae:					riella	(Alga,	conclusion
					subcapitata	Growth	
						Inhibition	
						Test)	
12.1. Toxicity to	NOEC/NO	21d	>=100	mg/l	Daphnia	OECD 202	Analogous
daphnia:	EL				magna	(Daphnia sp.	conclusion
						Acute	
						Immobilisatio	
m i i <i>i</i>	EG5 0	- 21	100	/1		n Test)	
Toxicity to	EC50	3h	>100	mg/l	activated	OECD 209	
bacteria:					sludge	(Activated	
						Sludge,	
						Respiration Inhibition	
						Test (Carbon and	
						Ammonium	
						Oxidation))	
12.1. Toxicity to	EC50	48h	62	mg/l	Daphnia	Oxidation))	
daphnia:	LC30	4011	02	mg/1	magna		
12.1. Toxicity to	IC50	72h	73	ma/l	Scenedesmus		
algae:	10.50	/ 211	15	mg/l	subspicatus		
argae:					subspicatus		



Page 15 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

[]				
12.2. Persistence	21d	74	%	Regulation
and degradability:				(EC)
				440/2008 C.4-
				A
				(DETERMIN
				ATION OF
				'READY'
				BIODEGRAD
				ABILITY -
				DOC DIE-
				AWAY
				TEST)
12.2. Persistence	21d	70	%	OECD 301 A Readily
and degradability:				(Ready biodegradabl
				Biodegradabil e
				ity - DOC
				Die-Away
				Test)

4,5-Dichloro-2-octyl-2H-isothiazol-3-one								
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes	
12.1. Toxicity to	LC50	96h	0,002	mg/l	Oncorhynchus			
fish:			7		mykiss			
12.1. Toxicity to	NOEC/NO	28d	0,000	mg/l	Oncorhynchus	OECD 210		
fish:	EL		47		mykiss	(Fish, Early-		
						Life Stage		
						Toxicity Test)		
12.1. Toxicity to	NOEC/NO	21d	0,000	mg/l	Daphnia	OECD 211		
daphnia:	EL		4		magna	(Daphnia		
						magna		
						Reproduction		
						Test)		
12.1. Toxicity to	EC50	48h	0,005	mg/l	Daphnia			
daphnia:			2		magna			
12.1. Toxicity to	ErC50	72h	0,077	mg/l	Pseudokirchne	OECD 201		
algae:					riella	(Alga,		
					subcapitata	Growth		
						Inhibition		
						Test)		
12.2. Persistence							Readily	
and degradability:							biodegradabl	
	D .077						e	
12.3.	BCF		750		Lepomis			
Bioaccumulative					macrochirus			
potential:	L D		2.0					
12.3.	Log Pow		2,8					
Bioaccumulative								
potential:								



Page 16 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts EC disposal code no.: The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 07 02 17 waste containing silicones other than those mentioned in 07 02 16 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 Recommendation: Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. dispose at suitable refuse site. E.g. suitable incineration plant. For contaminated packing material Pay attention to local and national official regulations. Empty container completely.

Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements						
14.1. UN number or ID number:	n 0					
Transport by road/by rail (ADR/RID)						
14.2. UN proper shipping name:						
14.3. Transport hazard class(es):	n.a.					
14.4. Packing group:	n.a.					
Classification code:	n.a.					
LQ:	n.a.					
14.5. Environmental hazards:	Not applicable					
Tunnel restriction code:						
Transport by sea (IMDG-code)						
14.2. UN proper shipping name:						
14.3. Transport hazard class(es):	n.a.					
14.4. Packing group:	n.a.					
Marine Pollutant:	n.a					
14.5. Environmental hazards:	Not applicable					
Transport by air (IATA)						
14.2. UN proper shipping name:						
14.3. Transport hazard class(es):	n.a.					
14.4. Packing group:	n.a.					
14.5. Environmental hazards:	Not applicable					
14.6. Special precautions for user						
Unless specified otherwise, general measures for safe tra	insport must be followed.					
14.7. Maritime transport in bulk according to IMO in	nstruments					
Non-dangerous material according to Transport Regulations.						



Page 17 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label. Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012. Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods.

< 1 %

These are indicated in the approval of the active substance.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

8, 9, 11, 12, 15

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP): Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

- H330 Fatal if inhaled. H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H302 Harmful if swallowed.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH014 Reacts violently with water.
- EUH071 Corrosive to the respiratory tract.

Acute Tox. — Acute toxicity - oral Skin Corr. — Skin corrosion Eye Dam. — Serious eye damage Acute Tox. — Acute toxicity - inhalation Skin Sens. — Skin sensitization Aquatic Acute — Hazardous to the aquatic environment - acute Aquatic Chronic — Hazardous to the aquatic environment - chronic

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA).



Page 18 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council bw body weight CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) EC European Community ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community **EINECS** European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances EN European Norms United States Environmental Protection Agency (United States of America) EPA Effect Concentration/Level of x % on inhibition of the growth rate (algae, ErCx, $E\mu Cx$, ErLx (x = 10, 50) plants)

B



œ

Page 19 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986 etc. et cetera EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number general gen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive **IUCLID** International Uniform Chemical Information Database IUPACInternational Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. n.d.a. no data available NIOSH National Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic PE Polyethylene PNEC Predicted No Effect Concentration parts per million ppm PVC Polyvinylchloride REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) **REACH-IT List-No.** 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation RID concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

- VOC Volatile organic compounds
- vPvB very persistent and very bioaccumulative

wwt wet weight



Page 20 of 20 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 22.07.2022 / 0005 Replacing version dated / version: 01.11.2021 / 0004 Valid from: 22.07.2022 PDF print date: 22.07.2022 Silicone Sanitary Plus Transparent 310 ml Art.: 9093986

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.