



Page 1 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

See definition of the substance or mixture.

Sector of use [SU]:

SU 0 - Other

SU 1 - Agriculture, forestry, fishery

SU19 - Building and construction work

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC24 - Lubricants, greases, release products

Process category [PROC]:

PROC 8b - Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC10 - Roller application or brushing

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

BTI Befestigungstechnik GmbH & Co. KG

Salzstr. 51

74653 Ingelfingen Tel.: +49 7940 141 141 Fax: +49 7940 141 9141 Email: info@bti.de Homepage: www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (BRC)





Page 2 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class	Hazard category	Hazard statement
Skin Irrit.	2	H315-Causes skin irritation.
Eye Dam.	1	H318-Causes serious eye damage.
Aquatic Chronic	3	H412-Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Danger

H315-Causes skin irritation. H318-Causes serious eye damage. H412-Harmful to aquatic life with long lasting effects.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P273-Avoid release to the environment. P280-Wear protective gloves / eye protection / face protection. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor. P501-Dispose of contents / container to an approved waste disposal facility.

EUH208-Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Substance with specific conc. limit(s) acc. to REACH-registration.
Registration number (REACH)	01-2119488639-16-XXXX





Page 3 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	500-234-8
CAS	68891-38-3
content %	10-<20
Classification according to Regulation (EC) 1272/2008	Skin Irrit. 2, H315
(CLP), M-factors	Eye Dam. 1, H318
	Aquatic Chronic 3, H412

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one	
and 2-methyl-2H-isothiazol-3-one (3:1)	
Registration number (REACH)	
Index	613-167-00-5
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	55965-84-9
content %	0,0001-<0,0015
Classification according to Regulation (EC) 1272/2008	Acute Tox. 3, H301
(CLP), M-factors	Aquatic Acute 1, H400 (M=100)
	Aquatic Chronic 1, H410 (M=100)
	Eye Dam. 1, H318
	Skin Corr. 1C, H314
	Skin Sens. 1A, H317
	Acute Tox. 2, H310
	Acute Tox. 2, H330

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available. Protect uninjured eye.

Follow-up examination by an ophthalmologist.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.





Page 4 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of sulphur

Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Do not pour down the drain undiluted.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes or skin.

Observe directions on label and instructions for use.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.





Page 5 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Protect from frost.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Alcohols, C12-14, eth	oxylated, sulfates, sodiun	n salts				
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					
	Environment -		PNEC	0,24	mg/l	
	freshwater					
	Environment -		PNEC	0,13	mg/l	
	periodic release					
	Environment - marine		PNEC	0,024	mg/l	
	Environment -		PNEC	5,45	mg/kg	
	sediment, freshwater				dry	
					weight	
	Environment -		PNEC	0,545	mg/kg	
	sediment, marine				dry	
					weight	
	Environment -		PNEC	10000	mg/l	
	sewage treatment					
	plant					
	Environment - soil		PNEC	0,946	mg/kg	
					dry	
					weight	
	Environment -		PNEC	0,071	mg/l	
	sporadic					
	(intermittent) release					
	Environment -	Short term	PNEC	0,917	mg/kg	
	sediment, freshwater					
	Environment -	Short term	PNEC	0,092	mg/kg	
	sediment, marine					
	Environment - soil	Short term	PNEC	7,5	mg/kg	
Consumer	Human - dermal	Long term, local effects	DNEL	0,079	mg/cm2	
Consumer	Human - oral	Long term,	DNEL	15	mg/kg	
		systemic effects			bw/day	





Page 6 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

Consumer	Human - dermal	Long term, systemic effects	DNEL	1650	mg/kg bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	52	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	2750	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	175	mg/m3	
Workers / employees	Human - dermal	Long term, local effects	DNEL	0,132	mg/cm2	

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)									
Area of application	Exposure route / Environmental	Effect on health	Descript or	Value	Unit	Note			
	compartment								
	Environment -		PNEC	0,003	mg/l				
	freshwater			39					
	Environment - marine		PNEC	0,003	mg/l				
				39					
	Environment -		PNEC	0,027	mg/kg				
	sediment, freshwater				dw				
	Environment -		PNEC	0,027	mg/kg				
	sediment, marine				dw				
	Environment - soil		PNEC	0,01	mg/kg				
					dw				
	Environment -		PNEC	0,23	mg/l				
	sewage treatment								
	plant								
	Environment - water,		PNEC	0,003	mg/l				
	sporadic			39					
	(intermittent) release								
Consumer	Human - inhalation	Long term, local	DNEL	0,02	mg/m3				
~		effects	53757	0.04	/ 2				
Consumer	Human - inhalation	Short term, local effects	DNEL	0,04	mg/m3				
Consumer	Human - oral	Long term,	DNEL	0,09	mg/kg				
		systemic effects			bw/d				
Workers / employees	Human - inhalation	Long term, local	DNEL	0,02	mg/m3				
		effects							
Workers / employees	Human - inhalation	Short term, local	DNEL	0,04	mg/m3				
		effects							

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.





Page 7 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Rubber gloves (EN 374).

Minimum layer thickness in mm:

0,4

Permeation time (penetration time) in minutes:

>=480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid
Colour: Colourless
Odour: Slightly





Page 8 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

Odour threshold: Not determined

pH-value: 7,5-7,9

Melting point/freezing point:

Not determined

Initial boiling point and boiling range: ~100 °C

Not determined Flash point: Evaporation rate: Not determined Flammability (solid, gas): Not determined Lower explosive limit: Not determined Upper explosive limit: Not determined Vapour pressure: Not determined Vapour density (air = 1): Not determined Density: 1,019-1,025 g/ml Bulk density: Not determined Solubility(ies): Not determined

Water solubility: Soluble

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Not determined

Not determined

Not determined

Not determined

Not determined

Explosive properties:

Not determined

Oxidising properties:

Not determined

9.2 Other information

Miscibility: Not determined
Fat solubility / solvent: Not determined
Conductivity: Not determined
Surface tension: Not determined
Solvents content: Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

Not to be expected

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

See also section 7.

None known

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).





Page 9 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

SOAPY WATER SOLUTION CONC. 1000 ML Art.: 9001881							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes	
	nt						
Acute toxicity, by oral						n.d.a.	
route:							
Acute toxicity, by						n.d.a.	
dermal route:							
Acute toxicity, by						n.d.a.	
inhalation:							
Skin corrosion/irritation:						n.d.a.	
Serious eye						n.d.a.	
damage/irritation:							
Respiratory or skin						n.d.a.	
sensitisation:							
Germ cell mutagenicity:						n.d.a.	
Carcinogenicity:						n.d.a.	
Reproductive toxicity:						n.d.a.	
Specific target organ						n.d.a.	
toxicity - single							
exposure (STOT-SE):							
Specific target organ						n.d.a.	
toxicity - repeated							
exposure (STOT-RE):							
Aspiration hazard:						n.d.a.	
Symptoms:						n.d.a.	

Alcohols, C12-14, ethoxylated, sulfates, sodium salts								
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes		
	nt							
Acute toxicity, by oral	LD50	4100	mg/kg	Rat	OECD 401 (Acute			
route:					Oral Toxicity)			
Acute toxicity, by	LD50	>2000	mg/kg	Rat	OECD 402 (Acute			
dermal route:					Dermal Toxicity)			
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Skin Irrit. 2		
					Dermal			
					Irritation/Corrosio			
					n)			
Serious eye		>=10	%	Rabbit	OECD 405 (Acute	Eye Dam. 1		
damage/irritation:					Eye			
					Irritation/Corrosio			
					n)			
Serious eye		>=5	%	Rabbit	OECD 405 (Acute	Eye Irrit. 2		
damage/irritation:					Eye			
					Irritation/Corrosio			
					n)			
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not		
sensitisation:					Sensitisation)	sensitizising		
Germ cell mutagenicity:					OECD 471	Negative		
					(Bacterial Reverse			
					Mutation Test)			





Page 10 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Germ cell mutagenicity:					OECD 475	Negative
					(Mammalian Bone	
					Marrow	
					Chromosome	
					Aberration Test)	
Germ cell mutagenicity:					OECD 476 (In	Negative
					Vitro Mammalian	
					Cell Gene	
					Mutation Test)	
Reproductive toxicity:	NOAEL	>1000	mg/kg	Rat	OECD 414	Negative,
					(Prenatal	References
					Developmental	
					Toxicity Study)	
Reproductive toxicity:	NOAEL	>300	mg/kg	Rat	OECD 416 (Two-	Negative,
					generation	References
					Reproduction	
					Toxicity Study)	
Aspiration hazard:						No
Symptoms:						mucous
						membrane
						irritation
Specific target organ	NOAEL	>225	mg/kg	Rat	OECD 408	Target
toxicity - repeated					(Repeated Dose	organ(s):
exposure (STOT-RE),					90-Day Oral	liver,
oral:					Toxicity Study in	References
					Rodents)	

Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral route:	LD50	53	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	660	mg/kg	Rabbit		
Skin corrosion/irritation:				Rabbit		Corrosive
Serious eye damage/irritation:				Rabbit		Corrosive
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Yes (skin contact)
Aspiration hazard:						No
Symptoms:						diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened





Page 11 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

Possibly more information on environmental effects, see Section 2.1 (classification).

SOAPY WATER S				see seen	on 2.1 (classifica				
Art.: 9001881									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
12.1. Toxicity to							n.d.a.		
fish:									
12.1. Toxicity to							n.d.a.		
daphnia:									
12.1. Toxicity to							n.d.a.		
algae:									
12.2. Persistence							n.d.a.		
and degradability:									
12.3.							n.d.a.		
Bioaccumulative									
potential:									
12.4. Mobility in							n.d.a.		
soil:									
12.5. Results of							n.d.a.		
PBT and vPvB									
assessment									
12.6. Other							n.d.a.		
adverse effects:									

Alcohols, C12-14, ethoxylated, sulfates, sodium salts							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	7,1	mg/l	Brachydanio	OECD 203	
fish:					rerio	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	NOEC/NO	28d	0,1	mg/l	Oncorhynchus	OECD 204	
fish:	EL				mykiss	(Fish,	
						Prolonged	
						Toxicity Test	
						- 14-Day	
						Study)	
12.1. Toxicity to	NOEC/NO	21d	0,27	mg/l	Daphnia	OECD 211	
daphnia:	EL				magna	(Daphnia	
						magna	
						Reproduction	
						Test)	
12.1. Toxicity to	EC50	48h	7,2	mg/l	Daphnia	OECD 202	
daphnia:					magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	NOEC/NO	96h	0,95	mg/l		OECD 201	
algae:	EL					(Alga,	
						Growth	
						Inhibition	
						Test)	





Page 12 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

12.1. Toxicity to	EC50	72h	27,7	mg/l	Desmodesmus	OECD 201	
algae:					subspicatus	(Alga,	
					_	Growth	
						Inhibition	
						Test)	
12.2. Persistence		28d	95	%		OECD 301 E	Readily
and degradability:						(Ready	biodegradabl
						Biodegradabil	e
						ity - Modified	
						OECD	
						Screening	
						Test)	
12.2. Persistence		28d	>70	%		OECD 301 A	Readily
and degradability:						(Ready	biodegradabl
						Biodegradabil	e
						ity - DOC	
						Die-Away	
						Test)	
12.2. Persistence	DOC	28d	100	%	activated	Regulation	Readily
and degradability:					sludge	(EC)	biodegradabl
						440/2008 C.4-	e
						C	
						(DETERMIN	
						ATION OF	
						'READY'	
						BIODEGRAD	
						ABILITY -	
						CO2	
						EVOLUTION	
						TEST)	
12.3.	BCF		-1,38			ĺ	Low
Bioaccumulative							
potential:							
12.4. Mobility in	Koc		191				calculated
soil:							value
12.5. Results of							No PBT
PBT and vPvB							substance
assessment							
Toxicity to	EC50	16h	>10	g/l	Pseudomonas	DIN 38412	
bacteria:					putida	T.8	

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	0,28	mg/l	Lepomis		
fish:					macrochirus		
12.1. Toxicity to	LC50	96h	0,19-	mg/l	Oncorhynchus	OECD 203	
fish:			0,22		mykiss	(Fish, Acute	
						Toxicity Test)	





Page 13 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

12.1. Toxicity to fish:	NOEC/NO EL	28d	0,098	mg/l	Oncorhynchus mykiss	OECD 210 (Fish, Early- Life Stage Toxicity Test)	
12.1. Toxicity to daphnia:	NOEC/NO EL	21d	0,004	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to daphnia:	EC50	48h	0,16	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	0,048	mg/l	Pseudokirchne riella subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NO EL	72h	0,001	mg/l	Pseudokirchne riella subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:			>60	%	activated sludge	OECD 301 D (Ready Biodegradabil ity - Closed Bottle Test)	Does not conform with EU classification
12.3. Bioaccumulative potential:	BCF		3,6				calculated value
12.3. Bioaccumulative potential:	Log Pow		0,401- 0,486				Does not conform with EU classification
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50	3h	7,92	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	





Page 14 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

14.1. UN number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.LQ:n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a. 14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information





Page 15 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

Observe restrictions:

This product is regulated by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

For exceptions see Regulation (EU) 2019/1148 and guidelines for the implementation of Regulation (EU) 2019/1148.

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

0 %

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label.

Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012.

Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods.

These are indicated in the approval of the active substance.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

15

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance $(EG)\ 1272/2008\ (CLP)$:

Classification in accordance with regulation (EC)	Evaluation method used
No. 1272/2008 (CLP)	
Skin Irrit. 2, H315	Classification according to calculation procedure.
Eye Dam. 1, H318	Classification according to calculation procedure.
Aquatic Chronic 3, H412	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H330 Fatal if inhaled.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H301 Toxic if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Skin Irrit. — Skin irritation

Eye Dam. — Serious eye damage

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Acute Tox. — Acute toxicity - oral

Aquatic Acute — Hazardous to the aquatic environment - acute



(GB

Page 16 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

Skin Corr. — Skin corrosion
Skin Sens. — Skin sensitization
Acute Tox. — Acute toxicity - dermal
Acute Tox. — Acute toxicity - inhalation

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community
ECHA European Chemicals Agency

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

etc. et cetera EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database





Page 17 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 04.02.2021 / 0012

Replacing version dated / version: 29.07.2019 / 0011

Valid from: 04.02.2021 PDF print date: 02.06.2021

SOAPY WATER SOLUTION CONC. 1000 ML

Art.: 9001881

IUPACInternational Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

OECD Organisation for Economic Co-operation and Development

org. organic

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.