



Page 1 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml Art.: 9017046

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

4W Adhesive 290 ml

Art.: 9017046

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Adhesive sealant

Sector of use [SU]:

SU 0 - Other

SU 1 - Agriculture, forestry, fishery

SU19 - Building and construction work

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC 1 - Adhesives, sealants

Process category [PROC]:

PROC19 - Manual activities involving hand contact

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

BTI Befestigungstechnik GmbH & Co. KG

Salzstr. 51

74653 Ingelfingen Tel.: +49 7940 141 141 Fax: +49 7940 141 9141 Email: info@bti.de Homepage: www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (BRC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)





Page 2 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml Art.: 9017046

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains Trimethoxyvinylsilane, Dioctylbis(pentane-2,4-dionato-O,O')tin. May produce an allergic reaction.

EUH210-Safety data sheet available on request.

EUH211-Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 < 0.1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

| Titanium dioxide (in powder form containing 1 % or | |
|---|-------------------------------|
| more of particles with aerodynamic diameter <= 10 μm) | |
| Registration number (REACH) | 01-2119489379-17-XXXX |
| Index | 022-006-002 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 236-675-5 |
| CAS | 13463-67-7 |
| content % | 1-<2,5 |
| Classification according to Regulation (EC) 1272/2008 | Carc. 2, H351 (as inhalation) |
| (CLP), M-factors | |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact





Page 3 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml Art.: 9017046

Wipe off residual product carefully with a soft, dry cloth.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Unsuitable extinguishing media

None

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Nitro gases

Hydrogen chloride

Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

${\bf 6.1}$ Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes or skin.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.





Page 4 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml Art.: 9017046

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Prevent long-term skin contact.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store at room temperature.

Suitable container:

Plastic

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| (GB) | Chemical | Name | Titanium diox | ide (in powder f | form conta | ining 1 % or more o | f | Content %:1- |
|----------|--------------|------------------|----------------|------------------|--------------|----------------------|----------|--------------|
| | Chemicai | Name | particles with | aerodynamic dia | ameter <= | 10 μm) | | <2,5 |
| W | EL-TWA: | 10 mg/m3 (to | tal inhalable | WEL-STEL: | | | | |
| du | st), 4 mg/m | 3 (respirable di | ıst) | | | | | |
| M | onitoring pr | ocedures: | _ | | | | | |
| Bl | MGV: | | | | | Other information | ı: | |
| (B) | Chemical | Name | Calcium carbo | nate | | | | Content %: |
| | | 4 mg/m3 (resp | | WEL-STEL: | | | | |
| 10 | mg/m3 (tot | tal inhalable du | st) | | | | | |
| M | onitoring pr | ocedures: | _ | | | | | |
| Bl | MGV: | | | | | Other information | n: | |
| ® | Chemical | Name | Methanol | | | | | Content %: |
| W | EL-TWA: | 200 ppm (266 | mg/m3) | WEL-STEL: | 250 ppm | (333 mg/m3 | | |
| (V | /EL), 200 p | pm (260 mg/m | | (WEL) | | | | |
| M | onitoring pr | ocedures: | - I | Draeger - Alcoh | ol 25/a Me | ethanol (81 01 631) | | |
| | | | - (| Compur - KITA- | -119 SA (5 | 549 640) | | |
| | | | - (| Compur - KITA- | -119 U (54 | 19 657) | | |
| | | | I | OFG Meth. Nr. 6 | 6 (D) (Loe | sungsmittelgemisch | e 6), DF | FG (E) |
| | | | (| Solvent mixture | es 6) - 2013 | 3, 2002 - EU project | t | |
| | | | - I | BC/CEN/ENTR | /000/2002- | -16 card 65-1 (2004) |) | |
| | | | - 1 | NIOSH 2000 (M | IETHANC | DL) - 1998 | | |
| | | | 1 | NIOSH 2549 (V | OLATILE | ORGANIC COMP | OUND | S |
| | | | | SCREENING)) | | | | |
| | | | , | | | | | |





Page 5 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

| | GASE | S BY | | | | |
|------------------------|-------------------------------|-----------|----------|--------------------|--|------------|
| | CTROMETRY) - 20 CH 29 701) | 10 | | | | |
| BMGV: | Other information: | Sk (| WEL, EU) | | | |
| © Chemical Name | general dust li | mit | | | | Content %: |
| WEL-TWA: 10 mg/m3 (in | hal. dust), 4 | WEL-STEL: | | | | |
| mg/m3 (respir. dust) | | | | | | |
| Monitoring procedures: | | | | | | |
| BMGV: | | | | Other information: | | |

| Titanium dioxide (in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm) | | | | | | | | |
|--|--|--------------------------------|----------------|------------|---------------|------|--|--|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descript or | Value | Unit | Note | | |
| | Environment - freshwater | | PNEC | 0,184 | mg/l | | | |
| | Environment - marine | | PNEC | 0,018 4 | mg/l | | | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 0,193 | mg/l | | | |
| | Environment - sewage treatment plant | | PNEC | 100 | mg/l | | | |
| | Environment - sediment, freshwater | | PNEC | 1000 | mg/kg dw | | | |
| | Environment - sediment, marine | | PNEC | 100 | mg/kg dw | | | |
| | Environment - soil | | PNEC | 100 | mg/kg dw | | | |
| | Environment - oral (animal feed) | | PNEC | 1667 | mg/kg feed | | | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 700 | mg/kg bw/d | | | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 10 | mg/m3 | | | |

| Calcium carbonate | | | | | | | | | |
|---------------------|--------------------|------------------|----------|-------|--------|------|--|--|--|
| Area of application | Exposure route / | Effect on health | Descript | Value | Unit | Note | | | |
| | Environmental | | or | | | | | | |
| | compartment | | | | | | | | |
| | Environment - | | PNEC | 100 | mg/l | | | | |
| | sewage treatment | | | | | | | | |
| | plant | | | | | | | | |
| Consumer | Human - oral | Long term, | DNEL | 6,1 | mg/kg | | | | |
| | | systemic effects | | | bw/day | | | | |
| Consumer | Human - inhalation | Long term, | DNEL | 10 | mg/m3 | | | | |
| | | systemic effects | | | | | | | |





Page 6 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

| Consumer | Human - inhalation | Long term, local effects | DNEL | 1,06 | mg/m3 | |
|---------------------|--------------------|--------------------------------|------|------|-------|--|
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 4,26 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 10 | mg/m3 | |

| Methanol Area of application | Exposure route / | Effect on health | Descript | Value | Unit | Note |
|------------------------------|-------------------------|---------------------|----------|-------|-------------|-------|
| area or application | Environmental | Effect off ficaltif | or | value | Omt | 11016 |
| | compartment | | UI I | | | |
| | Environment - | | PNEC | 154 | mg/l | |
| | freshwater | | THE | 131 | 1115/1 | |
| | Environment - marine | | PNEC | 15,4 | mg/l | |
| | Environment - | | PNEC | 570,4 | mg/kg | |
| | sediment, freshwater | | | , | 8 8 | |
| | Environment - | | PNEC | 57,04 | mg/kg | |
| | sediment, marine | | | ŕ | | |
| | Environment - soil | | PNEC | 23,5 | mg/kg | |
| | Environment - water, | | PNEC | 1540 | mg/l | |
| | sporadic | | | | | |
| | (intermittent) release | | | | | |
| | Environment - | | PNEC | 100 | mg/l | |
| | sewage treatment | | | | | |
| | plant | | | | | |
| Consumer | Human - inhalation | Long term, local | DNEL | 50 | mg/m3 | |
| | | effects | | | | |
| Consumer | Human - inhalation | Short term, local | DNEL | 50 | mg/m3 | |
| | | effects | | | | |
| Consumer | Human - dermal | Short term, | DNEL | 8 | mg/kg | |
| | | systemic effects | | | body | |
| | | | | | weight/d | |
| ~ | | | 53757 | | ay | |
| Consumer | Human - inhalation | Short term, | DNEL | 50 | mg/m3 | |
| ~ | | systemic effects | 53757 | | - | |
| Consumer | Human - oral | Short term, | DNEL | 8 | mg/kg | |
| | | systemic effects | | | body | |
| | | | | | weight/d | |
| C | Human - dermal | T 4 | DNEL | 8 | ay | |
| Consumer | Human - dermai | Long term, | DNEL | 8 | mg/kg | |
| | | systemic effects | | | body | |
| | | | | | weight/d | |
| Consumer | Human - inhalation | Long term, | DNEL | 50 | ay mg/m3 | |
| Consumer | Truffian - Illifaration | systemic effects | DIVEL | 50 | mg/ms | |
| Consumer | Human - oral | Long term, | DNEL | 8 | mg/kg | |
| Consumer | Tuman - Orai | systemic effects | ואוועם | O | body | |
| | | systemic effects | | | weight/d | |
| | | | | | - | |
| | | I. | | | ay | |





Page 7 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml Art.: 9017046

| Workers / employees | Human - dermal | Short term, systemic effects | DNEL | 40 | mg/kg body weight/d ay | |
|---------------------|--------------------|---------------------------------|------|-----|---------------------------------|---|
| Workers / employees | Human - inhalation | Short term, systemic effects | DNEL | 260 | mg/m3 | |
| Workers / employees | Human - inhalation | Short term, local effects | DNEL | 260 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 40 | mg/kg body weight/d ay | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 260 | mg/m3 | _ |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 260 | mg/m3 | |

- WEL-TWA = Workplace Exposure Limit Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit Short-term exposure limit (15-minute reference period).
- (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.
- ** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.
- (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.





Page 8 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml Art.: 9017046

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Recommended

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Normally not necessary.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Paste, Solid

Colour: According to specification

Odour:

Odour threshold:

Odour threshold:

PH-value:

Not determined

Flash point:

S200 °C

Evaporation rate:

Not determined

Evaporation rate:

Flammability (solid, gas):

Lower explosive limit:

Not determined

Not determined





Page 9 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml

Art.: 9017046

Upper explosive limit:Not determinedVapour pressure:Not determinedVapour density (air = 1):Not determinedDensity:1,455 g/cm3

Bulk density: n.a.

Solubility(ies): Organic solvents

Water solubility: Insoluble Partition coefficient (n-octanol/water): n.a.

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Not determined

Not determined

Explosive properties: Product is not explosive.

Oxidising properties: No

9.2 Other information

Miscibility: Not determined
Fat solubility / solvent: Not determined
Conductivity: Not determined
Surface tension: Not determined

Solvents content: <2 % (Organic solvents)

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

None known

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification)

| rossibly more imormanc | ni on nearm | effects, see s | ection 2.1 (| Classification). | • | |
|-------------------------|-------------|----------------|--------------|------------------|-------------|--------|
| 4W Adhesive 290 ml | | | | | | |
| Art.: 9017046 | | | | | | |
| Toxicity / effect | Endpoi | Value | Unit | Organism | Test method | Notes |
| | nt | | | | | |
| Acute toxicity, by oral | | | | | | n.d.a. |
| route: | | | | | | |
| Acute toxicity, by | | | | | | n.d.a. |
| dermal route: | | | | | | |
| Acute toxicity, by | | | | | | n.d.a. |
| inhalation: | | | | | | |





Page 10 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

| Skin corrosion/irritation: | | n.d.a. |
|----------------------------|--|--------|
| Serious eye | | n.d.a. |
| damage/irritation: | | |
| Respiratory or skin | | n.d.a. |
| sensitisation: | | |
| Germ cell mutagenicity: | | n.d.a. |
| Carcinogenicity: | | n.d.a. |
| Reproductive toxicity: | | n.d.a. |
| Specific target organ | | n.d.a. |
| toxicity - single | | |
| exposure (STOT-SE): | | |
| Specific target organ | | n.d.a. |
| toxicity - repeated | | |
| exposure (STOT-RE): | | |
| Aspiration hazard: | | n.d.a. |
| Symptoms: | | n.d.a. |

| Toxicity / effect | Endpoi nt | Value | Unit | Organism | Test method | Notes |
|------------------------------------|--------------|-------|---------|-------------------------------|---|--|
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 425 (Acute Oral Toxicity - Up-and-Down Procedure) | |
| Acute toxicity, by dermal route: | LD50 | >5000 | mg/kg | Rabbit | , | |
| Acute toxicity, by inhalation: | LD50 | >6,8 | mg/l/4h | Rat | | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosio n) | Not irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosio n) | Not irritant, Mechanical irritation possible. |
| Respiratory or skin sensitisation: | | | | Mouse | OECD 429 (Skin Sensitisation - Local Lymph Node Assay) | Not sensitizising |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact) |
| Germ cell mutagenicity: | | | | Mouse | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative |
| Germ cell mutagenicity: | | | | Salmonella typhimuri um | (Ames-Test) | Negative |





Page 11 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

| Germ cell mutagenicity: | | | | | OECD 473 (In Vitro Mammalian Chromosome Aberration Test) | Negative |
|--|-------|------|-------------|-----|---|--|
| Germ cell mutagenicity: | | | | | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Reproductive toxicity (Developmental toxicity): | | | | Rat | OECD 414 (Prenatal Developmental Toxicity Study) | No indications of such an effect. |
| Specific target organ toxicity - single exposure (STOT-SE): | | | | | | Not irritant (respiratory tract). |
| Symptoms: | | | | | | mucous membrane irritation, coughing, respiratory distress, drying of the skin. |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 3500 | mg/kg/ d | Rat | | 90d |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEC | 10 | mg/m3 | Rat | | 90d |

| Calcium carbonate | | | | | | |
|----------------------------|--------|-------|---------|----------|---------------------|--------------|
| Toxicity / effect | Endpoi | Value | Unit | Organism | Test method | Notes |
| | nt | | | | | |
| Acute toxicity, by oral | LD50 | >2000 | mg/kg | Rat | OECD 420 (Acute | |
| route: | | | | | Oral toxicity - | |
| | | | | | Fixe Dose | |
| | | | | | Procedure) | |
| Acute toxicity, by | LD50 | >2000 | mg/kg | Rat | OECD 402 (Acute | |
| dermal route: | | | | | Dermal Toxicity) | |
| Acute toxicity, by | LC50 | >3 | mg/l/4h | Rat | OECD 403 (Acute | |
| inhalation: | | | | | Inhalation | |
| | | | | | Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute | Not irritant |
| | | | | | Dermal | |
| | | | | | Irritation/Corrosio | |
| | | | | | n) | |





Page 12 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

| C: | | | | D-1-1-14 | OECD 405 (At- | Not irritant |
|-------------------------|-------|------|---------|----------|---------------------|------------------|
| Serious eye | | | | Rabbit | OECD 405 (Acute | Not irritant |
| damage/irritation: | | | | | Eye | |
| | | | | | Irritation/Corrosio | |
| | | | | 3.6 | n) | N 7 / 1 · |
| Respiratory or skin | | | | Mouse | OECD 429 (Skin | No (skin |
| sensitisation: | | | | | Sensitisation - | contact) |
| | | | | | Local Lymph | |
| | | | | | Node Assay) | |
| Germ cell mutagenicity: | | | | | OECD 471 | Negative |
| | | | | | (Bacterial Reverse | |
| | | | | | Mutation Test) | |
| Germ cell mutagenicity: | | | | | OECD 473 (In | Negative |
| | | | | | Vitro Mammalian | |
| | | | | | Chromosome | |
| | | | | | Aberration Test) | |
| Germ cell mutagenicity: | | | | | OECD 476 (In | Negative |
| <i>U</i> | | | | | Vitro Mammalian | |
| | | | | | Cell Gene | |
| | | | | | Mutation Test) | |
| Carcinogenicity: | | | | | | No |
| | | | | | | indications |
| | | | | | | of such an |
| | | | | | | effect. |
| Reproductive toxicity: | NOEL | 1000 | mg/kg | Rat | OECD 422 | CIICCU. |
| reproductive territory. | 11022 | 1000 | bw/d | 14 | (Combined | |
| | | | 0 117 4 | | Repeated Dose | |
| | | | | | Tox. Study with | |
| | | | | | the | |
| | | | | | Reproduction/Dev | |
| | | | | | | |
| | | | | | elopm. Tox. | |
| Specific target organ | | | | | Screening Test) | No |
| | | | | | | indications |
| toxicity - single | | | | | | |
| exposure (STOT-SE): | | | | | | of such an |
| G | | | | | | effect. |
| Specific target organ | | | | | | No |
| toxicity - repeated | | | | | | indications |
| exposure (STOT-RE): | | | | | | of such an |
| | | | | | | effect. |
| Aspiration hazard: | 110: | 1000 | | | 0707 (11 | No |
| Specific target organ | NOAEL | 1000 | mg/kg | Rat | OECD 422 | |
| toxicity - repeated | | | bw/d | | (Combined | |
| exposure (STOT-RE), | | | | | Repeated Dose | |
| oral: | | | | | Tox. Study with | |
| | | | | | the | |
| | | | | | Reproduction/Dev | |
| | | | | | elopm. Tox. | |
| | | | | | Screening Test) | |





Page 13 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

| Specific target organ | NOAEC | 0,212 | mg/l | Rat | OECD 413 |
|-----------------------|-------|-------|------|-----|-------------------|
| toxicity - repeated | | | | | (Subchronic |
| exposure (STOT-RE), | | | | | Inhalation |
| inhalat.: | | | | | Toxicity - 90-Day |
| | | | | | Study) |

| Methanol | | | | | | |
|--------------------------|--------------|-------|----------|------------|--------------------------------|----------------|
| Toxicity / effect | Endpoi nt | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral | ATE | 300 | mg/kg | Human | | Experiences |
| route: | 1112 | 200 | 1115/115 | being | | on persons. |
| Acute toxicity, by | LD50 | 17100 | mg/kg | Rabbit | | Does not |
| dermal route: | | | | | | conform |
| | | | | | | with EU |
| | | | | | | classification |
| | | | | | | |
| Acute toxicity, by | LC50 | 85 | mg/l/4h | Rat | | Not relevant |
| inhalation: | | | | | | for |
| | | | | | | classification |
| | | | | | | ., Vapours |
| Serious eye | | | | Rabbit | OECD 405 (Acute | Not irritant |
| damage/irritation: | | | | | Eye | |
| | | | | | Irritation/Corrosio | |
| | | | | | n) | |
| Respiratory or skin | | | | Guinea pig | OECD 406 (Skin | No (skin |
| sensitisation: | | | | | Sensitisation) | contact) |
| Germ cell mutagenicity: | | | | Salmonella | OECD 471 | Negative |
| | | | | typhimuri | (Bacterial Reverse | |
| | | | | um | Mutation Test) | |
| Germ cell mutagenicity: | | | | Mouse | OECD 474 | Negative |
| | | | | | (Mammalian | |
| | | | | | Erythrocyte | |
| | | | | | Micronucleus | |
| G | | | | 3.6 | Test) | 37 |
| Carcinogenicity: | | | | Mouse | OECD 453 | Negative |
| | | | | | (Combined | |
| | | | | | Chronic | |
| | | | | | Toxicity/Carcinoge | |
| Dames du ativa taviaitus | NOAEL | 1,3 | | Mouse | nicity Studies) OECD 416 (Two- | |
| Reproductive toxicity: | NOAEL | 1,3 | mg/l | Mouse | generation | |
| | | | | | Reproduction | |
| | | | | | Toxicity Study) | |
| Specific target organ | NOAEL | 0,13 | mg/l | Rat | OECD 453 | |
| toxicity - repeated | NOALL | 0,13 | 111g/1 | rat | (Combined | |
| exposure (STOT-RE): | | | | | Chronic | |
| exposure (5101-RE). | | | | | Toxicity/Carcinoge | |
| | | | | | nicity Studies) | |





Page 14 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml Art.: 9017046

| Symptoms: | | abdominal |
|-----------|--|----------------|
| | | pain, |
| | | vomiting, |
| | | headaches, |
| | | gastrointestin |
| | | al |
| | | disturbances, |
| | | drowsiness, |
| | | visual |
| | | disturbances, |
| | | watering |
| | | eyes, |
| | | nausea, |
| | | mental |
| | | confusion, |
| | | intoxication, |
| | | dizziness |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| 4W Adhesive 290 r | nl | | | | | | |
|--------------------|----------|------|-------|------|----------|-------------|--------|
| Art.: 9017046 | | | | | | | |
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to | | | | | | | n.d.a. |
| fish: | | | | | | | |
| 12.1. Toxicity to | | | | | | | n.d.a. |
| daphnia: | | | | | | | |
| 12.1. Toxicity to | | | | | | | n.d.a. |
| algae: | | | | | | | |
| 12.2. Persistence | | | | | | | n.d.a. |
| and degradability: | | | | | | | |
| 12.3. | | | | | | | n.d.a. |
| Bioaccumulative | | | | | | | |
| potential: | | | | | | | |
| 12.4. Mobility in | | | | | | | n.d.a. |
| soil: | | | | | | | |
| 12.5. Results of | | | | | | | n.d.a. |
| PBT and vPvB | | | | | | | |
| assessment | | | | | | | |
| 12.6. Other | | | | | | | n.d.a. |
| adverse effects: | | | | | | | |





Page 15 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

| Other information: | | | | DOC- |
|--------------------|-----|-------|---|--------------|
| | | | | elimination |
| | | | | degree(comp |
| | | | | lexing |
| | | | | organic |
| | | | | substance)>= |
| | | | | 80%/28d: |
| | | | | n.a. |
| Other information: | AOX | 0,479 | % | |

| Titanium dioxide (| in powder for | m conta | ining 1 % | or more | of particles with | aerodynamic di | ameter <= 10 |
|--------------------|---------------|---------|-----------|---------|-------------------|----------------|---------------|
| μm) | | | | | | | |
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to | LC50 | 96h | >100 | mg/l | Oncorhynchus | OECD 203 | |
| fish: | | | | _ | mykiss | (Fish, Acute | |
| | | | | | | Toxicity Test) | |
| 12.1. Toxicity to | LC50 | 48h | >100 | mg/l | Daphnia | OECD 202 | |
| daphnia: | | | | _ | magna | (Daphnia sp. | |
| • | | | | | | Acute | |
| | | | | | | Immobilisatio | |
| | | | | | | n Test) | |
| 12.1. Toxicity to | EC50 | 72h | 16 | mg/l | Pseudokirchne | U.S. EPA- | |
| algae: | | | | | riella | 600/9-78-018 | |
| · · | | | | | subcapitata | | |
| 12.2. Persistence | | | | | • | | Not relevant |
| and degradability: | | | | | | | for inorganic |
| | | | | | | | substances. |
| 12.3. | BCF | 42d | 9,6 | | | | Not to be |
| Bioaccumulative | | | | | | | expected |
| potential: | | | | | | | • |
| 12.3. | BCF | 14d | 19- | | | | Oncorhynchi |
| Bioaccumulative | | | 352 | | | | s mykiss |
| potential: | | | | | | | - |
| 12.4. Mobility in | | | | | | | Negative |
| soil: | | | | | | | |
| 12.5. Results of | | | | | | | No PBT |
| PBT and vPvB | | | | | | | substance, |
| assessment | | | | | | | No vPvB |
| | | | | | | | substance |
| Toxicity to | | | >5000 | mg/l | Escherichia | | |
| bacteria: | | | | - | coli | | |
| Toxicity to | LC0 | 24h | >1000 | mg/l | Pseudomonas | | |
| bacteria: | | | 0 | | fluorescens | | |
| Toxicity to | NOEC/NO | | >1000 | mg/kg | Eisenia | | |
| annelids: | EL | | | | foetida | | |
| Water solubility: | | | | | | | Insoluble20° |
| - | | | | | | | C |

| Calcium carbonate | • | | | | | | |
|-------------------|----------|------|-------|------|----------|-------------|-------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |





Page 16 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml

Art.: 9017046

| 12.1. Toxicity to fish: | LC50 | 96h | | | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | No observation with saturated solution of test material. |
|--|---------------|-----|-------|------|----------------------------|--|---|
| 12.1. Toxicity to daphnia: | EC50 | 48h | | | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisatio n Test) | No observation with saturated solution of test material. |
| 12.1. Toxicity to algae: | EC50 | 72h | >14 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NO EL | 72h | 14 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | | | | | | Not relevant for inorganic substances. |
| 12.3. Bioaccumulative potential: | | | | | | | Not to be expected |
| 12.4. Mobility in soil: | | | | | | | n.a. |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Toxicity to bacteria: | EC50 | 3h | >1000 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |





Page 17 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

| Toxicity to | NOEC/NO | 3h | 1000 | mg/l | activated | OECD 209 | |
|-------------------|---------|------|--------|----------|-----------|---------------|---------------|
| bacteria: | EL | | | | sludge | (Activated | |
| | | | | | | Sludge, | |
| | | | | | | Respiration | |
| | | | | | | Inhibition | |
| | | | | | | Test (Carbon | |
| | | | | | | and | |
| | | | | | | Ammonium | |
| | | | | | | Oxidation)) | |
| Other organisms: | EC50 | 21d | >1000 | mg/kg | | OECD 208 | Glycine max |
| • | | | | dw | | (Terrestrial | |
| | | | | | | Plants, | |
| | | | | | | Growth Test) | |
| Other organisms: | EC50 | 21d | >1000 | mg/kg | | OECD 208 | Lycopersicon |
| o ther organisms. | 2000 | 210 | 7 1000 | dw | | (Terrestrial | esculentum |
| | | | | u '' | | Plants, | Cocarontain |
| | | | | | | Growth Test) | |
| Other organisms: | EC50 | 21d | >1000 | mg/kg | | OECD 208 | Avena sativa |
| Other organisms. | ECSO | 210 | >1000 | dw | | (Terrestrial | Avella sativa |
| | | | | uw | | 1 ' | |
| | | | | | | Plants, | |
| 0.1 | NOEGNO | 21.1 | 1000 | /1 | | Growth Test) | G1 : |
| Other organisms: | NOEC/NO | 21d | 1000 | mg/kg | | OECD 208 | Glycine max |
| | EL | | | dw | | (Terrestrial | |
| | | | | | | Plants, | |
| | | | | | | Growth Test) | |
| Other organisms: | NOEC/NO | 21d | 1000 | mg/kg | | OECD 208 | Lycopersicon |
| | EL | | | dw | | (Terrestrial | esculentum |
| | | | | | | Plants, | |
| | | | | | | Growth Test) | |
| Other organisms: | NOEC/NO | 21d | 1000 | mg/kg | | OECD 208 | Avena sativa |
| | EL | | | dw | | (Terrestrial | |
| | | | | | | Plants, | |
| | | | | | | Growth Test) | |
| Other organisms: | EC50 | 14d | >1000 | mg/kg | Eisenia | OECD 207 | |
| C | | | | dw | foetida | (Earthworm, | |
| | | | | | | Acute | |
| | | | | | | Toxicity | |
| | | | | | | Tests) | |
| Other organisms: | NOEC/NO | 14d | 1000 | mg/kg | Eisenia | OECD 207 | |
| onici organisms. | EL EL | 174 | 1000 | dw | foetida | (Earthworm, | |
| | LL | | | uw | 1001144 | Acute | |
| | | | | | | Toxicity | |
| | | | | | | | |
| Othor one - : ' | EC50 | 201 | > 1000 | ma ca /1 | | Tests) | |
| Other organisms: | EC50 | 28d | >1000 | mg/kg | | OECD 216 | |
| | | | | dw | | (Soil | |
| | | | | | | Microorganis | |
| | | | | | | ms - Nitrogen | |
| | | | | | | Transformatio | |
| | | | | | | n Test) | |





Page 18 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

| Other organisms: | NOEC/NO | 28d | 1000 | mg/kg | OECD 216 |
|-------------------|---------|-----|-------|-------|---------------|
| | EL | | | dw | (Soil |
| | | | | | Microorganis |
| | | | | | ms - Nitrogen |
| | | | | | Transformatio |
| | | | | | n Test) |
| Water solubility: | | | 0,016 | g/l | OECD 105 20°C |
| | | | 6 | | (Water |
| | | | | | Solubility) |

| Methanol | | | | | | | |
|--------------------|----------|------|-------|--------|---------------|---------------|--------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.5. Results of | | | | | | | No PBT |
| PBT and vPvB | | | | | | | substance, |
| assessment | | | | | | | No vPvB |
| | | | | | | | substance |
| 12.1. Toxicity to | LC50 | 96h | 15400 | mg/l | Lepomis | | EPA-660/3- |
| fish: | | | | | macrochirus | | 75-009 |
| 12.1. Toxicity to | EC50 | 96h | 18260 | mg/l | Daphnia | OECD 202 | |
| daphnia: | | | | | magna | (Daphnia sp. | |
| | | | | | | Acute | |
| | | | | | | Immobilisatio | |
| | | | | | | n Test) | |
| 12.1. Toxicity to | EC50 | 96h | 22000 | mg/l | Pseudokirchne | OECD 201 | |
| algae: | | | | | riella | (Alga, | |
| | | | | | subcapitata | Growth | |
| | | | | | | Inhibition | |
| | | | | | | Test) | |
| 12.2. Persistence | | 28d | 99 | % | | OECD 301 D | Readily |
| and degradability: | | | | | | (Ready | biodegradabl |
| | | | | | | Biodegradabil | e |
| | | | | | | ity - Closed | |
| 12.3. | BCF | | 28400 | | Chlorella | Bottle Test) | Not to be |
| Bioaccumulative | ВСР | | 28400 | | | | |
| potential: | | | | | vulgaris | | expected |
| Toxicity to | IC50 | 3h | >1000 | mg/l | activated | OECD 209 | |
| bacteria: | 1030 | 311 | /1000 | IIIg/I | sludge | (Activated | |
| bacteria. | | | | | stuage | Sludge, | |
| | | | | | | Respiration | |
| | | | | | | Inhibition | |
| | | | | | | Test (Carbon | |
| | | | | | | and | |
| | | | | | | Ammonium | |
| | | | | | | Oxidation)) | |
| Other information: | Log Pow | | -0,77 | | | | |
| Other information: | DOC | | <70 | % | | | |
| Other information: | BOD | | >60 | % | | | |





Page 19 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml Art.: 9017046

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

SECTION 14: Transport information

General statements

14.1. UN number:

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.LQ:n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a. 14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.



(B)

Page 20 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml Art.: 9017046

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): 1,44 %

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 2, 15

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H351 Suspected of causing cancer by inhalation.

Carc. — Carcinogenicity

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic



(GB

Page 21 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml Art.: 9017046

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community
ECHA European Chemicals Agency
EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

etc. et cetera EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

IUPACInternational Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

OECD Organisation for Economic Co-operation and Development

org. organic

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds





Page 22 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 26.05.2021 / 0011

Replacing version dated / version: 12.11.2020 / 0010

Valid from: 26.05.2021 PDF print date: 02.06.2021 4W Adhesive 290 ml Art.: 9017046

vPvB very persistent and very bioaccumulative

wwt weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.