

Page 1 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

4W ADHESIVE 580 ML

Art.: 9017047

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Adhesive sealant

Sector of use [SU]:

SU 0 - Other

SU 1 - Agriculture, forestry, fishery

SU19 - Building and construction work

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC 1 - Adhesives, sealants

Process category [PROC]:

PROC19 - Manual activities involving hand contact

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

(GB)

BTI Befestigungstechnik GmbH & Co. KG, Salzstr. 51, 74653 Ingelfingen, Germany

Phone: +49 7940 141 256, Fax: +49 7940 141 9256

Stefan.Haug@bti.de, www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (BRC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

EUH208-Contains Dioctylbis(pentane-2,4-dionato-O,O')tin. May produce an allergic reaction. EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 < 0.1 %).

SECTION 3: Composition/information on ingredients

3.1 Substance

n a

3.2 Mixture

Registration number (REACH)	
Index	-
EINECS, ELINCS, NLP	-
CAS	-
content %	
Classification according to Regulation (EC) 1272/2008	
(CLP)	

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wipe off residual product carefully with a soft, dry cloth.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

Never pour anything into the mouth of an unconscious person!

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.





Page 3 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Unsuitable extinguishing media

None

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Nitro gases

Hydrogen chloride

Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes or skin.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Prevent long-term skin contact.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities



Page 4 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store at room temperature.

Suitable container:

Plastic

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

© Chemical Name	Calcium carbo	onate			Content %:				
WEL-TWA: 4 mg/m3 (resp	oirable dust),	WEL-STEL:							
10 mg/m3 (total inhalable du	st)								
Monitoring procedures:									
BMGV:	:								
Chemical Name	Titanium diox	ide				Content %:			
©8 Chemical Name WEL-TWA: 10 mg/m3 (tot		ide WEL-STEL:				Content %:			
- Chemical Manie	tal inhalable					Content %:			
WEL-TWA: 10 mg/m3 (tot	tal inhalable					Content %:			

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

Calcium carbonate						
Area of application	Exposure route / Environmental compartment	al		Value	Unit	Note
	Environment - sewage treatment plant		PNEC	100	mg/l	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	10	mg/m3	
Consumer	Human - inhalation	Long term, local effects	DNEL	1,06	mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	10	mg/m3	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	4,26	mg/m3	



Page 5 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

Titanium dioxide						
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					
	Environment -		PNEC	0,127	mg/l	
	freshwater					
	Environment - marine		PNEC	1	mg/l	
	Environment - water,		PNEC	0,61	mg/l	
	sporadic				_	
	(intermittent) release					
	Environment -		PNEC	100	mg/l	
	sewage treatment					
	plant					
	Environment -		PNEC	1000	mg/kg	
	sediment, freshwater				dw	
	Environment -		PNEC	100	mg/kg	
	sediment, marine				dw	
	Environment - soil		PNEC	100	mg/kg	
					dw	
	Environment - oral		PNEC	1667	mg/kg	
	(animal feed)				feed	
Consumer	Human - oral	Long term,	DNEL	700	mg/kg	
		systemic effects				
Workers / employees	Human - inhalation	Long term, local	DNEL	10	mg/m3	
		effects			_	

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Recommended

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Normally not necessary.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).



Page 6 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Paste, Solid

Colour: According to specification

Odour: Slightly Odour threshold: Not determined pH-value: Not determined Melting point/freezing point: Not determined Initial boiling point and boiling range: Not determined Flash point: >200 °C Evaporation rate: Not determined Not determined Not determined

Flammability (solid, gas):

Lower explosive limit:

Upper explosive limit:

Vapour pressure:

Vapour density (air = 1):

Density:

Not determined

Not determined

Not determined

Not determined

1,455 g/cm3

Bulk density: n.a.

Solubility(ies): Organic solvents
Water solubility: Insoluble
Partition coefficient (n-octanol/water): n.a.

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Not determined

Not determined

Explosive properties: Product is not explosive.

Oxidising properties: No

9.2 Other information





Page 7 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

Miscibility: Not determined
Fat solubility / solvent: Not determined
Conductivity: Not determined
Surface tension: Not determined

Solvents content: <2 % (Organic solvents)

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

None known

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

4W ADHESIVE 580 ML	,					
Art.: 9017047						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
-	nt					
Acute toxicity, by oral						n.d.a.
route:						
Acute toxicity, by						n.d.a.
dermal route:						
Acute toxicity, by						n.d.a.
inhalation:						
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ						n.d.a.
toxicity - single						
exposure (STOT-SE):						
Specific target organ						n.d.a.
toxicity - repeated						
exposure (STOT-RE):						



Page 8 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Aspiration hazard:			n.d.a.
Symptoms:			n.d.a.

Calcium carbonate	Endnoi	Volue	Tim:4	Ongoniana	Tost mothed	Notes
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral	LD50	>2000	mg/kg	Rat	OECD 420 (Acute	
route:	LD30	>2000	IIIg/Kg	Kat	Oral toxicity -	
Toute.					Fixe Dose	
					Procedure)	
A outo tovioity, by	LD50	>2000	ma/lra	Rat	OECD 402 (Acute	
Acute toxicity, by dermal route:	LD30	>2000	mg/kg	Kat	Dermal Toxicity)	
Acute toxicity, by	LC50	>3	mg/l/4h	Rat	OECD 403 (Acute	
inhalation:	LC30	/3	111g/1/411	Kat	Inhalation	
iiiiaiatioii.					Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
Skiii Colfosioli/Illitatioli.				Kabbit	Dermal	Not iiiitaiit
					Irritation/Corrosio	
					n)	
Serious eye				Rabbit	OECD 405 (Acute	Not irritant
damage/irritation:				Kabbit	Eye	1 TOU IIII and
damage/irritation.					Irritation/Corrosio	
					n)	
Respiratory or skin				Mouse	OECD 429 (Skin	Not
sensitisation:				Wiouse	Sensitisation -	sensitizising
sensitisation.					Local Lymph	Schsitizishig
					Node Assay)	
Germ cell mutagenicity:					OECD 471	Negative
com con management,					(Bacterial Reverse	1 (oguer vo
					Mutation Test)	
Germ cell mutagenicity:					OECD 473 (In	Negative
					Vitro Mammalian	- Negara
					Chromosome	
					Aberration Test)	
Germ cell mutagenicity:					OECD 476 (In	Negative
					Vitro Mammalian	
					Cell Gene	
					Mutation Test)	
Carcinogenicity:					,	No
-						indications
						of such an
						effect.
Reproductive toxicity:	NOEL	1000	mg/kg	Rat	OECD 422	
			bw/d		(Combined	
					Repeated Dose	
					Tox. Study with	
					the	
					Reproduction/Dev	
					elopm. Tox.	
					Screening Test)	



Page 9 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Specific target organ						No
toxicity - single						indications of such an
exposure (STOT-SE):						effect.
Specific target organ						No
toxicity - repeated						indications
exposure (STOT-RE):						of such an
exposure (STOT-RE).						effect.
A aminotion horondi						No
Aspiration hazard:						
Symptoms:						No · · · ·
						indications
						of such an
G 13	110 1 77	1000		_	0.000 400	effect.
Specific target organ	NOAEL	1000	mg/kg	Rat	OECD 422	
toxicity - repeated			bw/d		(Combined	
exposure (STOT-RE),					Repeated Dose	
oral:					Tox. Study with	
					the	
					Reproduction/Dev	
					elopm. Tox.	
					Screening Test)	
Specific target organ	NOAEC	0,212	mg/l	Rat	OECD 413	
toxicity - repeated					(Subchronic	
exposure (STOT-RE),					Inhalation	
inhalat.:					Toxicity - 90-Day	
					Study)	

Titanium dioxide						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	>5000	mg/kg	Rat	OECD 425 (Acute	
route:					Oral Toxicity - Up-	
					and-Down	
					Procedure)	
Acute toxicity, by	LD50	>5000	mg/kg	Rabbit		
dermal route:						
Acute toxicity, by	LD50	>6,8	mg/l/4h	Rat		
inhalation:						
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosio	
					n)	
Serious eye					OECD 405 (Acute	Not irritant,
damage/irritation:					Eye	Mechanical
					Irritation/Corrosio	irritation
					n)	possible.
Respiratory or skin				Mouse	OECD 429 (Skin	Not
sensitisation:					Sensitisation -	sensitizising
					Local Lymph	
					Node Assay)	



Page 10 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Not sensitizising
Germ cell mutagenicity:				Salmonella typhimuri um	(Ames-Test)	Negative
Specific target organ toxicity - single exposure (STOT-SE):						Not irritant (respiratory tract).
Symptoms:						mucous membrane irritation
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	3500	mg/kg/ d	Rat		90d
Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	NOAEC	10	mg/m3	Rat		90 d

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

4W ADHESIVE 580 ML									
Art.: 9017047									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
12.1. Toxicity to							n.d.a.		
fish:									
12.1. Toxicity to							n.d.a.		
daphnia:									
12.1. Toxicity to							n.d.a.		
algae:									
12.2. Persistence							n.d.a.		
and degradability:									
12.3.							n.d.a.		
Bioaccumulative									
potential:									
12.4. Mobility in							n.d.a.		
soil:									
12.5. Results of							n.d.a.		
PBT and vPvB									
assessment									
12.6. Other							n.d.a.		
adverse effects:									



Page 11 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Other information:					DOC-
					elimination
					degree(comp
					lexing
					organic
					substance)>=
					80%/28d:
					n.a.
Other information:	AOX	0,479	%		

Calcium carbonate	9						
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h			Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	No observation with saturated solution of test material.
12.1. Toxicity to daphnia:	EC50	48h			Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisatio n Test)	No observation with saturated solution of test material.
12.1. Toxicity to algae:	EC50	72h	>14	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NO EL	72h	14	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:						,	Not relevant for inorganic substances.
12.3. Bioaccumulative potential:							Not to be expected
12.4. Mobility in soil:							n.a.
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance



Page 12 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Toxicity to bacteria:	EC50	3h	>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and	
Toxicity to bacteria:	NOEC/NO EL	3h	1000	mg/l	activated sludge	Ammonium Oxidation)) OECD 209 (Activated Sludge, Respiration Inhibition	
Toxicity to	EC50	3h	>1000	mg/l	activated	Test (Carbon and Ammonium Oxidation)) OECD 209	
bacteria:					sludge	(Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Toxicity to bacteria:	NOEC/NO EL	3h	1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Other organisms:	EC50	21d	>1000	mg/kg dw		OECD 208 (Terrestrial Plants, Growth Test)	Glycine max
Other organisms:	EC50	21d	>1000	mg/kg dw		OECD 208 (Terrestrial Plants, Growth Test)	Lycopersicon esculentum
Other organisms:	EC50	21d	>1000	mg/kg dw		OECD 208 (Terrestrial Plants, Growth Test)	Avena sativa



Page 13 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Other organisms:	NOEC/NO	21d	1000	mg/kg		OECD 208	Glycine max
Other organisms.	EL EL	21u	1000	dw		(Terrestrial	Grycine max
	LL			uw		Plants,	
						Growth Test)	
Other exemisms.	NOEC/NO	21d	1000	ma a /1ra		OECD 208	Lynnamaniana
Other organisms:	NOEC/NO	210	1000	mg/kg			Lycopersicon
	EL			dw		(Terrestrial	esculentum
						Plants,	
	11056010	24.1	1000			Growth Test)	
Other organisms:	NOEC/NO	21d	1000	mg/kg		OECD 208	Avena sativa
	EL			dw		(Terrestrial	
						Plants,	
						Growth Test)	
Other organisms:	NOEC/NO	21d	1000	mg/kg		OECD 208	Glycine max
	EL			dw		(Terrestrial	
						Plants,	
						Growth Test)	
Other organisms:	NOEC/NO	21d	1000	mg/kg		OECD 208	Lycopersicon
	EL			dw		(Terrestrial	esculentum
						Plants,	
						Growth Test)	
Other organisms:	NOEC/NO	21d	1000	mg/kg		OECD 208	Avena sativa
8	EL			dw		(Terrestrial	
						Plants,	
						Growth Test)	
Other organisms:	EC50	14d	>1000	mg/kg	Eisenia	OECD 207	
outer organisms.	2030	1.0	7 1000	dw	foetida	(Earthworm,	
				a vv	Toetida	Acute	
						Toxicity	
						Tests)	
Other organisms:	NOEC/NO	14d	1000	mg/kg	Eisenia	OECD 207	
Other organisms.	EL EL	140	1000	dw	foetida	(Earthworm,	
	LL			uw	Toetiua	Acute	
						Toxicity	
Other encomismes	EC50	28d	>1000	ma a /1ra		Tests) OECD 216	
Other organisms:	EC30	28u	>1000	mg/kg			
				dw		(Soil	
						Microorganis	
						ms - Nitrogen	
						Transformatio	
						n Test)	
Other organisms:	NOEC/NO	28d	1000	mg/kg		OECD 216	
	EL			dw		(Soil	
						Microorganis	
						ms - Nitrogen	
						Transformatio	
						n Test)	
Water solubility:			0,016	g/l		OECD 105	
			6			(Water	
						Solubility)	



Page 14 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Water solubility:	0,016	g/l	OECD 105	20°C
	6		(Water	
			Solubility)	

Titanium dioxide							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	>100	mg/l	Oncorhynchus	OECD 203	
fish:					mykiss	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	LC50	48h	>100	mg/l	Daphnia	OECD 202	
daphnia:					magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	EC50	72h	16	mg/l	Pseudokirchne	U.S. EPA-	
algae:					riella	600/9-78-018	
					subcapitata		
12.2. Persistence							Not readily
and degradability:							biodegradabl
							e
12.3.	BCF	42d	9,6				No
Bioaccumulative							
potential:							
12.3.							No
Bioaccumulative							
potential:							
12.4. Mobility in							Negative
soil:							
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance
Toxicity to	LC0	24h	>1000	mg/l	Pseudomonas		
bacteria:			0		fluorescens		
Toxicity to			>5000	mg/l	Pseudomonas		
bacteria:					fluorescens		
Toxicity to			>5000	mg/l	Escherichia		
bacteria:					coli		
Toxicity to			>5000	mg/l	Pseudomonas		
bacteria:					fluorescens		
Toxicity to			>5000	mg/l	Escherichia		
bacteria:			100		coli		
Toxicity to	NOEC/NO		>1000	mg/kg	Eisenia		
annelids:	EL				foetida		
Water solubility:							Insoluble
							20°C





Page 15 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

SECTION 14: Transport information

General statements

14.1. UN number:	n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.LQ (ADR 2015):n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a. 14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.



(GB)

Page 16 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling see Section 2.

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): 0,719 %

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 2, 3, 8, 11, 12, 15

Classification and processes used to derive the classification of the mixture in accordance with the ordinance $(EG)\ 1272/2008\ (CLP)$:

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Any abbreviations and acronyms used in this document:

AC Article Categories

acc., acc. to according, according to

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)

BMGVBiological monitoring guidance value (EH40, UK)

BOD Biochemical oxygen demand

BSEF Bromine Science and Environmental Forum

bw body weight

CAS Chemical Abstracts Service

CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids

CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques

CIPAC Collaborative International Pesticides Analytical Council



(GB)

Page 17 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

COD Chemical oxygen demand

CTFA Cosmetic, Toiletry, and Fragrance Association

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

DT50 Dwell Time - 50% reduction of start concentration

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community

ECHA European Chemicals Agency

EEA European Economic Area

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

ES Exposure scenario

etc. et cetera

EU European Union

EWC European Waste Catalogue

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

HET-CAM Hen's Egg Test - Chorionallantoic Membrane

HGWPHalocarbon Global Warming Potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC Intermediate Bulk Container

IBC (Code) International Bulk Chemical (Code)

IC Inhibitory concentration

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform ChemicaL Information Database

LC lethal concentration

LC50 lethal concentration 50 percent kill

LCLo lowest published lethal concentration

LD Lethal Dose of a chemical

LD50 Lethal Dose, 50% kill

LDLo Lethal Dose Low

LOAEL Lowest Observed Adverse Effect Level

LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships



(GB)

Page 18 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.09.2016 / 0009

Replacing version dated / version: 28.01.2016 / 0008

Valid from: 02.09.2016 PDF print date: 05.09.2016 4W ADHESIVE 580 ML

Art.: 9017047

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSH National Institute of Occupational Safety and Health (United States of America)

NOAEC No Observed Adverse Effective Concentration

NOAEL No Observed Adverse Effect Level

NOEC No Observed Effect Concentration

NOEL No Observed Effect Level ODP Ozone Depletion Potential

OECD Organisation for Economic Co-operation and Development

org. organic

PAH polycyclic aromatic hydrocarbon PBT persistent, bioaccumulative and toxic

PC Chemical product category

PE Polyethylene

PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential

ppm parts per million PROC Process category PTFE Polytetrafluorethylene

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SU Sector of use

SVHC Substances of Very High Concern

Tel. Telephone

ThOD Theoretical oxygen demand

TOC Total organic carbon

TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).

WHO World Health Organization

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.