



Page 1 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

windscreen cleaner summer 250 ML

Art.: 9017338

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Glass cleaner

Sector of use [SU]:

SU 0 - Other

SU 1 - Agriculture, forestry, fishery

SU19 - Building and construction work

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC35 - Washing and cleaning products

Process category [PROC]:

PROC11 - Non industrial spraying

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet



BTI Befestigungstechnik GmbH & Co. KG, Salzstr. 51, 74653 Ingelfingen, Germany Phone:+49 7940 141 141, Fax:+49 7940 141 9141

info@bti.de, www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (BRC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class	Hazard category	Hazard statement
Skin Irrit.	2	H315-Causes skin irritation.
Eye Dam.	1	H318-Causes serious eye damage.
Skin Sens.	1	H317-May cause an allergic skin reaction.





Page 2 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



H315-Causes skin irritation. H318-Causes serious eye damage. H317-May cause an allergic skin reaction.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P261-Avoid breathing vapours or spray. P280-Wear protective gloves / eye protection / face protection. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor. P333+P313-If skin irritation or rash occurs: Get medical advice / attention.

P501-Dispose of contents / container to an approved waste disposal facility.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts Sulfonic acids, C14-17-sec-alkane, sodium salts 2-methylisothiazol-3(2H)-one

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

Anionic surfactants Nonionic surfactants

Aromatics Dves

3.1 Substance

n.a.

3.2 Mixture

3.2 WIXLUIE			
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Substance with specific conc. limit(s) acc. to		
	REACh-registration		
Registration number (REACH)	01-2119488639-16-XXXX		
Index			
EINECS, ELINCS, NLP	500-234-8 (NLP)		
CAS	68891-38-3		





Page 3 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

content %	10-<20
Classification according to Regulation (EC) 1272/2008	Skin Irrit. 2, H315
(CLP)	Eye Dam. 1, H318
	Aquatic Chronic 3, H412

Sulfonic acids, C14-17-sec-alkane, sodium salts	Substance with specific conc. limit(s) acc. to
	REACh-registration
Registration number (REACH)	01-2119489924-20-XXXX
Index	
EINECS, ELINCS, NLP	307-055-2
CAS	97489-15-1
content %	1-<10
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP)	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Aquatic Chronic 3, H412

Bronopol (INN)	
Registration number (REACH)	
Index	603-085-00-8
EINECS, ELINCS, NLP	200-143-0
CAS	52-51-7
content %	0,01-<1
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H312
(CLP)	Acute Tox. 4, H302
	STOT SE 3, H335
	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Aquatic Acute 1, H400 (M=10)

2-methylisothiazol-3(2H)-one	
Registration number (REACH)	
Index	613-326-00-9
EINECS, ELINCS, NLP	220-239-6
CAS	2682-20-4
content %	0,0015-<0,01
Classification according to Regulation (EC) 1272/2008	Acute Tox. 3, H301
(CLP)	Acute Tox. 3, H311
	Skin Corr. 1B, H314
	Skin Sens. 1A, H317
	Eye Dam. 1, H318
	Acute Tox. 2, H330
	Aquatic Acute 1, H400 (M=10)
	Aquatic Chronic 1, H410 (M=1)

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.





Page 4 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Not required.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink. Consult doctor if necessary.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

The following may occur:

Irritation of the eyes

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Unsuitable extinguishing media

None

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of sulphur

Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.





Page 5 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

Diluting with water is possible.

Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store at room temperature.

Protect from frost.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Alcohols, C12-14, ethoxylated, sulfates, sodium salts											
Area of application	Exposure route /	Exposure route / Effect on health Descript Value Unit Note									
	Environmental		or								
	compartment										
	Environment -		PNEC	0,24	mg/l						
	freshwater										
	Environment -		PNEC	0,13	mg/l						
	periodic release										





Page 6 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

	Environment - marine		PNEC	0,024	mg/l
	Environment -		PNEC	5,45	mg/kg
	sediment, freshwater				dry
					weight
	Environment -		PNEC	0,545	mg/kg
	sediment, marine				dry
					weight
	Environment -		PNEC	10000	mg/l
	sewage treatment				
	plant				
	Environment - soil		PNEC	0,946	mg/kg
					dry
					weight
	Environment -		PNEC	0,071	mg/l
	sporadic				
	(intermittent) release				
	Environment -	Short term	PNEC	0,917	mg/kg
	sediment, freshwater				
	Environment -	Short term	PNEC	0,092	mg/kg
	sediment, marine				
	Environment - soil	Short term	PNEC	7,5	mg/kg
Consumer	Human - dermal	Long term, local	DNEL	0,079	mg/cm2
		effects			
Consumer	Human - oral	Long term,	DNEL	15	mg/kg
		systemic effects			bw/day
Consumer	Human - dermal	Long term,	DNEL	1650	mg/kg
		systemic effects			bw/day
Consumer	Human - inhalation	Long term,	DNEL	52	mg/m3
		systemic effects			
Workers / employees	Human - dermal	Long term,	DNEL	2750	mg/kg
		systemic effects			bw/day
Workers / employees	Human - inhalation	Long term,	DNEL	175	mg/m3
		systemic effects			
Workers / employees	Human - dermal	Long term, local	DNEL	0,132	mg/cm2
		effects			

Sulfonic acids, C14-17-sec-alkane, sodium salts							
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note	
	Environmental		or				
	compartment						
	Environment -		PNEC	0,04	mg/l		
	freshwater						
	Environment - marine		PNEC	0,004	mg/l		
	Environment - water,		PNEC	0,06	mg/l		
	sporadic						
	(intermittent) release						
	Environment -		PNEC	9,4	mg/kg		
	sediment, freshwater				dw		
	Environment -		PNEC	0,94	mg/kg		
	sediment, marine				dw		





Page 7 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

	Environment - soil		PNEC	9,4	mg/kg dw
	Environment - sewage treatment plant		PNEC	600	mg/l
	Environment - oral (animal feed)		PNEC	53,3	mg/kg feed
	Environment - periodic release		DNEL	0	mg/kg
Consumer	Human - dermal	Long term, systemic effects	DNEL	3,57	mg/kg bw/d
Consumer	Human - inhalation	Long term, systemic effects	DNEL	12,4	mg/m3
Consumer	Human - oral	Long term, systemic effects	DNEL	7,1	mg/kg bw/d
Consumer	Human - dermal	Short term, local effects	DNEL	2,8	mg/cm2
Consumer	Human - dermal	Long term, local effects	DNEL	2,8	mg/cm2
Workers / employees	Human - dermal	Short term, local effects	DNEL	2,8	mg/cm2
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	5	mg/kg bw/d
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	35	mg/m3
Workers / employees	Human - dermal	Long term, local effects	DNEL	2,8	mg/cm2

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection:

Recommended

If applicable

Protective gloves in butyl rubber (EN 374).

Protective nitrile gloves (EN 374).

Minimum layer thickness in mm:





Page 8 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

>=0.4

Permeation time (penetration time) in minutes:

>=480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid
Colour: Orange
Odour: Fruity

Odour threshold: Not determined

pH-value: 6,6

Melting point/freezing point:

Not determined

Initial boiling point and boiling range: 100 °C Flash point: n.a.

Evaporation rate: Not determined

Flammability (solid, gas):

Lower explosive limit:

upper explosive limit:

n.a.

n.a.

Vapour pressure: 23 mbar (20°C) Vapour density (air = 1): Not determined





Page 9 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

Density: 1,03 g/cm3
Bulk density: n.a.

Solubility(ies):
Water solubility:
Partition coefficient (n-octanol/water):
Not determined
Not determined

Auto-ignition temperature: No

Decomposition temperature: Not determined

Viscosity: 11 s (20°C, ISO 2431 (4 mm)) Explosive properties: Product is not explosive.

Oxidising properties: N

9.2 Other information

Miscibility: Not determined
Fat solubility / solvent: Not determined
Conductivity: Not determined
Surface tension: Not determined
Solvents content: Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

windscreen cleaner summer 250 ML								
Art.: 9017338								
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes		
	nt							
Acute toxicity, by oral	ATE	>2000	mg/kg			calculated		
route:						value		
Acute toxicity, by						n.d.a.		
dermal route:								
Acute toxicity, by						n.d.a.		
inhalation:								





Page 10 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Skin corrosion/irritation:			According
			to the expert
			opinions
			(trustee-
			appraiser
			model /
			AISE), not
			to be
			classified as
			eye or skin
			irritating.DP
			D
Serious eye			According
damage/irritation:			to the expert
			opinions
			(trustee-
			appraiser
			model /
			AISE), not
			to be
			classified as
			eye or skin
			irritating.DP
			D
Respiratory or skin			n.d.a.
sensitisation:			
Germ cell mutagenicity:			n.d.a.
Carcinogenicity:			n.d.a.
Reproductive toxicity:			n.d.a.
Specific target organ			n.d.a.
toxicity - single			
exposure (STOT-SE):			
Specific target organ			n.d.a.
toxicity - repeated			
exposure (STOT-RE):			
Aspiration hazard:			n.d.a.
Symptoms:			n.d.a.
Other information:			Classificatio
outer information.			n according
			to
			calculation
			procedure.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts									
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes			
	nt								
Acute toxicity, by oral	LD50	4100	mg/kg	Rat	OECD 401 (Acute				
route:					Oral Toxicity)				
Acute toxicity, by	LD50	>2000	mg/kg	Rat	OECD 402 (Acute				
dermal route:					Dermal Toxicity)				





Page 11 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal	Irritant
					Irritation/Corrosio	
Serious eye				Rabbit	n) OECD 405 (Acute	Risk of
damage/irritation:				Kabbit	Eye	serious
damage/irritation.					Irritation/Corrosio	damage to
					n)	eyes.
Serious eye		>=10	%		11)	Eye Dam. 1
damage/irritation:		, 10	/ •			2,02
Serious eye		>=5	%			Eye Irrit. 2
damage/irritation:						
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not
sensitisation:					Sensitisation)	sensitizising
Germ cell mutagenicity:					OECD 471	Negative
					(Bacterial Reverse	
					Mutation Test)	
Germ cell mutagenicity:					OECD 475	Negative
					(Mammalian Bone	_
					Marrow	
					Chromosome	
					Aberration Test)	
Germ cell mutagenicity:					OECD 476 (In	Negative
					Vitro Mammalian	
					Cell Gene	
					Mutation Test)	
Reproductive toxicity:	NOAEL	>1000	mg/kg	Rat	OECD 414	Negative,
					(Prenatal	References
					Developmental	
					Toxicity Study)	
Reproductive toxicity:	NOAEL	>300	mg/kg	Rat	OECD 416 (Two-	Negative,
					generation	References
					Reproduction	
					Toxicity Study)	
Aspiration hazard:						No
Symptoms:						mucous
						membrane
						irritation
Specific target organ	NOAEL	>225	mg/kg	Rat	OECD 408	Target
toxicity - repeated					(Repeated Dose	organ(s):
exposure (STOT-RE),					90-Day Oral	liver,
oral:					Toxicity Study in	References
					Rodents)	

Sulfonic acids, C14-17-sec-alkane, sodium salts										
Toxicity / effect Endpoi Value Unit Organism Test method										
	nt									
Acute toxicity, by oral	LD50	>500-2000	mg/kg	Rat	OECD 401 (Acute					
route:					Oral Toxicity)					
Acute toxicity, by	LD50	>2000	mg/kg	Mouse		Analogous				
dermal route:						conclusion				





Page 12 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Skin corrosion/irritation:			Rabbit	OECD 404 (Acute	Skin Irrit. 2
				Dermal	
				Irritation/Corrosio	
				n)	
Serious eye			Rabbit	OECD 405 (Acute	Eye Dam. 1
damage/irritation:				Eye	
				Irritation/Corrosio	
				n)	
Serious eye	>10	%			Eye Irrit. 2
damage/irritation:					-
Serious eye	>15	%			Eye Dam. 1
damage/irritation:					-
Respiratory or skin			Guinea pig	OECD 406 (Skin	No (skin
sensitisation:				Sensitisation)	contact)
Germ cell mutagenicity:					No
					indications
					of such an
					effect.
Carcinogenicity:			Rat		No
					indications
					of such an
					effect.
Reproductive toxicity:	200	mg/kg	Rat		No
-					indications
					of such an
					effect.
Aspiration hazard:					No

Bronopol (INN)									
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes			
Acute toxicity, by oral route:	LD50	305	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	data of a diluted aequous solution			
Acute toxicity, by dermal route:	LD50	1600	mg/kg	Rat					
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosio n)	Irritant			
Serious eye damage/irritation:				Rabbit	(Draize-Test)	Risk of serious damage to eyes.			
Specific target organ toxicity - single exposure (STOT-SE):						May cause respiratory irritation.			





Page 13 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

Symptoms:		eyes, reddened, drowsiness, coughing, mucous membrane
		irritation,
		nausea and vomiting.

Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
•	nt			G		
Acute toxicity, by oral	LD50	183	mg/kg	Rat		
route:						
Acute toxicity, by	LD50	242	mg/kg	Rat	OECD 402 (Acute	
dermal route:					Dermal Toxicity)	
Acute toxicity, by	LD50	0,11	mg/l/4h	Rat	OECD 403 (Acute	Aerosol
inhalation:					Inhalation	
					Toxicity)	
Skin corrosion/irritation:						Corrosive
Serious eye						Risk of
damage/irritation:						serious
						damage to
						eyes.
Respiratory or skin						Sensitising
sensitisation:						(skin
						contact)

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

windscreen cleaner summer 250 ML									
Art.: 9017338									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
12.1. Toxicity to							n.d.a.		
fish:									
12.1. Toxicity to							n.d.a.		
daphnia:									
12.1. Toxicity to							n.d.a.		
algae:									





Page 14 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

12.2. Persistence			The
			The
and degradability:			surfactant(s)
			contained in
			this mixture
			complies(co
			mply) with
			the
			biodegradabi
			lity criteria
			as laid down
			in
			Regulation
			(EC)
			No.648/2004
			on
			detergents.
			Data to
			support this
			assertion are
			held at the
			disposal of
			the
			competent
			authorities
			of the
			Member
			States and
			will be made
			available to
			them, at
			their direct
			request or at
			the request
			of a
			detergent
			manufacturer
12.3.			n.d.a.
Bioaccumulative			
potential:			
12.4. Mobility in			n.d.a.
12.4. MIOUIIII III			n.u.a.
soil:			1
12.5. Results of			n.d.a.
PBT and vPvB			
assessment			
12.6. Other			n.d.a.
adverse effects:			
Other information:			According
			to the recipe,
			contains no
			AOX.
			110/1.





Page 15 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Alcohols, C12-14, 6 Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and degradability:	DOC	28d	100	%	activated sludge	Regulation (EC) 440/2008 C.4-	Readily biodegradable
						(DETERMIN ATION OF 'READY' BIODEGRAD ABILITY -	
						CO2 EVOLUTION TEST)	
12.1. Toxicity to fish:	NOEC/NO EL	28d	0,2	mg/l	Oncorhynchus mykiss	OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study)	
12.1. Toxicity to fish:	LC50	96h	7,1	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	NOEC/NO EL	21d	0,27	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to daphnia:	EC50	48h	7,2	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisatio n Test)	
12.1. Toxicity to algae:	NOEC/NO EL	96h	0,95	mg/l		OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	EC50	72h	2,6	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	95	%		OECD 301 E (Ready Biodegradabil ity - Modified OECD Screening Test)	Readily biodegradab e





Page 16 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

12.2. Persistence		28d	>70	%		OECD 301 A	Readily
and degradability:						(Ready	biodegradabl
						Biodegradabil	e
						ity - DOC	
						Die-Away	
						Test)	
12.3.	BCF		-1,38				Low
Bioaccumulative							
potential:							
12.4. Mobility in	Koc		191				calculated
soil:							value
12.5. Results of							No PBT
PBT and vPvB							substance
assessment							
Toxicity to	EC50	16h	>10	g/l	Pseudomonas	DIN 38412	
bacteria:					putida	T.8	

Sulfonic acids, C14	l-17-sec-alkan	e, sodiui	m salts				
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	1 -10	mg/l	Brachydanio	OECD 203	
fish:					rerio	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	NOEC/NO	28d	0,85	mg/l	Oncorhynchus	OECD 204	
fish:	EL				mykiss	(Fish,	
						Prolonged	
						Toxicity Test	
						- 14-Day	
						Study)	
12.1. Toxicity to	NOEC/NO	22d	0,36	mg/l	Daphnia	OECD 202	
daphnia:	EL				magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	EC50	48h	9,81	mg/l	Daphnia	OECD 202	
daphnia:					magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
10.1 m	EGEO	701		/1	0 1	n Test)	
12.1. Toxicity to	EC50	72h	>61	mg/l	Scenedesmus	OECD 201	
algae:					subspicatus	(Alga,	
						Growth	
						Inhibition	
12.2. Persistence		28d	06.2	%	activated	Test) OECD 304 A	Doodily
		28a	96,2	//0			Readily
and degradability:					sludge	(Inherent	biodegradabl
						Biodegradabil	e
						ity in Soil)	





Page 17 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

12.2. Persistence and degradability:		28d	78	%	activated sludge	OECD 301 B (Ready Biodegradabil ity - Co2 Evolution Test)	Readily biodegradabl e
12.2. Persistence and degradability:		28d	89	%	activated sludge	OECD 301 E (Ready Biodegradabil ity - Modified OECD Screening Test)	Readily biodegradabl e
12.3. Bioaccumulative potential:							Not accepted due to the log Pow - value.
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	NOEC/NO EL	16h	600	mg/l	Pseudomonas putida	DIN 38412 T.8	
Other organisms:	NOEC/NO EL	56d	470	mg/kg	Eisenia foetida	OECD 222 (Earthworm Reproduction Test (Eisenia fetida/Eisenia andrei))	

Bronopol (INN)							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	35,7	mg/l	Lepomis		
fish:					macrochirus		
12.1. Toxicity to	LC50	96h	41,2	mg/l	Oncorhynchus		
fish:					mykiss		
12.1. Toxicity to	EC50	48h	1,4	mg/l	Daphnia		
daphnia:					magna		
12.1. Toxicity to	EC50	72h	0,4 -	mg/l	Pseudokirchne		
algae:			2,8		riella		
					subcapitata		
12.2. Persistence	DOC		50	%		ISO 9888	Biodegradabl
and degradability:							e
12.3.	Log Pow		0,18				Not
Bioaccumulative							accepted due
potential:							to the log
							Pow - value.
Toxicity to	EC50	16h	>50	mg/l	Pseudomonas		
bacteria:					putida		

2-methylisothiazol-3(2H)-one





Page 18 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence		28d	0,32	%		OECD 301 B	Not readily
and degradability:						(Ready	biodegradabl
						Biodegradabil	e
						ity - Co2	
						Evolution	
						Test)	
12.1. Toxicity to	LC50	96h	4,77-6	mg/l	Oncorhynchus		
fish:					mykiss		
12.1. Toxicity to	NOEC/NO	21d	0,044	mg/l	Daphnia		
daphnia:	EL		2		magna		
12.1. Toxicity to	EC50	48h	0,359	mg/l	Daphnia	OECD 202	
daphnia:					magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	EC50	72h	0,138	mg/l			
algae:							
12.1. Toxicity to	NOEC/NO	120h	0,05	mg/l	Pseudokirchne	OECD 201	
algae:	EL				riella	(Alga,	
					subcapitata	Growth	
						Inhibition	
						Test)	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

15 01 10 packaging containing residues of or contaminated by hazardous substances

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Recommended cleaner:

Water





Page 19 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

General statements

14.1. UN number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.LO:n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a. 14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): < 0,1 %

REGULATION (EC) No 648/2004

15 % or over but less than 30 %

anionic surfactants

perfumes

2-BROMO-2-NITROPROPANE-1,3-DIOL

BENZISOTHIAZOLINONE

FORMIC ACID

METHYLISOTHIAZOLINONE

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.





Page 20 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

SECTION 16: Other information

Revised sections: 2, 3, 8, 11, 12

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC)	Evaluation method used		
No. 1272/2008 (CLP)			
Skin Irrit. 2, H315	Classification according to calculation procedure.		
Eye Dam. 1, H318	Classification according to calculation procedure.		
Skin Sens. 1, H317	Classification according to calculation procedure.		

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H330 Fatal if inhaled.

H317 May cause an allergic skin reaction.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Skin Irrit. — Skin irritation

Eye Dam. — Serious eye damage

Skin Sens. — Skin sensitization

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Acute Tox. — Acute toxicity - oral

Acute Tox. — Acute toxicity - dermal

STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation

Aquatic Acute — Hazardous to the aquatic environment - acute

Skin Corr. — Skin corrosion

Acute Tox. — Acute toxicity - inhalation

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately



(GB

Page 21 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community

ECHA European Chemicals Agency

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable n.av. not available

n.c. not checked n.d.a. no data available

OECD Organisation for Economic Co-operation and Development

org. organic

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million

PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)





Page 22 of 22

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 24.07.2019 / 0013

Replacing version dated / version: 29.01.2019 / 0012

Valid from: 24.07.2019 PDF print date: 09.08.2019

windscreen cleaner summer 250 ML

Art.: 9017338

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.