

Page 1 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

> Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

MOUNTING GLUE D3 10000 G Art.: 9019721 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Adhesive Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

BTI Befestigungstechnik GmbH & Co. KG Salzstr. 51 74653 Ingelfingen Tel.: +49 7940 141 141 Fax: +49 7940 141 9141 Email: info@bti.de Homepage: www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (BRC) +1 872 5888271 (BRC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP) The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

EUH208-Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

Propylene carbonate	
Registration number (REACH)	
Index	607-194-00-1
EINECS, ELINCS, NLP, REACH-IT List-No.	203-572-1
CAS	108-32-7
content %	1-<5
Classification according to Regulation (EC) 1272/2008	Eye Irrit. 2, H319
(CLP), M-factors	

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one	
and 2-methyl-2H-isothiazol-3-one (3:1)	
Registration number (REACH)	
Index	613-167-00-5
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	55965-84-9
content %	0,00015-<0,0015
Classification according to Regulation (EC) 1272/2008	EUH071
(CLP), M-factors	Acute Tox. 2, H310
	Acute Tox. 2, H330
	Acute Tox. 3, H301
	Skin Corr. 1C, H314
	Eye Dam. 1, H318
	Skin Sens. 1A, H317
	Aquatic Acute 1, H400 (M=100)
	Aquatic Chronic 1, H410 (M=100)
Specific Concentration Limits and ATE	Skin Corr. 1C, H314: >=0,6 %
	Skin Irrit. 2, H315: >=0,06 %
	Eye Dam. 1, H318: >=0,6 %
	Eye Irrit. 2, H319: >=0,06 %
	Skin Sens. 1A, H317: >=0,0015 %



Page 3 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. Sensitive individuals:

Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguisher Unsuitable extinguishing media None known 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of carbon Oxides of sulphur Oxides of nitrogen Hydrogen chloride Toxic gases 5.3 Advice for firefighters For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes.



Page 4 of 21
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 01.11.2021 / 0013
Replacing version dated / version: 30.11.2020 / 0012
Valid from: 01.11.2021
PDF print date: 01.11.2021
MOUNTING GLUE D3 10000 G
Art.: 9019721

Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures 6.1.1 For non-emergency personnel In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition. Avoid dust formation with solid or powder products. Leave the danger zone if possible, use existing emergency plans if necessary. Ensure sufficient supply of air. Avoid contact with eyes or skin. If applicable, caution - risk of slipping. 6.1.2 For emergency responders See section 8 for suitable protective equipment and material specifications. **6.2 Environmental precautions** If leakage occurs, dam up. Resolve leaks if this possible without risk. Prevent from entering drainage system. Prevent surface and ground-water infiltration, as well as ground penetration. 6.3 Methods and material for containment and cleaning up Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. 6.4 Reference to other sections For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store cool.

7.3 Specific end use(s)



Page 5 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	Vinyl acetate				Content %:
WEL-TWA: 5 ppm (17,6 r	ng/m3) (WEL-	WEL-STEL:	10 ppm (35,2 mg/m3)		
TWA, EU)		(WEL-STEL,	EU)		
Monitoring procedures:	- (Compur - KITA-	-237 S (549 863)		
	- (OSHA 51 (Viny	l Acetate) - 1985		
BMGV:			Other information	n:	
Chemical Name	Methanol				Content %:
WEL-TWA: 200 ppm (266	5 mg/m3)	WEL-STEL:	250 ppm (333 mg/m3		
(WEL), 200 ppm (260 mg/m	3) (EU)	(WEL)			
Monitoring procedures:	- I	Draeger - Alcoho	ol 25/a Methanol (81 01 631)		
	- (Compur - KITA-	-119 SA (549 640)		
	- (Compur - KITA-	-119 U (549 657)		
	Ι	DFG Meth. Nr. 6	6 (D) (Loesungsmittelgemisch	e 6), DI	FG (E)
	(Solvent mixture	es 6) - 2013, 2002 - EU project	t	
	- H	BC/CEN/ENTR/	/000/2002-16 card 65-1 (2004)	
	- 1	NIOSH 2000 (M	IETHANOL) - 1998		
	1	NIOSH 2549 (V	OLATILE ORGANIC COMP	OUND	S
		(SCREENING))			
	ſ	NIOSH 3800 (O	RGANIC AND INORGANIC	GASE	SBY
			FTIR SPECTROMETRY) - 2		
			ol 100/a (CH 29 701)		
BMGV:		-	Other information	n: Sk (WEL, EU)

Propylene carbonate						
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					
	Environment -		PNEC	9	mg/l	
	sporadic					
	(intermittent) release					
	Environment - marine		PNEC	0,09	mg/l	
	Environment -		PNEC	0,083	mg/l	
	sediment, marine					
	Environment - soil		PNEC	0,81	mg/l	
	Environment -		PNEC	0,9	mg/l	
	freshwater					
	Environment -		PNEC	0,83	mg/l	
	sediment, freshwater					
	Environment -		PNEC	7400	mg/l	
	sewage treatment					
	plant					
Consumer	Human - oral	Long term,	DNEL	10	mg/kg	
		systemic effects				



Page 6 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Consumer	Human - dermal	Long term, systemic effects	DNEL	10	mg/kg	
Consumer	Human - inhalation	Long term, local effects	DNEL	10	mg/m3	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	17,4	mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	70,53	mg/kg	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	176	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	20	mg/kg	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	20	mg/m3	

Methanol						
Area of application	Exposure route / Environmental compartment	Effect on health	Descript or	Value	Unit	Note
	Environment - freshwater		PNEC	154	mg/l	
	Environment - marine		PNEC	15,4	mg/l	
	Environment - sediment, freshwater		PNEC	570,4	mg/kg	
	Environment - sediment, marine		PNEC	57,04	mg/kg	
	Environment - soil		PNEC	23,5	mg/kg	
	Environment - water, sporadic (intermittent) release		PNEC	1540	mg/l	
	Environment - sewage treatment plant		PNEC	100	mg/l	
Consumer	Human - inhalation	Long term, local effects	DNEL	50	mg/m3	
Consumer	Human - inhalation	Short term, local effects	DNEL	50	mg/m3	
Consumer	Human - dermal	Short term, systemic effects	DNEL	8	mg/kg body weight/d ay	
Consumer Human - inhalation		Short term, systemic effects	DNEL	50	mg/m3	
Consumer Human - oral		Short term, systemic effects	DNEL	8	mg/kg body weight/d ay	



Page 7 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Consumer	Human - dermal	Long term, systemic effects	DNEL	8	mg/kg body weight/d
Consumer	Human - inhalation	Long term, systemic effects	DNEL	50	ay mg/m3
Consumer	Human - oral	Long term, systemic effects	DNEL	8	mg/kg body weight/d ay
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	40	mg/kg body weight/d ay
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	260	mg/m3
Workers / employees	Human - inhalation	Short term, local effects	DNEL	260	mg/m3
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	40	mg/kg body weight/d ay
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	260	mg/m3
Workers / employees	Human - inhalation	Long term, local effects	DNEL	260	mg/m3

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.



Page 8 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Applies only if maximum permissible exposure values are listed here. Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). Recommended Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: >= 0,35 Permeation time (penetration time) in minutes: >= 480 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.



Page 9 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	White
Odour:	Characteristic
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	Not combustible.
Lower explosion limit:	There is no information available on this parameter.
Upper explosion limit:	There is no information available on this parameter.
Flash point:	There is no information available on this parameter.
Auto-ignition temperature:	There is no information available on this parameter.
Decomposition temperature:	There is no information available on this parameter.
pH:	3 (20°C)
Kinematic viscosity:	12000 mPas (20°C, Dynamic viscosity)
Solubility:	Mixable
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	1,10 g/cm3 (20°C)
Relative vapour density:	There is no information available on this parameter.
Particle characteristics:	Does not apply to liquids.
9.2 Other information	
Explosives:	There is no information available on this parameter.
Oxidising liquids:	There is no information available on this parameter.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** See also section 7. None known **10.5 Incompatible materials** See also section 7. None known **10.6 Hazardous decomposition products** See also section 5.2 No decomposition when used as directed.



Page 10 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

MOUNTING GLUE D3	10000 G					
Art.: 9019721						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral						n.d.a.
route:						
Acute toxicity, by						n.d.a.
dermal route:						
Acute toxicity, by						n.d.a.
inhalation:						
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ						n.d.a.
toxicity - single						
exposure (STOT-SE):						
Specific target organ						n.d.a.
toxicity - repeated						
exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Propylene carbonate						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	>5000	mg/kg	Rat	OECD 401 (Acute	
route:					Oral Toxicity)	
Acute toxicity, by	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute	
dermal route:					Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosio	
					n)	
Serious eye				Rabbit	OECD 405 (Acute	Irritant
damage/irritation:					Eye	
					Irritation/Corrosio	
					n)	
Respiratory or skin				Human		No (skin
sensitisation:				being		contact)
Germ cell mutagenicity:					OECD 471	Negative
					(Bacterial Reverse	
					Mutation Test)	



Page 11 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Germ cell mutagenicity:					OECD 474	Negative
Genni een mutagemetty.					(Mammalian	inegative
					Erythrocyte	
					Micronucleus	
<u> </u>					Test)	NT (
Germ cell mutagenicity:					OECD 482 (Gen.	Negative
					Tox DNA	
					Damage and	
					Repair,	
					Unscheduled	
					DNA Synthesis in	
					Mammalian Cells	
					In Vitro)	
Carcinogenicity:				Mouse	OECD 451	Negative
					(Carcinogenicity	
					Studies)	
Reproductive toxicity:	NOAEL	1000	mg/kg	Rat	OECD 414	Negative
					(Prenatal	
					Developmental	
					Toxicity Study)	
Aspiration hazard:						No
Symptoms:						breathing
						difficulties,
						headaches,
						gastrointestin
						al
						disturbances,
						dizziness,
						nausea
Specific target organ	NOEL	>5000	mg/kg		OECD 408	
toxicity - repeated					(Repeated Dose	
exposure (STOT-RE),					90-Day Oral	
oral:					Toxicity Study in	
					Rodents)	
Specific target organ	NOEC	100	mg/m3		OECD 413	Dust, Mist
toxicity - repeated					(Subchronic	
exposure (STOT-RE),					Inhalation	
inhalat.:					Toxicity - 90-Day	
					Study)	
					Suuy)	

Reaction mass of 5-chlo	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes		
	nt							
Acute toxicity, by oral	LD50	64-66	mg/kg	Rat	OECD 401 (Acute	Acute Tox. 3		
route:					Oral Toxicity)			
Acute toxicity, by	LD50	87,12	mg/kg	Rabbit		Acute Tox. 2		
dermal route:								
Acute toxicity, by	LD50	> 141	mg/kg	Rat	OECD 402 (Acute	Acute Tox. 2		
dermal route:					Dermal Toxicity)			



Page 12 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Acute toxicity, by	LC50	0,17-0,33	mg/l/4h	Rat	OECD 403 (Acute	Aerosol,
inhalation:					Inhalation	Dust, Acute
					Toxicity)	Tox. 2
Acute toxicity, by	LC50	0,81	mg/l/4h	Rat	OECD 403 (Acute	Vapours,
inhalation:					Inhalation	Acute Tox. 2
					Toxicity)	
Skin corrosion/irritation:				Rabbit		Skin Corr.
						1C
Serious eye				Rabbit		Eye Dam. 1
damage/irritation:						
Respiratory or skin				Guinea pig	OECD 406 (Skin	Yes (skin
sensitisation:					Sensitisation)	contact),
						Skin Sens.
						1A
Symptoms:						diarrhoea,
						mucous
						membrane
						irritation,
						watering
						eyes

Vinyl acetate						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	2920	mg/kg	Rat		
route:						
Acute toxicity, by	LD50	2335	mg/kg	Rabbit		
dermal route:						
Acute toxicity, by	LC50	15,8	mg/l/4h	Rat		
inhalation:						
Symptoms:						respiratory
						distress,
						drying of the
						skin.,
						blisters,
						circulatory
						collapse

Methanol										
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes				
	nt									
Acute toxicity, by oral	ATE	300	mg/kg	Human		Experiences				
route:				being		on persons.				
Acute toxicity, by	LD50	17100	mg/kg	Rabbit		Does not				
dermal route:						conform				
						with EU				
						classification				



Page 13 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Acute toxicity, by inhalation:	LC50	85	mg/l/4h	Rat		Not relevant for classification ., Vapours
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosio n)	Not irritant
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)
Germ cell mutagenicity:				Salmonella typhimuri um	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Carcinogenicity:				Mouse	OECD 453 (Combined Chronic Toxicity/Carcinoge nicity Studies)	Negative
Reproductive toxicity:	NOAEL	1,3	mg/l	Mouse	OECD 416 (Two- generation Reproduction Toxicity Study)	
Specific target organ toxicity - repeated exposure (STOT-RE):	NOAEL	0,13	mg/l	Rat	OECD 453 (Combined Chronic Toxicity/Carcinoge nicity Studies)	
Symptoms:						abdominal pain, vomiting, headaches, gastrointestin al disturbances, drowsiness, visual disturbances, watering eyes, nausea, mental confusion, intoxication, dizziness

11.2. Information on other hazards



Page 14 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Art.: 9019721										
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes				
	nt									
Endocrine disrupting						Does not				
properties:						apply to				
						mixtures.				
Other information:						No other				
						relevant				
						information				
						available on				
						adverse				
						effects on				
						health.				

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

MOUNTING GLU			,		<u> </u>	,	
Art.: 9019721							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to							n.d.a.
fish:							
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to							n.d.a.
algae:							
12.2. Persistence							n.d.a.
and degradability:							
12.3.							n.d.a.
Bioaccumulative							
potential:							
12.4. Mobility in							n.d.a.
soil:							
12.5. Results of							n.d.a.
PBT and vPvB							
assessment							Deservet
12.6. Endocrine							Does not
disrupting properties:							apply to mixtures.
12.7. Other							No
adverse effects:							information
adverse effects.							available on
							other
							adverse
							effects on
							the
							environment



Page 15 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Other information:			According
			to the recipe,
			contains no
			AOX.
Other information:			DOC-
			elimination
			degree(comp
			lexing
			organic
			substance)>=
			80%/28d:
			n.a.

Propylene carbona	ite						
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	>1000	mg/l	Cyprinus	92/69/EC	
fish:				_	caprio		
12.1. Toxicity to	EC50	48h	>1000	mg/l	Daphnia	OECD 202	
daphnia:					magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	EC50	72h	>900	mg/l	Desmodesmus	OECD 201	
algae:					subspicatus	(Alga,	
						Growth	
						Inhibition	
						Test)	
12.2. Persistence			83,5-	%		OECD 301 B	Readily
and degradability:			87-7			(Ready	biodegradabl
						Biodegradabil	e29d
						ity - Co2	
						Evolution	
						Test)	
12.2. Persistence	DOC	14d	90-	%		OECD 301 A	
and degradability:			100			(Ready	
						Biodegradabil	
						ity - DOC	
						Die-Away	
10.0						Test)	
12.3.	Log Pow		-0,48				Bioaccumula
Bioaccumulative							tion is
potential:							unlikely
							(LogPow <
							1).,
							calculated
105 D 1/ C							value
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance



Page 16 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Toxicity to	EC10	16h	7400	mg/l	Pseudomonas	DIN 38412	
bacteria:					putida	T.8	
Other information:	AOX		0	%			Does not contain any organically bound halogens which can contribute to the AOX value in waste water.

Reaction mass of 5	-chloro-2-met	thyl-2H-i	isothiazol	-3-one ar	nd 2-methyl-2H-is	othiazol-3-one (.	3:1)
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	NOEC/NO	72h	0,001	mg/l	Pseudokirchne	OECD 201	
algae:	EL		2		riella	(Alga,	
					subcapitata	Growth	
						Inhibition	
						Test)	
12.1. Toxicity to	NOEC/NO	48h	0,000	mg/l	Skeletonema	ISO 10253	
algae:	EL		64		costatum		
12.2. Persistence			>60	%	activated	OECD 301 D	Does not
and degradability:					sludge	(Ready	conform
						Biodegradabil	with EU
						ity - Closed	classification
						Bottle Test)	•
12.1. Toxicity to	EC50	48h	0,005	mg/l	Skeletonema	ISO 10253	
algae:			2		costatum		
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance
Toxicity to	EC50	3h	7,92	mg/l	activated	OECD 209	
bacteria:					sludge	(Activated	
						Sludge,	
						Respiration	
						Inhibition	
						Test (Carbon	
						and	
						Ammonium	
						Oxidation))	

Methanol										
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes			
12.5. Results of							No PBT			
PBT and vPvB							substance,			
assessment							No vPvB			
							substance			
12.1. Toxicity to	LC50	96h	15400	mg/l	Lepomis		EPA-660/3-			
fish:				-	macrochirus		75-009			



Page 17 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

12.1. Toxicity to daphnia:	EC50	96h	18260	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisatio n Test)	
12.1. Toxicity to algae:	EC50	96h	22000	mg/l	Pseudokirchne riella subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	99	%		OECD 301 D (Ready Biodegradabil ity - Closed Bottle Test)	Readily biodegradabl e
12.3. Bioaccumulative potential:	BCF		28400		Chlorella vulgaris		Not to be expected
Toxicity to bacteria:	IC50	3h	>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Other information:	Log Pow		-0,77				
Other information:	DOC		<70	%			
Other information:	BOD		>60	%			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no .:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.



œ Page 18 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements			
14.1. UN number or ID number:	n.a.		
Transport by road/by rail (ADR/RID)			
14.2. UN proper shipping name:			
14.3. Transport hazard class(es):	n.a.		
14.4. Packing group:	n.a.		
Classification code:	n.a.		
LQ:	n.a.		
14.5. Environmental hazards:	Not applicable		
Tunnel restriction code:			
Transport by sea (IMDG-code)			
14.2. UN proper shipping name:			
14.3. Transport hazard class(es):	n.a.		
14.4. Packing group:	n.a.		
Marine Pollutant:	n.a		
14.5. Environmental hazards:	Not applicable		
Transport by air (IATA)			
14.2. UN proper shipping name:			
14.3. Transport hazard class(es):	n.a.		
14.4. Packing group:	n.a.		
14.5. Environmental hazards:	Not applicable		
14.6. Special precautions for user			
Unless specified otherwise, general measures for safe transport must be followed.			
14.7. Maritime transport in bulk according to IMO instruments			
Non-dangerous material according to Transport Regulations.			

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

General hygiene measures for the handling of chemicals are applicable.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 2 - This product contains the substances listed below:				
Entry Nr	Dangerous	Notes to Annex I	Qualifying quantity	Qualifying quantity
	substances		(tonnes) for the	(tonnes) for the
			application of -	application of -
			Lower-tier	Upper-tier
			requirements	requirements
22	Methanol		500	5000

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.



Page 19 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

Directive 2010/75/EU (VOC):

3,5 %

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label. Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012. Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods.

These are indicated in the approval of the active substance.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

1-16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H330 Fatal if inhaled.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H301 Toxic if swallowed.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.

Eye Irrit. — Eye irritation Acute Tox. — Acute toxicity - dermal Acute Tox. — Acute toxicity - inhalation Acute Tox. — Acute toxicity - oral Skin Corr. — Skin corrosion Eye Dam. — Serious eye damage Skin Sens. — Skin sensitization Aquatic Acute — Hazardous to the aquatic environment - acute Aquatic Chronic — Hazardous to the aquatic environment - chronic

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA). Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA). Safety data sheets for the constituent substances. ECHA Homepage - Information about chemicals. GESTIS Substance Database (Germany).



Page 20 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended. Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approximately approx. Article number Art., Art. no. ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** BSEF The International Bromine Council body weight hw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50)Effect Concentration/Level of x % on reduction of the biomass (algae, plants) EC European Community ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community European Inventory of Existing Commercial Chemical Substances EINECS ELINCS European List of Notified Chemical Substances ΕN European Norms EPA United States Environmental Protection Agency (United States of America) ErCx, $E\mu Cx$, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general



Page 21 of 21 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0013 Replacing version dated / version: 30.11.2020 / 0012 Valid from: 01.11.2021 PDF print date: 01.11.2021 MOUNTING GLUE D3 10000 G Art.: 9019721

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

IUPACInternational Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable

n.av. not available

n.c. not checked

n.d.a. no data available

NIOSH National Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million

PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

B