



Page 1 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Universal cleaner

Sector of use [SU]:

SU 0 - Other

SU 1 - Agriculture, forestry, fishery

SU19 - Building and construction work

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC35 - Washing and cleaning products

Process category [PROC]:

PROC10 - Roller application or brushing

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

(GB)

BTI Befestigungstechnik GmbH & Co. KG, Salzstr. 51, 74653 Ingelfingen, Germany

Phone: +49 7940 141 256, Fax: +49 7940 141 9256

Stefan.Haug@bti.de, www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (BRC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazaru Class	Hazaru Category	Hazai u Statement
Skin Irrit.	2	H315-Causes skin irritation.
Eve Dam.	1	H318-Causes serious eve damage.

2.2 Label elements





Page 2 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

Labeling according to Regulation (EC) 1272/2008 (CLP)



H315-Causes skin irritation. H318-Causes serious eye damage.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P280-Wear protective gloves and eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

Disodium metasilicate, pentahydrate Alcohol ethoxylate

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

Note pH value

High pH-value can be harmful to water.

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a.

3.2 Mixture

· · · · · · · · · · · · · · · · · · ·	
Alcohol ethoxylate	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	
CAS	160901-09-7
content %	3-<5
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP)	Eye Dam. 1, H318

Alcohols, C10-16, ethoxylated, sulfates, sodium salts	
Registration number (REACH)	
Index	





Page 3 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

EINECS, ELINCS, NLP	500-223-8 (NLP)
CAS	68585-34-2
content %	1-5
Classification according to Regulation (EC) 1272/2008	Eye Irrit. 2, H319
(CLP)	Skin Irrit. 2, H315

2-Butoxyethanol	Substance for which an EU exposure limit
	value applies.
Registration number (REACH)	01-2119475108-36-XXXX
Index	603-014-00-0
EINECS, ELINCS, NLP	203-905-0
CAS	111-76-2
content %	1-5
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP)	Eye Irrit. 2, H319
	Skin Irrit. 2, H315
	Acute Tox. 4, H312
	Acute Tox. 4, H332

Disodium metasilicate, pentahydrate	
Registration number (REACH)	
Index	014-010-00-8
EINECS, ELINCS, NLP	229-912-9
CAS	10213-79-3
content %	1-<5
Classification according to Regulation (EC) 1272/2008	Skin Corr. 1B, H314
(CLP)	STOT SE 3, H335
	Eye Dam. 1, H318

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16. The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1/3.2 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Unsuitable cleaning product:

Solvent

Thinners

Eye contact





Page 4 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

The following may occur:

Risk of serious damage to eyes.

Corrosive burns on skin as well as mucous membrane possible.

Ingestion:

Nausea

Vomiting

Gastrointestinal disturbances

Oesophageal perforation

Gastric perforation

Note pH value

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of sulphur

Oxides of nitrogen

Toxic pyrolysis products.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.2 Environmental precautions





Page 5 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water.

Unsuitable cleaning product:

Solvent

Thinners

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Do not use alkali sensitive materials.

Do not store with acids.

Store at room temperature.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

(B)	Chemical Name	2-Butoxyeth	anol	Content %:1-
WEL-TWA: 25 ppm (123 mg/m3)		mg/m3)	WEL-STEL: 50 ppm (246 mg/m3)	
(7	WEL), 20 ppm (98 mg/m3)	(EU)	(WEL, EU)	
M	Ionitoring procedures:	-	Compur - KITA-190 U(C) (548 873)	





Page 6 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

, , , ,	gemische 3), DFG (E) (Solvent mixtures ct BC/CEN/ENTR/000/2002-16 card 32-
BMGV: 240 mmol butoxyacetic acid/mol creatinine in urine, post shift (BMGV)	Other information: Sk (WEL)

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (2017/164/EU). (9) = Respirable fraction (2017/164/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU). (9) = Respirable fraction (2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

2-Butoxyethanol						
Area of application	Exposure route / Environmental	Effect on health	Descript or	Value	Unit	Note
	compartment		DNIEC	0.0	/1	
	Environment -		PNEC	8,8	mg/l	
	freshwater		DNIEG	0.00	/1	
	Environment - marine		PNEC	0,88	mg/l	
	Environment -		PNEC	34,6	mg/kg	
	sediment, freshwater				dw	
	Environment - soil		PNEC	2,8	mg/kg	
					dw	
	Environment -		PNEC	463	mg/l	
	sewage treatment					
	plant					
	Environment -		PNEC	3,46	mg/kg	
	sediment, marine				dw	
	Environment -		PNEC	9,1	mg/l	
	sporadic					
	(intermittent) release					
Consumer	Human - dermal	Short term,	DNEL	44,5	mg/kg	
		systemic effects			bw/d	
Consumer	Human - inhalation	Short term,	DNEL	426	mg/m3	
		systemic effects				
Consumer	Human - oral	Short term,	DNEL	13,4	mg/kg	
		systemic effects		,	bw/d	
Consumer	Human - inhalation	Short term, local	DNEL	123	mg/m3	
		effects				
Consumer	Human - dermal	Long term,	DNEL	38	mg/kg	
		systemic effects		-	bw/d	
Consumer	Human - inhalation	Long term,	DNEL	49	mg/m3	<u> </u>
		systemic effects				





Page 7 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

Consumer	Human - oral	Long term, systemic effects	DNEL	3,2	mg/kg bw/d	
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	89	mg/kg bw/d	
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	663	mg/m3	
Workers / employees	Human - inhalation	Short term, local effects	DNEL	246	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	75	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	98	mg/m3	

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Use alkali resistant protective gloves (EN 374).

If applicable

Safety gloves made of butyl (EN 374)

Protective nitrile gloves (EN 374)

Minimum layer thickness in mm:

0.4

Permeation time (penetration time) in minutes:

> 480

The breakthrough times determined in accordance with EN 374 Part 3 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective PVC gloves (EN 374)

Protective Viton® / fluoroelastomer gloves (EN 374)

Protective hand cream recommended.





Page 8 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

If OES or MEL is exceeded.

Gas mask filter A (EN 14387), code colour brown

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid
Colour: Yellow
Odour: Lemon

Odour threshold: Not determined

pH-value: ~12,7

Melting point/freezing point:

Initial boiling point and boiling range:

Flash point:

Evaporation rate:

Not determined

Lower explosive limit: n.a. Upper explosive limit: n.a.

Vapour pressure:

Vapour density (air = 1):

Density:

Bulk density:

Solubility(ies):

Water solubility:

Partition coefficient (n-octanol/water):

Not determined

Not determined

Not determined

Not determined

Not determined





Page 9 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Not determined

Not determined

Explosive properties: Product is not explosive.

Oxidising properties: No

9.2 Other information

Miscibility: Not determined Fat solubility / solvent: Not determined Conductivity: Not determined Surface tension: Not determined Solvents content: Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

See also Subsection 10.2 to 10.6.

The product has not been tested.

10.2 Chemical stability

See also Subsection 10.1 to 10.6.

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

See also Subsection 10.1 to 10.6.

No decomposition if used as intended.

10.4 Conditions to avoid

See also section 7.

10.5 Incompatible materials

See also section 7.

Avoid contact with strong acids.

Avoid contact with alkali sensitive materials.

10.6 Hazardous decomposition products

See also Subsection 10.1 to 10.5.

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

UNIVERSAL CLEANER 1000 ML Art.: 9028373							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes	
	nt						
Acute toxicity, by oral	ATE	>2000	mg/kg			calculated	
route:						value	
Acute toxicity, by	ATE	>2000	mg/kg			calculated	
dermal route:						value	





Page 10 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

Acute toxicity, by	ATE	>20	mg/l/4h	calculated
inhalation:				value,
				Vapours
Acute toxicity, by	ATE	>5	mg/l/4h	calculated
inhalation:				value,
				Aerosol
Skin corrosion/irritation:				n.d.a.
Serious eye				n.d.a.
damage/irritation:				
Respiratory or skin				n.d.a.
sensitisation:				
Germ cell mutagenicity:				n.d.a.
Carcinogenicity:				n.d.a.
Reproductive toxicity:				n.d.a.
Specific target organ				n.d.a.
toxicity - single				
exposure (STOT-SE):				
Specific target organ				n.d.a.
toxicity - repeated				
exposure (STOT-RE):				
Aspiration hazard:				n.d.a.
Symptoms:				n.d.a.
Other information:				Classificatio
				n according
				to
				calculation
				procedure.

Alcohols, C10-16, ethoxylated, sulfates, sodium salts						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	>2000	mg/kg	Rat		
route:						

2-Butoxyethanol						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	1746	mg/kg	Rat	OECD 401 (Acute	
route:					Oral Toxicity)	
Acute toxicity, by	LD50	2275	mg/kg	Rabbit	OECD 402 (Acute	Does not
dermal route:					Dermal Toxicity)	conform
						with EU
						classification
						•
Acute toxicity, by	LC50	2-20	mg/l	Rat		
inhalation:						
Skin corrosion/irritation:				Rabbit	Regulation (EC)	Skin Irrit. 2,
					440/2008 B.4	Product
					(DERMAL	removes fat.
					IRRITATION/CO	
					RROSION)	





Page 11 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

Serious eye				Rabbit	OECD 405 (Acute	Eye Irrit. 2
damage/irritation:					Eye	
					Irritation/Corrosio	
Respiratory or skin				Guinas pig	n) OECD 406 (Skin	Not
sensitisation:				Guinea pig	Sensitisation)	sensitizising
Germ cell mutagenicity:				Mouse	OECD 474	Negative
Germ cen mutagementy.				Wiouse	(Mammalian	regative
					Erythrocyte	
					Micronucleus	
					Test)	
Germ cell mutagenicity:				Salmonella	OECD 471	Negative
Germ cen managemeny.				typhimuri	(Bacterial Reverse	riogativo
				um	Mutation Test)	
Carcinogenicity:				Rat	OECD 451	Negative
				1100	(Carcinogenicity	110844110
					Studies)	
Carcinogenicity:	NOAEC	125	ppm	Mouse	OECD 451	Negative
			rr		(Carcinogenicity	
					Studies)	
Symptoms:					,	acidosis,
						ataxia,
						breathing
						difficulties,
						respiratory
						distress,
						drowsiness,
						unconsciousn
						ess,
						annoyance,
						coughing,
						headaches,
						gastrointestin
						al
						disturbances,
						insomnia,
						mucous
						membrane
						irritation,
						dizziness
Specific target organ	NOAEL	<69	mg/kg	Rat	OECD 408	
toxicity - repeated			bw/d		(Repeated Dose	
exposure (STOT-RE),					90-Day Oral	
oral:					Toxicity Study in	
					Rodents)	
Specific target organ	NOAEL	>150	mg/kg	Rabbit	OECD 411	
toxicity - repeated			bw/d		(Subchronic	
exposure (STOT-RE),					Dermal Toxicity -	
dermal:					90-day Study)	

Disodium metasilicate, pentahydrate





Page 12 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Symptoms:						mucous membrane irritation

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

UNIVERSAL CLEANER 1000 ML							
Art.: 9028373							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to							n.d.a.
fish:							
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to							n.d.a.
algae:							





Page 13 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

12.2. Persistence			The
			The
and degradability:			surfactant(s)
			contained in
			this mixture
			complies(co
			mply) with
			the
			biodegradabi
			lity criteria
			as laid down
			in
			Regulation
			(EC)
			No.648/2004
			on
			detergents.
			Data to
			support this
			assertion are
			held at the
			disposal of
			the
			competent
			authorities
			of the
			Member
			States and
			will be made
			available to
			them, at
			their direct
			request or at
			the request
			of a
			detergent
			manufacturer
12.3.			n.d.a.
Bioaccumulative			
potential:			
12.4. Mobility in			n.d.a.
12.4. MIOUIIII III			n.u.a.
soil:			1
12.5. Results of			n.d.a.
PBT and vPvB			
assessment			
12.6. Other			n.d.a.
adverse effects:			
Other information:			According
			to the recipe,
			contains no
			AOX.
			11011.





Page 14 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

2-Butoxyethanol			T ==				T = =
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	1474	mg/l	Oncorhynchus	OECD 203	
fish:					mykiss	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	NOEC/NO	21d	>100	mg/l	Brachydanio	OECD 204	
fish:	EL			_	rerio	(Fish,	
						Prolonged	
						Toxicity Test	
						- 14-Day	
						Study)	
12.1. Toxicity to	EC50	48h	1550	mg/l	112	OECD 202	
daphnia:	Leso	1011	1330	1115/1	112	(Daphnia sp.	
царина.						Acute	
						Immobilisatio	
10.1 m	NOFCAIC	21.1	100	/1	D 1 :	n Test)	
12.1. Toxicity to	NOEC/NO	21d	100	mg/l	Daphnia	OECD 211	
daphnia:	EL				magna	(Daphnia	
						magna	
						Reproduction	
						Test)	
12.1. Toxicity to	EC50	72h	1840	mg/l	Pseudokirchne	OECD 201	
algae:					riella	(Alga,	
· ·					subcapitata	Growth	
					1	Inhibition	
						Test)	
12.1. Toxicity to	NOEC/NO	72h	286	mg/l	Pseudokirchne	OECD 201	
algae:	EL	, 211	200	1115/1	riella	(Alga,	
argac.	LL				subcapitata	Growth	
					subcapitata	Inhibition	
10.0 D		20.1	0.5	0/	0	Test)	
12.2. Persistence		28d	95	%	0	OECD 301 E	
and degradability:						(Ready	
						Biodegradabil	
						ity - Modified	
						OECD	
						Screening	
						Test)	
12.2. Persistence		28d	>99	%		OECD 302 B	
and degradability:						(Inherent	
-						Biodegradabil	
						ity - Zahn-	
						Wellens/EMP	
						A Test)	
12.3.	BCF		3,2			11 1000)	
Bioaccumulative			3,2				
potential:							
12.3.	Log Pow		0,83				Nagativa
Bioaccumulative	Log Pow		0,03				Negative
potential:							





Page 15 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

12.4. Mobility in	H (Henry)		0,000	atm*m	0		
soil:			0016	3/mol			
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance
Toxicity to	EC0	16h	700	mg/l	Pseudomonas	DIN 38412	
bacteria:					putida	T.8	

Disodium metasilio	cate, pentahyo	drate					
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	210	mg/l	Brachydanio		
fish:					rerio		
12.1. Toxicity to	EC50	48h	4857	mg/l	Daphnia		
daphnia:					magna		
12.2. Persistence							Not relevant
and degradability:							for inorganic
							substances.
12.3.							No
Bioaccumulative							
potential:							
Toxicity to	EC0	48h	>1000	mg/l	Pseudomonas	OECD 209	
bacteria:					putida	(Activated	
						Sludge,	
						Respiration	
						Inhibition	
						Test (Carbon	
						and	
						Ammonium	
						Oxidation))	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.





Page 16 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Recommended cleaner:

Water

SECTION 14: Transport information

General statements

14.1. UN number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.LQ:n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a. 14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection and the protection of young people at work!

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 4,2 %

REGULATION (EC) No 648/2004

less than 5 % anionic surfactants non-ionic surfactants

perfumes





Page 17 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

CITRAL LIMONENE

National rules/regulation for the compliance with maximum quantities with regard to phosphates and or phosphorous compounds must be observed and complied with.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance $(EG)\ 1272/2008\ (CLP)$:

Classification in accordance with regulation (EC)	Evaluation method used
No. 1272/2008 (CLP)	
Skin Irrit. 2, H315	Classification according to calculation procedure.
Eye Dam. 1, H318	Classification according to calculation procedure.

8

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Skin Irrit. — Skin irritation

Eye Dam. — Serious eye damage

Acute Tox. — Acute toxicity - oral

Eye Irrit. — Eye irritation

Acute Tox. — Acute toxicity - dermal

Acute Tox. — Acute toxicity - inhalation

Skin Corr. — Skin corrosion

STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation

Any abbreviations and acronyms used in this document:

AC Article Categories

acc., acc. to according, according to

ACGIH American Conference of Governmental Industrial Hygienists



(GB

Page 18 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)

BMGVBiological monitoring guidance value (EH40, UK)

BOD Biochemical oxygen demand

BSEF Bromine Science and Environmental Forum

bw body weight

CAS Chemical Abstracts Service

CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids

CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques

CIPACCollaborative International Pesticides Analytical Council

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

COD Chemical oxygen demand

CTFA Cosmetic, Toiletry, and Fragrance Association

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

DT50 Dwell Time - 50% reduction of start concentration

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community

ECHA European Chemicals Agency

EEA European Economic Area

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

ES Exposure scenario

etc. et cetera

EU European Union

EWC European Waste Catalogue

Fax. Fax number gen. general



(GB

Page 19 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

HET-CAM Hen's Egg Test - Chorionallantoic Membrane

HGWPHalocarbon Global Warming Potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC Intermediate Bulk Container

IBC (Code) International Bulk Chemical (Code)

IC Inhibitory concentration

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform ChemicaL Information Database

LC lethal concentration

LC50 lethal concentration 50 percent kill

LCLo lowest published lethal concentration

LD Lethal Dose of a chemical LD50 Lethal Dose, 50% kill

LDLo Lethal Dose Low

LOAEL Lowest Observed Adverse Effect Level

LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level

LO Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSH National Institute of Occupational Safety and Health (United States of America)

NOAEC No Observed Adverse Effective Concentration

NOAEL No Observed Adverse Effect Level

NOEC No Observed Effect Concentration

NOEL No Observed Effect Level

ODP Ozone Depletion Potential

OECD Organisation for Economic Co-operation and Development

org. organic

PAH polycyclic aromatic hydrocarbon PBT persistent, bioaccumulative and toxic

PC Chemical product category

PE Polyethylene

PNEC Predicted No Effect Concentration

POCP Photochemical ozone creation potential

ppm parts per million

PROC Process category

PTFE Polytetrafluorethylene

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)





Page 20 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 25.09.2017 / 0008

Replacing version dated / version: 03.07.2015 / 0007

Valid from: 25.09.2017 PDF print date: 25.09.2017

UNIVERSAL CLEANER 1000 ML

Art.: 9028373

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SU Sector of use

SVHC Substances of Very High Concern

Tel. Telephone

ThOD Theoretical oxygen demand

TOC Total organic carbon

TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).

WHO World Health Organization

wwt weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.