



Page 1 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018

SYNITARY CLEANER 10000 ML

Art.: 9028379

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### SYNITARY CLEANER 10000 ML

Art.: 9028379

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture:

Bathroom cleaner

Sector of use [SU]:

SU 0 - Other

SU 1 - Agriculture, forestry, fishery

SU19 - Building and construction work

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC35 - Washing and cleaning products

Process category [PROC]:

PROC10 - Roller application or brushing

#### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

(GB)

BTI Befestigungstechnik GmbH & Co. KG, Salzstr. 51, 74653 Ingelfingen, Germany

Phone:+49 7940 141 141, Fax:+49 7940 141 9141

info@bti.de, www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

## 1.4 Emergency telephone number

#### Emergency information services / official advisory body:

---

## Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (BRC)

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class Hazard category Hazard statement

Eye Dam. 1 H318-Causes serious eye damage.

#### 2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)





Page 2 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018

SYNITARY CLEANER 10000 ML

Art.: 9028379



Danger

H318-Causes serious eye damage.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P280-Wear eye protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

## Alcohol ethoxylate

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

Note pH value

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substance

n.a.

## 3.2 Mixture

Sulphamic acid	
Registration number (REACH)	
Index	016-026-00-0
EINECS, ELINCS, NLP	226-218-8
CAS	5329-14-6
content %	1-<10
Classification according to Regulation (EC) 1272/2008	Eye Irrit. 2, H319
(CLP)	Skin Irrit. 2, H315
	Aquatic Chronic 3, H412

Alcohol ethoxylate	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	
CAS	160901-09-7





Page 3 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018

SYNITARY CLEANER 10000 ML

Art.: 9028379

content %	3-<5
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP)	Eye Dam. 1, H318

Citric acid	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	201-069-1
CAS	77-92-9
content %	1-5
Classification according to Regulation (EC) 1272/2008	Eye Irrit. 2, H319
(CLP)	

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Unsuitable cleaning product:

Solvent

Thinners

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

## Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

The following may occur:

Risk of serious damage to eyes.

Corrosive burns on skin as well as mucous membrane possible.

Ingestion:

Nausea

Vomiting

Gastrointestinal disturbances

Oesophageal perforation

Gastric perforation

Note pH value





Page 4 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018

SYNITARY CLEANER 10000 ML

Art.: 9028379

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

#### 4.3 Indication of any immediate medical attention and special treatment needed

n.c.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher

#### Unsuitable extinguishing media

High volume water jet

## 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of sulphur

Oxides of nitrogen

Toxic pyrolysis products.

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

## 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

## 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water.

Unsuitable cleaning product:

Solvent

Thinners

## **6.4 Reference to other sections**

For personal protective equipment see Section 8 and for disposal instructions see Section 13.





Page 5 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018

SYNITARY CLEANER 10000 ML

Art.: 9028379

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

## 7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Do not use acid sensitive materials.

Do not store with alkalis.

Store at room temperature.

#### 7.3 Specific end use(s)

No information available at present.

#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Sulphamic acid						
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					
	Environment -		PNEC	0,3	mg/l	
	freshwater					
	Environment - marine		PNEC	0,03	mg/l	
	Environment - water,		PNEC	0,3	mg/l	
	sporadic					
	(intermittent) release					
	Environment -		PNEC	200	mg/l	
	sewage treatment					
	plant					
	Environment -		PNEC	0,3	mg/kg	
	sediment, freshwater				dw	
	Environment -		PNEC	0,03	mg/kg	
	sediment, marine				dw	
	Environment - soil		PNEC	3	mg/kg	
					dw	
Consumer	Human - oral	Long term,	DNEL	1,06	mg/kg	
		systemic effects			bw/day	





Page 6 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018

SYNITARY CLEANER 10000 ML

Art.: 9028379

Consumer	Human - inhalation	Long term, systemic effects	DNEL	1,85	mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	7,5	mg/m3	

Citric acid						
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					
	Environment -		PNEC	0,44	mg/l	
	freshwater					
	Environment - marine		PNEC	0,044	mg/l	
	Environment -		PNEC	1000	mg/l	
	sewage treatment					
	plant					
	Environment -		PNEC	34,6	mg/kg	
	sediment, freshwater				dw	
	Environment -		PNEC	3,46	mg/kg	
	sediment, marine				dw	
	Environment - soil		PNEC	33,1	mg/kg	
					dw	

#### 8.2 Exposure controls

## 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Use acid resistant protective gloves (EN 374).

If applicable

Safety gloves made of butyl (EN 374)

Minimum layer thickness in mm:

0.4

Protective nitrile gloves (EN 374)

Minimum layer thickness in mm:

0.4

Protective PVC gloves (EN 374)

Minimum layer thickness in mm:





Page 7 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018

SYNITARY CLEANER 10000 ML

Art.: 9028379

0,4

Protective Viton® / fluoroelastomer gloves (EN 374)

Minimum layer thickness in mm:

0,7

Permeation time (penetration time) in minutes:

>=480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

#### 8.2.3 Environmental exposure controls

No information available at present.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state: Liquid Colour: Red

Odour: Mild, Lemon
Odour threshold: Not determined

pH-value: ~1,2

Melting point/freezing point:

Initial boiling point and boiling range:

Flash point:

Evaporation rate:

Flammability (solid, gas):

Not determined

Not determined

Not determined

Not determined





Page 8 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018

SYNITARY CLEANER 10000 ML

Art.: 9028379

Lower explosive limit: n.a. Upper explosive limit: n.a.

Vapour pressure:Not determinedVapour density (air = 1):Not determinedDensity:1,055 g/mlBulk density:Not determinedSolubility(ies):Not determinedWater solubility:Soluble

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Not determined

Not determined

Viscosity:

Not determined

Not determined

Explosive properties: Product is not explosive.

Oxidising properties: No

9.2 Other information

Miscibility: Not determined
Fat solubility / solvent: Not determined
Conductivity: Not determined
Surface tension: Not determined
Solvents content: Not determined

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

See also Subsection 10.2 to 10.6.

The product has not been tested.

#### 10.2 Chemical stability

See also Subsection 10.1 to 10.6.

Stable with proper storage and handling.

## 10.3 Possibility of hazardous reactions

See also Subsection 10.1 to 10.6.

No decomposition if used as intended.

#### 10.4 Conditions to avoid

See also section 7.

#### 10.5 Incompatible materials

See also section 7.

Avoid contact with strong alkalis.

Avoid contact with acid sensitive materials.

## 10.6 Hazardous decomposition products

See also Subsection 10.1 to 10.5.

See also section 5.2

No decomposition when used as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).





Page 9 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018 SYNITARY CLEANER 10000 ML

SYNITARY CLEANER	10000 ML	1				
Art.: 9028379						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	ATE	>2000	mg/kg			calculated
route:						value
Acute toxicity, by						n.d.a.
dermal route:						
Acute toxicity, by						n.d.a.
inhalation:						
Skin corrosion/irritation:						Irritant
Serious eye						Irritant
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ						n.d.a.
toxicity - single						
exposure (STOT-SE):						
Specific target organ						n.d.a.
toxicity - repeated						
exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Sulphamic acid						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	>2000	mg/kg	Rat	OECD 401 (Acute	
route:					Oral Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Irritant
					Dermal	
					Irritation/Corrosio	
					n)	
Serious eye				Rabbit	OECD 405 (Acute	Irritant(IUCL
damage/irritation:					Eye	ID)
					Irritation/Corrosio	
					n)	
Germ cell mutagenicity:				Salmonella	OECD 471	Negative(IU
				typhimuri	(Bacterial Reverse	CLID)
				um	Mutation Test)	
Specific target organ	NOAEL	1000	mg/kg	Rat		(oral, 90 h)
toxicity - repeated						
exposure (STOT-RE):						





Page 10 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018 SYNITARY CLEANER 10000 ML

Symptoms:			respiratory distress,
			coughing,
			mucous
			membrane
			irritation

						IIIItation
Citric acid	T	T				I = -
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral	LD50	5400	mg/kg	Rat	OECD 401 (Acute	
route:					Oral Toxicity)	
Acute toxicity, by	LD50	>2000	mg/kg	Rat	OECD 402 (Acute	
dermal route:					Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosio	
~ .					n)	
Serious eye				Rabbit	OECD 405 (Acute	Irritant
damage/irritation:					Eye	
					Irritation/Corrosio	
Respiratory or skin					n)	No
sensitisation:						indications
sensitisation.						of such an
						effect.
Germ cell mutagenicity:					OECD 471	Negative
					(Bacterial Reverse	
					Mutation Test)	
Germ cell mutagenicity:					OECD 475	Negative
					(Mammalian Bone	
					Marrow	
					Chromosome	
					Aberration Test)	
Carcinogenicity:						Negative
Reproductive toxicity:						Negative
Symptoms:						vomiting,
						cornea
						opacity, coughing,
						stomach
						pain,
						mucous
						membrane
						irritation
Specific target organ	NOAEL	4000	mg/kg	Rat		
toxicity - repeated						
exposure (STOT-RE),						
oral:						





Page 11 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018

SYNITARY CLEANER 10000 ML

Art.: 9028379

Specific target organ	LOAEL	8000	mg/kg	Rat	
toxicity - repeated					
exposure (STOT-RE),					
oral:					

#### **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).							
SYNITARY CLEANER 10000 ML							
Art.: 9028379							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to							n.d.a.
fish:							
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to							n.d.a.
algae:							





Page 12 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018

SYNÎTARY CLEANER 10000 ML

10.0 B			TD1
12.2. Persistence			The
and degradability:			surfactant(s)
			contained in
			this mixture
			complies(co
			mply) with
			the
			biodegradabi
			lity criteria
			as laid down
			in
			Regulation
			(EC)
			No.648/2004
			on
			detergents.
			Data to
			support this
			assertion are
			held at the
			disposal of
			the
			competent
			authorities
			of the
			Member
			States and
			will be made
			available to
			them, at
			their direct
			request or at
			the request
			of a
			detergent
			manufacturer
12.3.			n.d.a.
Bioaccumulative			
potential:			
12.4. Mobility in			n.d.a.
soil:			11.0.0.
12.5. Results of			n.d.a.
			ıı.u.a.
PBT and vPvB			
assessment			1
12.6. Other			n.d.a.
adverse effects:			
Other information:			According
			to the recipe,
			contains no
			AOX.





Page 13 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018 SYNITARY CLEANER 10000 ML

Sulphamic acid							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	70,3	mg/l	Pimephales	OECD 203	
fish:					promelas	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	EC50	48h	71,6	mg/l	Daphnia	OECD 202	
daphnia:					magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	IC50	72h	>29	mg/l	Chlorella		
algae:					vulgaris		
12.2. Persistence							Not
and degradability:							biodegradabl
							e, Not
							relevant for
							inorganic
							substances.
12.3.	Log Pow		-4,34				
Bioaccumulative							
potential:							
Water solubility:			213	g/l			20°C

Citric acid							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.3.	Log Pow		<=-				
Bioaccumulative			0,2				
potential:							
12.2. Persistence		28d	100	%		OECD 301 E	Readily
and degradability:						(Ready	biodegradabl
						Biodegradabil	e
						ity - Modified	
						OECD	
						Screening	
						Test)	
12.1. Toxicity to	LC50	96h	440-	mg/l	Leuciscus idus	OECD 203	
fish:			706			(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	EC50		85	mg/l	Daphnia		
daphnia:					magna		
12.1. Toxicity to	EC5		640	mg/l	Scenedesmus		
algae:					quadricauda		
12.2. Persistence		28d	97	%		OECD 301 B	Readily
and degradability:						(Ready	biodegradabl
						Biodegradabil	e
						ity - Co2	
						Evolution	
						Test)	
Toxicity to	EC5		>1000	mg/l	Pseudomonas		
bacteria:			0		putida		
Other information:	ThOD		750	mg/g			





Page 14 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018 SYNITARY CLEANER 10000 ML

Art.: 9028379

Other information:	COD	728	mg/g		References
Other information:	BOD5	526	mg/l		References
Water solubility:		680	g/l		Soluble20°C

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

## For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Recommended cleaner:

Water

# **SECTION 14: Transport information**

#### **General statements**

14.1. UN number: 3264

## Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHAMIC ACID)

14.3. Transport hazard class(es):814.4. Packing group:IIIClassification code:C1LQ:5 L

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

#### Transport by sea (IMDG-code)

14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHAMIC ACID)

14.3. Transport hazard class(es):814.4. Packing group:IIIEmS:F-A, S-BMarine Pollutant:n.a

14.5. Environmental hazards: Not applicable









Page 15 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018

SYNITARY CLEANER 10000 ML

Art.: 9028379

#### Transport by air (IATA)

14.2. UN proper shipping name:

Corrosive liquid, acidic, inorganic, n.o.s. (SULPHAMIC ACID) 14.3. Transport hazard class(es): 8 14.4. Packing group: III

14.5. Environmental hazards: Not applicable

## 14.6. Special precautions for user

Persons employed in transporting dangerous goods must be trained. All persons involved in transporting must observe safety regulations.

Precautions must be taken to prevent damage.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Freighted as packaged goods rather than in bulk, therefore not applicable.

Minimum amount regulations have not been taken into account.

Danger code and packing code on request.

Comply with special provisions.

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

REGULATION (EC) No 648/2004

less than 5 %

non-ionic surfactants

perfumes

LIMONENE

## 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

# **SECTION 16: Other information**

Revised sections:

14

< 1 %

Employee training in handling dangerous goods is required.

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC)	Evaluation method used			
No. 1272/2008 (CLP)				
Eye Dam. 1, H318	Classification according to calculation procedure.			





(GB

Page 16 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018 SYNITARY CLEANER 10000 ML

Art.: 9028379

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Eye Dam. — Serious eye damage

Eye Irrit. — Eye irritation

Skin Irrit. — Skin irritation

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Acute Tox. — Acute toxicity - oral

#### Any abbreviations and acronyms used in this document:

AC Article Categories

acc., acc. to according, according to

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)

BMGVBiological monitoring guidance value (EH40, UK)

BOD Biochemical oxygen demand

BSEF Bromine Science and Environmental Forum

bw body weight

CAS Chemical Abstracts Service

CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids

CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques

CIPACCollaborative International Pesticides Analytical Council

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

COD Chemical oxygen demand

CTFA Cosmetic, Toiletry, and Fragrance Association

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level



(GB

Page 17 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018 SYNITARY CLEANER 10000 ML

Art.: 9028379

DOC Dissolved organic carbon

DT50 Dwell Time - 50% reduction of start concentration

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European CommunityECHA European Chemicals AgencyEEA European Economic AreaEEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

ES Exposure scenario

etc. et cetera

EU European Union

EWC European Waste Catalogue

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

HET-CAM Hen's Egg Test - Chorionallantoic Membrane HGWPHalocarbon Global Warming Potential

IARC International Agency for Research on Cancer IATA International Air Transport Association

IBC Intermediate Bulk Container

IBC (Code) International Bulk Chemical (Code)

IC Inhibitory concentration

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform ChemicaL Information Database

LC lethal concentration

LC50 lethal concentration 50 percent kill LCLo lowest published lethal concentration

LD Lethal Dose of a chemical LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low

LOAEL Lowest Observed Adverse Effect Level

LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSH National Institute of Occupational Safety and Health (United States of America)

NOAEC No Observed Adverse Effective Concentration

NOAEL No Observed Adverse Effect Level





Page 18 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.12.2018 / 0008

Replacing version dated / version: 13.08.2018 / 0007

Valid from: 10.12.2018 PDF print date: 11.12.2018 SYNITARY CLEANER 10000 ML

Art.: 9028379

NOEC No Observed Effect Concentration

NOEL No Observed Effect Level

ODP Ozone Depletion Potential

OECD Organisation for Economic Co-operation and Development

org. organic

PAH polycyclic aromatic hydrocarbon PBT persistent, bioaccumulative and toxic

PC Chemical product category

PΕ Polyethylene

PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential

ppm parts per million PROC Process category PTFE Polytetrafluorethylene

REACH

Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SU Sector of use

SVHC Substances of Very High Concern

Tel. Telephone

ThOD Theoretical oxygen demand

TOC Total organic carbon

TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)

**UN RTDG** United Nations Recommendations on the Transport of Dangerous Goods

VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).

WHO World Health Organization

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.