



Page 1 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### SURFACE CLEANER 10000 ML

Art.: 9028430

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture:

Surface cleaner

Sector of use [SU]:

SU 0 - Other

SU 1 - Agriculture, forestry, fishery

SU19 - Building and construction work

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC35 - Washing and cleaning products

Process category [PROC]:

PROC10 - Roller application or brushing

#### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

BTI Befestigungstechnik GmbH & Co. KG

Salzstr. 51

74653 Ingelfingen Tel.: +49 7940 141 141 Fax: +49 7940 141 9141 Email: info@bti.de Homepage: www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

## 1.4 Emergency telephone number

Emergency information services / official advisory body:

---

## Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (BRC)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)





Page 2 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

Hazard class Hazard category Hazard statement

Flam. Liq. 3 H226-Flammable liquid and vapour. Eye Irrit. 2 H319-Causes serious eye irritation.

#### 2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



H226-Flammable liquid and vapour. H319-Causes serious eye irritation.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P210-Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280-Wear eye protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313-If eye irritation persists: Get medical advice / attention. P501-Dispose of contents / container to an approved waste disposal facility.

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 < 0.1 %).

Possible build up of flammable vapour/air mixture.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

n.a.

# 3.2 Mixtures

3.2 Mixtures	
Propan-2-ol	
Registration number (REACH)	
Index	603-117-00-0
EINECS, ELINCS, NLP, REACH-IT List-No.	200-661-7
CAS	67-63-0
content %	1-<10





Page 3 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

Classification according to Regulation (EC) 1272/2008	Flam. Liq. 2, H225
(CLP), M-factors	Eye Irrit. 2, H319
	STOT SE 3, H336

(2-methoxymethylethoxy)propanol	Substance for which an EU exposure limit value applies.
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	252-104-2
CAS	34590-94-8
content %	1-5
Classification according to Regulation (EC) 1272/2008	
(CLP), M-factors	

Sulfonic acids, C14-17-sec-alkane, sodium salts	Substance with specific conc. limit(s) acc. to
	REACH-registration.
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	307-055-2
CAS	97489-15-1
content %	1-<3
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP), M-factors	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Aquatic Chronic 3, H412

Alcohols, C9-11, ethoxylated	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	68439-46-3
content %	1-<3
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP), M-factors	Eye Dam. 1, H318

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

#### Skin contact





Page 4 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Unsuitable cleaning product:

Solvent

Thinners

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation of the eyes

If solvent components are inhaled above the air threshold-value:

Headaches

Dizziness

Ingestion:

Nausea

Vomiting

Effect on the central nervous system

Coordination disorders

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

#### 4.3 Indication of any immediate medical attention and special treatment needed

n.c.

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher.

# Unsuitable extinguishing media

None known

## 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of sulphur

Toxic pyrolysis products.

Explosive vapour/air or gas/air mixtures.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures





Page 5 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

Ensure sufficient supply of air.

Remove possible causes of ignition - do not smoke.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

## 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water.

Unsuitable cleaning product:

Solvent

Thinners

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

## 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid inhalation of the vapours.

Keep away from sources of ignition - Do not smoke.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

## 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Do not store with flammable or self-igniting materials.

Store in a well ventilated place.

Protect from direct sunlight and warming.

Observe special storage conditions.

## 7.3 Specific end use(s)

No information available at present.



Other information: Sk (WEL)



Page 6 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

BMGV: ---

## 8.1 Control parameters

Chemical Name	Propan-2-ol	Content %:1- <10
WEL-TWA: 400 ppm (999	mg/m3) WEL-STEL: 500 ppm (1250 mg/m3)	
Monitoring procedures:	- Draeger - Alcohol 25/a i-Propanol (81 01 631)	
	- Compur - KITA-122 SA(C) (549 277)	
	- Compur - KITA-150 U (550 382)	
	DFG (D) (Loesungsmittelgemische), DFG (E) (Solve	nt mixtures 6) -
	2013, 2002 - EU project BC/CEN/ENTR/000/2002-1	6 card 66-3
	- (2004)	
	- NIOSH 1400 (ALCOHOLS I) - 1994	
	NIOSH 2549 (VOLATILE ORGANIC COMPOUND	OS
	- (SCREENING)) - 1996	
	- Draeger - Alcohol 100/a (CH 29 701)	
BMGV:	Other information:	
Chemical Name	(2-methoxymethylethoxy)propanol	Content %:1- 5
WEL-TWA: 50 ppm (308 r	mg/m3) WEL-STEL:	
(WEL, EU)		
Monitoring procedures:		

Propan-2-ol						
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					
	Environment -		PNEC	140,9	mg/l	
	freshwater					
	Environment - marine		PNEC	140,9	mg/l	
	Environment -		PNEC	552	mg/kg	
	sediment, freshwater				dw	
	Environment -		PNEC	552	mg/kg	
	sediment, marine				dw	
	Environment - soil		PNEC	28	mg/kg	
					dw	
	Environment -		PNEC	2251	mg/l	
	sewage treatment					
	plant					
	Environment - water,		PNEC	140,9	mg/l	
	sporadic					
	(intermittent) release					
	Environment - oral		PNEC	160	mg/kg	
	(animal feed)				feed	
Consumer	Human - dermal	Long term,	DNEL	319	mg/kg	
		systemic effects			bw/day	
Consumer	Human - inhalation	Long term,	DNEL	89	mg/m3	
		systemic effects				
Consumer	Human - oral	Long term,	DNEL	26	mg/kg	
		systemic effects			bw/day	





Page 7 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Workers / employees	Human - dermal	Long term, systemic effects	DNEL	888	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	500	mg/m3	

(2-methoxymethyleth						
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					
	Environment -		PNEC	19	mg/l	
	freshwater					
	Environment - marine		PNEC	1,9	mg/l	
	Environment -		PNEC	190	mg/l	
	periodic release					
	Environment -		PNEC	4168	mg/l	
	sewage treatment					
	plant					
	Environment -		PNEC	7,02	mg/kg	
	sediment, marine				dry	
					weight	
	Environment -		PNEC	70,2	mg/kg	
	sediment, freshwater				dry	
					weight	
	Environment - soil		PNEC	2,74	mg/kg	
					dry	
					weight	
Consumer	Human - dermal	Long term,	DNEL	15	mg/kg	
		systemic effects				
Consumer	Human - inhalation	Long term,	DNEL	37,2	mg/m3	
		systemic effects				
Consumer	Human - oral	Long term,	DNEL	1,67	mg/kg	
		systemic effects				
Workers / employees	Human - dermal	Long term,	DNEL	65	mg/kg	
		systemic effects				<u> </u>
Workers / employees	Human - inhalation	Long term,	DNEL	308	mg/m3	
		systemic effects				

Sulfonic acids, C14-17-sec-alkane, sodium salts						
Area of application	Exposure route /	Exposure route / Effect on health Defeated Defea				Note
	Environmental		or			
	compartment					
	Environment -		PNEC	0,04	mg/l	
	freshwater					
	Environment - marine		PNEC	0,004	mg/l	
	Environment - water,		PNEC	0,06	mg/l	
	sporadic					
	(intermittent) release					
	Environment -		PNEC	9,4	mg/kg	
	sediment, freshwater				dw	



(GB

Page 8 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

	Environment -		PNEC	0,94	mg/kg	
	sediment, marine				dw	
	Environment - soil		PNEC	9,4	mg/kg dw	
	Environment - sewage treatment plant		PNEC	600	mg/l	
	Environment - oral (animal feed)		PNEC	53,3	mg/kg feed	
	Environment - periodic release		DNEL	0	mg/kg	
Consumer	Human - dermal	Long term, systemic effects	DNEL	3,57	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	12,4	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	7,1	mg/kg bw/d	
Consumer	Human - dermal	Short term, local effects	DNEL	2,8	mg/cm2	
Consumer	Human - dermal	Long term, local effects	DNEL	2,8	mg/cm2	
Workers / employees	Human - dermal	Short term, local effects	DNEL	2,8	mg/cm2	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	5	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	35	mg/m3	
Workers / employees	Human - dermal	Long term, local effects	DNEL	2,8	mg/cm2	

- WEL-TWA = Workplace Exposure Limit Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit Short-term exposure limit (15-minute reference period).
- $(8) = Inhalable\ fraction\ (2017/164/EU,\ 2017/2398/EU).\ (9) = Respirable\ fraction\ (2017/164/EU,\ 2017/2398/EU).$   $(10) = Short\text{-term}\ exposure\ limit\ value\ in\ relation\ to\ a\ reference\ period\ of\ 1\ minute\ (2017/164/EU).\ |\ BMGV=Biological\ monitoring\ guidance\ value\ EH40.\ BGW="Biologischer\ Grenzwert"\ (biological\ limit\ value,\ Germany)\ |\ Other\ information:\ Sen=Capable\ of\ causing\ occupational\ asthma.\ Sk=Can\ be\ absorbed\ through\ skin.\ Carc=Capable\ of\ causing\ cancer\ and/or\ heritable\ genetic\ damage.$
- \*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.
- (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

## 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls





Page 9 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

## 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection:

Chemical resistant protective gloves (EN 374).

If applicable

Protective gloves made of butyl (EN 374).

Protective Neoprene® / polychloroprene gloves (EN 374).

Protective nitrile gloves (EN 374).

Minimum layer thickness in mm:

0,4

Permeation time (penetration time) in minutes:

> 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

If OES or MEL is exceeded.

Gas mask filter A (EN 14387), code colour brown

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.





Page 10 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

# 8.2.3 Environmental exposure controls

No information available at present.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state: Liquid
Colour: Blue
Odour: Lemon

Odour threshold: Not determined

pH-value: ~7

Melting point/freezing point:

Not determined
Initial boiling point and boiling range:

Not determined

Flash point: 40 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Lower explosive limit: 2 Vol-% (20°C, Propan-2-ol) Upper explosive limit: 12 Vol-% (20°C, Propan-2-ol)

Vapour pressure:Not determinedVapour density (air = 1):Not determinedDensity:~0,99 g/mlBulk density:Not determinedSolubility(ies):Not determinedWater solubility:Soluble

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Not determined

Not determined

Not determined

Viscosity:

Not determined

Explosive properties: Product is not explosive.

Oxidising properties: No

9.2 Other information

Miscibility: Not determined
Fat solubility / solvent: Not determined
Conductivity: Not determined
Surface tension: Not determined
Solvents content: Not determined

## **SECTION 10: Stability and reactivity**





Page 11 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

The product has not been tested.

# 10.2 Chemical stability

Stable with proper storage and handling.

## 10.3 Possibility of hazardous reactions

No decomposition if used as intended.

#### 10.4 Conditions to avoid

See also section 7.

Heating, open flame, ignition sources

## 10.5 Incompatible materials

See also section 7.

Avoid contact with strong oxidizing agents.

# 10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

SURFACE CLEANER 10000 ML						
Art.: 9028430						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	ATE	>2000	mg/kg			calculated
route:						value
Acute toxicity, by						n.d.a.
dermal route:						
Acute toxicity, by						n.d.a.
inhalation:						
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ						n.d.a.
toxicity - single						
exposure (STOT-SE):						
Specific target organ						n.d.a.
toxicity - repeated						
exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Propan-2-ol						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					





Page 12 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Acute toxicity, by oral	LD50	4570-5840	mg/kg	Rat	OECD 401 (Acute	
route:			8,8		Oral Toxicity)	
Acute toxicity, by	LD50	12800-	mg/kg	Rabbit	OECD 402 (Acute	
dermal route:		13900			Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	30	mg/l/4h	Rat	•	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosio n)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosio n)	Eye Irrit. 2
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)
Germ cell mutagenicity:				Salmonella typhimuri um	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Salmonella typhimuri um	(Ames-Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Germ cell mutagenicity:					OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative
Carcinogenicity:					,	Negative
Specific target organ						STOT SE 3,
toxicity - single exposure (STOT-SE):						H336
Specific target organ toxicity - repeated exposure (STOT-RE):						Target organ(s): liver
Aspiration hazard:						No





Page 13 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Symptoms:						breathing
						difficulties,
						unconsciousn
						ess,
						vomiting,
						headaches,
						fatigue,
						dizziness,
						nausea,
						eyes,
						reddened,
						watering
						eyes
Specific target organ	NOAEL	900	mg/kg	Rat	OECD 408	
toxicity - repeated					(Repeated Dose	
exposure (STOT-RE),					90-Day Oral	
oral:					Toxicity Study in	
					Rodents)	
Specific target organ	NOAEL	5000	ppm	Rat		VapoursOEC
toxicity - repeated						D 451
exposure (STOT-RE),						
inhalat.:						

(2-methoxymethylethoxy)propanol									
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes			
	nt								
Acute toxicity, by oral	LD50	7500	mg/kg	Dog					
route:									
Acute toxicity, by oral	LD50	5130	mg/kg	Rat	OECD 401 (Acute				
route:					Oral Toxicity)				
Acute toxicity, by	LD50	>9500	mg/kg	Rabbit	OECD 402 (Acute				
dermal route:					Dermal Toxicity)				
Acute toxicity, by	LC50	55-60	mg/l/4h	Rat					
inhalation:									
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Drying of			
					Dermal	the skin.,			
					Irritation/Corrosio	Not irritant			
					n)				
Serious eye						Not irritant			
damage/irritation:									
Respiratory or skin				Human		No (skin			
sensitisation:				being		contact)			
Symptoms:						may cause			
						headaches			
						and vertigo.,			
						dizziness,			
						drowsiness			

Sulfonic acids, C14-17-sec-alkane, sodium salts								
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes		
	nt							





Page 14 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

A	I D50	. 500 2000	/1	D (	OECD 401 (A 4	
Acute toxicity, by oral	LD50	>500-2000	mg/kg	Rat	OECD 401 (Acute	
route:					Oral Toxicity)	
Acute toxicity, by	LD50	>2000	mg/kg	Mouse		Analogous
dermal route:						conclusion
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Skin Irrit. 2
					Dermal	
					Irritation/Corrosio	
					n)	
Serious eye		>15	%	Rabbit	OECD 405 (Acute	Eye Dam. 1
damage/irritation:			, •		Eye	
damage/irreation.					Irritation/Corrosio	
					n)	
Serious eye		>10	%		11)	Eye Irrit. 2
		>10	70			Eye IIII. 2
damage/irritation:	-				OECD 404 (01;	NI (1:
Respiratory or skin				Guinea pig	OECD 406 (Skin	No (skin
sensitisation:					Sensitisation)	contact)
Germ cell mutagenicity:						No
						indications
						of such an
						effect.
Carcinogenicity:				Rat		No
						indications
						of such an
						effect.
Reproductive toxicity:		200	mg/kg	Rat		No
			08			indications
						of such an
						effect.
Aspiration hazard:						No
Aspiration nazaru.	1					110

Alcohols, C9-11, ethoxylated										
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes				
	nt									
Acute toxicity, by oral route:	LD50	1378	mg/kg	Rat						
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat						
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	Analogous conclusion				
Acute toxicity, by inhalation:	LC50	>20,1	mg/l/4h							
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosio n)	Not irritant				
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosio n)	Risk of serious damage to eyes., Analogous conclusion				





Page 15 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Not sensitizising
Specific target organ	NOAEL	250	mg/kg		,	
toxicity - repeated						
exposure (STOT-RE):						

# **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

SURFACE CLEANER 10000 ML									
Art.: 9028430									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
12.1. Toxicity to							n.d.a.		
fish:									
12.1. Toxicity to							n.d.a.		
daphnia:									
12.1. Toxicity to							n.d.a.		
algae:									





Page 16 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

12.2. Persistence			The
			The
and degradability:			surfactant(s)
			contained in
			this mixture
			complies(co
			mply) with
			the
			biodegradabi
			lity criteria
			as laid down
			in
			Regulation
			(EC)
			No.648/2004
			on
			detergents.
			Data to
			support this
			assertion are
			held at the
			disposal of
			the
			competent
			authorities
			of the
			Member
			States and
			will be made
			available to
			them, at
			their direct
			request or at
			the request
			of a
			detergent
			manufacturer
12.3.			n.d.a.
Bioaccumulative			
potential:			
12.4. Mobility in			n.d.a.
12.4. MIOUIIII III			n.u.a.
soil:			1
12.5. Results of			n.d.a.
PBT and vPvB			
assessment			
12.6. Other			n.d.a.
adverse effects:			
Other information:			According
			to the recipe,
			contains no
			AOX.
			110/1.





Page 17 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Propan-2-ol							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to	EC10	16h	1050	mg/l	Pseudomonas		
bacteria:					putida		
12.3.	BCF		3,2				Low
Bioaccumulative							
potential:							
12.1. Toxicity to	LC50	96h	>100	mg/l	Leuciscus idus		
fish:				U			
12.1. Toxicity to	LC50	96h	1400	mg/l	Lepomis		
fish:		7 0		8, -	macrochirus		
12.1. Toxicity to	EC50	48h	2285	mg/l	Daphnia		
daphnia:	2000	.011		1118/1	magna		
12.1. Toxicity to	EC50	16d	141	mg/l	Daphnia		
daphnia:	2000	100	1.1	1118/1	magna		
12.1. Toxicity to	EC50	72h	>100	mg/l	Desmodesmus		
algae:	Leso	/ 211	7100	1116/1	subspicatus		
12.2. Persistence		21d	95	%	subspicatus	OECD 301 E	Readily
and degradability:		210		/0		(Ready	biodegradabl
and degradatinty.						Biodegradabil	e
						ity - Modified	C
						OECD	
						Screening Test)	
12.2. Persistence			00.0	%		Test) OECD 303 A	D 4:1
			99,9	%			Readily
and degradability:						(Simulation	biodegradabl
						Test -	e
						Aerobic	
						Sewage	
						Treatment -	
						Activated	
						Sludge Units)	
12.3.	Log Pow		0,05			OECD 107	Slight
Bioaccumulative						(Partition	
potential:						Coefficient (n-	
						octanol/water)	
						- Shake	
						Flask Method)	
12.4. Mobility in	Koc		1,1				Expert
soil:							judgement
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance
Toxicity to	EC50		>1000	mg/l	activated		
bacteria:					sludge		
Other information:	ThOD		2,4	g/g			
Other information:	BOD5		53	%			
Other information:	COD		96	%			References
Other information:	COD		2,4	g/g			
Other information.	COD						





Page 18 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

(2-methoxymethyle	(2-methoxymethylethoxy)propanol										
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes				
12.5. Results of							No PBT				
PBT and vPvB							substance,				
assessment							No vPvB				
							substance				
12.1. Toxicity to	LC50	96h	>1000	mg/l	Poecilia	OECD 203					
fish:					reticulata	(Fish, Acute					
						Toxicity Test)					
12.1. Toxicity to	NOEC/NO	22d	>0,5	mg/l	Daphnia	OECD 211					
daphnia:	EL				magna	(Daphnia					
						magna					
						Reproduction					
						Test)					
12.1. Toxicity to	EC50	48h	1919	mg/l	Daphnia	OECD 202					
daphnia:					magna	(Daphnia sp.					
						Acute					
						Immobilisatio					
						n Test)					
12.1. Toxicity to	ErC50	96h	>969	mg/l	Pseudokirchne	OECD 201					
algae:					riella	(Alga,					
					subcapitata	Growth					
						Inhibition					
						Test)					
12.2. Persistence		28d	79	%		OECD 301 F	Readily				
and degradability:						(Ready	biodegradabl				
						Biodegradabil	e				
						ity -					
						Manometric					
						Respirometry					
						Test)					
12.3.	Log Pow		0,004-			OECD 107					
Bioaccumulative			1,01			(Partition					
potential:						Coefficient (n-					
						octanol/water)					
						- Shake					
						Flask Method)					
12.3.	BCF		<100								
Bioaccumulative											
potential:											
12.4. Mobility in	Koc		0,28								
soil:					1						
Toxicity to	EC10	18h	4168	mg/l	Pseudomonas						
bacteria:					putida						

Sulfonic acids, C14-17-sec-alkane, sodium salts							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	1 -10	mg/l	Brachydanio	OECD 203	
fish:					rerio	(Fish, Acute	
						Toxicity Test)	





Page 19 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

12.1. Toxicity to fish:	NOEC/NO EL	28d	0,85	mg/l	Oncorhynchus mykiss	OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study)	
12.1. Toxicity to daphnia:	NOEC/NO EL	22d	0,36	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisatio n Test)	
12.1. Toxicity to daphnia:	EC50	48h	9,81	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisatio n Test)	
12.1. Toxicity to algae:	EC50	72h	>61	mg/l	Scenedesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		34d	96,2	%	activated sludge	OECD 304 A (Inherent Biodegradabil ity in Soil)	Readily biodegradabl e
12.2. Persistence and degradability:		28d	78	%	activated sludge	OECD 301 B (Ready Biodegradabil ity - Co2 Evolution Test)	Readily biodegradabl e
12.2. Persistence and degradability:		28d	89	%	activated sludge	OECD 301 E (Ready Biodegradabil ity - Modified OECD Screening Test)	Readily biodegradabl e
12.3. Bioaccumulative potential:							Not accepted due to the log Pow - value.
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	NOEC/NO EL	16h	600	mg/l	Pseudomonas putida	DIN 38412 T.8	





Page 20 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Other organisms:	NOEC/NO	56d	470	mg/kg	Eisenia	OECD 222
	EL				foetida	(Earthworm
						Reproduction
						Test (Eisenia
						fetida/Eisenia
						andrei))

Alcohols, C9-11, ethoxylated							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.3.							Not to be
Bioaccumulative							expected
potential:							
12.1. Toxicity to	LC50	96h	11	mg/l			
fish:							
12.1. Toxicity to	LC50	96h	5-7	mg/l	Oncorhynchus		
fish:					mykiss		
12.1. Toxicity to	EC50	48h	2,5	mg/l	Daphnia		
daphnia:					magna		
12.1. Toxicity to	EC50	48h	1-10	mg/l	Daphnia		
daphnia:					magna		
12.1. Toxicity to	NOEC/NO	21d	2,11	mg/l	Daphnia	QSAR	
daphnia:	EL				magna		
12.1. Toxicity to	EC50	72h	1,978	mg/l	Desmodesmus	QSAR	
algae:					subspicatus		
12.1. Toxicity to	EC50	72h	1-10	mg/l	Skeletonema		
algae:					costatum		
12.2. Persistence		28d	>60	%		OECD 301 B	Readily
and degradability:						(Ready	biodegradab
						Biodegradabil	e
						ity - Co2	
						Evolution	
						Test)	
12.2. Persistence			94	%		OECD 301 E	
and degradability:						(Ready	
,						Biodegradabil	
						ity - Modified	
						OECD	
						Screening	
						Test)	
12.2. Persistence			99	%		OECD 302 B	
and degradability:						(Inherent	
und degradaemey.						Biodegradabil	
						ity - Zahn-	
						Wellens/EMP	
						A Test)	
Toxicity to	EC50	4h	410	mg/l		1000)	Analogous
bacteria:							conclusion
Water solubility:							Soluble





Page 21 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU) 07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant. E.g. dispose at suitable refuse site.

# For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Recommended cleaner:

Water

## **SECTION 14: Transport information**

## **General statements**

14.1. UN number: 1993

# Transport by road/by rail (ADR/RID),

14.2. UN proper shipping name:

UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIIClassification code:F1LQ:5 L

14.5. Environmental hazards: Not applicable

Tunnel restriction code: D/E

## Transport by sea (IMDG-code)

14.2. UN proper shipping name:

FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIIEmS:F-E, S-EMarine Pollutant:n.a

14.5. Environmental hazards: Not applicable

## Transport by air (IATA)

14.2. UN proper shipping name:

Flammable liquid, n.o.s. (ISOPROPYL ALCOHOL)
14.3. Transport hazard class(es):
3
14.4. Packing group:
III

14.5. Environmental hazards: Not applicable









Page 22 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

#### 14.6. Special precautions for user

Persons employed in transporting dangerous goods must be trained. All persons involved in transporting must observe safety regulations.

Precautions must be taken to prevent damage.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Freighted as packaged goods rather than in bulk, therefore not applicable.

Minimum amount regulations have not been taken into account.

Danger code and packing code on request.

Comply with special provisions.

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 1 - The following categories apply to this product (others

may also need to be considered according to storage, handling etc.):

Hazard categories	Notes to Annex I	Qualifying quantity	Qualifying quantity
		(tonnes) of dangerous	(tonnes) of dangerous
		substances as referred to	substances as referred to
		in Article 3(10) for the	in Article 3(10) for the
		application of - Lower-	application of - Upper-
		tier requirements	tier requirements
P5c		5000	50000

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Directive 2010/75/EU (VOC):

~ 10 %

## REGULATION (EC) No 648/2004

less than 5 % anionic surfactants non-ionic surfactants

perfumes CITRAL

## 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## **SECTION 16: Other information**

Revised sections:

2, 3, 4, 8, 11, 12

Employee training in handling dangerous goods is required.

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.





Page 23 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC)	Evaluation method used		
No. 1272/2008 (CLP)			
Flam. Liq. 3, H226	Classification based on test data.		
Eye Irrit. 2, H319	Classification according to calculation procedure.		

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H225 Highly flammable liquid and vapour.

--- ---

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Flam. Liq. — Flammable liquid

Eye Irrit. — Eye irritation

STOT SE — Specific target organ toxicity - single exposure - narcotic effects

Acute Tox. — Acute toxicity - oral

Skin Irrit. — Skin irritation

Eye Dam. — Serious eye damage

Aquatic Chronic — Hazardous to the aquatic environment - chronic

# Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level



(GB

Page 24 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community
ECHA European Chemicals Agency

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

etc. et cetera EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

IUPACInternational Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

LO Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

OECD Organisation for Economic Co-operation and Development

org. organic

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt weight





Page 25 of 25

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.06.2019 / 0010

Replacing version dated / version: 03.07.2015 / 0009

Valid from: 18.06.2019 PDF print date: 02.06.2021 SURFACE CLEANER 10000 ML

Art.: 9028430

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.