

Page 1 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

> Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Silicone Neutral plus transparent 310 ml Art.: 9094841

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:
Silicone sealant
Uses advised against:
No information available at present.

1.3 Details of the supplier of the safety data sheet

BTI Befestigungstechnik GmbH & Co. KG Salzstr. 51 74653 Ingelfingen Tel.: +49 7940 141 141 Fax: +49 7940 141 9141 Email: info@bti.de Homepage: www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (BRC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP) The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

EUH208-Contains 2-Octyl-2H-isothiazol-3-one. May produce an allergic reaction. EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

01-2120078782-46-XXXX
940-734-7
5-<10
Asp. Tox. 1, H304

O,O',O''-(methylsilylidyne)trioxime-2-pentanone	
Registration number (REACH)	01-2120004323-76-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	484-460-1
CAS	
content %	1-<5
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP), M-factors	Eye Irrit. 2, H319

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected! Never pour anything into the mouth of an unconscious person! Inhalation



Page 3 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml

Art.: 9094841

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wine contact
Wipe off residual product carefully with a soft, dry cloth.
Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.
Eye contact
Remove contact lenses.
Wash thoroughly for several minutes using copious water. Seek medical help if necessary.
Ingestion
Rinse the mouth thoroughly with water.
Give copious water to drink - consult doctor immediately.
4.2 Most important symptoms and effects, both acute and delayed
If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.
In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.
Sensitive individuals:
Allergic reaction possible.
4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Water jet spray/foam/CO2/dry extinguisher Unsuitable extinguishing media None known 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Formaldehyde Oxides of carbon Silicon dioxide Toxic gases 5.3 Advice for firefighters In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Remove possible causes of ignition - do not smoke. Avoid contact with eyes or skin. If applicable, caution - risk of slipping. **6.2 Environmental precautions** If leakage occurs, dam up. Resolve leaks if this possible without risk.



Page 4 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

Prevent surface and ground-water infiltration, as well as ground penetration.
Prevent from entering drainage system. **6.3 Methods and material for containment and cleaning up**Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.
Flush residue using copious water.
Or:
Allow product to harden.
Pick up mechanically and dispose of according to Section 13. **6.4 Reference to other sections**For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1. 7.1 Precautions for safe handling 7.1.1 General recommendations Ensure good ventilation. Avoid contact with eyes. Avoid long lasting or intensive contact with skin. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use. 7.1.2 Notes on general hygiene measures at the workplace General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed. 7.2 Conditions for safe storage, including any incompatibilities Not to be stored in gangways or stair wells. Store product closed and only in original packing. Store at room temperature. Store in a dry place. 7.3 Specific end use(s) No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

^(B) Chemical Name	Silica, amorph	ious				Content %:	
WEL-TWA: 6 mg/m3 (tota	l inh. dust),	WEL-STEL:					
2,4 mg/m3 (resp. dust)							
Monitoring procedures:							
BMGV:		Other information	:				



Page 5 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					
	Environment -		PNEC	0,1	mg/l	
	freshwater					
	Environment - marine		PNEC	0,01	mg/l	
	Environment -		PNEC	0,269	mg/kg	
	sediment, freshwater					
	Environment -		PNEC	0,057	mg/kg	
	sediment, marine					
	Environment -		PNEC	2,15	mg/l	
	sewage treatment					
	plant					
Consumer	Human - oral	Long term,	DNEL	0,033	mg/kg	
		systemic effects			bw/d	
Consumer	Human - inhalation	Long term,	DNEL	0,057	mg/m3	
		systemic effects				
Consumer	Human - dermal	Long term,	DNEL	0,033	mg/kg	
		systemic effects			bw/d	
Workers / employees	Human - inhalation	Long term,	DNEL	0,229	mg/m3	
		systemic effects		2		
Workers / employees	Human - dermal	Long term,	DNEL	0,065	mg/kg	
		systemic effects			bw/d	

Silica, amorphous									
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note			
	Environmental		or						
	compartment								
	Environment - oral		PNEC	60000	mg/kg				
	(animal feed)				feed				
Workers / employees	Human - inhalation	Long term, local	DNEL	4	mg/m3				
		effects							

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

^{(8) =} Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

^{**} = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.



Page 6 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN 374). Recommended Polyethylene Minimum layer thickness in mm: 0,11 Permeation time (penetration time) in minutes: > 60 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.



Page 7 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1 mormation on basic physical and chemical prop	
Physical state:	Paste, liquid.
Colour:	Transparent
Odour:	Characteristic
Odour threshold:	Not determined
pH-value:	Mixture is non-soluble (in water).
Melting point/freezing point:	n.a.
Initial boiling point and boiling range:	Not determined
Flash point:	>100 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Lower explosive limit:	Not determined
Upper explosive limit:	Not determined
Vapour pressure:	Not determined
Vapour density (air $=$ 1):	Not determined
Density:	1,005 g/cm3 (20°C)
Bulk density:	Not determined
Solubility(ies):	Not determined
Water solubility:	Insoluble
Partition coefficient (n-octanol/water):	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not determined
Oxidising properties:	Not determined
9.2 Other information	
Miscibility:	Not determined
Fat solubility / solvent:	Not determined
Conductivity:	Not determined
Surface tension:	Not determined
Solvents content:	0 % (Organic solvents)

SECTION 10: Stability and reactivity

10.1 ReactivityThe product has not been tested.10.2 Chemical stability



Page 8 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

Stable with proper storage and handling.
10.3 Possibility of hazardous reactions
No dangerous reactions are known.
10.4 Conditions to avoid
See also section 7.
Strong heat
Moisture
10.5 Incompatible materials
See also section 7.
Avoid contact with strong oxidizing agents.
10.6 Hazardous decomposition products
See also section 5.2
No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Silicone Neutral plus tra	nsparent 3	10 ml						
Art.: 9094841								
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes		
	nt							
Acute toxicity, by oral	ATE	>2000	mg/kg			calculated		
route:						value		
Acute toxicity, by						n.d.a.		
dermal route:								
Acute toxicity, by						n.d.a.		
inhalation:								
Skin corrosion/irritation:						n.d.a.		
Serious eye						n.d.a.		
damage/irritation:								
Respiratory or skin						Not		
sensitisation:						sensitizising,		
						Expert		
						judgement		
Germ cell mutagenicity:						n.d.a.		
Carcinogenicity:						n.d.a.		
Reproductive toxicity:						n.d.a.		
Specific target organ						n.d.a.		
toxicity - single								
exposure (STOT-SE):								
Specific target organ						n.d.a.		
toxicity - repeated								
exposure (STOT-RE):								
Aspiration hazard:						n.d.a.		
Symptoms:						n.d.a.		

Hydrocarbons, C18-C24, isoalkanes, <2% aromatics								
Toxicity / effect Endpoi Value Unit Organism Test method Notes								
	nt							



Page 9 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

Acute toxicity, by oral	LD50	>5000	mg/kg	Rat	Analogous conclusion
route:	1.5.50				
Acute toxicity, by	LD50	>2000	mg/kg	Rabbit	Analogous
dermal route:					conclusion
Skin corrosion/irritation:					Repeated
					exposure
					may cause
					skin dryness
					or cracking.
Aspiration hazard:					Yes
Symptoms:					coughing,
					respiratory
					distress,
					increased
					blood
					pressure,
					fever, drying
					of the skin.

Silica, amorphous						
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral	LD50	>5000	mg/kg	Rat	OECD 401 (Acute	Analogous
route:					Oral Toxicity)	conclusion
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit		References
Acute toxicity, by	LC50	>0,139	mg/l/4h	Rat		References,
inhalation:						Maximum
						achievable
						concentration
Skin corrosion/irritation:				Rabbit		Not irritant,
						References
Serious eye				Rabbit		Not irritant,
damage/irritation:						Mechanical
						irritation
						possible.,
						References
Respiratory or skin				Guinea pig		Not
sensitisation:						sensitizising
Germ cell mutagenicity:						Negative
Carcinogenicity:						No
						indications
						of such an
						effect.
Reproductive toxicity						No
(Developmental						indications
toxicity):						of such an
						effect.
Symptoms:						eyes,
						reddened



Page 10 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification). Silicone Neutral plus transparent 310 ml Art.: 9094841 Endpoint **Toxicity / effect** Time Value | Unit Organism **Test method** Notes 12.1. Toxicity to n.d.a. fish: 12.1. Toxicity to n.d.a. daphnia: 12.1. Toxicity to n.d.a. algae: 12.2. Persistence n.d.a. and degradability: 12.3. n.d.a. Bioaccumulative potential: 12.4. Mobility in n.d.a. soil: 12.5. Results of n.d.a. PBT and vPvB assessment 12.6. Other n.d.a. adverse effects: Other information: According to the recipe, contains no AOX. Other information: DOCelimination degree(comp lexing organic substance)>= 80%/28d: n.a.

Hydrocarbons, C18-C24, isoalkanes, <2% aromatics								
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes	
12.2. Persistence							Readily	
and degradability:							biodegradabl	
							e	
12.3.	Log Pow		>7				To be	
Bioaccumulative							expected	
potential:								
12.5. Results of							No PBT	
PBT and vPvB							substance,	
assessment							No vPvB	
							substance	

B



Page 11 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

12.4. Mobility in soil:		Product floats on the water surface., Adsorption in ground.
Ozone depletion potential (ODP):		No

Silica, amorphous								
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes	
12.1. Toxicity to	LC50	96h	>1000	mg/l	Brachydanio	OECD 203		
fish:			0		rerio	(Fish, Acute		
						Toxicity Test)		
12.1. Toxicity to	EC50	24h	>1000	mg/l	Daphnia	OECD 202		
daphnia:			0	_	magna	(Daphnia sp.		
-						Acute		
						Immobilisatio		
						n Test)		
12.1. Toxicity to	EL50	72h	>1000	mg/l		OECD 201		
algae:			0			(Alga,		
						Growth		
						Inhibition		
						Test)		
12.2. Persistence							Abiotically	
and degradability:							degradable.	
12.3.							Not to be	
Bioaccumulative							expected	
potential:								
12.4. Mobility in							Not to be	
soil:							expected	
12.5. Results of							No PBT	
PBT and vPvB							substance,	
assessment							No vPvB	
							substance	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no .:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

07 02 17 waste containing silicones other than those mentioned in 07 02 16

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.



Page 12 of 15
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002
Replacing version dated / version: 27.03.2019 / 0001
Valid from: 26.05.2021
PDF print date: 02.06.2021
Silicone Neutral plus transparent 310 ml
Art.: 9094841

E.g. suitable incineration plant.
Hardened product:
Can be disposed of with household rubbish.
For contaminated packing material
Pay attention to local and national official regulations.
Empty container completely.
Uncontaminated packaging can be recycled.
Dispose of packaging that cannot be cleaned in the same manner as the substance.
15 01 02 plastic packaging

SECTION 14: Transport information

General statements							
14.1. UN number:	n.a.						
Transport by road/by rail (ADR/RID)							
14.2. UN proper shipping name:							
14.3. Transport hazard class(es):	n.a.						
14.4. Packing group:	n.a.						
Classification code:	n.a.						
LQ:	n.a.						
14.5. Environmental hazards:	Not applicable						
Tunnel restriction code:							
Transport by sea (IMDG-code)							
14.2. UN proper shipping name:							
14.3. Transport hazard class(es):	n.a.						
14.4. Packing group:	n.a.						
Marine Pollutant:	n.a						
14.5. Environmental hazards:	Not applicable						
Transport by air (IATA)							
14.2. UN proper shipping name:							
14.3. Transport hazard class(es):	n.a.						
14.4. Packing group:	n.a.						
14.5. Environmental hazards:	Not applicable						
14.6. Special precautions for user							
Unless specified otherwise, general measures for safe transport must be followed.							
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code							
Non-dangerous material according to Transport Regulations.							

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

0 %

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label. Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012.



Page 13 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods.

These are indicated in the approval of the active substance.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

2, 3, 8, 9, 11, 12, 15

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H319 Causes serious eye irritation.

Asp. Tox. — Aspiration hazard Acute Tox. — Acute toxicity - oral Eye Irrit. — Eye irritation

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approximately approx. Article number Art., Art. no. ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BSEF The International Bromine Council bw body weight CAS Chemical Abstracts Service CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level dry weight dw



Page 14 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841 for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EC European Community ECHA European Chemicals Agency EEC European Economic Community **EINECS** European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances EN European Norms EPA United States Environmental Protection Agency (United States of America) etc. et cetera EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive **IUCLID** International Uniform Chemical Information Database **IUPACInternational Union for Pure Applied Chemistry** LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) LO Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. n.d.a. no data available OECD Organisation for Economic Co-operation and Development org. organic PBT persistent, bioaccumulative and toxic PE Polyethylene PNEC Predicted No Effect Concentration parts per million ppm PVC Polyvinylchloride REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation RID concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wwt wet weight



Page 15 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 26.05.2021 / 0002 Replacing version dated / version: 27.03.2019 / 0001 Valid from: 26.05.2021 PDF print date: 02.06.2021 Silicone Neutral plus transparent 310 ml Art.: 9094841

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.