



Page 1 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Silicone sealant

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet



BTI Befestigungstechnik GmbH & Co. KG, Salzstr. 51, 74653 Ingelfingen, Germany Phone:+49 7940 141 141, Fax:+49 7940 141 9141 info@bti.de, www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (BRC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains 2-butanone oxime. May produce an allergic reaction.

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture contains a vPvB substance (vPvB = very persistent, very bioaccumulative).





Page 2 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

The mixture contains a PBT substance (PBT = persistent, bioaccumulative, toxic).

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a.

3.2 Mixture

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics,	
<0.03% aromatics	
Registration number (REACH)	01-2119552497-29-XXXX
Index	
EINECS, ELINCS, NLP	932-078-5 (REACH-IT List-No.)
CAS	
content %	1-<10
Classification according to Regulation (EC) 1272/2008	Asp. Tox. 1, H304
(CLP)	

Dodecamethylcyclohexasiloxane	PBT-substance
	vPvB-substance
	SVHC-substance
Registration number (REACH)	01-2119517435-42-XXXX
Index	
EINECS, ELINCS, NLP	208-762-8
CAS	540-97-6
content %	<1
Classification according to Regulation (EC) 1272/2008	
(CLP)	

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wipe off residual product carefully with a soft, dry cloth.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.





Page 3 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

Sensitive individuals:

Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of nitrogen

Silicon dioxide

Formal dehyde

Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.

Remove possible causes of ignition - do not smoke.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

Flush residue using copious water.





Page 4 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

Or:

Allow product to harden.

Pick up mechanically and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store at room temperature.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40):

 $1200\ mg/m3$

Chemical Name	Hydrocarbons	Content %:1-		
Chemical Name	aromatics			<10
WEL-TWA: 1200 mg/m3	(>=C7 normal	WEL-STEL:		
and branched chain alkanes)				
Monitoring procedures:	-]	Draeger - Hydrocarbons 2/a (81 03 581)		
	-]	Draeger - Hydrocarbons 0,1%/c (81 03 571)		
	- (Compur - KITA-187 S (551 174)		
BMGV:		Other information	:	

© Chemical Name	Silica, amorph	ious	Content %:
WEL-TWA: 6 mg/m3 (tota	ıl inh. dust),	WEL-STEL:	
2,4 mg/m3 (resp. dust)			
Monitoring procedures:	-		





Page 5 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

BMGV:	Other information:
-------	--------------------

Silica, amorphous						
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental compartment		or			
Workers / employees	Human - inhalation	Long term, local effects	DNEL	4	mg/m3	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

*** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. BS EN 14042.

BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN 374).

Recommended

Polyethylene

Minimum layer thickness in mm:

0,11

Permeation time (penetration time) in minutes:





Page 6 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

> 60

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Paste, liquid. Colour: Grey, Black Characteristic Odour. Odour threshold: Not determined Not determined pH-value: Not determined Melting point/freezing point: Initial boiling point and boiling range: Not determined >200 °C Flash point: Not determined Evaporation rate: Flammability (solid, gas): Not determined Lower explosive limit: Not determined Upper explosive limit: Not determined Vapour pressure: Not determined Vapour density (air = 1): Not determined Density: 1000 kg/m3 (20°C) Bulk density: Not determined





Page 7 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

Solubility(ies):

Water solubility:

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Not determined

Not determined

Not determined

Not determined

Explosive properties: Product is not explosive.

Oxidising properties: No

9.2 Other information

Miscibility: Not determined
Fat solubility / solvent: Not determined
Conductivity: Not determined
Surface tension: Not determined
Solvents content: Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7.

Strong heat

Moisture

10.5 Incompatible materials

See also section 7.

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Silicone Neutral plus anthracite 7016 310 ml						
Art.: 9094846						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral						n.d.a.
route:						
Acute toxicity, by						n.d.a.
dermal route:						
Acute toxicity, by						n.d.a.
inhalation:						
Skin corrosion/irritation:						n.d.a.





Page 8 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

Serious eye		n.d.a.
damage/irritation:		
Respiratory or skin		n.d.a.
sensitisation:		
Germ cell mutagenicity:		n.d.a.
Carcinogenicity:		n.d.a.
Reproductive toxicity:		n.d.a.
Specific target organ		n.d.a.
toxicity - single		
exposure (STOT-SE):		
Specific target organ		n.d.a.
toxicity - repeated		
exposure (STOT-RE):		
Aspiration hazard:		n.d.a.
Symptoms:		n.d.a.

Hydrocarbons, C13-C23 Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
Toxicity / criect	nt	Value		Organism	1 est inctitou	Notes
Acute toxicity, by oral	LD50	>5000	mg/kg	Rat	OECD 401 (Acute	
route:	LDSO	75000	mg/ng	Tui	Oral Toxicity)	
Acute toxicity, by	LD50	>3160	mg/kg	Rabbit	OECD 402 (Acute	
dermal route:					Dermal Toxicity)	
Acute toxicity, by	LC50	>5266	mg/m3/	Rat	OECD 403 (Acute	Aerosol
inhalation:			4h		Inhalation	
					Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosio	
					n)	
Serious eye				Rabbit	OECD 405 (Acute	Not irritant
damage/irritation:					Eye	
					Irritation/Corrosio	
					n)	
Respiratory or skin				Human		No (skin
sensitisation:				being		contact)
Germ cell mutagenicity:				Salmonella	OECD 471	Negative
				typhimuri	(Bacterial Reverse	
A 1 1 1				um	Mutation Test)	*7
Aspiration hazard:						Yes
Symptoms:						nausea and
						vomiting.,
						lower
						abdominal
						pain,
						diarrhoea,
						stomach pai

Dodecamethylcyclohexasiloxane							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes	
	nt						





Page 9 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

Acute toxicity, by oral route:	LC50	>2000	mg/kg	Rat		
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosio n)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosio n)	Not irritant
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Not sensitizising
Germ cell mutagenicity:				Salmonella typhimuri um	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Reproductive toxicity:	NOAEL	1000	mg/kg bw/d	Rat	OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Dev elopm. Tox. Screening Test)	
Specific target organ toxicity - repeated exposure (STOT-RE):	NOAEL	0,15	mg/kg bw/d	Rat	OECD 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	

Silica, amorphous						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	>5000	mg/kg	Rat	OECD 401 (Acute	Analogous
route:					Oral Toxicity)	conclusion
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit		
Acute toxicity, by	LC50	>0,139	mg/l/4h	Rat		References,
inhalation:						Maximum
						achievable
						concentration
Skin corrosion/irritation:				Rabbit		Not irritant,
						References
Serious eye				Rabbit		Not irritant,
damage/irritation:						Mechanical
						irritation
						possible.,
						References
Respiratory or skin				Guinea pig		Not
sensitisation:						sensitizising
Germ cell mutagenicity:						Negative





Page 10 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

Carcinogenicity:			No
			indications
			of such an
			effect.
Reproductive toxicity			No
(Developmental			indications
toxicity):			of such an
			effect.
Symptoms:			eyes,
			reddened

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Silicone Neutral plus anthracite 7016 310 ml										
Art.: 9094846										
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes			
12.1. Toxicity to							n.d.a.			
fish:										
12.1. Toxicity to							n.d.a.			
daphnia:										
12.1. Toxicity to							n.d.a.			
algae:										
12.2. Persistence							n.d.a.			
and degradability:										
12.3.							n.d.a.			
Bioaccumulative										
potential:										
12.4. Mobility in							n.d.a.			
soil:										
12.5. Results of							n.d.a.			
PBT and vPvB										
assessment										
12.6. Other							n.d.a.			
adverse effects:										

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics										
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes			
12.1. Toxicity to	LL50	96h	>1028	mg/l	Scophthalmus	OECD 203				
fish:					maximus	(Fish, Acute				
						Toxicity Test)				
12.1. Toxicity to	NOELR	28d	>1000	mg/l	Oncorhynchus	QSAR				
fish:					mykiss					
12.1. Toxicity to	NOELR	21d	>1000	mg/l	Daphnia	QSAR				
daphnia:					magna					
12.1. Toxicity to	LL50	48h	>3193	mg/l	Acartia tonsa	ISO 14669				
daphnia:										
12.1. Toxicity to	ErL50	72h	>1000	mg/l	Skeletonema	ISO 10253				
algae:			0		costatum					





Page 11 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

12.2. Persistence	28d	74	%	OECD 306	
and degradability:				(Biodegradabi	
				lity in	
				Seawater)	
12.5. Results of					No PBT
PBT and vPvB					substance,
assessment					No vPvB
					substance

12.3. Log Pow 8,87- 9,45	Dodecamethylcycle Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Bioaccumulative potential: 12.3. BCF 49d 1160 Bioaccumulative potential: 12.1. Toxicity to fish: 12.1. Toxicity to fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.2. Persistence and degradability: 12.1. Toxicity to algae: Toxicity to bacteria: 12.1. Toxicity to magna EC50 BCF 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 49d 4,4 4,4			Tillic		Ome	Organism	1 est method	Hotes
potential: 12.3. Bioaccumulative potential: NOEC/NO fish: 12.1. Toxicity to daphnia: 12.2. Persistence and degradability: 12.1. Toxicity to algae: 12.3. BCF 49d 1160		Log Fow		1 ′				
12.3. Bioaccumulative potential: 12.1. Toxicity to fish: EL 49d 4,4 µg/l Cyprinus caprio EL 12.1. Toxicity to fish: EL 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: EL 28d 4,46 µg/l Daphnia magna 12.2. Persistence and degradability: 12.1. Toxicity to algae: EC50 3h >100 mg/l activated Sludge CECD 209 (Activated Sludge Sludge, Respiration Inhibition Test (Carbon and CECD 201 C				9,43				
Bioaccumulative potential: 12.1. Toxicity to fish: EL	<u> </u>	DCE	40.1	1160			OECD 205	
potential: Description Decomposition De		BCF	490	1160				
Through Fish Test) 12.1. Toxicity to fish: 12.1. Toxicity to fish: 12.1. Toxicity to fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia: 12.2. Persistence and degradability: 12.1. Toxicity to algae: 12.1. Toxicity to bacteria: 12.2. Persistence and degradability: 12.3. Toxicity to algae: 12.4. Toxicity to bacteria: 12.5. Persistence and degradability: 12.6. Persistence and degradability: 12.7. Toxicity to algae: 12.8. A,46 % 12.8. A,46 % 12.9. Pseudokirchne riella subcapitata (Alga, Growth Inhibition Test) 12.1. Toxicity to bacteria: 12.1. Toxicity to algae: 12.1. Toxicity to bacteria:							`	
Test Toxicity to fish: EL	potential:							
12.1. Toxicity to fish: NOEC/NO EL 49d 4,4 μg/l Cyprinus caprio 12.1. Toxicity to fish: LC50 49d >4,4 μg/l Pimephales promelas 12.1. Toxicity to daphnia: NOEC/NO EL 21d >4,6 μg/l Daphnia magna 12.2. Persistence and degradability: 28d 4,46 % CO2 evolution 12.1. Toxicity to algae: EC50 72h >2 μg/l Pseudokirchne riella (Alga, subcapitata) Growth Inhibition Test) Toxicity to bacteria: EC50 3h >100 mg/l activated sludge (Activated Sludge, Respiration Inhibition Test (Carbon and and septration and septration)								
fish: EL caprio 12.1. Toxicity to fish: LC50 49d >4,4 μg/l Pimephales promelas 12.1. Toxicity to daphnia: NOEC/NO 21d >4,6 μg/l Daphnia magna 12.2. Persistence and degradability: 28d 4,46 % CO2 evolution 12.1. Toxicity to algae: EC50 72h >2 μg/l Pseudokirchne riella subcapitata OECD 201 (Alga, Growth Inhibition Test) Toxicity to bacteria: EC50 3h >100 mg/l activated sludge OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and							Test)	
12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.2. Persistence and degradability: 12.1. Toxicity to algae: 12.3. Toxicity to daphnia: 12.4. Pimephales promelas 12.5. Persistence and degradability: 12.6. Persistence and degradability: 12.7. Toxicity to algae: 12.8	12.1. Toxicity to	NOEC/NO	49d	4,4	μg/l			
fish: 12.1. Toxicity to daphnia: 12.2. Persistence and degradability: 12.1. Toxicity to algae: Toxicity to bacteria: Daphnia magna Daphnia magna	fish:	EL				caprio		
fish: 12.1. Toxicity to daphnia: 12.2. Persistence and degradability: 12.1. Toxicity to algae: Toxicity to bacteria: Dophnia magna Daphnia magna	12.1. Toxicity to	LC50	49d	>4,4	μg/l	Pimephales		
daphnia: EL magna CO2 12.2. Persistence and degradability: 28d 4,46 % CO2 12.1. Toxicity to algae: EC50 72h >2 μg/l Pseudokirchne riella (Alga, subcapitata Growth Inhibition Test) Toxicity to bacteria: EC50 3h >100 mg/l activated sludge OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and	fish:					promelas		
12.2. Persistence and degradability: 12.1. Toxicity to algae: Toxicity to bacteria: 28d 4,46 % EC50 72h >2 μg/l Pseudokirchne riella (Alga, Growth Inhibition Test) Toxicity to bacteria: 28d 4,46 % EC50 72h >2 μg/l Pseudokirchne riella (Alga, Growth Inhibition Test) Toxicity to bacteria: 4 3h >100 mg/l activated Sludge (Activated Sludge, Respiration Inhibition Test (Carbon and	12.1. Toxicity to	NOEC/NO	21d	>4,6	μg/l	Daphnia		
12.2. Persistence and degradability: 12.1. Toxicity to algae: Toxicity to bacteria: 28d 4,46 % EC50 72h >2 μg/l Pseudokirchne riella (Alga, Growth Inhibition Test) Toxicity to bacteria: 28d 4,46 % EC50 72h >2 μg/l Pseudokirchne riella (Alga, Growth Inhibition Test) Toxicity to bacteria: 28d 4,46 % Pseudokirchne riella (Alga, Growth Inhibition Test) Activated Sludge (Activated Sludge, Respiration Inhibition Test (Carbon and	daphnia:	EL				magna		
12.1. Toxicity to algae: Decoration Pseudokirchne riella (Alga, Growth Inhibition Test)	12.2. Persistence		28d	4,46	%			CO2
12.1. Toxicity to algae: Decoration Pseudokirchne riella (Alga, Growth Inhibition Test)	and degradability:							evolution
algae: Toxicity to bacteria: EC50 3h >100 mg/l activated Sludge (Activated Sludge Respiration Inhibition Test (Carbon and and)	12.1. Toxicity to	EC50	72h	>2	μg/l	Pseudokirchne	OECD 201	
Toxicity to bacteria: BC50 3h >100 mg/l activated Sludge (Activated Sludge, Respiration Inhibition Test (Carbon and and and Subcapitata Growth Inhibition Test	algae:				' -	riella	(Alga,	
Toxicity to bacteria: Continuous continuo	· ·					subcapitata	Growth	
Toxicity to bacteria: EC50						1	Inhibition	
Toxicity to bacteria: EC50							Test)	
bacteria: sludge (Activated Sludge, Respiration Inhibition Test (Carbon and	Toxicity to	EC50	3h	>100	mg/l	activated		
Sludge, Respiration Inhibition Test (Carbon and	•					sludge	(Activated	
Respiration Inhibition Test (Carbon and							Sludge.	
Inhibition Test (Carbon and								
Test (Carbon and							_	
and								
							,	
Oxidation))								

Silica, amorphous							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	>1000	mg/l	Brachydanio	OECD 203	
fish:			0		rerio	(Fish, Acute	
						Toxicity Test)	





Page 12 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

12.1. Toxicity to	EC50	24h	>1000	mg/l	Daphnia	OECD 202	
daphnia:			0		magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	EL50	72h	>1000	mg/l		OECD 201	
algae:			0			(Alga,	
						Growth	
						Inhibition	
						Test)	
12.2. Persistence							Abiotically
and degradability:							degradable.
12.3.							Not to be
Bioaccumulative							expected
potential:							
12.4. Mobility in							Not to be
soil:							expected
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

07 02 17 waste containing silicones other than those mentioned in 07 02 16

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

Hardened product:

Can be disposed of with household rubbish.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

SECTION 14: Transport information

General statements





Page 13 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

14.1. UN number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.LQ:n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a. 14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): < 1 %

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: n.a.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H304 May be fatal if swallowed and enters airways.

Asp. Tox. — Aspiration hazard



(GB

Page 14 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

Any abbreviations and acronyms used in this document:

AC Article Categories

acc., acc. to according, according to

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European

Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and

Safety, Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)

BMGVBiological monitoring guidance value (EH40, UK)

BOD Biochemical oxygen demand

BSEF Bromine Science and Environmental Forum

bw body weight

CAS Chemical Abstracts Service

CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and

Other Fluids

CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques

CIPACCollaborative International Pesticides Analytical Council

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

COD Chemical oxygen demand

CTFA Cosmetic, Toiletry, and Fragrance Association

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

DT50 Dwell Time - 50% reduction of start concentration

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community

ECHA European Chemicals Agency

EEA European Economic Area

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms



(GB

Page 15 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

EPA United States Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

ES Exposure scenario

etc. et cetera

EU European Union

EWC European Waste Catalogue

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

HET-CAM Hen's Egg Test - Chorionallantoic Membrane

HGWPHalocarbon Global Warming Potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC Intermediate Bulk Container

IBC (Code) International Bulk Chemical (Code)

IC Inhibitory concentration

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform ChemicaL Information Database

LC lethal concentration

LC50 lethal concentration 50 percent kill

LCLo lowest published lethal concentration

LD Lethal Dose of a chemical LD50 Lethal Dose, 50% kill

LDLo Lethal Dose Low

LOAEL Lowest Observed Adverse Effect Level

LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSH National Institute of Occupational Safety and Health (United States of America)

NOAEC No Observed Adverse Effective Concentration

NOAEL No Observed Adverse Effect Level

NOEC No Observed Effect Concentration

NOEL No Observed Effect Level

ODP Ozone Depletion Potential

OECD Organisation for Economic Co-operation and Development

org. organic

PAH polycyclic aromatic hydrocarbon PBT persistent, bioaccumulative and toxic

PC Chemical product category

PE Polyethylene

PNEC Predicted No Effect Concentration

POCP Photochemical ozone creation potential

ppm parts per million PROC Process category





Page 16 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.03.2019 / 0001

Replacing version dated / version: 27.03.2019 / 0001

Valid from: 27.03.2019 PDF print date: 28.03.2019

Silicone Neutral plus anthracite 7016 310 ml

Art.: 9094846

PTFE Polytetrafluorethylene

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SU Sector of use

SVHC Substances of Very High Concern

Tel. Telephone

ThOD Theoretical oxygen demand

TOC Total organic carbon

TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).

WHO World Health Organization

wwt weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.