

(B)

Page 1 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

PVC CLEANER S 20 1000 ML

Art.: 9281840

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Cleaning product

Solvents

Sector of use [SU]:

SU 0 - Other

SU 1 - Agriculture, forestry, fishery

SU19 - Building and construction work

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC35 - Washing and cleaning products

Process category [PROC]:

PROC10 - Roller application or brushing

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Œ

BTI Befestigungstechnik GmbH & Co. KG, Salzstr. 51, 74653 Ingelfingen, Germany

Phone:+49 7940 141 256, Fax:+49 7940 141 9256

Stefan.Haug@bti.de, www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (BRC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class	Hazard category	Hazard statement
Flam. Liq.	2	H225-Highly flammable liquid and vapour.

Skin Irrit. 2 H315-Causes skin irritation.





Page 2 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

Asp. Tox. 1 H304-May be fatal if swallowed and enters airways.

STOT SE 3 H336-May cause drowsiness or dizziness.

Aquatic Chronic 2 H411-Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H304-May be fatal if swallowed and enters airways. H336-May cause drowsiness or dizziness. H411-Toxic to aquatic life with long lasting effects.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P210-Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P243-Take action to prevent static discharges. P261-Avoid breathing vapours or spray. P273-Avoid release to the environment.

P301+P310+P331-IF SWALLOWED: Immediately call a POISON CENTER / doctor. Do NOT induce vomiting. P312-Call a POISON CENTRE / doctor if you feel unwell. P391-Collect spillage. P403+P233-Store in a well-ventilated place. Keep container tightly closed. P405-Store locked up. P501-Dispose of contents / container safely.

Naphtha (petroleum), hydrotreated light

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 < 0.1 %).

When using: development of explosive vapour/air mixture possible.

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a.

3.2 Mixture

Naphtha (petroleum), hydrotreated light	
Registration number (REACH)	
Index	649-328-00-1
EINECS, ELINCS, NLP	265-151-9





Page 3 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

CAS	64742-49-0
content %	50-70
Classification according to Regulation (EC) 1272/2008	Flam. Liq. 2, H225
(CLP)	Skin Irrit. 2, H315
	Aquatic Chronic 2, H411
	Asp. Tox. 1, H304
	STOT SE 3, H336

Naphtha (petroleum), hydrotreated light	
Registration number (REACH)	
Index	649-328-00-1
EINECS, ELINCS, NLP	265-151-9
CAS	64742-49-0
content %	30-40
Classification according to Regulation (EC) 1272/2008	Flam. Liq. 3, H226
(CLP)	Asp. Tox. 1, H304
	Skin Irrit. 2, H315
	STOT SE 3, H336
	Aquatic Chronic 2, H411

Propan-2-ol	
Registration number (REACH)	
Index	603-117-00-0
EINECS, ELINCS, NLP	200-661-7
CAS	67-63-0
content %	1-<5
Classification according to Regulation (EC) 1272/2008	Flam. Liq. 2, H225
(CLP)	Eye Irrit. 2, H319
	STOT SE 3, H336

n-Hexane	Substance for which an EU exposure limit
	value applies.
Registration number (REACH)	
Index	601-037-00-0
EINECS, ELINCS, NLP	203-777-6
CAS	110-54-3
content %	1-<3
Classification according to Regulation (EC) 1272/2008	Flam. Liq. 2, H225
(CLP)	Repr. 2, H361f
	Asp. Tox. 1, H304
	STOT RE 2, H373
	Skin Irrit. 2, H315
	STOT SE 3, H336
	Aquatic Chronic 2, H411

ethanol, 2,2'-iminobis-, N-coco alkyl derivative	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	263-163-9
CAS	61791-31-9
content %	0,1-<1





Page 4 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP)	Aquatic Acute 1, H400 (M=1)
	Aquatic Chronic 1, H410 (M=1)
	Skin Corr. 1, H314
	Eye Dam. 1, H318

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account. If, for example, the note P is applied for a hydrocarbon then this has already been taken into account for the classification named here.

Quote: "Note P - The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7)."

Article 4 of the regulation (EC) no. 1272/2008 (CLP regulation) was also observed and taken into account for the classification named here.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Protect uninjured eye.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

Danger of aspiration

In case of vomiting, keep head low so that the stomach content does not reach the lungs.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

The following may occur:

Product removes fat.

Dermatitis (skin inflammation)

Ingestion:

Danger of aspiration

Lung damage

Oedema of the lungs

Inhalation:

Irritation of the respiratory tract

Dizziness





Page 5 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

Headaches

Effects/damages the central nervous system

Unconsciousness

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Indications for the physician:

Ingestion:

Do not feed fats, oils or milk.

Activated carbon

Gastric lavage (stomach washing) only under endotracheal intubation.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

CO₂

Extinction powder

Water jet spray

Alcohol resistant foam

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of nitrogen

Oxides of carbon

Hydrocarbons

Toxic pyrolysis products.

Explosive vapour/air or gas/air mixtures.

Dangerous vapours heavier than air.

In case of spreading near the ground, flashback to distance sources of ignition is possible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove possible causes of ignition - do not smoke.

Ensure sufficient supply of air.

Avoid inhalation, and contact with eyes or skin.

If applicable, caution - risk of slipping.

6.2 Environmental precautions

Prevent from entering drainage system.

If leakage occurs, dam up.

Resolve leaks if this possible without risk.





Page 6 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Ensure sufficient supply of air.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid aerosol formation.

Avoid inhalation of the vapours.

Ensure good ventilation.

If applicable, suction measures at the workstation or on the processing machine necessary.

Keep away from sources of ignition - Do not smoke.

Take precautions against electrostatic charges.

Use explosion-proof equipment.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Solvent resistant floor

Do not store with flammable or self-igniting materials.

Observe special storage conditions.

Store cool.

Protect from direct sunlight and warming.

Store in a well ventilated place.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40):



(GB

Page 7 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

1000 mg/m3

BMGV: ---

©B Chemical Name	Naphtha (pet	roleum), hydrotreated light			Content %:50-70
WEL-TWA: 800 mg/m3		WEL-STEL:			
Monitoring procedures:	-	Draeger - Hydrocarbons 2/a (81 03 58	1)		
	-	Draeger - Hydrocarbons 0,1%/c (81 03	3 571)		
	-	Compur - KITA-187 S (551 174)			
BMGV:		Other info			L acc. to
©® Chemical Name	Naphtha (pet	roleum), hydrotreated light			Content %:30-40
WEL-TWA: 1800 mg/m3	(iso-hexane)	WEL-STEL:			70.20 10
Monitoring procedures:	-	Compur - KITA-187 S (551 174)			
BMGV:		Other info	ormation	:	
(B)					Content %:1-
Chemical Name	Propan-2-ol				<5
WEL-TWA: 400 ppm (999) mg/m3)	WEL-STEL: 500 ppm (1250 mg/r	n3)		
Monitoring procedures:	-	Compur - KITA-122 SA(C) (549 277)			
81	_	Compur - KITA-150 U (550 382)			
	_	Draeger - Alcohol 25/a i-Propanol (81	01 631)		
		DFG (D) (Loesungsmittelgemische), I		(Solven	t mixtures 6) -
		1998, 2002 - EU project BC/CEN/EN'			
	-	(2004)			
	-	Draeger - Alcohol 100/a (CH 29 701)			
BMGV:		Other info	ormation	:	
©® Chemical Name	n-Hexane				Content %:1- <3
WEL-TWA: 20 ppm (72 m	ng/m3) (WEL,	WEL-STEL:			
Monitoring procedures:	-	Compur - KITA-113 SA (549 350)			
	_	Compur - KITA-113 SB (549 368)			
	_	Compur - KITA-113 SC (503 787)			
	-	Draeger - Hexane 100/a (67 28 391)			
		MTA/MA-029/A92 (Determination of			
		hexane, n-heptane, n-octane, n-nonane			EU project
	1 (2004)				
		DFG Meth. Nr. 1 (D) (Loesungsmittel	gemisch	e), DFG	(E) (Solvent
	-	mixtures 1) - 1998, 2002			

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through

Other information: ---





Page 8 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

8.2 Exposure controls

Propan-2-ol								
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note		
	Environmental		or					
	compartment							
	Environment -		PNEC	140,9	mg/l			
	freshwater							
	Environment - marine		PNEC	140,9	mg/l			
	Environment -		PNEC	552	mg/kg			
	sediment, freshwater							
	Environment -		PNEC	552	mg/kg			
	sediment, marine							
	Environment - soil		PNEC	28	mg/kg			
	Environment -		PNEC	2251	mg/l			
	sewage treatment							
	plant							
	Environment - water,		PNEC	140,9	mg/l			
	sporadic							
	(intermittent) release							
Consumer	Human - dermal	Long term	DNEL	319	mg/kg	(1 d)		
Consumer	Human - inhalation	Long term	DNEL	89	mg/m3			
Consumer	Human - oral	Long term	DNEL	26	mg/kg	(1 d)		
Workers / employees	Human - dermal	Long term	DNEL	888	mg/kg	(1 d)		
Workers / employees	Human - inhalation	Long term	DNEL	500	mg/m3			

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. BS EN 14042.

BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).





Page 9 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

Skin protection - Hand protection:

Solvent resistant protective gloves (EN 374).

Recommended

Protective gloves in butyl rubber (EN 374).

Minimum layer thickness in mm:

>=0.7

Permeation time (penetration time) in minutes:

120 - 240

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

If OES or MEL is exceeded.

Gas mask filter A (EN 14387), code colour brown

At high concentrations:

Respiratory protection appliance (insulation device) (e.g. EN 137 or EN 138)

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid
Colour: Colourless
Odour: Solvent
Odour threshold: Not determined





Page 10 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

pH-value: Not determined Melting point/freezing point: Not determined

Initial boiling point and boiling range: $76 \, ^{\circ}\text{C}$ Flash point: $-1 \, ^{\circ}\text{C}$

Evaporation rate:

Flammability (solid, gas):

Lower explosive limit:

Upper explosive limit:

Vapour pressure:

Not determined
0,7 Vol-%
11,5 Vol-%
1100 hPa (20°C)

 $\begin{array}{lll} \mbox{Vapour density (air = 1):} & \mbox{Vapours heavier than air.} \\ \mbox{Density:} & 0,805 \mbox{ g/cm3 } (20^{\circ}\mbox{C}) \\ \mbox{Bulk density:} & \mbox{Not determined} \\ \mbox{Solubility(ies):} & \mbox{Not determined} \\ \mbox{Water solubility:} & 290 \mbox{ g/l } (20^{\circ}\mbox{C}) \\ \mbox{Partition coefficient (n-octanol/water):} & \mbox{Not determined} \\ \end{array}$

Auto-ignition temperature: 245 °C

Decomposition temperature:

Viscosity:

Viscosity:

Viscosity:

Viscosity:

Not determined
0,423 mPas (20°C)

<7 mm2/s (40°C)

Explosive properties: Possible build up of explosive/highly flammable

vapour/air mixture. Product is not explosive.

Oxidising properties: Not determined

9.2 Other information

Miscibility: Not determined
Fat solubility / solvent: Not determined
Conductivity: Not determined
Surface tension: Not determined
Solvents content: Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

See also Subsection 10.2 to 10.6.

The product has not been tested.

10.2 Chemical stability

See also Subsection 10.1 to 10.6.

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

See also Subsection 10.1 to 10.6.

No decomposition if used as intended.

10.4 Conditions to avoid

See also section 7.

Heating, open flame, ignition sources

10.5 Incompatible materials

See also section 7.

No dangerous reactions are known.

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also Subsection 10.1 to 10.5.

See also section 5.2





Page 11 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

PVC CLEANER S 20 10	000 ML					
Art.: 9281840						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral						n.d.a.
route:						
Acute toxicity, by						n.d.a.
dermal route:						
Acute toxicity, by						n.d.a.
inhalation:						
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ						n.d.a.
toxicity - single						
exposure (STOT-SE):						
Specific target organ						n.d.a.
toxicity - repeated						
exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
Other information:						Classificatio
						n according
						to
						calculation
						procedure.

Naphtha (petroleum), hydrotreated light							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes	
	nt						
Acute toxicity, by oral	LD50	>2000	mg/kg	Rat			
route:							
Acute toxicity, by	LD50	>2000	mg/kg	Rabbit			
dermal route:							
Acute toxicity, by	LD50	>20	mg/l/4h	Rat			
inhalation:							
Serious eye						Not irritant	
damage/irritation:							





Page 12 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Respiratory or skin			Not
sensitisation:			sensitizising
Aspiration hazard:			Yes
Symptoms:			drowsiness,
			unconsciousn
			ess,
			heart/circulat
			ory
			disorders,
			headaches,
			cramps,
			drowsiness,
			mucous
			membrane
			irritation,
			dizziness,
			nausea and
			vomiting.

Propan-2-ol						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	4570-5840	mg/kg	Rat	OECD 401 (Acute	
route:					Oral Toxicity)	
Acute toxicity, by	LD50	13900	mg/kg	Rabbit	OECD 402 (Acute	
dermal route:					Dermal Toxicity)	
Acute toxicity, by	LC50	30	mg/l/4h	Rat		
inhalation:						
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosio	
					n)	
Serious eye				Rabbit	OECD 405 (Acute	Eye Irrit. 2
damage/irritation:					Eye	
					Irritation/Corrosio	
					n)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not
sensitisation:					Sensitisation)	sensitizising
Germ cell mutagenicity:				Salmonella	(Ames-Test)	Negative
				typhimuri		
				um		
Carcinogenicity:						Negative
Reproductive toxicity:						Negative
Specific target organ						Target
toxicity - repeated						organ(s):
exposure (STOT-RE):						liver
Aspiration hazard:						No





Page 13 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Symptoms:						breathing difficulties, unconsciousn ess, vomiting, headaches, fatigue,
						dizziness,
Specific target organ	NOAEL	900	mg/kg	Rat	OECD 408	nausea
toxicity - repeated	NOALL	900	IIIg/Kg	Kat	(Repeated Dose	
exposure (STOT-RE),					90-Day Oral	
oral:					Toxicity Study in	
					Rodents)	

n-Hexane						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	25000	mg/kg	Rat		
route:						
Acute toxicity, by	LD50	>2000	mg/kg	Rabbit		
dermal route:						
Acute toxicity, by	LC50	171,6	mg/l/1h	Rat		
inhalation:						
Aspiration hazard:						Yes
Symptoms:						drowsiness,
						unconsciousn
						ess, blisters,
						cornea
						opacity,
						coughing,
						headaches,
						cramps,
						drowsiness,
						mucous
						membrane
						irritation,
						dizziness,
						watering
						eyes, nausea

ethanol, 2,2'-iminobis-, N-coco alkyl derivative										
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes				
	nt									
Acute toxicity, by oral	LD50	500-2000	mg/kg	Rat						
route:										
Skin corrosion/irritation:				Rabbit		Corrosive				
Serious eye				Rabbit		Corrosive				
damage/irritation:										



Œ

Page 14 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

Symptoms:			mucous
			membrane
			irritation

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

PVC CLEANER S	PVC CLEANER S 20 1000 ML											
Art.: 9281840												
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes					
12.1. Toxicity to							n.d.a.					
fish:												
12.1. Toxicity to							n.d.a.					
daphnia:												
12.1. Toxicity to							n.d.a.					
algae:												





Page 15 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

12.2. Persistence				The
and degradability:				surfactant(s)
" " " " " " " " " " " " " " " " " " "				contained in
				this mixture
				complies(co
				mply) with
				the
				biodegradabi
				lity criteria
				as laid down
				in
				Regulation
				(EC)
				No.648/2004
				on
				detergents.
				Data to
				support this
				assertion are
				held at the
				disposal of
				the
				competent
				authorities
				of the
				Member
				States and
				will be made
				available to
				them, at
				their direct
				request or at
				the request
				of a
				detergent
				manufacturer
12.3.				n.d.a.
Bioaccumulative				
potential:				
12.4. Mobility in				n.d.a.
				11.U.a.
soil:				
12.5. Results of				n.d.a.
PBT and vPvB				
assessment				
12.6. Other				n.d.a.
				11.U.a.
adverse effects:	107-			
Other information:	AOX			According
				to the recipe,
				contains no
				AOX.
				AUA.





Page 16 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Other information:	DOC			DOC-
				elimination
				degree(comp
				lexing
				organic
				substance)>=
				80%/28d:
				Yes, or not
				applicable.

Naphtha (petroleum), hydrotreated light											
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes				
12.1. Toxicity to	EC50	48h	3	mg/l	Daphnia						
daphnia:					magna						
12.3.	Log Pow		3,4-								
Bioaccumulative potential:			5,2								

Propan-2-ol							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Leuciscus idus		
12.1. Toxicity to daphnia:	EC50	48h	2285	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Desmodesmus subspicatus		
12.2. Persistence and degradability:		21d	95	%	,	OECD 301 E (Ready Biodegradabil ity - Modified OECD Screening Test)	
12.2. Persistence and degradability:			99,9	%		OECD 303 A (Simulation Test - Aerobic Sewage Treatment - Activated Sludge Units)	
12.3. Bioaccumulative potential:	Log Pow		0,05			OECD 107 (Partition Coefficient (noctanol/water) - Shake Flask Method)	
12.5. Results of PBT and vPvB assessment						2 2 3 3 7 2 5 1 5 6 7	No PBT substance, No vPvB substance





Page 17 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

12.4. Mobility in	Koc	1,1			Expert
soil:					judgement
Toxicity to	EC50	>1000	mg/l	activated	
bacteria:				sludge	
Other information:	ThOD	2,4	g/g		
Other information:	BOD5	53	%		
Other information:	COD	96	%		References
Other information:	BOD	1171	mg/g		

n-Hexane							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	2,5	mg/l	Pimephales		
fish:					promelas		
12.1. Toxicity to	EC50	48h	2,1	mg/l			
daphnia:				_			
12.3.							Not to be
Bioaccumulative							expected
potential:							_

ethanol, 2,2'-iminobis-, N-coco alkyl derivative							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	0,1-	mg/l	Leuciscus idus		
fish:			1,0				
12.2. Persistence			35-70	%		OECD 302 B	
and degradability:						(Inherent	
						Biodegradabil	
						ity - Zahn-	
						Wellens/EMP	
						A Test)	
Toxicity to	EC50		41,5	mg/l		OECD 209	
bacteria:						(Activated	
						Sludge,	
						Respiration	
						Inhibition	
						Test (Carbon	
						and	
						Ammonium	
						Oxidation))	
Other information:	DOC		500	mg/g			
Other information:	COD		2350	mg/g		-	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)





Page 18 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

07 01 04 other organic solvents, washing liquids and mother liquors

14 06 03 other solvents and solvent mixtures

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Implement substance recycling. E.g. suitable incineration plant.

Do not dispose of with household waste.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Residues may present a risk of explosion.

Do not perforate, cut up or weld uncleaned container.

SECTION 14: Transport information

General statements

14.1. UN number: 1993

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

UN 1993 FLAMMABLE LIQUID, N.O.S. (NAPHTHA (PETROLEUM), HEXANES)

14.3. Transport hazard class(es):314.4. Packing group:IIClassification code:F1LO:1 L

14.5. Environmental hazards: environmentally

hazardous

Tunnel restriction code: D/E

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

FLAMMABLE LIQUID, N.O.S. (NAPHTHA (PETROLEUM), HEXANES)

14.3. Transport hazard class(es):314.4. Packing group:IIEmS:F-E, S-EMarine Pollutant:Yes

14.5. Environmental hazards: environmentally hazardous

Transport by air (IATA)

14.2. UN proper shipping name:

Flammable liquid, n.o.s. (NAPHTHA (PETROLEUM), HEXANES)

14.3. Transport hazard class(es): 3
14.4. Packing group: II

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Persons employed in transporting dangerous goods must be trained.

All persons involved in transporting must observe safety regulations.

Precautions must be taken to prevent damage.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code











Page 19 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

Freighted as packaged goods rather than in bulk, therefore not applicable.

Minimum amount regulations have not been taken into account.

Danger code and packing code on request.

Comply with special provisions.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!

Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 1 - The following categories apply to this product (others may also need to be considered according to storage, handling etc.):

Hazard categories	Notes to Annex I	Qualifying quantity	Qualifying quantity
		(tonnes) of dangerous	(tonnes) of dangerous
		substances as referred to	substances as referred to
		in Article 3(10) for the	in Article 3(10) for the
		application of - Lower-	application of - Upper-
		tier requirements	tier requirements
P5c		5000	50000
E2		200	500

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

99,5 %

Directive 2010/75/EU (VOC):

REGULATION (EC) No 648/2004

30 % and more aliphatic hydrocarbons less than 5 %

non-ionic surfactants

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

8

Employee training in handling dangerous goods is required.

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):





Page 20 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Flam. Liq. 2, H225	Classification based on test data.
Skin Irrit. 2, H315	Classification according to calculation procedure.
Asp. Tox. 1, H304	Classification according to calculation procedure.
STOT SE 3, H336	Classification according to calculation procedure.
Aquatic Chronic 2, H411	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H361f Suspected of damaging fertility.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Flam. Liq. — Flammable liquid

Skin Irrit. — Skin irritation

Asp. Tox. — Aspiration hazard

STOT SE — Specific target organ toxicity - single exposure - narcotic effects

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Eye Irrit. — Eye irritation

Repr. — Reproductive toxicity

STOT RE — Specific target organ toxicity - repeated exposure

Acute Tox. — Acute toxicity - oral

Aquatic Acute — Hazardous to the aquatic environment - acute

Skin Corr. — Skin corrosion Eye Dam. — Serious eye damage

Any abbreviations and acronyms used in this document:

AC Article Categories

acc., acc. to according, according to

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number



(GB

Page 21 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)

BMGVBiological monitoring guidance value (EH40, UK)

BOD Biochemical oxygen demand

BSEF Bromine Science and Environmental Forum

bw body weight

CAS Chemical Abstracts Service

CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids

CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques

CIPACCollaborative International Pesticides Analytical Council

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

COD Chemical oxygen demand

CTFA Cosmetic, Toiletry, and Fragrance Association

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

DT50 Dwell Time - 50% reduction of start concentration

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community

ECHA European Chemicals Agency

EEA European Economic Area

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

ES Exposure scenario

etc. et cetera

EU European Union

EWC European Waste Catalogue

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

HET-CAM Hen's Egg Test - Chorionallantoic Membrane

HGWPHalocarbon Global Warming Potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association



(GB

Page 22 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

IBC Intermediate Bulk Container

IBC (Code) International Bulk Chemical (Code)

IC Inhibitory concentration

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform ChemicaL Information Database

LC lethal concentration

LC50 lethal concentration 50 percent kill LCLo lowest published lethal concentration

LD Lethal Dose of a chemical

LD50 Lethal Dose, 50% kill

LDLo Lethal Dose Low

LOAEL Lowest Observed Adverse Effect Level

LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSH National Institute of Occupational Safety and Health (United States of America)

NOAEC No Observed Adverse Effective Concentration

NOAEL No Observed Adverse Effect Level

NOEC No Observed Effect Concentration

NOEL No Observed Effect Level ODP Ozone Depletion Potential

OECD Organisation for Economic Co-operation and Development

org. organic

PAH polycyclic aromatic hydrocarbon PBT persistent, bioaccumulative and toxic

PC Chemical product category

PE Polyethylene

PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential

ppm parts per millionPROC Process categoryPTFE Polytetrafluorethylene

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SU Sector of use

SVHC Substances of Very High Concern

Tel. Telephone

ThOD Theoretical oxygen demand





Page 23 of 23

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.08.2018 / 0013

Replacing version dated / version: 10.01.2018 / 0012

Valid from: 16.08.2018 PDF print date: 17.08.2018 PVC CLEANER S 20 1000 ML

Art.: 9281840

TOC Total organic carbon

TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).

WHO World Health Organization

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.