

Page 1 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

> Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product identifier** 

4W Adhesive plus 600 ml Art.: 9095259

# **1.2** Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Adhesive Sector of use [SU]: SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against: No information available at present.

**1.3 Details of the supplier of the safety data sheet** (B) BTI Befestigungstechnik GmbH & Co. KG, Salzstr. 51, 74653 Ingelfingen, Germany Phone:+49 7940 141 141, Fax:+49 7940 141 9141 info@bti.de, www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

# **1.4 Emergency telephone number**

Emergency information services / official advisory body: ---Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (BRC)

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixtureClassification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statementSkin Sens.1H317-May cause an allergic skin reaction.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259



H317-May cause an allergic skin reaction.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.
P261-Avoid breathing vapours or spray. P280-Wear protective gloves.
P333+P313-If skin irritation or rash occurs: Get medical advice / attention.
P501-Dispose of contents / container to an approved waste disposal facility.

1,2-benzisothiazol-3(2H)-one Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 2-methylisothiazol-3(2H)-one

# 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

# **SECTION 3: Composition/information on ingredients**

8-00-6
0-9
3-5
<0,05
Гох. 4, Н302
rit. 2, H315
ım. 1, H318
ens. 1, H317
c Acute 1, H400 (M=10)

2-methylisothiazol-3(2H)-one	
Registration number (REACH)	



Page 3 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

Index	613-326-00-9
EINECS, ELINCS, NLP	220-239-6
CAS	2682-20-4
content %	0,0015-<0,01
Classification according to Regulation (EC) 1272/2008	Acute Tox. 3, H301
(CLP)	Acute Tox. 3, H311
	Skin Corr. 1B, H314
	Skin Sens. 1A, H317
	Eye Dam. 1, H318
	Acute Tox. 2, H330
	Aquatic Acute 1, H400 (M=10)
	Aquatic Chronic 1, H410 (M=1)

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one	
and 2-methyl-2H-isothiazol-3-one (3:1)	
Registration number (REACH)	
Index	613-167-00-5
EINECS, ELINCS, NLP	
CAS	55965-84-9
content %	0,0001-<0,0015
Classification according to Regulation (EC) 1272/2008	Acute Tox. 3, H301
(CLP)	Aquatic Acute 1, H400 (M=100)
	Aquatic Chronic 1, H410 (M=100)
	Eye Dam. 1, H318
	Skin Corr. 1C, H314
	Skin Sens. 1A, H317
	Acute Tox. 2, H310
	Acute Tox. 2, H330

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

# Inhalation

Supply person with fresh air and consult doctor according to symptoms.

# Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

# Eye contact

Remove contact lenses. Wash thoroughly for several minutes using copious water. Seek medical help if necessary. Ingestion



Page 4 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

Rinse the mouth thoroughly with water.
Give copious water to drink - consult doctor immediately. **4.2 Most important symptoms and effects, both acute and delayed**If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.
In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.
Sensitive individuals:
Allergic reaction possible. **4.3 Indication of any immediate medical attention and special treatment needed**Symptomatic treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguisher Unsuitable extinguishing media None known 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of carbon Toxic gases 5.3 Advice for firefighters In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures
Ensure sufficient supply of air.
Avoid contact with eyes or skin.
If applicable, caution - risk of slipping.
6.2 Environmental precautions
If leakage occurs, dam up.
Resolve leaks if this possible without risk.
Prevent surface and ground-water infiltration, as well as ground penetration.
Prevent from entering drainage system.
If accidental entry into drainage system occurs, inform responsible authorities.
6.3 Methods and material for containment and cleaning up
Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.
6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.



Page 5 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

In addition to information given in this section, relevant information can also be found in section 8 and 6.1. 7.1 Precautions for safe handling 7.1.1 General recommendations Ensure good ventilation. Avoid contact with eyes or skin. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use. Use working methods according to operating instructions. 7.1.2 Notes on general hygiene measures at the workplace General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed. 7.2 Conditions for safe storage, including any incompatibilities Keep out of access to unauthorised individuals. Not to be stored in gangways or stair wells. Store product closed and only in original packing. Store at room temperature. Store in a dry place. 7.3 Specific end use(s) No information available at present.

# **SECTION 8: Exposure controls/personal protection**

# **8.1 Control parameters**

---

# 8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

# 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN 374). Recommended Protective nitrile gloves (EN 374). Minimum layer thickness in mm:

GB



œ

Page 6 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

# >= 0,35

Permeation time (penetration time) in minutes: >= 480 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

# Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

# 8.2.3 Environmental exposure controls

No information available at present.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

······································	- • <b>F</b>
Physical state:	Paste, liquid.
Colour:	According to specification
Odour:	Characteristic
Odour threshold:	Not determined
pH-value:	7,5 - 8,5
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
Flash point:	n.a.
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Lower explosive limit:	Not determined
Upper explosive limit:	Not determined
Vapour pressure:	Not determined
Vapour density (air $=$ 1):	Not determined



œ

Page 7 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

# Density:

Bulk density: Solubility(ies): Water solubility: Partition coefficient (n-octanol/water): Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidising properties: **9.2 Other information** Miscibility: Fat solubility / solvent: Conductivity: Surface tension: Solvents content:

# 1,02 g/cm3 (20°C) n.a. Not determined Insoluble Not determined Not determined 78000 mPas Product is not explosive. No Not determined Not determined Not determined Not determined

Not determined

# **SECTION 10: Stability and reactivity**

10.1 Reactivity
Not to be expected
10.2 Chemical stability
Stable with proper storage and handling.
10.3 Possibility of hazardous reactions
No dangerous reactions are known.
10.4 Conditions to avoid
See also section 7.
None known
10.5 Incompatible materials
See also section 7.
None known
10.6 Hazardous decomposition products
See also section 5.2
No decomposition when used as directed.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

4W Adhesive plus 600 ml						
Art.: 9095259 Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.



Page 8 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

	1		1
Skin corrosion/irritation:			n.d.a.
Serious eye			n.d.a.
damage/irritation:			
Respiratory or skin			n.d.a.
sensitisation:			
Germ cell mutagenicity:			n.d.a.
Carcinogenicity:			n.d.a.
Reproductive toxicity:			n.d.a.
Specific target organ			n.d.a.
toxicity - single			
exposure (STOT-SE):			
Specific target organ			n.d.a.
toxicity - repeated			
exposure (STOT-RE):			
Aspiration hazard:			n.d.a.
Symptoms:			n.d.a.

1,2-benzisothiazol-3(2H)-one							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes	
	nt						
Acute toxicity, by oral	LD50	375	mg/kg	Rat			
route:							
Acute toxicity, by	LD50	4115	mg/kg	Rat			
dermal route:							
Skin corrosion/irritation:						Skin Irrit. 2	
Serious eye						Eye Dam. 1	
damage/irritation:							
Respiratory or skin				Guinea pig		Yes (skin	
sensitisation:						contact)	
Germ cell mutagenicity:						Negative	
Symptoms:						vomiting,	
						headaches,	
						gastrointestin	
						al	
						disturbances,	
						nausea	

2-methylisothiazol-3(2H)-one							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes	
	nt						
Acute toxicity, by oral	LD50	183	mg/kg	Rat			
route:							
Acute toxicity, by	LD50	242	mg/kg	Rat	OECD 402 (Acute		
dermal route:					Dermal Toxicity)		
Acute toxicity, by	LD50	0,11	mg/l/4h	Rat	OECD 403 (Acute	Aerosol	
inhalation:					Inhalation		
					Toxicity)		
Skin corrosion/irritation:						Corrosive	



Page 9 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

Serious eye damage/irritation:			Risk of serious damage to
			eyes.
Respiratory or skin			Sensitising
sensitisation:			(skin
			contact)

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral route:	LD50	53	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	660	mg/kg	Rabbit		
Skin corrosion/irritation:				Rabbit		Corrosive
Serious eye				Rabbit		Corrosive
damage/irritation:						
Respiratory or skin				Guinea pig	OECD 406 (Skin	Yes (skin
sensitisation:					Sensitisation)	contact)
Aspiration hazard:						No
Symptoms:						diarrhoea,
						mucous
						membrane
						irritation,
						watering
						eyes

# **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

4W Adhesive plus	600 ml						
Art.: 9095259							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to							n.d.a.
fish:							
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to							n.d.a.
algae:							
12.2. Persistence							n.d.a.
and degradability:							
12.3.							n.d.a.
Bioaccumulative							
potential:							
12.4. Mobility in							n.d.a.
soil:							



Page 10 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

12.5. Results of PBT and vPvB assessment				n.d.a.
12.6. Other adverse effects:				n.d.a.

1,2-benzisothiazol-	1,2-benzisothiazol-3(2H)-one						
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	LC50	96h	0,8-	mg/l	Oncorhynchus	OECD 203	
fish:			2,18		mykiss	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	EC50	48h	1,1-	mg/l	Daphnia	OECD 202	
daphnia:			4,4		magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
	2010	0.01	0.077		5 1 1 1 1	n Test)	
12.1. Toxicity to	EC50	96h	0,055	mg/l	Pseudokirchne		
algae:					riella		
10.1 Terrisites to	ErC50	72h	0,11		subcapitata Pseudokirchne	OECD 201	
12.1. Toxicity to algae:	EIC30	/20	0,11	mg/l	riella	(Alga,	
aigae.					subcapitata	Growth	
					subcapitata	Inhibition	
						Test)	
12.2. Persistence						OECD 303	Hardly
and degradability:						(Simulation	biodegradabl
						Test -	e
						Aerobic	
						Sewage	
						Treatment)	
12.3.	Log Pow		1,11				A notable
Bioaccumulative							biological
potential:							accumulation
							potential is
							not to be
							expected
							(LogPow 1-
	-						3).
Toxicity to	EC50	16h	0,4	mg/l	Pseudomonas		
bacteria:					putida		

2-methylisothiazol-3(2H)-one							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence		28d	0,32	%		OECD 301 B	Not readily
and degradability:						(Ready	biodegradabl
						Biodegradabil	e
						ity - Co2	
						Evolution	
						Test)	
12.1. Toxicity to	LC50	96h	4,77-6	mg/l	Oncorhynchus		
fish:					mykiss		



Page 11 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

12.1. Toxicity to	NOEC/NO	21d	0,044	mg/l	Daphnia	
daphnia:	EL		2		magna	
12.1. Toxicity to	EC50	48h	0,359	mg/l	Daphnia	OECD 202
daphnia:					magna	(Daphnia sp.
						Acute
						Immobilisatio
						n Test)
12.1. Toxicity to	EC50	72h	0,138	mg/l		
algae:						
12.1. Toxicity to	NOEC/NO	120h	0,05	mg/l	Pseudokirchne	OECD 201
algae:	EL				riella	(Alga,
					subcapitata	Growth
						Inhibition
						Test)

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance
12.1. Toxicity to	LC50	96h	0,28	mg/l	Lepomis		
fish:					macrochirus		
12.1. Toxicity to	LC50	96h	0,19-	mg/l	Oncorhynchus	OECD 203	
fish:			0,22		mykiss	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	NOEC/NO	28d	0,098	mg/l	Oncorhynchus	OECD 210	
fish:	EL			_	mykiss	(Fish, Early-	
						Life Stage	
						Toxicity Test)	
12.1. Toxicity to	NOEC/NO	21d	0,004	mg/l	Daphnia	OECD 211	
daphnia:	EL				magna	(Daphnia	
1					U	magna	
						Reproduction	
						Test)	
12.1. Toxicity to	EC50	48h	0,16	mg/l	Daphnia	,	
daphnia:					magna		
12.1. Toxicity to	EC50	72h	0,048	mg/l	Pseudokirchne	OECD 201	
algae:					riella	(Alga,	
e					subcapitata	Growth	
					1	Inhibition	
						Test)	
12.1. Toxicity to	NOEC/NO	72h	0,001	mg/l	Pseudokirchne	OECD 201	
algae:	EL		2		riella	(Alga,	
C					subcapitata	Growth	
					T	Inhibition	
						Test)	



Page 12 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

12.2. Persistence and degradability:			>60	%	activated sludge	OECD 301 D (Ready Biodegradabil ity - Closed Bottle Test)	Does not conform with EU classification
12.3. Bioaccumulative potential:	BCF		3,6			boute rest)	calculated value
12.3. Bioaccumulative potential:	Log Pow		0,401- 0,486				Does not conform with EU classification
Toxicity to bacteria:	EC50	3h	7,92	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

# For the substance / mixture / residual amounts

EC disposal code no .:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

08 04 09 waste adhesives and sealants containing organic solvents or other hazardous substances Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

# For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

# **SECTION 14: Transport information**

General statements 14.1. UN number: Transport by road/by rail (ADR/RID)



Page 13 of 16
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 30.07.2019 / 0001
Replacing version dated / version: 30.07.2019 / 0001
Valid from: 30.07.2019
PDF print date: 09.08.2019
4W Adhesive plus 600 ml
Art.: 9095259

14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Classification code:	n.a.
LQ:	n.a.
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Marine Pollutant:	n.a
14.5. Environmental hazards:	Not applicable
Transport by air (IATA)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	
Unless specified otherwise, general measures for safe	transport must be followed.
14.7. Transport in bulk according to Annex II of M	IARPOL and the IBC Code
Non-dangerous material according to Transport Regul	lations.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)! Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! Comply with trade association/occupational health regulations.

< 0,35 %

Directive 2010/75/EU (VOC):

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label. Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012. Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods.

These are indicated in the approval of the active substance.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

# **SECTION 16: Other information**

Revised sections: These details refer to the product as it is delivered.



Page 14 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

Employee instruction/training in handling hazardous materials is required.

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Skin Sens. 1, H317	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H330 Fatal if inhaled. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Sens. - Skin sensitization Acute Tox. - Acute toxicity - oral Skin Irrit. — Skin irritation Eye Dam. — Serious eye damage Aquatic Acute - Hazardous to the aquatic environment - acute Acute Tox. — Acute toxicity - dermal

Skin Corr. — Skin corrosion

Acute Tox. — Acute toxicity - inhalation

Aquatic Chronic - Hazardous to the aquatic environment - chronic

# Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BSEF The International Bromine Council body weight bw CAS Chemical Abstracts Service



Page 15 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community

ECHA European Chemicals Agency

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

- EN European Norms
- EPA United States Environmental Protection Agency (United States of America)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number

gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable

n.av. not available

n.c. not checked

n.d.a. no data available

OECD Organisation for Economic Co-operation and Development

org. organic

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million

PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds



Page 16 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2019 / 0001 Replacing version dated / version: 30.07.2019 / 0001 Valid from: 30.07.2019 PDF print date: 09.08.2019 4W Adhesive plus 600 ml Art.: 9095259

vPvB very persistent and very bioaccumulative wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.