

Page 1 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

> Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product identifier** 

Tacolit Mini Strong Component B 25 g Art.: 9097586

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:
Adhesive
Uses advised against:
No information available at present.

### 1.3 Details of the supplier of the safety data sheet

BTI Befestigungstechnik GmbH & Co. KG Salzstr. 51 74653 Ingelfingen Tel.: +49 7940 141 141 Fax: +49 7940 141 9141 Email: info@bti.de Homepage: www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

### 1.4 Emergency telephone number

Emergency information services / official advisory body:

**Telephone number of the company in case of emergencies:** +49 (0) 700 / 24 112 112 (BRC)

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture							
Classification according to Regulation (EC) 1272/2008 (CLP)							
Hazard class	Hazard category	Hazard statement					
Flam. Liq.	2	H225-Highly flammable liquid and vapour.					
Eye Irrit.	2	H319-Causes serious eye irritation.					
STOT SE	3	H335-May cause respiratory irritation.					
Skin Irrit.	2	H315-Causes skin irritation.					
Skin Sens.	1	H317-May cause an allergic skin reaction.					
Aquatic Acute	1	H400-Very toxic to aquatic life.					
Aquatic Chronic	1	H410-Very toxic to aquatic life with long lasting effects.					



Page 2 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

### 2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Danger

H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. H335-May cause respiratory irritation. H315-Causes skin irritation. H317-May cause an allergic skin reaction. H410-Very toxic to aquatic life with long lasting effects.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P210-Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261-Avoid breathing vapours or spray. P271-Use only outdoors or in a well-ventilated area. P273-Avoid release to the environment. P280-Wear protective gloves / eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312-Call a POISON CENTRE / doctor if you feel unwell. P405-Store locked up.

P501-Dispose of contents / container to an approved waste disposal facility.

Methyl methacrylate

### 2.3 Other hazards

3.1 Substances

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

### **SECTION 3: Composition/information on ingredients**

Substance for which an EU exposure limit
value applies.
01-2119452498-28-XXXX
607-035-00-6
201-297-1
80-62-6
70-90



Page 3 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

Classification according to Regulation (EC) 1272/2008 (CLP), M-factors Flam. Liq. 2, H225 STOT SE 3, H335 Skin Irrit. 2, H315 Skin Sens. 1, H317

3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridine	
Registration number (REACH)	01-2120769712-47-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	252-091-3
CAS	34562-31-7
content %	10-15
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP), M-factors	Skin Irrit. 2, H315
	Eye Irrit. 2, H319
	Aquatic Acute 1, H400 (M=10)
	Aquatic Chronic 1, H410 (M=10)

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

### Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

# 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



œ

Page 4 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

# 5.1 Extinguishing media

Suitable extinguishing media CO<sub>2</sub> Extinction powder Water jet spray Alcohol resistant foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of carbon Oxides of nitrogen Toxic gases Possible build up of explosive/highly flammable vapour/air mixture. 5.3 Advice for firefighters In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Keep unprotected persons away. Remove possible causes of ignition - do not smoke. Ensure sufficient supply of air. Avoid inhalation, and contact with eyes or skin. If applicable, caution - risk of slipping. **6.2 Environmental precautions** If leakage occurs, dam up. Resolve leaks if this possible without risk. Prevent from entering drainage system. Prevent surface and ground-water infiltration, as well as ground penetration. If accidental entry into drainage system occurs, inform responsible authorities. 6.3 Methods and material for containment and cleaning up Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. Fill the absorbed material into lockable containers. 6.4 Reference to other sections For personal protective equipment see Section 8 and for disposal instructions see Section 13.

### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

### 7.1.1 General recommendations

Ensure good ventilation.



Page 5 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

Avoid inhalation of the vapours. Avoid contact with eyes or skin. Keep away from sources of ignition - Do not smoke. Take measures against electrostatic charging, if appropriate. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use. Use working methods according to operating instructions. 7.1.2 Notes on general hygiene measures at the workplace General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed. 7.2 Conditions for safe storage, including any incompatibilities Keep out of access to unauthorised individuals. Store product closed and only in original packing. Not to be stored in gangways or stair wells. Do not store with flammable or self-igniting materials. Observe special storage conditions. Protect from direct sunlight and warming. Store in a well-ventilated place. Store cool.

### 7.3 Specific end use(s)

No information available at present.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

<sup>(GB)</sup> Chemical Name	Methyl methacrylate		Content %:70-90				
WEL-TWA: 50 ppm (208	ng/m3) WEL-STEL: 100 ppm (4	416 mg/m3)					
(WEL), 50 ppm (EU)	(WEL), 100 ppm (EU)						
Monitoring procedures:	- Compur - KITA-184 S (548	618)					
NIOSH 2537 (Methyl and ethyl metacrylate) - 2003 - EU project							
	- BC/CEN/ENTR/000/2002-1	6 card 109-2 (2004)					
- OSHA 94 (Methyl Methacrylate) - 1992							
BMGV:		Other information:					

Methyl methacrylate						
Area of application	Exposure route /	Effect on health	Descript	Value	Unit	Note
	Environmental		or			
	compartment					
	Environment -		PNEC	0,94	mg/l	
	freshwater					
	Environment - marine		PNEC	0,094	mg/l	
	Environment -		PNEC	5,74	mg/kg	
	sediment					
	Environment - soil		PNEC	1,47	mg/kg	



Page 6 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

	Environment -		PNEC	10	mg/l
	sewage treatment				
	plant				
Consumer	Human - inhalation	Long term, local	DNEL	105	mg/m3
		effects			
Consumer	Human - dermal	Long term, local	DNEL	1,5	mg/cm2
		effects			
Consumer	Human - inhalation	Long term,	DNEL	74,3	mg/m3
		systemic effects			
Consumer	Human - dermal	Long term,	DNEL	8,2	mg/kg
		systemic effects			bw/day
Consumer	Human - oral	Long term, local	DNEL	1,5	mg/cm2
		effects			
Industrial /	Human - dermal	Long term, local	DNEL	1,5	mg/cm2
commercial		effects			
Industrial /	Human - inhalation	Long term, local	DNEL	208	mg/m3
commercial		effects			
Industrial /	Human - inhalation	Long term,	DNEL	208	mg/m3
commercial		systemic effects			
Industrial /	Human - dermal	Long term,	DNEL	13,67	mg/kg
commercial		systemic effects			
Industrial /	Human - dermal	Short term, local	DNEL	1,5	mg/cm2
commercial		effects			

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

# 8.2 Exposure controls

# 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.



Page 7 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN 374). Recommended Protective gloves in butyl rubber (EN 374). Protective gloves made of chloroprene (EN 374). Minimum layer thickness in mm: 0.5 Protective gloves made of fluorocarbon rubber (EN 374). Minimum layer thickness in mm: 0.4 Permeation time (penetration time) in minutes: >= 480Protective hand cream recommended. The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: If OES or MEL is exceeded. Gas mask filter A (EN 14387), code colour brown Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.



Page 8 of 16
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 30.07.2021 / 0002
Replacing version dated / version: 15.12.2020 / 0001
Valid from: 30.07.2021
PDF print date: 02.08.2021
Tacolit Mini Strong Component B 25 g
Art.: 9097586

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state:	Viscous, Liquid
Colour:	off-white (not pure white)
Odour:	Characteristic
Odour threshold:	Not determined
pH-value:	Mixture is non-soluble (in water).
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	100 °C ((Particulars of main substances contained))
Flash point:	10 °C ((Particulars of main substances contained))
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Lower explosive limit:	Not determined
Upper explosive limit:	Not determined
Vapour pressure:	Not determined
Vapour density (air $=$ 1):	Not determined
Density:	1,02 g/cm3 (20°C, Not determined)
Bulk density:	Not determined
Solubility(ies):	Not determined
Water solubility:	Insoluble
Partition coefficient (n-octanol/water):	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not determined
Oxidising properties:	Not determined
9.2 Other information	
Miscibility:	Not determined
Fat solubility / solvent:	Not determined
Conductivity:	Not determined
Surface tension:	Not determined
Solvents content:	Not determined

### **SECTION 10: Stability and reactivity**

10.1 Reactivity
The product has not been tested.
10.2 Chemical stability
Stable with proper storage and handling.
10.3 Possibility of hazardous reactions
No dangerous reactions are known.
10.4 Conditions to avoid



œ

Page 9 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

See also section 7. Heating, open flame, ignition sources Electrostatic charge **10.5 Incompatible materials** See also section 7. Avoid contact with strong oxidizing agents. Avoid contact with strong alkalis. Avoid contact with strong acids. **10.6 Hazardous decomposition products** See also section 5.2 No decomposition when used as directed.

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Tacolit Mini Strong Component B 25 g							
Art.: 9097586							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes	
	nt						
Acute toxicity, by oral						n.d.a.	
route:							
Acute toxicity, by						n.d.a.	
dermal route:							
Acute toxicity, by						n.d.a.	
inhalation:							
Skin corrosion/irritation:						n.d.a.	
Serious eye						n.d.a.	
damage/irritation:							
Respiratory or skin						n.d.a.	
sensitisation:							
Germ cell mutagenicity:						n.d.a.	
Carcinogenicity:						n.d.a.	
Reproductive toxicity:						n.d.a.	
Specific target organ						n.d.a.	
toxicity - single							
exposure (STOT-SE):							
Specific target organ						n.d.a.	
toxicity - repeated							
exposure (STOT-RE):							
Aspiration hazard:						n.d.a.	
Symptoms:						n.d.a.	

Methyl methacrylate						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	>6000	mg/kg	Rat	OECD 401 (Acute	
route:					Oral Toxicity)	
Acute toxicity, by	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute	
dermal route:					Dermal Toxicity)	



Page 10 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

Acute toxicity, by	LC50	29,8	mg/l/4h	Rat		Vapours
inhalation:				D 111		
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosio	Mild irritant
					n)	
Respiratory or skin sensitisation:				Human being		Skin Sens. 1
Respiratory or skin				Mouse	OECD 429 (Skin	Yes (skin
sensitisation:					Sensitisation - Local Lymph Node Assay)	contact)
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Carcinogenicity:					,	Negative
Reproductive toxicity:						Negative
Specific target organ toxicity - repeated exposure (STOT-RE):	NOAEL	2000	ppm	Rat		
Aspiration hazard:						No
-						indications of such an effect.
Symptoms:						breathing difficulties, respiratory distress, drowsiness, drop in blood pressure, coughing, headaches, fatigue, mucous membrane irritation, watering eyes, mental confusion
Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	NOAEL	1000	ppm	Mouse		14w, 6h/d, 5d/w

# **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).



Page 11 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	•				0		n.d.a.
fish:							
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to							n.d.a.
algae:							
12.2. Persistence							n.d.a.
and degradability:							
12.3.							n.d.a.
Bioaccumulative							
potential:							
12.4. Mobility in							n.d.a.
soil:							
12.5. Results of							n.d.a.
PBT and vPvB							
assessment							
12.6. Other							n.d.a.
adverse effects:							-
Other information:							Does not
							contain any
							organically
							bound
							halogens which can
							contribute to
							the AOX
							value in
Other information:							waste water.
Other information:							elimination
							degree(com
							lexing
							organic
							substance)>
							80%/28d:
							0070/200

Methyl methacrylate									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
12.1. Toxicity to	LC50	96h	130	mg/l	Pimephales	OECD 203			
fish:					promelas	(Fish, Acute			
						Toxicity Test)			
12.1. Toxicity to	EC50	72h	>110	mg/l	Pseudokirchne	OECD 201			
algae:					riella	(Alga,			
					subcapitata	Growth			
						Inhibition			
						Test)			



Page 12 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

12.1. Toxicity to	EC50	96h	37	mg/l	Selenastrum	OECD 201	
algae:					capricornutum	(Alga,	
						Growth	
						Inhibition	
						Test)	
12.1. Toxicity to		7d	37	mg/l	Scenedesmus		
algae:				_	quadricauda		
12.2. Persistence		28d	>95	%		OECD 302 B	Readily
and degradability:						(Inherent	biodegradabl
						Biodegradabil	e
						ity - Zahn-	
						Wellens/EMP	
						A Test)	
12.3.	Log Pow		1,32-			OECD 107	A notable
Bioaccumulative	U		1,38			(Partition	biological
potential:						Coefficient (n-	accumulation
1						octanol/water)	potential is
						- Shake	not to be
						Flask Method)	expected
							(LogPow 1-
							3).
12.5. Results of							No PBT
PBT and vPvB							substance,
assessment							No vPvB
							substance

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### For the substance / mixture / residual amounts

EC disposal code no .:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

08 04 09 waste adhesives and sealants containing organic solvents or other hazardous substances Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Do not perforate, cut up or weld uncleaned container.

Residues may present a risk of explosion.



Page 13 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

### **SECTION 14: Transport information**

General statements						
14.1. UN number:	1133					
Transport by road/by rail (ADR/RID)						
14.2. UN proper shipping name:						
UN 1133 ADHESIVES						
14.3. Transport hazard class(es):	3					
14.4. Packing group:	II					
Classification code:	F1 **					
LQ:	5 L					
14.5. Environmental hazards:	environmentally					
	hazardous					
Tunnel restriction code:	D/E					
Transport by sea (IMDG-code)						
14.2. UN proper shipping name:						
ADHESIVES(3,5-DIETHYL-1,2-DIHYDRO-1-PHENYL-2-PROPYLPYRIDINE)						
14.3. Transport hazard class(es):	3					
14.4. Packing group:	II					
EmS:	F-E, S-D					
Marine Pollutant:	Yes					
14.5. Environmental hazards:	environmentally					
	hazardous					
Transport by air (IATA)						
14.2. UN proper shipping name:						
Adhesives	<u> </u>					
14.3. Transport hazard class(es):	3					
14.4. Packing group:	II					
14.5. Environmental hazards:	Not applicable					
14.6. Special precautions for user						
Persons employed in transporting dangerous goods must						
All persons involved in transporting must observe safety	regulations.					
Precautions must be taken to prevent damage.						
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code						
Freighted as packaged goods rather than in bulk, therefore not applicable.						
Minimum amount regulations have not been taken into account.						
Danger code and packing code on request.						
Comply with special provisions.						

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)! Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 1 - The following categories apply to this product (others may also need to be considered according to storage, handling etc.):



Page 14 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

Hazard categories	Notes to Annex I	Qualifying quantity	Qualifying quantity
_		(tonnes) of dangerous	(tonnes) of dangerous
		substances as referred to	substances as referred to
		in Article 3(10) for the	in Article 3(10) for the
		application of - Lower-	application of - Upper-
		tier requirements	tier requirements
P5c		5000	50000
E1		100	200

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

85 %

Directive 2010/75/EU (VOC):

Observe incident regulations.

### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

### **SECTION 16: Other information**

Revised sections: 1 Employee training in handling dangerous goods is required. These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC)	Evaluation method used
No. 1272/2008 (CLP)	
Flam. Liq. 2, H225	Classification based on test data.
Eye Irrit. 2, H319	Classification according to calculation procedure.
STOT SE 3, H335	Classification according to calculation procedure.
Skin Irrit. 2, H315	Classification according to calculation procedure.
Skin Sens. 1, H317	Classification according to calculation procedure.
Aquatic Acute 1, H400	Classification according to calculation procedure.
Aquatic Chronic 1, H410	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Flam. Liq. — Flammable liquid

œ

.



Page 15 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g Art.: 9097586

Eye Irrit. — Eye irritation STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation Skin Irrit. — Skin irritation Skin Sens. — Skin sensitization Aquatic Acute — Hazardous to the aquatic environment - acute Aquatic Chronic — Hazardous to the aquatic environment - chronic Acute Tox. — Acute toxicity - oral

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approximately approx. Article number Art., Art. no. ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BSEF The International Bromine Council body weight hw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level dry weight dw for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EC European Community ECHA European Chemicals Agency EEC European Economic Community **EINECS** European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances EN European Norms EPA United States Environmental Protection Agency (United States of America) etc. et cetera EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number general gen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential IARC International Agency for Research on Cancer IATA International Air Transport Association International Bulk Chemical (Code) IBC (Code)



œ

Page 16 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.07.2021 / 0002 Replacing version dated / version: 15.12.2020 / 0001 Valid from: 30.07.2021 PDF print date: 02.08.2021 Tacolit Mini Strong Component B 25 g

Art.: 9097586

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

IUPACInternational Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable

n.av. not available

n.c. not checked

n.d.a. no data available

OECD Organisation for Economic Co-operation and Development

org. organic

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million

PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.