

Page 1 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003 Replacing version dated / version: 11.08.2021 / 0002 Valid from: 01.11.2021 PDF print date: 01.11.2021 Tacolit Mini Flex Component B 10 g Art.: 9097588

> Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Tacolit Mini Flex Component B 10 g Art.: 9097588

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Activator
Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

BTI Befestigungstechnik GmbH & Co. KG Salzstr. 51 74653 Ingelfingen Tel.: +49 7940 141 141 Fax: +49 7940 141 9141 Email: info@bti.de Homepage: www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (BRC) +1 872 5888271 (BRC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP) The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP) Not applicable



Page 2 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003 Replacing version dated / version: 11.08.2021 / 0002 Valid from: 01.11.2021 PDF print date: 01.11.2021 Tacolit Mini Flex Component B 10 g Art.: 9097588

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

| Registration number (REACH) | |
|---|--|
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | |
| CAS | |
| content % | |
| Classification according to Regulation (EC) 1272/2008 | |
| (CLP), M-factors | |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

SECTION 4: First aid measures

4.1 Description of first aid measures First-aiders should ensure they are protected! Never pour anything into the mouth of an unconscious person! Inhalation Supply person with fresh air and consult doctor according to symptoms. Skin contact Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor. Eye contact Remove contact lenses. Wash thoroughly for several minutes using copious water. Seek medical help if necessary. Ingestion Rinse the mouth thoroughly with water. Give copious water to drink - consult doctor immediately. 4.2 Most important symptoms and effects, both acute and delayed If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



œ

Page 3 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003 Replacing version dated / version: 11.08.2021 / 0002 Valid from: 01.11.2021 PDF print date: 01.11.2021 Tacolit Mini Flex Component B 10 g Art.: 9097588

5.1 Extinguishing media

Suitable extinguishing media
Water jet spray/foam/CO2/dry extinguisher
Unsuitable extinguishing media
None known
5.2 Special hazards arising from the substance or mixture
In case of fire the following can develop:
Oxides of carbon
Toxic gases
5.3 Advice for firefighters
For personal protective equipment see Section 8.
In case of fire and/or explosion do not breathe fumes.
Protective respirator with independent air supply.
According to size of fire
Full protection, if necessary.
Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.



Page 4 of 13
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 01.11.2021 / 0003
Replacing version dated / version: 11.08.2021 / 0002
Valid from: 01.11.2021
PDF print date: 01.11.2021
Tacolit Mini Flex Component B 10 g
Art.: 9097588

Avoid contact with eyes or skin. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use. **7.1.2 Notes on general hygiene measures at the workplace** General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed. **7.2 Conditions for safe storage, including any incompatibilities** Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store at room temperature. **7.3 Specific end use(s)** No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| ^(B) Chemical Name | Silica, amorph | ious | | | Content %: |
|------------------------------|----------------|-----------|-------------------|---|------------|
| WEL-TWA: 6 mg/m3 (tota | l inh. dust), | WEL-STEL: | | | |
| 2,4 mg/m3 (resp. dust) | | | | | |
| Monitoring procedures: | - | | | | |
| BMGV: | | | Other information | : | |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.



Page 5 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003 Replacing version dated / version: 11.08.2021 / 0002 Valid from: 01.11.2021 PDF print date: 01.11.2021 Tacolit Mini Flex Component B 10 g Art.: 9097588

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). If applicable Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: 0,5 Permeation time (penetration time) in minutes: 480 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls



Page 6 of 13
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003
Replacing version dated / version: 11.08.2021 / 0002
Valid from: 01.11.2021
PDF print date: 01.11.2021
Tacolit Mini Flex Component B 10 g
Art.: 9097588

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| 7.1 Information on basic physical and chemical prop | erties |
|--|--|
| Physical state: | Liquid |
| Colour: | Colourless |
| Odour: | Characteristic |
| Melting point/freezing point: | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability: | Flammable |
| Lower explosion limit: | There is no information available on this parameter. |
| Upper explosion limit: | There is no information available on this parameter. |
| Flash point: | >100-<160 °C |
| Auto-ignition temperature: | There is no information available on this parameter. |
| Decomposition temperature: | There is no information available on this parameter. |
| pH: | There is no information available on this parameter. |
| Kinematic viscosity: | There is no information available on this parameter. |
| Solubility: | There is no information available on this parameter. |
| Partition coefficient n-octanol/water (log value): | Does not apply to mixtures. |
| Vapour pressure: | There is no information available on this parameter. |
| Density and/or relative density: | 1,16 g/cm3 ((Particulars of main substances |
| | contained)) |
| Relative vapour density: | There is no information available on this parameter. |
| Particle characteristics: | Does not apply to liquids. |
| 9.2 Other information | |
| Explosives: | Product is not explosive. |
| Oxidising liquids: | No |
| | |

SECTION 10: Stability and reactivity

10.1 Reactivity
The product has not been tested.
10.2 Chemical stability
Stable with proper storage and handling.
10.3 Possibility of hazardous reactions
No dangerous reactions are known.
10.4 Conditions to avoid
None known
10.5 Incompatible materials
None known
10.6 Hazardous decomposition products
No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Possibly more information on health effects, see Section 2.1 (classification).



Page 7 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003 Replacing version dated / version: 11.08.2021 / 0002 Valid from: 01.11.2021 PDF print date: 01.11.2021 Tacolit Mini Flex Component B 10 g Art.: 9097588

| Tacolit Mini Flex Component B 10 g Art.: 9097588 | | | | | | |
|---|--------|-------|------|----------|-------------|--------|
| Toxicity / effect | Endpoi | Value | Unit | Organism | Test method | Notes |
| | nt | | | | | |
| Acute toxicity, by oral | | | | | | n.d.a. |
| route: | | | | | | |
| Acute toxicity, by | | | | | | n.d.a. |
| dermal route: | | | | | | |
| Acute toxicity, by | | | | | | n.d.a. |
| inhalation: | | | | | | |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye | | | | | | n.d.a. |
| damage/irritation: | | | | | | |
| Respiratory or skin | | | | | | n.d.a. |
| sensitisation: | | | | | | |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ | | | | | | n.d.a. |
| toxicity - single | | | | | | |
| exposure (STOT-SE): | | | | | | |
| Specific target organ | | | | | | n.d.a. |
| toxicity - repeated | | | | | | |
| exposure (STOT-RE): | | | | | | |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

| Silica, amorphous | | | | | | |
|----------------------------|--------|--------|-------|----------|---------------------|--------------|
| Toxicity / effect | Endpoi | Value | Unit | Organism | Test method | Notes |
| | nt | | | | | |
| Acute toxicity, by oral | LD50 | >5000 | mg/kg | Rat | OECD 423 (Acute | |
| route: | | | | | Oral Toxicity - | |
| | | | | | Acute Toxic Class | |
| | | | | | Method) | |
| Acute toxicity, by | LD50 | > 2000 | mg/kg | Rat | OECD 402 (Acute | |
| dermal route: | | | | | Dermal Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute | Not irritant |
| | | | | | Dermal | |
| | | | | | Irritation/Corrosio | |
| | | | | | n) | |
| Serious eye | | | | Rabbit | OECD 405 (Acute | Not irritant |
| damage/irritation: | | | | | Eye | |
| | | | | | Irritation/Corrosio | |
| | | | | | n) | |
| Germ cell mutagenicity: | | | | | OECD 471 | Negative |
| | | | | | (Bacterial Reverse | |
| | | | | | Mutation Test) | |
| Aspiration hazard: | | | | | | No |

11.2. Information on other hazards



Page 8 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003 Replacing version dated / version: 11.08.2021 / 0002 Valid from: 01.11.2021 PDF print date: 01.11.2021 Tacolit Mini Flex Component B 10 g Art.: 9097588

| Tacolit Mini Flex Component B 10 g Art.: 9097588 | | | | | | | |
|---|--------------|-------|------|----------|-------------|---|--|
| Toxicity / effect | Endpoi nt | Value | Unit | Organism | Test method | Notes | |
| Endocrine disrupting properties: | | | | | | Does not apply to mixtures. | |
| Other information: | | | | | | No other relevant information available on adverse effects on health. | |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Tacolit Mini Flex (| | | , | | × * | , | |
|---------------------|----------|------|-------|------|----------|-------------|--------------|
| Art.: 9097588 | | | | | | | |
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to | | | | | | | n.d.a. |
| fish: | | | | | | | |
| 12.1. Toxicity to | | | | | | | n.d.a. |
| daphnia: | | | | | | | |
| 12.1. Toxicity to | | | | | | | n.d.a. |
| algae: | | | | | | | |
| 12.2. Persistence | | | | | | | n.d.a. |
| and degradability: | | | | | | | |
| 12.3. | | | | | | | n.d.a. |
| Bioaccumulative | | | | | | | |
| potential: | | | | | | | |
| 12.4. Mobility in | | | | | | | n.d.a. |
| soil: | | | | | | | |
| 12.5. Results of | | | | | | | n.d.a. |
| PBT and vPvB | | | | | | | |
| assessment | | | | | | | |
| 12.6. Endocrine | | | | | | | Does not |
| disrupting | | | | | | | apply to |
| properties: | | | | | | | mixtures. |
| 12.7. Other | | | | | | | No |
| adverse effects: | | | | | | | information |
| | | | | | | | available on |
| | | | | | | | other |
| | | | | | | | adverse |
| | | | | | | | effects on |
| | | | | | | | the |
| | | | | | | | environment |



Page 9 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003 Replacing version dated / version: 11.08.2021 / 0002 Valid from: 01.11.2021 PDF print date: 01.11.2021 Tacolit Mini Flex Component B 10 g Art.: 9097588

| Other information: | DOC- |
|--------------------|--------------|
| | elimination |
| | degree(comp |
| | lexing |
| | organic |
| | substance)>= |
| | 80%/28d: |
| | n.a. |

| Silica, amorphous | Silica, amorphous | | | | | | | |
|--------------------|-------------------|------|-------|------|-------------|----------------|--------------|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes | |
| 12.1. Toxicity to | EC0 | 96h | >1000 | mg/l | Brachydanio | OECD 203 | | |
| fish: | | | 0 | | rerio | (Fish, Acute | | |
| | | | | | | Toxicity Test) | | |
| 12.1. Toxicity to | EC0 | 24h | >1000 | mg/l | Daphnia | OECD 202 | | |
| daphnia: | | | | | magna | (Daphnia sp. | | |
| | | | | | | Acute | | |
| | | | | | | Immobilisatio | | |
| | | | | | | n Test) | | |
| 12.1. Toxicity to | ErC50 | 72h | >=100 | mg/l | Scenedesmus | OECD 201 | | |
| algae: | | | 00 | | subspicatus | (Alga, | | |
| | | | | | | Growth | | |
| | | | | | | Inhibition | | |
| | | | | | | Test) | | |
| 12.2. Persistence | | | | | | | Inorganic | |
| and degradability: | | | | | | | products | |
| | | | | | | | cannot be | |
| | | | | | | | eliminated | |
| | | | | | | | from water | |
| | | | | | | | through | |
| | | | | | | | biological | |
| | | | | | | | purification | |
| | | | | | | | methods. | |
| 12.5. Results of | | | | | | | No PBT | |
| PBT and vPvB | | | | | | | substance, | |
| assessment | | | | | | | No vPvB | |
| | | | | | | | substance | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation:

Sewage disposal shall be discouraged.



Page 10 of 13
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003
Replacing version dated / version: 11.08.2021 / 0002
Valid from: 01.11.2021
PDF print date: 01.11.2021
Tacolit Mini Flex Component B 10 g
Art.: 9097588

Pay attention to local and national official regulations.
E.g. suitable incineration plant.
E.g. dispose at suitable refuse site.
For contaminated packing material
Pay attention to local and national official regulations.
Empty container completely.
Uncontaminated packaging can be recycled.
Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

| General statements | | | | | | |
|---|---------------|--|--|--|--|--|
| 14.1. UN number or ID number: n.a | a. | | | | | |
| Transport by road/by rail (ADR/RID) | | | | | | |
| 14.2. UN proper shipping name: | | | | | | |
| 14.3. Transport hazard class(es): n.a | a. | | | | | |
| 14.4. Packing group: n.a | a. | | | | | |
| Classification code: n.a | a. | | | | | |
| LQ: n.a | a. | | | | | |
| 14.5. Environmental hazards: No | ot applicable | | | | | |
| Tunnel restriction code: | | | | | | |
| Transport by sea (IMDG-code) | | | | | | |
| 14.2. UN proper shipping name: | | | | | | |
| 14.3. Transport hazard class(es): n.a | a. | | | | | |
| 14.4. Packing group: n.a | a. | | | | | |
| Marine Pollutant: n.a | a | | | | | |
| 14.5. Environmental hazards: No | ot applicable | | | | | |
| Transport by air (IATA) | | | | | | |
| 14.2. UN proper shipping name: | | | | | | |
| 14.3. Transport hazard class(es): n.a | a. | | | | | |
| 14.4. Packing group: n.a | a. | | | | | |
| 14.5. Environmental hazards: Not applicable | | | | | | |
| 14.6. Special precautions for user | | | | | | |
| Unless specified otherwise, general measures for safe transport must be followed. | | | | | | |
| 14.7. Maritime transport in bulk according to IMO instruments | | | | | | |
| Non-dangerous material according to Transport Regulations. | | | | | | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

0 %

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.



Page 11 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003 Replacing version dated / version: 11.08.2021 / 0002 Valid from: 01.11.2021 PDF print date: 01.11.2021 Tacolit Mini Flex Component B 10 g Art.: 9097588

SECTION 16: Other information

Revised sections:

1-16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164 (EU) 2010/1821, and an amended

2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

- bw body weight
- CAS Chemical Abstracts Service
- CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level



GB Page 12 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003 Replacing version dated / version: 11.08.2021 / 0002 Valid from: 01.11.2021 PDF print date: 01.11.2021 Tacolit Mini Flex Component B 10 g Art.: 9097588 DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) EC European Community ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community **EINECS** European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances EN European Norms EPA United States Environmental Protection Agency (United States of America) ErCx, $E\mu Cx$, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Koc Adsorption coefficient of organic carbon in the soil Kow octanol-water partition coefficient IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. International Uniform Chemical Information Database IUCLID IUPACInternational Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities LQ MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. n.av. not available not checked n.c. n.d.a. no data available National Institute for Occupational Safety and Health (USA) NIOSH NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic Polyethylene **PE** PNEC Predicted No Effect Concentration

ppm parts per million



Page 13 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0003 Replacing version dated / version: 11.08.2021 / 0002 Valid from: 01.11.2021 PDF print date: 01.11.2021 Tacolit Mini Flex Component B 10 g Art.: 9097588

PVC Polyvinylchloride

REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)REACH-IT List-No.9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No.

or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.