

Page 1 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

> Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

UVT 25 X-Press Art.: 9034770

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:
Compound mortar
Uses advised against:
No information available at present.

1.3 Details of the supplier of the safety data sheet

BTI Befestigungstechnik GmbH & Co. KG Salzstr. 51 74653 Ingelfingen Tel.: +49 7940 141 141 Fax: +49 7940 141 9141 Email: info@bti.de Homepage: www.bti.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body: ---Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (BRC)

+1 872 5888271 (BRC)

SECTION 2: Hazards identification

2.1 Classification	of the substance or mixtur	e
Classification acco	ording to Regulation (EC)	1272/2008 (CLP)
Hazard class	Hazard category	Hazard statement
Acute Tox.	4	H332-Harmful if inhaled.
Eye Irrit.	2	H319-Causes serious eye irritation.
STOT SE	3	H335-May cause respiratory irritation.
Skin Irrit.	2	H315-Causes skin irritation.
Resp. Sens.	1	H334-May cause allergy or asthma symptoms or breathing
		difficulties if inhaled.



Page 2 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

Skin Sens.	1	H317-May cause an allergic skin reaction.
Carc.	2	H351-Suspected of causing cancer.
STOT RE	2	H373-May cause damage to organs through prolonged or
		repeated exposure by inhalation (respiratory system).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



H332-Harmful if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. H315-Causes skin irritation. H334-May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317-May cause an allergic skin reaction. H351-Suspected of causing cancer. H373-May cause damage to organs through prolonged or repeated exposure by inhalation (respiratory system).

P201-Obtain special instructions before use. P260-Do not breathe vapours or spray. P280-Wear protective gloves / protective clothing / eye protection / face protection. P284-Wear respiratory protection. P304+P340-IF INHALED: Remove person to fresh air and keep comfortable for breathing. P308+P313-IF exposed or concerned: Get medical advice / attention.

EUH204-Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use. Diphenylmethanediisocyanate, isomeres and homologues

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances	
n.a.	
3.2 Mixtures	
Diphenylmethanediisocyanate, isomeres and homologues	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	



Page 3 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

CAS	9016-87-9
content %	70-<90
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H332
(CLP), M-factors	Skin Irrit. 2, H315
	Eye Irrit. 2, H319
	Resp. Sens. 1, H334
	Skin Sens. 1, H317
	Carc. 2, H351
	STOT SE 3, H335
	STOT RE 2, H373 (respiratory system) (as
	inhalation)
Specific Concentration Limits and ATE	Skin Irrit. 2, H315: >=5 %
	Eye Irrit. 2, H319: >=5 %
	Resp. Sens. 1, H334: >=0,1 %
	STOT SE 3, H335: >=5 %
	ATE (as inhalation): 1,5 mg/l/4h

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

Respiratory arrest - Artificial respiration apparatus necessary.

Skin contact

Wipe off residual product carefully with a soft, dry cloth.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Dab away with polyethylene glycol 400

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available. **Ingestion**

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. The following may occur: Dermatitis (skin inflammation) Drying of the skin. Allergic contact eczema Discoloration of the skin



Page 4 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

Irritant to mucosa of the nose and throat Coughing Headaches Effect on the central nervous system Asthmatic symptoms In case of sensitivity, concentrations below the limit value may already result in asthmatic symptoms. Respiratory distress Other dangerous properties cannot be ruled out. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. **4.3 Indication of any immediate medical attention and special treatment needed** Symptomatic treatment. In case of urge to cough - antitussive agents In case of irritation of the lungs, perform first-aid with controlled-dosage aerosol dexamethasone.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media CO₂ Extinction powder Water jet spray Alcohol resistant foam Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture In case of fire the following can develop: Oxides of carbon Oxides of nitrogen Isocyanates Hydrocyanic acid (hydrogen cyanide) Toxic pyrolysis products. Danger of bursting (explosion) when heated 5.3 Advice for firefighters For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.



œ

Page 5 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

Ensure sufficient supply of air. Avoid inhalation, and contact with eyes or skin. If applicable, caution - risk of slipping. 6.1.2 For emergency responders See section 8 for suitable protective equipment and material specifications. **6.2 Environmental precautions** If leakage occurs, dam up. Resolve leaks if this possible without risk. Prevent surface and ground-water infiltration, as well as ground penetration. Prevent from entering drainage system. If accidental entry into drainage system occurs, inform responsible authorities. 6.3 Methods and material for containment and cleaning up Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13. Keep moist. Do not close packing drum. Allow to stand for a few days in an unclosed container until reaction no longer occurs. CO2 formation in closed tanks causes pressure to rise. 6.4 Reference to other sections For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1. **7.1 Precautions for safe handling 7.1.1 General recommendations** Avoid inhalation of the vapours.

Ensure good ventilation.

If applicable, suction measures at the workstation or on the processing machine necessary.

Avoid contact with eyes or skin.

No contact with products of this type in case of allergies, asthma und chronic respiratory tract disorders.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Protect against moisture and store closed.

Store in a well ventilated place.

Protect from frost.

Protect from direct sunlight and warming.

Only store at temperatures from 2°C to 30°C.

7.3 Specific end use(s)

Compound mortar



Page 6 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

(B) Chemical Name	Diphenylmeth		Content %:70-<90			
WEL-TWA: 0,02 mg/m3 (Isocyanates,	WEL-STEL: (0,07 mg/r	n3 (Isocyanates,		
all (as -NCO))		all (as -NCO))				
Monitoring procedures:	-					
BMGV: 1 µmol isocyanate	-derived diamir	ne/mol creatinine i	n urine	Other information	Sen	(Isocyanates,
(At the end of the period of e	exposure)			all (as -NCO))		
Chemical Name	Silica, amorph	nous				Content %:
WEL-TWA: 6 mg/m3 (tota	al inh. dust),	WEL-STEL: -				
2,4 mg/m3 (resp. dust)						
Monitoring procedures:	-					
BMGV:				Other information		

^(B) WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

GB



Page 7 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). Recommended Protective gloves in butyl rubber (EN ISO 374). Minimum layer thickness in mm: 0,7 Permeation time (penetration time) in minutes: > 480 Protective hand cream recommended. The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: If OES or MEL is exceeded. Filter A P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



œ

Page 8 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

Physical state:	Liquid
Colour:	Light, Beige
Odour:	Characteristic
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	Combustible.
Lower explosion limit:	n.a.
Upper explosion limit:	n.a.
Flash point:	There is no information available on this parameter.
Auto-ignition temperature:	No
Decomposition temperature:	There is no information available on this parameter.
pH:	n.a.
Kinematic viscosity:	There is no information available on this parameter.
Solubility:	reacts with water, Not miscible 20°C
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	1,25 g/cm3
Relative vapour density:	There is no information available on this parameter.
Particle characteristics:	Does not apply to liquids.
9.2 Other information	
Explosives:	Product is not explosive.
Oxidising liquids:	No
U 1	

SECTION 10: Stability and reactivity

10.1 Reactivity The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. 10.3 Possibility of hazardous reactions No decomposition if used as intended. **10.4 Conditions to avoid** Protect from humidity. **10.5 Incompatible materials** Acids Bases Amines Alcohols Polyhydric alcohols Water Developement of: CO2 CO2 formation in closed tanks causes pressure to rise. Pressure increase will result in danger of bursting. **10.6 Hazardous decomposition products** No decomposition when used as directed.



Page 9 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

UVT 25 X-Press		,				
Art.: 9034770						
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:	ATE	13,20	mg/l/4h			calculated value, Vapours
Acute toxicity, by inhalation:	ATE	1,80	mg/l/4h			calculated value, Aerosol
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin sensitisation:						n.d.a.
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Diphenylmethanediisocyanate, isomeres and homologues							
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes	
	nt						
Acute toxicity, by oral	LD50	>5000	mg/kg	Rat	OECD 401 (Acute		
route:					Oral Toxicity)		
Acute toxicity, by	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute		
dermal route:					Dermal Toxicity)		
Acute toxicity, by	LC50	0,31	mg/l/4h	Rat	OECD 403 (Acute	Aerosol,	
inhalation:					Inhalation	Does not	
					Toxicity)	conform	
						with EU	
						classification	
Acute toxicity, by	ATE	1,5	mg/l/4h			Expert	
inhalation:						judgement.	



Page 10 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosio n)	Skin Irrit. 2
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosio n)	Not irritant, Analogous conclusion, Does not conform with EU classification
Respiratory or skin sensitisation:				Mouse	OECD 429 (Skin Sensitisation - Local Lymph Node Assay)	Yes (skin contact), Analogous conclusion
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)
Respiratory or skin sensitisation:				Rat	,	Yes (inhalation)
Germ cell mutagenicity:				Rat	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative, Analogous conclusion
Germ cell mutagenicity:				Salmonella typhimuri um	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Carcinogenicity:				Rat	OECD 453 (Combined Chronic Toxicity/Carcinoge nicity Studies)	Aerosol, Limited evidence of a carcinogenic effect.
Reproductive toxicity:	NOAEL	4	mg/m3	Rat	OECD 414 (Prenatal Developmental Toxicity Study)	Aerosol, Negative
Specific target organ toxicity - repeated exposure (STOT-RE):	LOAEL	1		Rat	OECD 453 (Combined Chronic Toxicity/Carcinoge nicity Studies)	Aerosol, Analogous conclusion
Specific target organ toxicity - repeated exposure (STOT-RE):	NOAEL	0,2		Rat	OECD 453 (Combined Chronic Toxicity/Carcinoge nicity Studies)	Aerosol, Analogous conclusion
Aspiration hazard:						Negative



Page 11 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

Specific target organ		Target
toxicity - single		organ(s):
exposure (STOT-SE),		respiratory
inhalative:		system, May
		cause
		respiratory
		irritation.
Specific target organ		Target
toxicity - repeated		organ(s):
exposure (STOT-RE),		respiratory
inhalat.:		system,
		Positive

Silica, amorphous						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral	LD50	>5000	mg/kg	Rat	OECD 423 (Acute	
route:					Oral Toxicity -	
					Acute Toxic Class	
					Method)	
Acute toxicity, by	LD50	> 2000	mg/kg	Rat	OECD 402 (Acute	
dermal route:					Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosio	
					n)	
Serious eye				Rabbit	OECD 405 (Acute	Not irritant
damage/irritation:					Eye	
					Irritation/Corrosio	
					n)	
Germ cell mutagenicity:					OECD 471	Negative
					(Bacterial Reverse	
					Mutation Test)	
Aspiration hazard:						No

11.2. Information on other hazards

UVT 25 X-Press Art.: 9034770						
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Endocrine disrupting properties:						Does not apply to mixtures.
Other information:						No other relevant information available on adverse effects on health.



Page 12 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

UVT 25 X-Press Art.: 9034770							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to					8		n.d.a.
fish:							
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to							n.d.a.
algae:							****
12.2. Persistence							With water
and degradability:							at the
							interface, transforms
							slowly with
							formation of
							CO2 into a
							firm,
							insoluble
							reaction
							product with
							a high
							melting
							point
							(polycarbami
							de).
							According
							to
							experience
							available to
							date, polycarbami
							de is inert
							and non-
							degradable.
12.3.							n.d.a.
Bioaccumulative							
potential:							
12.4. Mobility in							n.d.a.
soil:							
12.5. Results of							n.d.a.
PBT and vPvB							
assessment							
12.6. Endocrine							n.d.a.
disrupting							
properties:							1
12.7. Other							n.d.a.
adverse effects:							



Page 13 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

Diphenylmethaned Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Other organisms:	NOEC/NO	14d	>1000	mg/kg	Avena sativa	OECD 208	notes
Other organisms.	EL	14u	>1000	mg/kg	Avena sauva	(Terrestrial	
						Plants,	
						Growth Test)	
12.1 Toxisity to	LC50	96h	>1000	mg/l	Brachydanio	OECD 203	
12.1. Toxicity to fish:	LC30	9011	>1000	IIIg/1	rerio		
11511.					Terro	(Fish, Acute	
10.1 Tariaity to	NOEC/NO	21d	>10		Domhnia	Toxicity Test) OECD 202	
12.1. Toxicity to daphnia:	EL	210	>10	mg/l	Daphnia		
dapinna.					magna	(Daphnia sp. Acute	
						Immobilisatio	
10.1 T	E050	0.41	. 1000	/1	D 1 '	n Test)	
12.1. Toxicity to	EC50	24h	>1000	mg/l	Daphnia	OECD 202	
daphnia:					magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
10.1 m	E 050	701	1640	/1	0 1	n Test)	
12.1. Toxicity to	ErC50	72h	>1640	mg/l	Scenedesmus	OECD 201	
algae:					subspicatus	(Alga,	
						Growth	
						Inhibition	
10 0 D						Test)	
12.2. Persistence		28d	0	%	activated	OECD 302 C	Not
and degradability:					sludge	(Inherent	biodegradal
						Biodegradabil	e, Accordin
						ity - Modified	to .
						MITI Test	experience
						(II))	available to
							date,
							polycarbam
							de is inert
							and non-
							degradable.
							With water
							at the
							interface,
							transforms
							slowly with
							formation of
							CO2 into a
							firm,
							insoluble
							reaction
							product wit
							a high
							melting
							point
							(polycarbar
							de).



Page 14 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

12.3. Bioaccumulative potential: 12.5. Results of	BCF	42d	<14		Cyprinus carpio	OECD 305 (Bioconcentra tion - Flow- Through Fish Test)	Not to be expected Negative
PBT and vPvB assessment							
Toxicity to bacteria:	EC50	3h	>100	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Other organisms:	NOEC/NO EL	14d	>1000	mg/kg	Lactuca sativa	OECD 208 (Terrestrial Plants, Growth Test)	
Toxicity to annelids:	NOEC/NO EL	14d	>1000	mg/kg	Lumbricus terrestris	OECD 207 (Earthworm, Acute Toxicity Tests)	

Silica, amorphous	Silica, amorphous						
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	EC0	96h	>1000	mg/l	Brachydanio	OECD 203	
fish:			0	-	rerio	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to	EC0	24h	>1000	mg/l	Daphnia	OECD 202	
daphnia:					magna	(Daphnia sp.	
						Acute	
						Immobilisatio	
						n Test)	
12.1. Toxicity to	ErC50	72h	>=100	mg/l	Scenedesmus	OECD 201	
algae:			00		subspicatus	(Alga,	
						Growth	
						Inhibition	
						Test)	
12.2. Persistence							Inorganic
and degradability:							products
							cannot be
							eliminated
							from water
							through
							biological
							purification
							methods.



Page 15 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

12.5. Results of			No PBT
PBT and vPvB			substance,
assessment			No vPvB
			substance

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no .:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

08 04 09 waste adhesives and sealants containing organic solvents or other hazardous substances

08 05 01 waste isocyanates Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

Hardened product:

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements					
14.1. UN number or ID number:	n.a.				
Transport by road/by rail (ADR/RID)					
14.2. UN proper shipping name:					
14.3. Transport hazard class(es):	n.a.				
14.4. Packing group:	n.a.				
Classification code:	n.a.				
LQ:	n.a.				
14.5. Environmental hazards:	Not applicable				
Tunnel restriction code:					
Transport by sea (IMDG-code)					
14.2. UN proper shipping name:					
14.3. Transport hazard class(es):	n.a.				
14.4. Packing group:	n.a.				
Marine Pollutant:	n.a				
14.5. Environmental hazards: Not ap					
Transport by air (IATA)					
14.2. UN proper shipping name:					
14.3. Transport hazard class(es):	n.a.				



Page 16 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

14.4. Packing group:n.a.14.5. Environmental hazards:Not applicable14.6. Special precautions for userUnless specified otherwise, general measures for safe transport must be followed.14.7. Maritime transport in bulk according to IMO instrumentsNon-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)! Regulation (EC) No 1907/2006, Annex XVII Diphenylmethanediisocyanate, isomeres and homologues Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

1-16

These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC)	Evaluation method used
No. 1272/2008 (CLP)	
Acute Tox. 4, H332	Classification according to calculation procedure.
Eye Irrit. 2, H319	Classification according to calculation procedure.
STOT SE 3, H335	Classification according to calculation procedure.
Skin Irrit. 2, H315	Classification according to calculation procedure.
Resp. Sens. 1, H334	Classification according to calculation procedure.
Skin Sens. 1, H317	Classification according to calculation procedure.
Carc. 2, H351	Classification according to calculation procedure.
STOT RE 2, H373	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H373 May cause damage to organs through prolonged or repeated exposure by inhalation.

œ

0 %



Page 17 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. Acute Tox. - Acute toxicity - inhalation

Eye Irrit. — Eye irritation STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation Skin Irrit. — Skin irritation Resp. Sens. - Respiratory sensitization Skin Sens. - Skin sensitization Carc. — Carcinogenicity STOT RE - Specific target organ toxicity - repeated exposure

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approximately approx. Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council bw body weight

GB



œ

Page 18 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) EC European Community ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community **EINECS** European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances EN European Norms EPA United States Environmental Protection Agency (United States of America) Effect Concentration/Level of x % on inhibition of the growth rate (algae, ErCx, $E\mu Cx$, ErLx (x = 10, 50) plants) etc. et cetera EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number general gen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Koc Adsorption coefficient of organic carbon in the soil Kow octanol-water partition coefficient IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. International Uniform Chemical Information Database IUCLID IUPACInternational Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. n.d.a. no data available NIOSH National Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development org. organic



Page 19 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0008 Replacing version dated / version: 02.06.2021 / 0007 Valid from: 01.11.2021 PDF print date: 01.11.2021 UVT 25 X-Press Art.: 9034770

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million

PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.