

Page 1 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

Valid from: 17.10.2023 PDF print date: 09.09.2024 Top Tec 6200 0W-20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Top Tec 6200 0W-20

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Motor oil

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Œ

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0

Fax: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Œ

Landspitali- The National University Hospital of Iceland, tel. +354 543 2222 or 112 (valid only for Iceland)

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

+1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1), Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction.

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).



(B)

Page 2 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

Valid from: 17.10.2023 PDF print date: 09.09.2024 Top Tec 6200 0W-20

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC)

1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. **3.2 Mixtures**

| Distillates (petroleum), hydrotreated heavy paraffinic | |
|--|-----------------------|
| Registration number (REACH) | 01-2119484627-25-XXXX |
| Index | 649-467-00-8 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 265-157-1 |
| CAS | 64742-54-7 |
| content % | 50-<75 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Asp. Tox. 1, H304 |

| 1-Decene, homopolymer, hydrogenated | |
|--|-----------------------|
| Registration number (REACH) | 01-2119486452-34-XXXX |
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 500-183-1 |
| CAS | 68037-01-4 |
| content % | 1-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Asp. Tox. 1, H304 |

| Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4- | |
|--|-------------------------|
| hydroxyphenyl)propionate | |
| Registration number (REACH) | 01-0000015551-76-XXXX |
| Index | 607-530-00-7 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 406-040-9 |
| CAS | 125643-61-0 |
| content % | <2,5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Aquatic Chronic 4, H413 |

| Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1) | |
|--|---------------------|
| Registration number (REACH) | |
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 601-337-1 |
| CAS | 114959-46-5 |
| content % | 0,1-<1 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Skin Sens. 1B, H317 |

| Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated | |
|--|---------------------------|
| Registration number (REACH) | |
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 953-650-0 |
| CAS | |
| content % | 0,1-<1 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Skin Sens. 1B, H317 |
| | Repr. 2, H361d |
| Specific Concentration Limits and ATE | Repr. 2, H361d: >=17,15 % |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures



(B)

Page 3 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

Valid from: 17.10.2023 PDF print date: 09.09.2024 Top Tec 6200 0W-20

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eve contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

Danger of aspiration.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

Sensitive individuals:

Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

CO2

Extinction powder

Foam

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of phosphorus

Oxides of sulphur

Oxides of nitrogen

Toxic gases

Hot product gives off combustible vapours.

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.



Page 4 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

Valid from: 17.10.2023 PDF print date: 09.09.2024 Top Tec 6200 0W-20

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid formation of oil mist.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Under all circumstances prevent penetration into the soil.

Keep protected from direct sunlight and temperatures over 50°C.

Store cool.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Chemical Name Oil mist, mineral | | |
|--|------------------------------------|--|
| WEL-TWA: 5 mg/m3 (Mineral oil, excluding metal | WEL-STEL: | |
| working fluids, ACGIH) | | |
| Monitoring procedures: - | Draeger - Oil Mist 1/a (67 33 031) | |
| BMGV: | Other information: | |

| Distillates (petroleum), hydrotreated heavy paraffinic | | | | | | |
|--|------------------|------------------|------------|-------|------|------|
| Area of application | Exposure route / | Effect on health | Descriptor | Value | Unit | Note |
| | Environmental | | - | | | |
| | compartment | | | | | |



Page 5 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

| | Environment - oral (animal feed) | | PNEC | 9,33 | mg/kg | |
|---------------------|----------------------------------|-----------------------------|------|------|-------|--|
| Consumer | Human - inhalation | Long term, local effects | DNEL | 1,19 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,74 | mg/kg | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 5,58 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 0,97 | mg/kg | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 2,73 | mg/m3 | |

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|------------------------------|------------|--------|------------|------|
| | Environment - sewage treatment plant | | PNEC | 10 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 0,37 | mg/kg dw | |
| | Environment - sediment, marine | | PNEC | 0,037 | mg/kg dw | |
| | Environment - soil | | PNEC | 0,632 | mg/kg dw | |
| | Environment - freshwater | | PNEC | 0,004 | mg/l | |
| | Environment - marine | | PNEC | 0,0004 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 0,018 | mg/l | |
| | Environment - oral (animal feed) | | PNEC | 41,33 | mg/kg feed | |
| | Environment - soil | | PNEC | 0,632 | mg/kg | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 0,74 | mg/m3 | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 0,83 | mg/kg bw/d | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,93 | mg/kg bw/d | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 1,67 | mg/kg | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 6,6 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, local effects | DNEL | 0,006 | mg/cm2 | |
| Workers / employees | Human - dermal | Short term, local effects | DNEL | 1 | mg/cm2 | |
| Workers / employees | Human - dermal | Short term, systemic effects | DNEL | 20 | mg/kg | |
| Workers / employees | Human - oral | Long term, systemic effects | DNEL | 0,22 | mg/kg | |

- United Kingdom | WEL-TWA = Workplace Exposure Limit Long-term exposure limit 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).
- (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:
- (8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE).
- | WEL-STEL = Workplace Exposure Limit Short-term exposure limit 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).
- (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:
- (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |
- | BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).
- (EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |
- | Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.



Page 6 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

Valid from: 17.10.2023 PDF print date: 09.09.2024 Top Tec 6200 0W-20

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

Recommended

Protective nitrile gloves (EN ISO 374).

Minimum layer thickness in mm:

0,11

Permeation time (penetration time) in minutes:

30

Minimum layer thickness in mm:

0,33

Permeation time (penetration time) in minutes:

480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

With oil mist formation:

Filter A P2 (EN 14387), code colour brown, white

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.



Page 7 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

Valid from: 17.10.2023 PDF print date: 09.09.2024 Top Tec 6200 0W-20

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid Green Colour:

Odour: Characteristic Melting point/freezing point: There is no information available on this parameter.

Boiling point or initial boiling point and boiling range: There is no information available on this parameter. Flammability: There is no information available on this parameter.

Lower explosion limit: There is no information available on this parameter. Upper explosion limit: There is no information available on this parameter. 220 °C

Flash point:

Auto-ignition temperature: There is no information available on this parameter. Decomposition temperature: There is no information available on this parameter.

n.d.a. Kinematic viscosity: 44,0 mm2/s (40°C)

Kinematic viscosity: 8,4 mm2/s (100°C) Solubility: Insoluble

Partition coefficient n-octanol/water (log value): Does not apply to mixtures.

Vapour pressure: There is no information available on this parameter.

Density and/or relative density: 0.845 g/cm3

There is no information available on this parameter. Relative vapour density:

Particle characteristics: Does not apply to liquids.

9.2 Other information

No information available at present.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

Strong heat

10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

| Top Tec 6200 0W-20 | | | | | | | |
|----------------------------------|----------|-------|------|----------|-------------|--------|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes | |
| Acute toxicity, by oral route: | | | | | | n.d.a. | |
| Acute toxicity, by dermal route: | | | | | | n.d.a. | |
| Acute toxicity, by inhalation: | | | | | | n.d.a. | |
| Skin corrosion/irritation: | | | | | | n.d.a. | |
| Serious eye damage/irritation: | | | | | | n.d.a. | |
| Respiratory or skin | | | | | | n.d.a. | |
| sensitisation: | | | | | | | |
| Germ cell mutagenicity: | | | | | | n.d.a. | |
| Carcinogenicity: | | | | | | n.d.a. | |
| Reproductive toxicity: | | | | | | n.d.a. | |



Page 8 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

| Specific target organ toxicity - | | | n.d.a. |
|----------------------------------|--|--|--------|
| single exposure (STOT-SE): | | | |
| Specific target organ toxicity - | | | n.d.a. |
| repeated exposure (STOT-RE): | | | |
| Aspiration hazard: | | | n.d.a. |
| Symptoms: | | | n.d.a. |

| Distillates (petroleum), hydrotro Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|--|----------|--------|----------|-------------|---------------------------|-----------------|
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 420 (Acute Oral | Analogous |
| rodic toxiolty, by oral rodic. | LDOO | 20000 | mg/kg | Truc | toxicity - Fixe Dose | conclusion |
| | | | | | Procedure) | ooriolasion |
| Acute toxicity, by dermal route: | LD50 | >5000 | mg/kg | Rabbit | OECD 402 (Acute | Analogous |
| Acute toxicity, by definal route. | LD30 | >3000 | IIIg/kg | ιταυυπ | Dermal Toxicity) | conclusion |
| Acute terricity, by inhelations | 1.050 | . 5 50 | | Rat | | |
| Acute toxicity, by inhalation: | LC50 | >5,53 | mg/l/4h | Rat | OECD 403 (Acute | Aerosol, |
| | | | | | Inhalation Toxicity) | Analogous |
| | | | | | | conclusion |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute | Not irritant, |
| | | | | | Dermal | Analogous |
| | | | | | Irritation/Corrosion) | conclusion |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye | Not irritant, |
| | | | | | Irritation/Corrosion) | Analogous |
| | | | | | | conclusion |
| Respiratory or skin | | | | Guinea pig | OECD 406 (Skin | No (skin |
| sensitisation: | | | | | Sensitisation) | contact), |
| | | | | | · · | Analogous |
| | | | | | | conclusion |
| Germ cell mutagenicity: | | | | Salmonella | OECD 471 (Bacterial | Negative, |
| ,· | | | | typhimurium | Reverse Mutation Test) | Analogous |
| | | | | 1) [2] | Tronso matamon rost, | conclusion |
| Germ cell mutagenicity: | | | | | OECD 473 (In Vitro | Negative, |
| Germ cen matagementy. | | | | | Mammalian | Analogous |
| | | | | | Chromosome | conclusion |
| | | | | | Aberration Test) | Chinese hamste |
| Germ cell mutagenicity: | | | | Mouse | OECD 476 (In Vitro | |
| Germ cen mutagenicity. | | | | Mouse | | Negative, |
| | | | | | Mammalian Cell Gene | Analogous |
| | | | | 1.4 | Mutation Test) | conclusion |
| Germ cell mutagenicity: | | | | Mouse | OECD 474 (Mammalian | Negative, |
| | | | | | Erythrocyte | Analogous |
| | | | | | Micronucleus Test) | conclusion |
| Carcinogenicity: | | | | Mouse | OECD 451 | Negative, |
| | | | | | (Carcinogenicity Studies) | Analogous |
| | | | | | | conclusion 78 |
| | | | | | | weeks, dermal |
| Reproductive toxicity: | | | | Rat | OECD 421 | Negative, |
| | | | | | (Reproduction/Developm | Analogous |
| | | | | | ental Toxicity Screening | conclusion oral |
| | | | | | Test) | |
| Reproductive toxicity | | | | Rat | OECD 414 (Prenatal | Negative, |
| (Developmental toxicity): | | | | | Developmental Toxicity | Analogous |
| (| | | | | Study) | conclusion |
| | | | | | | dermal |
| Specific target organ toxicity - | LOAEL | 125 | mg/kg | Rat | OECD 408 (Repeated | Analogous |
| repeated exposure (STOT-RE), | 20,122 | 120 | 1119/119 | Truck | Dose 90-Day Oral | conclusion |
| oral: | | | | | Toxicity Study in | CONCIUSION |
| orai. | | | | | Rodents) | |
| Specific target organ toxicity | NOAEL | 1000 | ma/ka | Rabbit | OECD 410 (Repeated | Analogous |
| Specific target organ toxicity - | NOAEL | 1000 | mg/kg | Rabbit | | |
| repeated exposure (STOT-RE), | | | | | Dose Dermal Toxicity - | conclusion |
| dermal: | NOAE: | 0.00 | | + 5 / | 90-Day) | D () ** : |
| Specific target organ toxicity - | NOAEL | 0,22 | mg/l | Rat | | Dust, Mist, |
| repeated exposure (STOT-RE), | 1 | | | | | Analogous |
| inhalat.: | 1 | | | | | conclusion 4 |
| | | | | | | weeks |
| Aspiration hazard: | | 1 | | 1 | | Asp. Tox. 1 |



Page 9 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

Valid from: 17.10.2023 PDF print date: 09.09.2024 Top Tec 6200 0W-20

| Symptoms: | | | gastrointestinal |
|-----------|--|--|------------------|
| | | | disturbances, |
| | | | diarrhoea |

| 1-Decene, homopolymer, hydro | genated | | | | | |
|------------------------------|----------|-------|------|----------|-------------|-------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Aspiration hazard: | | | | | | Asp. Tox. 1 |

| Reaction mass of isomers of: (Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|--|----------|---------|----------|-------------|------------------------|-------------------|
| Acute toxicity, by oral route: | LD50 | > 2000 | mg/kg | Rat | OECD 401 (Acute Oral | 110100 |
| ricate textony, by crain cate. | 2200 | 7 2000 | 1119/119 | Nat | Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | > 2000 | mg/kg | Rat | OECD 402 (Acute | |
| ricate terminy, by derman reater | | 7 2000 | 9,9 | 1101 | Dermal Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute | Not irritant |
| | | | | 1100001 | Dermal | |
| | | | | | Irritation/Corrosion) | |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye | Not irritant |
| | | | | | Irritation/Corrosion) | |
| Respiratory or skin | | | | Guinea pig | OECD 406 (Skin | No (skin contact) |
| sensitisation: | | | | | Sensitisation) | , |
| Germ cell mutagenicity: | | | | Salmonella | OECD 471 (Bacterial | Negative |
| g , | | | | typhimurium | Reverse Mutation Test) | |
| Germ cell mutagenicity: | | | | | OECD 473 (In Vitro | Negative, |
| | | | | | Mammalian | Chinese hamster |
| | | | | | Chromosome | |
| | | | | | Aberration Test) | |
| Germ cell mutagenicity: | | | | | OECD 474 (Mammalian | Negative, |
| | | | | | Erythrocyte | Chinese hamster |
| | | | | | Micronucleus Test) | |
| Carcinogenicity: | | | | Rat | | Negative, |
| | | | | | | Analogous |
| | | | | | | conclusion |
| Reproductive toxicity: | NOAEL | 150-600 | mg/kg | Mouse | OECD 415 (One- | |
| | | | bw/d | | Generation | |
| | | | | | Reproduction Toxicity | |
| | | | | | Study) | |
| Aspiration hazard: | | | | | | Negative |

11.2. Information on other hazards

| Top Tec 6200 0W-20 | | | | | | | | |
|----------------------------------|----------|-------|------|----------|-------------|-----------------|--|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes | | |
| Endocrine disrupting properties: | | | | | | Does not apply | | |
| | | | | | | to mixtures. | | |
| Other information: | | | | | | No other | | |
| | | | | | | relevant | | |
| | | | | | | information | | |
| | | | | | | available on | | |
| | | | | | | adverse effects | | |
| | | | | | | on health. | | |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Top Tec 6200 0W-20 | | | | | | | | | |
|----------------------------|----------|------|-------|------|----------|-------------|--------|--|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes | | |
| 12.1. Toxicity to fish: | - | | | | | | n.d.a. | | |
| 12.1. Toxicity to daphnia: | | | | | | | n.d.a. | | |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. | | |
| 12.2. Persistence and | | | | | | | n.d.a. | | |
| degradability: | | | | | | | | | |



Page 10 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

| 12.3. Bioaccumulative | | | | n.d.a. |
|-------------------------|-----|---|---|------------------|
| potential: | | | | |
| 12.4. Mobility in soil: | | | | n.d.a. |
| 12.5. Results of PBT | | | | n.d.a. |
| and vPvB assessment | | | | |
| 12.6. Endocrine | | | | Does not apply |
| disrupting properties: | | | | to mixtures. |
| 12.7. Other adverse | | | | No information |
| effects: | | | | available on |
| | | | | other adverse |
| | | | | effects on the |
| | | | | environment. |
| Other information: | | | | DOC-elimination |
| | | | | degree(complexi |
| | | | | ng organic |
| | | | | substance)>= |
| | | | | 80%/28d: No |
| Other information: | AOX | 0 | % | According to the |
| | | | | recipe, contains |
| | | | | no AOX. |

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--|-----------|------|-------|------|----------------------------------|--|--|
| 12.1. Toxicity to fish: | LL50 | 96h | >100 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | Analogous conclusion |
| 12.1. Toxicity to fish: | NOEC/NOEL | 28d | >1000 | mg/l | Oncorhynchus mykiss | QSÁR | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 10 | mg/l | Daphnia magna | QSAR | Analogous conclusion |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >1000 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | Analogous conclusion |
| 12.1. Toxicity to algae: | EC50 | 48h | >100 | mg/l | Pseudokirchneriell a subcapitata | OEĆD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | >=100 | mg/l | Pseudokirchneriell a subcapitata | OECD 201 (Alga, Growth Inhibition Test) | Analogous conclusion |
| 12.2. Persistence and degradability: | | 28d | 31 | % | activated sludge | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Not readily biodegradable, Analogous conclusion |
| 12.2. Persistence and degradability: | | 28d | 6 | % | | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Not readily biodegradable |
| 12.3. Bioaccumulative potential: | Log Pow | | 3,9-6 | | | , | High |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Other information: | AOX | | 0 | % | | | VD Cabolano |

| 1-Decene, homopolymer, hydrogenated | | | | | | | | | |
|-------------------------------------|-----------|------|-------|------|----------------------------|-------------|-------|--|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes | | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >1000 | mg/l | Daphnia magna | | | | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 125 | mg/l | Daphnia magna | | | | |
| 12.1. Toxicity to algae: | LC50 | 72h | >1000 | mg/l | Scenedesmus quadricauda | | | | |
| | | 1 | | | quadrioduda | | | | |



Page 11 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

| 12.2. Persistence and degradability: | | 28d | 2 | % | OECD 301 D (Ready Biodegradability - Closed Bottle Test) |
|--------------------------------------|---------|-----|------|---|---|
| 12.3. Bioaccumulative potential: | Log Kow | | >6,5 | | measured |

| Reaction mass of isome Toxicity / effect | | | | | | Tost mothed | Notos |
|---|-----------|------|----------------|------|-------------------------|--|--|
| | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | LC50 | 96h | >74 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to fish: | NOEC/NOEL | 35d | 0,001 | mg/l | Brachydanio rerio | OECD 210 (Fish, Early-Life Stage Toxicity Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >100 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | >=1 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | Water toxicology is above the water-solubility value. |
| 12.1. Toxicity to algae: | EC50 | 72h | >3 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 28d | 2-4 | % | activated sludge | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Not readily biodegradable |
| 12.2. Persistence and degradability: | | | | | | , | Mechanical precipitation possible. |
| 12.3. Bioaccumulative potential: | Log Pow | | 9,2 | | | | Possible@20°C |
| 12.3. Bioaccumulative potential: | BCF | 35d | 260 | | | OECD 305 (Bioconcentration - Flow-Through Fish Test) | Concentration in organisms possible.Oncorh nchus mykiss |
| 12.4. Mobility in soil: | | | | | | | Adsorption in ground., To be expected |
| 12.4. Mobility in soil: | Koc | | 7673- 18432 | | | OECD 106 (Adsorption/Desor ption Using a Batch Equilibrium Method) | |
| 12.5. Results of PBT and vPvB assessment | | | | | | · | No PBT substance, No vPvB substance |
| 12.6. Endocrine disrupting properties: | | | | | | | No |
| Toxicity to bacteria: | IC50 | 3h | >100 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |



Page 12 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

Valid from: 17.10.2023 PDF print date: 09.09.2024 Top Tec 6200 0W-20

| Other organisms: | NOEC/NOEL | 28d | 31,6 | mg/kg | | OECD 217 (Soil Microorganisms - Carbon Transformation Test) | |
|-----------------------|-----------|-----|-------|-------|-----------------|---|-----------------|
| Other information: | EC50 | 19d | >100 | mg/kg | | OECD 208 (Terrestrial Plants, Growth Test) | Brassica rapa |
| Toxicity to annelids: | EC50 | 14d | >1000 | mg/kg | Eisenia foetida | OECD 207 (Earthworm, Acute Toxicity Tests) | artificial soil |
| Toxicity to annelids: | NOEC/NOEL | 56d | 250 | mg/kg | Eisenia foetida | OECD 222 (Earthworm Reproduction Test (Eisenia fetida/Eisenia andrei)) | artificial soil |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number:

Not applicable
14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards:

14.6. Environmental hazards:

14.7. Environmental hazards:

15. Environmental hazards:

16. Environmental hazards:

17. Not applicable

18. Classification code:

18. Not applicable

18. Not applicable

18. Not applicable

19. Not applicable

Transport by sea (IMDG-code)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicable



Page 13 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

Valid from: 17.10.2023 PDF print date: 09.09.2024 Top Tec 6200 0W-20

Marine Pollutant: Not applicable Not applicable EmS:

Transport by air (IATA)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es): Not applicable 14.4. Packing group: Not applicable 14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): < 0,1 %

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

3, 11

Revised sections:

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.

H361d Suspected of damaging the unborn child.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Asp. Tox. — Aspiration hazard

Aguatic Chronic — Hazardous to the aguatic environment - chronic

Skin Sens. — Skin sensitization Repr. — Reproductive toxicity

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.



Œ

Page 14 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

Valid from: 17.10.2023 PDF print date: 09.09.2024 Top Tec 6200 0W-20

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the

International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances

and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community
ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

IUPAC International Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

mg/kg bw mg/kg body weight

mg/kg bw/d, mg/kg bw/day mg/kg body weight/day

mg/kg dw mg/kg dry weight mg/kg wwt mg/kg wet weight

n.a. not applicable n.av. not available n.c. not checked



Page 15 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 17.10.2023 / 0007

Replacing version dated / version: 12.04.2022 / 0006

Valid from: 17.10.2023 PDF print date: 09.09.2024 Top Tec 6200 0W-20

n.d.a. no data available

NIOSH National Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical

identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-

IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International

Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.